


Aux. Antenna

1. 802.11ax_20M_Band5_CH1

1.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-40.5	5914.5	-51.37	-62.42	11.37	Pass
-30	-20	0.2	-29.82	5925.18	-52.39	-63.44	12.6	Pass
-20	-11	0.2	-16.5	5938.5	-41.34	-52.39	16.45	Pass
-11	-10	0.2	-11	5944	-38.18	-49.23	18.18	Pass
10	11	0.2	11	5966	-35.73	-46.78	15.73	Pass
11	20	0.2	15.18	5970.18	-37.72	-48.77	14	Pass
20	30	0.2	29.58	5984.58	-51.95	-63	12.45	Pass
30	60	0.2	49.2	6004.2	-51.45	-62.51	11.45	Pass



2. 802.11ax_20M_Band5_CH45

2.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.08	6143.92	-55.09	-66.84	15.09	Pass
-30	-20	0.2	-20.46	6154.54	-40.91	-52.66	12.35	Pass
-20	-11	0.2	-16.92	6158.08	-35.32	-47.07	10.06	Pass
-11	-10	0.2	-11	6164	-31.45	-43.2	11.45	Pass
10	11	0.2	11	6186	-29.93	-41.68	9.93	Pass
11	20	0.2	15.24	6190.24	-32.22	-43.97	8.45	Pass
20	30	0.2	20.76	6195.76	-39.44	-51.19	10.53	Pass
30	60	0.2	30.06	6205.06	-53.59	-65.34	13.59	Pass



3. 802.11ax_20M_Band5_CH93

3.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.24	6384.76	-55.17	-67.55	15.17	Pass
-30	-20	0.2	-20.46	6394.54	-40.13	-52.5	11.57	Pass
-20	-11	0.2	-17.58	6397.42	-36.12	-48.49	10.27	Pass
-11	-10	0.2	-11	6404	-31.7	-44.07	11.7	Pass
10	11	0.2	11	6426	-30.27	-42.65	10.27	Pass
11	20	0.2	12.78	6427.78	-30.62	-42.99	9.03	Pass
20	30	0.2	20.28	6435.28	-39.2	-51.57	10.86	Pass
30	60	0.2	30.36	6445.36	-54.58	-66.95	14.58	Pass



4. 802.11be_20M_Band5_CH1

4.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-33.78	5921.22	-58.76	-70.4	18.76	Pass
-30	-20	0.2	-29.88	5925.12	-58.66	-70.3	18.81	Pass
-20	-11	0.2	-14.64	5940.36	-41.29	-52.93	18.05	Pass
-11	-10	0.2	-11	5944	-40.21	-51.84	20.21	Pass
10	11	0.2	11	5966	-37.75	-49.38	17.75	Pass
11	20	0.2	15.42	5970.42	-39.79	-51.42	15.86	Pass
20	30	0.2	21.06	5976.06	-47.03	-58.66	17.76	Pass
30	60	0.2	30.42	5985.42	-58.29	-69.93	18.29	Pass



5. 802.11be_20M_Band5_CH45

5.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.12	6144.88	-55.17	-67.57	15.17	Pass
-30	-20	0.2	-20.76	6154.24	-41.62	-54.03	12.71	Pass
-20	-11	0.2	-12.72	6162.28	-32.79	-45.19	11.26	Pass
-11	-10	0.2	-11	6164	-32.7	-45.11	12.7	Pass
10	11	0.2	11	6186	-30.88	-43.28	10.88	Pass
11	20	0.2	13.98	6188.98	-32.29	-44.69	9.64	Pass
20	30	0.2	20.64	6195.64	-40.01	-52.41	11.24	Pass
30	60	0.2	30.24	6205.24	-54.31	-66.71	14.31	Pass



6. 802.11be_20M_Band5_CH93

6.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.84	6384.16	-55.3	-68.09	15.3	Pass
-30	-20	0.2	-20.22	6394.78	-41.08	-53.87	12.81	Pass
-20	-11	0.2	-16.08	6398.92	-35.8	-48.59	11.28	Pass
-11	-10	0.2	-11	6404	-33.04	-45.83	13.04	Pass
10	11	0.2	11	6426	-32.19	-44.99	12.19	Pass
11	20	0.2	16.44	6431.44	-35.43	-48.22	10.59	Pass
20	30	0.2	22.02	6437.02	-42.69	-55.48	12.27	Pass
30	60	0.2	31.08	6446.08	-55.78	-68.57	15.78	Pass



7. 802.11ax_20M_Band6_CH97

7.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-33.78	6401.22	-58.17	-71.53	18.17	Pass
-30	-20	0.2	-29.58	6405.42	-58.29	-71.65	18.8	Pass
-20	-11	0.2	-19.08	6415.92	-54.24	-67.6	27.06	Pass
-11	-10	0.2	-11	6424	-48.98	-62.34	28.98	Pass
10	11	0.2	11	6446	-50.06	-63.42	30.06	Pass
11	20	0.2	16.44	6451.44	-52.77	-66.13	27.93	Pass
20	30	0.2	30	6465	-58.22	-71.58	18.22	Pass
30	60	0.2	36.78	6471.78	-58.09	-71.45	18.09	Pass



8. 802.11ax_20M_Band6_CH105

8.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-32.52	6442.48	-57.9	-71.36	17.9	Pass
-30	-20	0.2	-29.94	6445.06	-58.49	-71.96	18.57	Pass
-20	-11	0.2	-19.44	6455.56	-54.79	-68.25	27.29	Pass
-11	-10	0.2	-11	6464	-49.2	-62.66	29.2	Pass
10	11	0.2	11	6486	-50.72	-64.18	30.72	Pass
11	20	0.2	19.86	6494.86	-55.97	-69.43	28.1	Pass
20	30	0.2	29.64	6504.64	-57.93	-71.39	18.36	Pass
30	60	0.2	38.88	6513.88	-58.02	-71.48	18.02	Pass



9. 802.11ax_20M_Band6_CH113

9.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.84	6484.16	-56.86	-69.84	16.86	Pass
-30	-20	0.2	-20.46	6494.54	-42.32	-55.3	13.77	Pass
-20	-11	0.2	-12.96	6502.04	-33.52	-46.5	11.78	Pass
-11	-10	0.2	-11	6504	-33.5	-46.48	13.5	Pass
10	11	0.2	11	6526	-33.27	-46.25	13.27	Pass
11	20	0.2	15	6530	-35.18	-48.16	11.62	Pass
20	30	0.2	20.46	6535.46	-41.64	-54.62	13.08	Pass
30	60	0.2	30.96	6545.96	-56.31	-69.29	16.31	Pass



10.802.11be_20M_Band6_CH97

10.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.5	6403.5	-58.11	-71.23	18.11	Pass
-30	-20	0.2	-29.76	6405.24	-59.13	-72.25	19.42	Pass
-20	-11	0.2	-19.2	6415.8	-54.23	-67.35	26.94	Pass
-11	-10	0.2	-11	6424	-48.3	-61.42	28.3	Pass
10	11	0.2	11	6446	-49.74	-62.87	29.74	Pass
11	20	0.2	16.92	6451.92	-52.94	-66.07	27.68	Pass
20	30	0.2	30	6465	-58.78	-71.91	18.78	Pass
30	60	0.2	33.42	6468.42	-58.07	-71.19	18.07	Pass



11.802.11be_20M_Band6_CH105

11.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-40.44	6434.56	-57.84	-71.12	17.84	Pass
-30	-20	0.2	-29.7	6445.3	-58.18	-71.46	18.54	Pass
-20	-11	0.2	-19.38	6455.62	-55.16	-68.44	27.71	Pass
-11	-10	0.2	-11	6464	-50.22	-63.51	30.22	Pass
10	11	0.2	11	6486	-51.3	-64.58	31.3	Pass
11	20	0.2	19.2	6494.2	-55.35	-68.64	28.06	Pass
20	30	0.2	30	6505	-58.73	-72.02	18.73	Pass
30	60	0.2	31.74	6506.74	-57.58	-70.86	17.58	Pass



12.802.11be_20M_Band6_CH113

12.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.06	6484.94	-56.35	-68.69	16.35	Pass
-30	-20	0.2	-20.7	6494.3	-43.34	-55.68	14.5	Pass
-20	-11	0.2	-14.76	6500.24	-35.24	-47.58	11.9	Pass
-11	-10	0.2	-11	6504	-33.82	-46.16	13.82	Pass
10	11	0.2	11	6526	-32.68	-45.01	12.68	Pass
11	20	0.2	14.1	6529.1	-34.51	-46.84	11.75	Pass
20	30	0.2	20.46	6535.46	-42.07	-54.41	13.52	Pass
30	60	0.2	30.84	6545.84	-56.48	-68.82	16.48	Pass



13.802.11ax_20M_Band7_CH117

13.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.68	6503.32	-58.68	-69.37	18.68	Pass
-30	-20	0.2	-30	6505	-58.73	-69.41	18.73	Pass
-20	-11	0.2	-19.74	6515.26	-55.55	-66.23	27.78	Pass
-11	-10	0.2	-11	6524	-51.03	-61.71	31.03	Pass
10	11	0.2	11	6546	-53.91	-64.59	33.91	Pass
11	20	0.2	19.74	6554.74	-56.43	-67.11	28.66	Pass
20	30	0.2	29.58	6564.58	-58.22	-68.9	18.73	Pass
30	60	0.2	31.08	6566.08	-58.74	-69.42	18.74	Pass



14.802.11ax_20M_Band7_CH153

14.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-34.44	6680.56	-58.66	-68.95	18.66	Pass
-30	-20	0.2	-30	6685	-59.08	-69.38	19.08	Pass
-20	-11	0.2	-19.74	6695.26	-55.66	-65.96	27.89	Pass
-11	-10	0.2	-11	6704	-51.84	-62.14	31.84	Pass
10	11	0.2	11	6726	-54.86	-65.16	34.86	Pass
11	20	0.2	19.56	6734.56	-57	-67.3	29.39	Pass
20	30	0.2	29.88	6744.88	-59.34	-69.64	19.48	Pass
30	60	0.2	30.06	6745.06	-58.87	-69.17	18.87	Pass



15.802.11ax_20M_Band7_CH181

15.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.12	6824.88	-58.11	-70.05	18.11	Pass
-30	-20	0.2	-30	6825	-58.75	-70.69	18.75	Pass
-20	-11	0.2	-18.54	6836.46	-53.4	-65.34	26.7	Pass
-11	-10	0.2	-11	6844	-50.31	-62.26	30.31	Pass
10	11	0.2	11	6866	-53.6	-65.54	33.6	Pass
11	20	0.2	19.92	6874.92	-56.72	-68.66	28.79	Pass
20	30	0.2	29.7	6884.7	-58.29	-70.23	18.65	Pass
30	60	0.2	31.44	6886.44	-58.37	-70.32	18.37	Pass



16.802.11be_20M_Band7_CH117

16.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.18	6504.82	-55.21	-68.3	15.21	Pass
-30	-20	0.2	-20.58	6514.42	-41.87	-54.95	13.17	Pass
-20	-11	0.2	-11.76	6523.24	-32.07	-45.16	11.4	Pass
-11	-10	0.2	-11	6524	-32.62	-45.71	12.62	Pass
10	11	0.2	11	6546	-32.25	-45.33	12.25	Pass
11	20	0.2	14.88	6549.88	-34.43	-47.51	10.98	Pass
20	30	0.2	20.34	6555.34	-41.45	-54.54	13.04	Pass
30	60	0.2	30.42	6565.42	-55.5	-68.58	15.5	Pass



17.802.11be_20M_Band7_CH153

17.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.84	6684.16	-58.72	-69.2	18.72	Pass
-30	-20	0.2	-30	6685	-58.98	-69.46	18.98	Pass
-20	-11	0.2	-18.48	6696.52	-54.15	-64.63	27.5	Pass
-11	-10	0.2	-11	6704	-51.27	-61.75	31.27	Pass
10	11	0.2	11	6726	-53.83	-64.3	33.83	Pass
11	20	0.2	19.92	6734.92	-56.85	-67.33	28.92	Pass
20	30	0.2	29.58	6744.58	-58.88	-69.36	19.38	Pass
30	60	0.2	30.9	6745.9	-58.71	-69.19	18.71	Pass



18.802.11be_20M_Band7_CH181

18.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.02	6823.98	-57.24	-69.67	17.24	Pass
-30	-20	0.2	-29.76	6825.24	-57.28	-69.7	17.57	Pass
-20	-11	0.2	-18.9	6836.1	-52.8	-65.22	25.78	Pass
-11	-10	0.2	-11	6844	-49.05	-61.48	29.05	Pass
10	11	0.2	11	6866	-52.05	-64.47	32.05	Pass
11	20	0.2	19.02	6874.02	-54.36	-66.78	27.23	Pass
20	30	0.2	29.88	6884.88	-57.7	-70.13	17.85	Pass
30	60	0.2	51.84	6906.84	-57.51	-69.94	17.51	Pass



19.802.11ax_20M_Band8_CH185

19.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-35.04	6839.96	-56.35	-69.04	16.35	Pass
-30	-20	0.2	-29.52	6845.48	-56.07	-68.76	16.65	Pass
-20	-11	0.2	-18.78	6856.22	-52.58	-65.27	25.67	Pass
-11	-10	0.2	-11	6864	-49.89	-62.57	29.89	Pass
10	11	0.2	11	6886	-52.88	-65.57	32.88	Pass
11	20	0.2	19.92	6894.92	-55.51	-68.2	27.58	Pass
20	30	0.2	29.64	6904.64	-56.78	-69.46	17.21	Pass
30	60	0.2	30.72	6905.72	-56.75	-69.44	16.75	Pass



20.802.11ax_20M_Band8_CH213

20.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-32.4	6982.6	-51.43	-63.7	11.43	Pass
-30	-20	0.2	-30	6985	-52.19	-64.47	12.19	Pass
-20	-11	0.2	-19.98	6995.02	-49.75	-62.03	21.77	Pass
-11	-10	0.2	-11	7004	-47.44	-59.71	27.44	Pass
10	11	0.2	11	7026	-48.58	-60.86	28.58	Pass
11	20	0.2	19.86	7034.86	-50.28	-62.55	22.4	Pass
20	30	0.2	29.82	7044.82	-52.21	-64.49	12.43	Pass
30	60	0.2	30.9	7045.9	-51.56	-63.83	11.56	Pass



21.802.11ax_20M_Band8_CH229

21.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30	7065	-53.7	-63.68	13.7	Pass
-30	-20	0.2	-30	7065	-53.7	-63.68	13.7	Pass
-20	-11	0.2	-20	7075	-52.16	-62.14	24.16	Pass
-11	-10	0.2	-11	7084	-48.25	-58.24	28.25	Pass
10	11	0.2	11	7106	-48.92	-58.91	28.92	Pass
11	20	0.2	19.62	7114.62	-51.57	-61.55	23.9	Pass
20	30	0.2	29.82	7124.82	-53.71	-63.7	13.93	Pass
30	60	0.2	30.84	7125.84	-53.56	-63.54	13.56	Pass



22.802.11ax_20M_Band8_CH233

22.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-38.94	7076.06	-55.06	-64.12	15.06	Pass
-30	-20	0.2	-29.7	7085.3	-55.54	-64.59	15.9	Pass
-20	-11	0.2	-19.86	7095.14	-52.46	-61.51	24.58	Pass
-11	-10	0.2	-11	7104	-49.88	-58.94	29.88	Pass
10	11	0.2	11	7126	-51.81	-60.86	31.81	Pass
11	20	0.2	19.8	7134.8	-53.56	-62.62	25.74	Pass
20	30	0.2	29.88	7144.88	-55.18	-64.24	15.33	Pass
30	60	0.2	33	7148	-55.05	-64.11	15.05	Pass



23.802.11be_20M_Band8_CH185

23.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-35.46	6839.54	-57.37	-69.7	17.37	Pass
-30	-20	0.2	-29.52	6845.48	-57.02	-69.35	17.59	Pass
-20	-11	0.2	-19.92	6855.08	-53.47	-65.8	25.54	Pass
-11	-10	0.2	-11	6864	-48.68	-61.01	28.68	Pass
10	11	0.2	11	6886	-52.83	-65.16	32.83	Pass
11	20	0.2	19.62	6894.62	-55.5	-67.83	27.83	Pass
20	30	0.2	29.7	6904.7	-57.47	-69.8	17.83	Pass
30	60	0.2	30.24	6905.24	-57.65	-69.98	17.65	Pass



24.802.11be_20M_Band8_CH213

24.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.42	6984.58	-57	-68.67	17	Pass
-30	-20	0.2	-29.94	6985.06	-57	-68.68	17.07	Pass
-20	-11	0.2	-19.98	6995.02	-53.13	-64.8	25.14	Pass
-11	-10	0.2	-11	7004	-49.44	-61.11	29.44	Pass
10	11	0.2	11	7026	-51.42	-63.09	31.42	Pass
11	20	0.2	19.56	7034.56	-53.57	-65.24	25.96	Pass
20	30	0.2	29.88	7044.88	-56.74	-68.41	16.88	Pass
30	60	0.2	30.24	7045.24	-56.81	-68.49	16.81	Pass



25.802.11be_20M_Band8_CH229

25.1 A.5-In-Band Emissions-20M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.96	7064.04	-57.06	-67.12	17.06	Pass
-30	-20	0.2	-29.7	7065.3	-57.08	-67.14	17.44	Pass
-20	-11	0.2	-17.82	7077.18	-51.39	-61.45	25.33	Pass
-11	-10	0.2	-11	7084	-48.36	-58.42	28.36	Pass
10	11	0.2	11	7106	-48.53	-58.58	28.53	Pass
11	20	0.2	19.98	7114.98	-52.67	-62.73	24.69	Pass
20	30	0.2	30	7125	-57.13	-67.19	17.13	Pass
30	60	0.2	30	7125	-57.13	-67.19	17.13	Pass



26.802.11be_20M_Band8_CH233

26.1 A.5-In-Band Emissions-20M

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.5	7083.5	-59.1	-68.19	19.1	Pass
-30	-20	0.2	-30	7085	-59.15	-68.24	19.15	Pass
-20	-11	0.2	-17.82	7097.18	-52.35	-61.44	26.29	Pass
-11	-10	0.2	-11	7104	-49.35	-58.43	29.35	Pass
10	11	0.2	11	7126	-50.79	-59.88	30.79	Pass
11	20	0.2	19.08	7134.08	-53.58	-62.67	26.4	Pass
20	30	0.2	30	7145	-58.91	-68	18.91	Pass
30	60	0.2	30.48	7145.48	-58.62	-67.71	18.62	Pass




40M

1. 802.11ax_40M_Band5_CH3

1.1 A.5-In-Band Emissions-40M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.24	5904.76	-57.21	-65.8	17.21	Pass
-60	-40	0.4	-59.76	5905.24	-56.77	-65.36	16.91	Pass
-40	-21	0.4	-37.361319	5927.638681	-51.31	-59.91	24.43	Pass
-21	-20	0.4	-21	5944	-48.56	-57.15	28.56	Pass
20	21	0.4	21	5986	-50.96	-59.55	30.96	Pass
21	40	0.4	37.481259	6002.481259	-52.4	-60.99	25.46	Pass
40	60	0.4	59.88	6024.88	-57.28	-65.88	17.36	Pass
60	120	0.4	64.2	6029.2	-57.25	-65.84	17.25	Pass



2. 802.11ax_40M_Band5_CH43

2.1 A.5-In-Band Emissions-40M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.36	6104.64	-56.9	-65.61	16.9	Pass
-60	-40	0.4	-59.04	6105.96	-56.31	-65.01	16.88	Pass
-40	-21	0.4	-36.521739	6128.478261	-51.65	-60.36	25.11	Pass
-21	-20	0.4	-21	6144	-49.61	-58.32	29.61	Pass
20	21	0.4	21	6186	-50.87	-59.58	30.87	Pass
21	40	0.4	37.721139	6202.721139	-53.29	-62	26.25	Pass
40	60	0.4	58.44	6223.44	-56.2	-64.91	17.13	Pass
60	120	0.4	62.52	6227.52	-56.56	-65.27	16.56	Pass



3. 802.11ax_40M_Band5_CH91

3.1 A.5-In-Band Emissions-40M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.68	6343.32	-53.17	-64.5	13.17	Pass
-60	-40	0.4	-40.2	6364.8	-37.11	-48.44	8.99	Pass
-40	-21	0.4	-26.326837	6378.673163	-28.95	-40.28	6.71	Pass
-21	-20	0.4	-21	6384	-29.27	-40.6	9.27	Pass
20	21	0.4	21	6426	-28.11	-39.44	8.11	Pass
21	40	0.4	33.763118	6438.763118	-31.85	-43.18	6.48	Pass
40	60	0.4	40.2	6445.2	-36.59	-47.92	8.47	Pass
60	120	0.4	62.88	6467.88	-53.03	-64.36	13.03	Pass



4. 802.11be_40M_Band5_CH3

4.1 A.5-In-Band Emissions-40M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.6	5904.4	-56.17	-65.7	16.17	Pass
-60	-40	0.4	-59.76	5905.24	-56.27	-65.81	16.42	Pass
-40	-21	0.4	-36.281859	5928.718141	-50.57	-60.11	24.14	Pass
-21	-20	0.4	-21	5944	-48.39	-57.92	28.39	Pass
20	21	0.4	21	5986	-49.81	-59.34	29.81	Pass
21	40	0.4	37.481259	6002.481259	-51.29	-60.82	24.35	Pass
40	60	0.4	60	6025	-56.41	-65.94	16.41	Pass
60	120	0.4	63.96	6028.96	-56.08	-65.61	16.08	Pass



5. 802.11be_40M_Band5_CH43

5.1 A.5-In-Band Emissions-40M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.56	6103.44	-57.13	-65.88	17.13	Pass
-60	-40	0.4	-60	6105	-57.74	-66.49	17.74	Pass
-40	-21	0.4	-34.842579	6130.157421	-50.78	-59.53	24.95	Pass
-21	-20	0.4	-21	6144	-49.02	-57.78	29.02	Pass
20	21	0.4	21	6186	-49.44	-58.19	29.44	Pass
21	40	0.4	38.44078	6203.44078	-53.51	-62.26	26.16	Pass
40	60	0.4	59.88	6224.88	-56.87	-65.62	16.94	Pass
60	120	0.4	108.12	6273.12	-56.43	-65.18	16.43	Pass



6. 802.11be_40M_Band5_CH91

6.1 A.5-In-Band Emissions-40M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.2	6343.8	-51.6	-63	11.6	Pass
-60	-40	0.4	-40.68	6364.32	-37.38	-48.78	8.97	Pass
-40	-21	0.4	-21.289355	6383.710645	-26.26	-37.67	6.14	Pass
-21	-20	0.4	-21	6384	-27.86	-39.26	7.86	Pass
20	21	0.4	21	6426	-27.28	-38.69	7.28	Pass
21	40	0.4	32.683658	6437.683658	-30.87	-42.28	5.95	Pass
40	60	0.4	42.36	6447.36	-38.12	-49.53	8.71	Pass
60	120	0.4	60.72	6465.72	-51.46	-62.87	11.46	Pass



7. 802.11ax_40M_Band6_CH99

7.1 A.5-In-Band Emissions-40M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-70.92	6374.08	-57.07	-66.81	17.07	Pass
-60	-40	0.4	-59.88	6385.12	-57.37	-67.11	17.44	Pass
-40	-21	0.4	-37.001499	6407.998501	-55.33	-65.07	28.59	Pass
-21	-20	0.4	-21	6424	-53.79	-63.53	33.79	Pass
20	21	0.4	21	6466	-52.84	-62.58	32.84	Pass
21	40	0.4	38.08096	6483.08096	-55.17	-64.91	27.97	Pass
40	60	0.4	59.4	6504.4	-57.59	-67.33	17.95	Pass
60	120	0.4	99	6544	-57.07	-66.82	17.07	Pass



8. 802.11ax_40M_Band6_CH107

8.1 A.5-In-Band Emissions-40M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-103.56	6381.44	-56.51	-67.5	16.51	Pass
-60	-40	0.4	-59.76	6425.24	-57	-67.99	17.14	Pass
-40	-21	0.4	-37.601199	6447.398801	-53.56	-64.56	26.57	Pass
-21	-20	0.4	-21	6464	-52.74	-63.74	32.74	Pass
20	21	0.4	21	6506	-54	-65	34	Pass
21	40	0.4	39.76012	6524.76012	-56.15	-67.15	28.25	Pass
40	60	0.4	59.16	6544.16	-56.12	-67.11	16.62	Pass
60	120	0.4	97.56	6582.56	-56.14	-67.13	16.14	Pass



9. 802.11ax_40M_Band6_CH115

9.1 A.5-In-Band Emissions-40M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.24	6464.76	-58.62	-66.07	18.62	Pass
-60	-40	0.4	-59.76	6465.24	-58.8	-66.25	18.95	Pass
-40	-21	0.4	-36.401799	6488.598201	-53.89	-61.34	27.41	Pass
-21	-20	0.4	-21	6504	-52.15	-59.6	32.15	Pass
20	21	0.4	21	6546	-55.82	-63.27	35.82	Pass
21	40	0.4	37.601199	6562.601199	-56.02	-63.47	29.03	Pass
40	60	0.4	60	6585	-58.25	-65.7	18.25	Pass
60	120	0.4	86.76	6611.76	-58.25	-65.7	18.25	Pass



10.802.11be_40M_Band6_CH99

10.1 A.5-In-Band Emissions-40M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.96	6384.04	-57.02	-66.72	17.02	Pass
-60	-40	0.4	-59.16	6385.84	-57.1	-66.79	17.61	Pass
-40	-21	0.4	-37.481259	6407.518741	-54.5	-64.19	27.56	Pass
-21	-20	0.4	-21	6424	-53.41	-63.1	33.41	Pass
20	21	0.4	21	6466	-53.53	-63.22	33.53	Pass
21	40	0.4	37.121439	6482.121439	-54.13	-63.83	27.35	Pass
40	60	0.4	59.76	6504.76	-57.24	-66.93	17.38	Pass
60	120	0.4	67.32	6512.32	-57.18	-66.88	17.18	Pass



11.802.11be_40M_Band6_CH107

11.1 A.5-In-Band Emissions-40M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.64	6422.36	-56.24	-67	16.24	Pass
-60	-40	0.4	-59.64	6425.36	-56.85	-67.61	17.07	Pass
-40	-21	0.4	-37.001499	6447.998501	-52.67	-63.43	25.93	Pass
-21	-20	0.4	-21	6464	-50.82	-61.58	30.82	Pass
20	21	0.4	21	6506	-54.15	-64.91	34.15	Pass
21	40	0.4	38.56072	6523.56072	-55.11	-65.87	27.72	Pass
40	60	0.4	59.28	6544.28	-56.63	-67.39	17.06	Pass
60	120	0.4	103.32	6588.32	-56.01	-66.77	16.01	Pass



12.802.11be_40M_Band6_CH115

12.1 A.5-In-Band Emissions-40M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.96	6464.04	-57.69	-65.56	17.69	Pass
-60	-40	0.4	-59.52	6465.48	-58.15	-66.02	18.44	Pass
-40	-21	0.4	-37.121439	6487.878561	-53.37	-61.24	26.58	Pass
-21	-20	0.4	-21	6504	-51.64	-59.51	31.64	Pass
20	21	0.4	21	6546	-55.45	-63.32	35.45	Pass
21	40	0.4	38.44078	6563.44078	-56	-63.87	28.65	Pass
40	60	0.4	60	6585	-58.74	-66.62	18.74	Pass
60	120	0.4	102.24	6627.24	-57.77	-65.64	17.77	Pass



13.802.11ax_40M_Band7_CH123

13.1 A.5-In-Band Emissions-40M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.4	6502.6	-58.36	-66.26	18.36	Pass
-60	-40	0.4	-60	6505	-58.66	-66.56	18.66	Pass
-40	-21	0.4	-36.401799	6528.598201	-54.13	-62.03	27.65	Pass
-21	-20	0.4	-21	6544	-53.15	-61.05	33.15	Pass
20	21	0.4	21	6586	-53.57	-61.46	33.57	Pass
21	40	0.4	37.481259	6602.481259	-55.64	-63.53	28.7	Pass
40	60	0.4	59.04	6624.04	-58.15	-66.05	18.73	Pass
60	120	0.4	60.24	6625.24	-57.96	-65.85	17.96	Pass



14.802.11ax_40M_Band7_CH155

14.1 A.5-In-Band Emissions-40M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.52	6662.48	-58.01	-65.57	18.01	Pass
-60	-40	0.4	-59.64	6665.36	-57.82	-65.39	18.04	Pass
-40	-21	0.4	-36.881559	6688.118441	-52.48	-60.04	25.79	Pass
-21	-20	0.4	-21	6704	-50.08	-57.64	30.08	Pass
20	21	0.4	21	6746	-54.34	-61.91	34.34	Pass
21	40	0.4	36.881559	6761.881559	-55.83	-63.4	29.14	Pass
40	60	0.4	59.76	6784.76	-58.98	-66.55	19.13	Pass
60	120	0.4	61.08	6786.08	-58.82	-66.39	18.82	Pass



15.802.11ax_40M_Band7_CH179

15.1 A.5-In-Band Emissions-40M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-64.92	6780.08	-56.6	-65.64	16.6	Pass
-60	-40	0.4	-59.76	6785.24	-56.48	-65.52	16.62	Pass
-40	-21	0.4	-38.92054	6806.07946	-52.53	-61.57	24.98	Pass
-21	-20	0.4	-21	6824	-49.66	-58.7	29.66	Pass
20	21	0.4	21	6866	-54.43	-63.48	34.43	Pass
21	40	0.4	37.721139	6882.721139	-55.46	-64.5	28.42	Pass
40	60	0.4	60	6905	-57.44	-66.49	17.44	Pass
60	120	0.4	72.12	6917.12	-57.38	-66.43	17.38	Pass



16.802.11be_40M_Band7_CH123

16.1 A.5-In-Band Emissions-40M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-65.88	6499.12	-57.7	-65.92	17.7	Pass
-60	-40	0.4	-59.76	6505.24	-58.2	-66.42	18.34	Pass
-40	-21	0.4	-37.121439	6527.878561	-53.33	-61.55	26.54	Pass
-21	-20	0.4	-21	6544	-52.74	-60.96	32.74	Pass
20	21	0.4	21	6586	-53.38	-61.6	33.38	Pass
21	40	0.4	37.361319	6602.361319	-54.83	-63.05	27.94	Pass
40	60	0.4	58.68	6623.68	-57.98	-66.2	18.77	Pass
60	120	0.4	61.92	6626.92	-57.89	-66.11	17.89	Pass



17.[802.11be_40M_Band7_CH155

17.1 A.5-In-Band Emissions-40M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-64.68	6660.32	-57.59	-65.67	17.59	Pass
-60	-40	0.4	-59.64	6665.36	-57.72	-65.8	17.94	Pass
-40	-21	0.4	-37.601199	6687.398801	-52.12	-60.19	25.13	Pass
-21	-20	0.4	-21	6704	-49.37	-57.45	29.37	Pass
20	21	0.4	21	6746	-54.77	-62.84	34.77	Pass
21	40	0.4	37.241379	6762.241379	-55.35	-63.42	28.51	Pass
40	60	0.4	59.16	6784.16	-57.88	-65.96	18.39	Pass
60	120	0.4	102.72	6827.72	-57.99	-66.07	17.99	Pass



18.802.11be_40M_Band7_CH179

18.1 A.5-In-Band Emissions-40M

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.08	6783.92	-56.68	-65.43	16.68	Pass
-60	-40	0.4	-59.76	6785.24	-57.4	-66.15	17.55	Pass
-40	-21	0.4	-36.161919	6808.838081	-50.89	-59.65	24.51	Pass
-21	-20	0.4	-21	6824	-49.57	-58.32	29.57	Pass
20	21	0.4	21	6866	-54.58	-63.33	34.58	Pass
21	40	0.4	38.2009	6883.2009	-55.81	-64.56	28.57	Pass
40	60	0.4	59.64	6904.64	-57.96	-66.71	18.18	Pass
60	120	0.4	61.2	6906.2	-57.54	-66.29	17.54	Pass



19.802.11ax_40M_Band8_CH187

19.1 A.5-In-Band Emissions-40M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-72.84	6812.16	-50.93	-60.81	10.93	Pass
-60	-40	0.4	-59.52	6825.48	-51.49	-61.37	11.78	Pass
-40	-21	0.4	-38.56072	6846.43928	-49.15	-59.03	21.76	Pass
-21	-20	0.4	-21	6864	-47.58	-57.46	27.58	Pass
20	21	0.4	21	6906	-50.76	-60.64	30.76	Pass
21	40	0.4	39.4003	6924.4003	-51.66	-61.54	23.91	Pass
40	60	0.4	60	6945	-52.21	-62.09	12.21	Pass
60	120	0.4	111.72	6996.72	-50.6	-60.48	10.6	Pass



20.802.11ax_40M_Band8_CH211

20.1 A.5-In-Band Emissions-40M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-93.24	6911.76	-51.4	-60.77	11.4	Pass
-60	-40	0.4	-59.76	6945.24	-52.26	-61.63	12.41	Pass
-40	-21	0.4	-37.721139	6967.278861	-50.13	-59.51	23.09	Pass
-21	-20	0.4	-21	6984	-48.11	-57.48	28.11	Pass
20	21	0.4	21	7026	-50.6	-59.97	30.6	Pass
21	40	0.4	38.8006	7043.8006	-51.32	-60.69	23.82	Pass
40	60	0.4	59.64	7064.64	-51.53	-60.9	11.75	Pass
60	120	0.4	67.32	7072.32	-51.09	-60.46	11.09	Pass



21.802.11ax_40M_Band8_CH227

21.1 A.5-In-Band Emissions-40M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.08	7023.92	-56	-65.87	16	Pass
-60	-40	0.4	-59.52	7025.48	-56.47	-66.35	16.76	Pass
-40	-21	0.4	-36.521739	7048.478261	-51.85	-61.73	25.32	Pass
-21	-20	0.4	-21	7064	-49.24	-59.11	29.24	Pass
20	21	0.4	21	7106	-50.11	-59.99	30.11	Pass
21	40	0.4	37.241379	7122.241379	-51.05	-60.92	24.21	Pass
40	60	0.4	59.76	7144.76	-55.12	-64.99	15.26	Pass
60	120	0.4	62.64	7147.64	-55.54	-65.42	15.54	Pass



22.802.11be_40M_Band8_CH187

22.1 A.5-In-Band Emissions-40M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.08	6823.92	-56.48	-65.98	16.48	Pass
-60	-40	0.4	-59.4	6825.6	-56.38	-65.87	16.74	Pass
-40	-21	0.4	-37.841079	6847.158921	-50.36	-59.86	23.27	Pass
-21	-20	0.4	-21	6864	-47.53	-57.03	27.53	Pass
20	21	0.4	21	6906	-52.99	-62.48	32.99	Pass
21	40	0.4	37.481259	6922.481259	-53.8	-63.3	26.86	Pass
40	60	0.4	59.88	6944.88	-57.55	-67.05	17.62	Pass
60	120	0.4	98.88	6983.88	-56.53	-66.03	16.53	Pass



23.802.11be_40M_Band8_CH211

23.1 A.5-In-Band Emissions-40M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60	6945	-56.89	-66.6	16.89	Pass
-60	-40	0.4	-60	6945	-57.51	-67.22	17.51	Pass
-40	-21	0.4	-37.961019	6967.038981	-51.8	-61.51	24.66	Pass
-21	-20	0.4	-21	6984	-48.76	-58.47	28.76	Pass
20	21	0.4	21	7026	-53.18	-62.89	33.18	Pass
21	40	0.4	38.68066	7043.68066	-54.07	-63.78	26.63	Pass
40	60	0.4	59.16	7064.16	-56.06	-65.77	16.57	Pass
60	120	0.4	106.8	7111.8	-55.99	-65.69	15.99	Pass



24.802.11be_40M_Band8_CH227

24.1 A.5-In-Band Emissions-40M

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60	7025	-57.17	-66.19	17.17	Pass
-60	-40	0.4	-59.52	7025.48	-57.39	-66.41	17.68	Pass
-40	-21	0.4	-38.44078	7046.55922	-52.18	-61.2	24.84	Pass
-21	-20	0.4	-21	7064	-48.81	-57.83	28.81	Pass
20	21	0.4	21	7106	-49.17	-58.19	29.17	Pass
21	40	0.4	38.68066	7123.68066	-51.03	-60.05	23.59	Pass
40	60	0.4	58.8	7143.8	-56.17	-65.19	16.89	Pass
60	120	0.4	61.08	7146.08	-56.3	-65.32	16.3	Pass




80M

1. 802.11ax_80M_Band5_CH7

1.1 A.5-In-Band Emissions-80M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-126.96	5858.04	-52.98	-59.22	12.98	Pass
-120	-80	0.8	-119.52	5865.48	-53.43	-59.68	13.57	Pass
-80	-41	0.8	-77.121439	5907.878561	-45.07	-51.32	17.66	Pass
-41	-40	0.8	-41	5944	-41.72	-47.97	21.72	Pass
40	41	0.8	41	6026	-42.63	-48.88	22.63	Pass
41	80	0.8	73.043478	6058.043478	-45.75	-52	19.18	Pass
80	120	0.8	119.76	6104.76	-53.24	-59.49	13.31	Pass
120	240	0.8	160.8	6145.8	-53.42	-59.67	13.42	Pass



2. 802.11ax_80M_Band5_CH39

2.1 A.5-In-Band Emissions-80M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-127.92	6017.08	-52.71	-58.72	12.71	Pass
-120	-80	0.8	-119.76	6025.24	-52.93	-58.94	13	Pass
-80	-41	0.8	-79.76012	6065.23988	-44.04	-50.05	16.09	Pass
-41	-40	0.8	-41	6104	-40.81	-46.81	20.81	Pass
40	41	0.8	41	6186	-44.22	-50.23	24.22	Pass
41	80	0.8	73.283358	6218.283358	-46.61	-52.62	19.99	Pass
80	120	0.8	119.52	6264.52	-53.68	-59.69	13.82	Pass
120	240	0.8	133.92	6278.92	-53.01	-59.02	13.01	Pass



3. 802.11ax_80M_Band5_CH87

3.1 A.5-In-Band Emissions-80M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-159.6	6225.4	-53.26	-60.03	13.26	Pass
-120	-80	0.8	-119.76	6265.24	-53.99	-60.76	14.06	Pass
-80	-41	0.8	-79.28036	6305.71964	-50.67	-57.43	22.81	Pass
-41	-40	0.8	-41	6344	-48.96	-55.73	28.96	Pass
40	41	0.8	41	6426	-49.33	-56.1	29.33	Pass
41	80	0.8	77.841079	6462.841079	-52.08	-58.85	24.52	Pass
80	120	0.8	118.8	6503.8	-53.59	-60.35	13.95	Pass
120	240	0.8	121.44	6506.44	-53.39	-60.16	13.39	Pass



4. 802.11be_80M_Band5_CH7

4.1 A.5-In-Band Emissions-80M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.72	5864.28	-52.46	-59.38	12.46	Pass
-120	-80	0.8	-117.36	5867.64	-52.15	-59.07	12.94	Pass
-80	-41	0.8	-70.644678	5914.355322	-42.95	-49.86	16.87	Pass
-41	-40	0.8	-41	5944	-40.39	-47.31	20.39	Pass
40	41	0.8	41	6026	-42.4	-49.31	22.4	Pass
41	80	0.8	77.841079	6062.841079	-46.62	-53.53	19.06	Pass
80	120	0.8	119.04	6104.04	-52.78	-59.7	13.07	Pass
120	240	0.8	128.4	6113.4	-52.55	-59.46	12.55	Pass



5. 802.11be_80M_Band5_CH39

5.1 A.5-In-Band Emissions-80M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-126.48	6018.52	-52.31	-58.91	12.31	Pass
-120	-80	0.8	-119.28	6025.72	-52.68	-59.28	12.9	Pass
-80	-41	0.8	-73.523238	6071.476762	-43.24	-49.84	16.57	Pass
-41	-40	0.8	-41	6104	-40.76	-47.36	20.76	Pass
40	41	0.8	41	6186	-44.75	-51.35	24.75	Pass
41	80	0.8	75.682159	6220.682159	-47.39	-53.99	20.28	Pass
80	120	0.8	117.84	6262.84	-52.62	-59.22	13.26	Pass
120	240	0.8	122.64	6267.64	-52.5	-59.1	12.5	Pass



6. 802.11be_80M_Band5_CH87

6.1 A.5-In-Band Emissions-80M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-162	6223	-53.02	-60.63	13.02	Pass
-120	-80	0.8	-119.76	6265.24	-53.16	-60.77	13.23	Pass
-80	-41	0.8	-79.28036	6305.71964	-50.62	-58.23	22.77	Pass
-41	-40	0.8	-41	6344	-49.28	-56.89	29.28	Pass
40	41	0.8	41	6426	-47.06	-54.67	27.06	Pass
41	80	0.8	79.04048	6464.04048	-51.64	-59.25	23.83	Pass
80	120	0.8	119.28	6504.28	-53.45	-61.06	13.67	Pass
120	240	0.8	120.24	6505.24	-53.44	-61.05	13.44	Pass



7. 802.11ax_80M_Band6_CH103

7.1 A.5-In-Band Emissions-80M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-178.32	6286.68	-52.73	-60.52	12.73	Pass
-120	-80	0.8	-118.8	6346.2	-53.09	-60.88	13.45	Pass
-80	-41	0.8	-78.8006	6386.1994	-45.39	-53.18	17.64	Pass
-41	-40	0.8	-41	6424	-39.27	-47.06	19.27	Pass
40	41	0.8	41	6506	-42.92	-50.71	22.92	Pass
41	80	0.8	77.601199	6542.601199	-48.5	-56.29	20.99	Pass
80	120	0.8	119.76	6584.76	-53.33	-61.12	13.4	Pass
120	240	0.8	187.2	6652.2	-53.15	-60.94	13.15	Pass



8. 802.11ax_80M_Band6_CH119

8.1 A.5-In-Band Emissions-80M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.6	6421.4	-54.4	-59.6	14.4	Pass
-120	-80	0.8	-119.52	6425.48	-54.64	-59.84	14.78	Pass
-80	-41	0.8	-70.164918	6474.835082	-45.82	-51.02	19.83	Pass
-41	-40	0.8	-41	6504	-43.85	-49.06	23.85	Pass
40	41	0.8	41	6586	-47.45	-52.66	27.45	Pass
41	80	0.8	80	6625	-50.61	-55.81	22.61	Pass
80	120	0.8	119.52	6664.52	-55.04	-60.24	15.18	Pass
120	240	0.8	120.96	6665.96	-54.65	-59.86	14.65	Pass



9. 802.11be_80M_Band6_CH103

9.1 A.5-In-Band Emissions-80M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-222.48	6242.52	-53.33	-60.72	13.33	Pass
-120	-80	0.8	-118.8	6346.2	-53.98	-61.36	14.34	Pass
-80	-41	0.8	-71.124438	6393.875562	-44.12	-51.5	17.94	Pass
-41	-40	0.8	-41	6424	-40.22	-47.6	20.22	Pass
40	41	0.8	41	6506	-43.35	-50.73	23.35	Pass
41	80	0.8	75.922039	6540.922039	-48.4	-55.78	21.23	Pass
80	120	0.8	118.8	6583.8	-53.69	-61.07	14.05	Pass
120	240	0.8	131.52	6596.52	-53.49	-60.87	13.49	Pass



10.802.11be_80M_Band6_CH119

10.1 A.5-In-Band Emissions-80M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120	6425	-54.4	-59.89	14.4	Pass
-120	-80	0.8	-119.28	6425.72	-55.05	-60.54	15.27	Pass
-80	-41	0.8	-77.841079	6467.158921	-46.98	-52.47	19.42	Pass
-41	-40	0.8	-41	6504	-43.68	-49.17	23.68	Pass
40	41	0.8	41	6586	-47.42	-52.91	27.42	Pass
41	80	0.8	79.76012	6624.76012	-50.23	-55.72	22.28	Pass
80	120	0.8	120	6665	-54.69	-60.18	14.69	Pass
120	240	0.8	127.44	6672.44	-54.18	-59.67	14.18	Pass



11.802.11ax_80M_Band7_CH135

11.1 A.5-In-Band Emissions-80M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120	6505	-54.63	-60.04	14.63	Pass
-120	-80	0.8	-120	6505	-54.59	-60	14.59	Pass
-80	-41	0.8	-67.286357	6557.713643	-45.16	-50.58	19.77	Pass
-41	-40	0.8	-41	6584	-44.24	-49.66	24.24	Pass
40	41	0.8	41	6666	-47.91	-53.32	27.91	Pass
41	80	0.8	77.841079	6702.841079	-50.42	-55.84	22.86	Pass
80	120	0.8	120	6745	-55.33	-60.75	15.33	Pass
120	240	0.8	137.52	6762.52	-54.54	-59.95	14.54	Pass



12.802.11ax_80M_Band7_CH151

12.1 A.5-In-Band Emissions-80M

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-127.92	6577.08	-53.8	-59.52	13.8	Pass
-120	-80	0.8	-120	6585	-54.12	-59.84	14.12	Pass
-80	-41	0.8	-78.56072	6626.43928	-45.82	-51.53	18.11	Pass
-41	-40	0.8	-41	6664	-43.1	-48.82	23.1	Pass
40	41	0.8	41	6746	-49.01	-54.73	29.01	Pass
41	80	0.8	77.121439	6782.121439	-50.18	-55.89	22.77	Pass
80	120	0.8	119.28	6824.28	-55.03	-60.74	15.25	Pass
120	240	0.8	130.8	6835.8	-54.43	-60.15	14.43	Pass



13.802.11ax_80M_Band7_CH167

13.1 A.5-In-Band Emissions-80M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-126.96	6658.04	-54.04	-60.71	14.04	Pass
-120	-80	0.8	-120	6665	-54.57	-61.24	14.57	Pass
-80	-41	0.8	-75.202399	6709.797601	-45.24	-51.91	18.23	Pass
-41	-40	0.8	-41	6744	-43.37	-50.04	23.37	Pass
40	41	0.8	41	6826	-48.7	-55.37	28.7	Pass
41	80	0.8	77.361319	6862.361319	-51.59	-58.25	24.13	Pass
80	120	0.8	119.04	6904.04	-55.22	-61.88	15.5	Pass
120	240	0.8	207.12	6992.12	-54.71	-61.38	14.71	Pass



14.802.11be_80M_Band7_CH135

14.1 A.5-In-Band Emissions-80M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-137.76	6487.24	-54.15	-60.04	14.15	Pass
-120	-80	0.8	-119.52	6505.48	-53.84	-59.73	13.98	Pass
-80	-41	0.8	-73.043478	6551.956522	-46.29	-52.18	19.72	Pass
-41	-40	0.8	-41	6584	-44.01	-49.9	24.01	Pass
40	41	0.8	41	6666	-47.75	-53.64	27.75	Pass
41	80	0.8	79.76012	6704.76012	-50.34	-56.24	22.39	Pass
80	120	0.8	119.28	6744.28	-54.84	-60.73	15.06	Pass
120	240	0.8	122.16	6747.16	-54.14	-60.03	14.14	Pass



15.802.11be_80M_Band7_CH151

15.1 A.5-In-Band Emissions-80M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-125.52	6579.48	-53.63	-59.63	13.63	Pass
-120	-80	0.8	-120	6585	-53.89	-59.88	13.89	Pass
-80	-41	0.8	-67.766117	6637.233883	-43.36	-49.35	17.87	Pass
-41	-40	0.8	-41	6664	-42.46	-48.46	22.46	Pass
40	41	0.8	41	6746	-48.72	-54.72	28.72	Pass
41	80	0.8	79.28036	6784.28036	-50.44	-56.43	22.59	Pass
80	120	0.8	119.76	6824.76	-54.71	-60.71	14.79	Pass
120	240	0.8	130.8	6835.8	-54.09	-60.09	14.09	Pass



16.802.11be_80M_Band7_CH167

16.1 A.5-In-Band Emissions-80M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-135.6	6649.4	-53.49	-60.66	13.49	Pass
-120	-80	0.8	-119.76	6665.24	-54.32	-61.49	14.39	Pass
-80	-41	0.8	-69.445277	6715.554723	-43.59	-50.76	17.75	Pass
-41	-40	0.8	-41	6744	-43.49	-50.66	23.49	Pass
40	41	0.8	41	6826	-48.78	-55.95	28.78	Pass
41	80	0.8	74.722639	6859.722639	-50.64	-57.81	23.72	Pass
80	120	0.8	119.76	6904.76	-54.91	-62.08	14.98	Pass
120	240	0.8	214.56	6999.56	-54.16	-61.33	14.16	Pass



17.802.11ax_80M_Band8_CH183

17.1 A.5-In-Band Emissions-80M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-138.72	6726.28	-52.17	-58.3	12.17	Pass
-120	-80	0.8	-119.52	6745.48	-52.51	-58.64	12.66	Pass
-80	-41	0.8	-74.962519	6790.037481	-41.89	-48.02	14.92	Pass
-41	-40	0.8	-41	6824	-39.53	-45.66	19.53	Pass
40	41	0.8	41	6906	-47	-53.13	27	Pass
41	80	0.8	80	6945	-49.66	-55.79	21.66	Pass
80	120	0.8	119.28	6984.28	-52.1	-58.23	12.31	Pass
120	240	0.8	127.2	6992.2	-51.6	-57.73	11.6	Pass



18.802.11ax_80M_Band8_CH199

18.1 A.5-In-Band Emissions-80M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-121.68	6823.32	-50.23	-56.83	10.23	Pass
-120	-80	0.8	-120	6825	-50.14	-56.74	10.14	Pass
-80	-41	0.8	-77.841079	6867.158921	-43.34	-49.94	15.78	Pass
-41	-40	0.8	-41	6904	-40.33	-46.92	20.33	Pass
40	41	0.8	41	6986	-46.15	-52.75	26.15	Pass
41	80	0.8	79.76012	7024.76012	-48.36	-54.95	20.41	Pass
80	120	0.8	119.28	7064.28	-50.2	-56.79	10.41	Pass
120	240	0.8	151.2	7096.2	-49.87	-56.47	9.87	Pass



19.802.11ax_80M_Band8_CH215

19.1 A.5-In-Band Emissions-80M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-175.92	6849.08	-49.95	-56.81	9.95	Pass
-120	-80	0.8	-119.76	6905.24	-51.18	-58.04	11.25	Pass
-80	-41	0.8	-79.76012	6945.23988	-44.36	-51.23	16.41	Pass
-41	-40	0.8	-41	6984	-41.52	-48.38	21.52	Pass
40	41	0.8	41	7066	-45.24	-52.11	25.24	Pass
41	80	0.8	80	7105	-48.33	-55.19	20.33	Pass
80	120	0.8	120	7145	-51.06	-57.92	11.06	Pass
120	240	0.8	122.4	7147.4	-49.5	-56.36	9.5	Pass



20.802.11be_80M_Band8_CH183

20.1 A.5-In-Band Emissions-80M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-125.28	6739.72	-53.25	-59.45	13.25	Pass
-120	-80	0.8	-117.36	6747.64	-52.94	-59.14	13.73	Pass
-80	-41	0.8	-76.881559	6788.118441	-43.02	-49.22	15.66	Pass
-41	-40	0.8	-41	6824	-40.81	-47.01	20.81	Pass
40	41	0.8	41	6906	-48.61	-54.81	28.61	Pass
41	80	0.8	76.161919	6941.161919	-49.94	-56.14	22.73	Pass
80	120	0.8	120	6985	-53.57	-59.77	13.57	Pass
120	240	0.8	124.56	6989.56	-52.97	-59.17	12.97	Pass



21.802.11be_80M_Band8_CH199

21.1 A.5-In-Band Emissions-80M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-135.6	6809.4	-46.99	-53.77	6.99	Pass
-120	-80	0.8	-119.28	6825.72	-46.98	-53.76	7.19	Pass
-80	-41	0.8	-78.56072	6866.43928	-43.19	-49.97	15.48	Pass
-41	-40	0.8	-41	6904	-40.94	-47.73	20.94	Pass
40	41	0.8	41	6986	-45.45	-52.23	25.45	Pass
41	80	0.8	80	7025	-46.43	-53.21	18.43	Pass
80	120	0.8	120	7065	-47.48	-54.27	7.48	Pass
120	240	0.8	124.32	7069.32	-46.59	-53.37	6.59	Pass



22.802.11be_80M_Band8_CH215

22.1 A.5-In-Band Emissions-80M

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-162.48	6862.52	-47.46	-53.87	7.46	Pass
-120	-80	0.8	-120	6905	-48.41	-54.83	8.41	Pass
-80	-41	0.8	-78.08096	6946.91904	-43.38	-49.79	15.77	Pass
-41	-40	0.8	-41	6984	-41.51	-47.93	21.51	Pass
40	41	0.8	41	7066	-44.74	-51.16	24.74	Pass
41	80	0.8	79.76012	7104.76012	-46.48	-52.9	18.53	Pass
80	120	0.8	118.8	7143.8	-48.19	-54.6	8.55	Pass
120	240	0.8	149.04	7174.04	-47.54	-53.95	7.54	Pass




160M

1. 802.11ax_160M_Band5_CH15

1.1 A.5-In-Band Emissions-160M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-480	-240	1.6	-243.36	5781.64	-50.54	-54.83	10.54	Pass
-240	-160	1.6	-236.16	5788.84	-50.23	-54.52	10.8	Pass
-160	-81	1.6	-81	5944	-24.33	-28.62	4.33	Pass
-81	-80	1.6	-81	5944	-24.3	-28.59	4.3	Pass
80	81	1.6	81	6106	-23.06	-27.35	3.06	Pass
81	160	1.6	81	6106	-23.44	-27.73	3.44	Pass
160	240	1.6	239.52	6264.52	-50.93	-55.22	11	Pass
240	480	1.6	245.28	6270.28	-51	-55.29	11	Pass



2. 802.11ax_160M_Band5_CH47

2.1 A.5-In-Band Emissions-160M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-480	-240	1.6	-240.96	5944.04	-49.83	-54.29	9.83	Pass
-240	-160	1.6	-236.64	5948.36	-49.62	-54.07	10.12	Pass
-160	-81	1.6	-81	6104	-26.44	-30.9	6.44	Pass
-81	-80	1.6	-81	6104	-23.35	-27.81	3.35	Pass
80	81	1.6	81	6266	-21.81	-26.27	1.81	Pass
81	160	1.6	81	6266	-20.92	-25.37	0.92	Pass
160	240	1.6	237.6	6422.6	-50.37	-54.82	10.73	Pass
240	480	1.6	245.28	6430.28	-50.2	-54.66	10.2	Pass



3. 802.11ax_160M_Band5_CH79

3.1 A.5-In-Band Emissions-160M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-480	-240	1.6	-252.48	6092.52	-52.12	-57.01	12.12	Pass
-240	-160	1.6	-237.12	6107.88	-52.03	-56.91	12.46	Pass
-160	-81	1.6	-81	6264	-26.05	-30.94	6.05	Pass
-81	-80	1.6	-81	6264	-25.07	-29.95	5.07	Pass
80	81	1.6	81	6426	-22.01	-26.9	2.01	Pass
81	160	1.6	81	6426	-21.26	-26.14	1.26	Pass
160	240	1.6	238.08	6583.08	-51.86	-56.75	12.15	Pass
240	480	1.6	247.68	6592.68	-51.88	-56.76	11.88	Pass



4. 802.11be_160M_Band5_CH15

4.1 A.5-In-Band Emissions-160M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-480	-240	1.6	-243.84	5781.16	-50.72	-54.59	10.72	Pass
-240	-160	1.6	-235.68	5789.32	-49.64	-53.51	10.29	Pass
-160	-81	1.6	-81	5944	-25.27	-29.14	5.27	Pass
-81	-80	1.6	-81	5944	-23.35	-27.22	3.35	Pass
80	81	1.6	81	6106	-23.68	-27.55	3.68	Pass
81	160	1.6	81	6106	-21.81	-25.68	1.81	Pass
160	240	1.6	229.44	6254.44	-48.83	-52.7	10.41	Pass
240	480	1.6	253.44	6278.44	-50.68	-54.55	10.68	Pass



5. 802.11be_160M_Band5_CH47

5.1 A.5-In-Band Emissions-160M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-480	-240	1.6	-244.32	5940.68	-50.41	-54.99	10.41	Pass
-240	-160	1.6	-236.64	5948.36	-49.83	-54.41	10.34	Pass
-160	-81	1.6	-81	6104	-26.55	-31.13	6.55	Pass
-81	-80	1.6	-81	6104	-23.78	-28.36	3.78	Pass
80	81	1.6	81	6266	-21.67	-26.24	1.67	Pass
81	160	1.6	81	6266	-20.52	-25.1	0.52	Pass
160	240	1.6	216.96	6401.96	-45.66	-50.24	9.12	Pass
240	480	1.6	247.68	6432.68	-50.44	-55.02	10.44	Pass



6. 802.11be_160M_Band5_CH79

6.1 A.5-In-Band Emissions-160M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-480	-240	1.6	-272.16	6072.84	-52.26	-56.99	12.26	Pass
-240	-160	1.6	-239.52	6105.48	-52.24	-56.97	12.32	Pass
-160	-81	1.6	-81	6264	-25.15	-29.88	5.15	Pass
-81	-80	1.6	-81	6264	-21.66	-26.39	1.66	Pass
80	81	1.6	81	6426	-22.89	-27.61	2.89	Pass
81	160	1.6	81	6426	-22.53	-27.25	2.53	Pass
160	240	1.6	238.08	6583.08	-51.97	-56.7	12.26	Pass
240	480	1.6	273.12	6618.12	-51.97	-56.69	11.97	Pass



7. 802.11ax_160M_Band6_CH111

7.1 A.5-In-Band Emissions-160M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-480	-240	1.6	-242.88	6262.12	-51.48	-56.77	11.48	Pass
-240	-160	1.6	-238.08	6266.92	-51.73	-57.03	12.02	Pass
-160	-81	1.6	-81	6424	-25.29	-30.58	5.29	Pass
-81	-80	1.6	-81	6424	-23.68	-28.97	3.68	Pass
80	81	1.6	81	6586	-22.95	-28.24	2.95	Pass
81	160	1.6	81	6586	-21.96	-27.25	1.96	Pass
160	240	1.6	240	6745	-51.98	-57.27	11.98	Pass
240	480	1.6	240	6745	-51.98	-57.27	11.98	Pass



8. 802.11be_160M_Band6_CH111

8.1 A.5-In-Band Emissions-160M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-480	-240	1.6	-249.6	6255.4	-52.43	-56.89	12.43	Pass
-240	-160	1.6	-238.56	6266.44	-52.54	-57	12.75	Pass
-160	-81	1.6	-81	6424	-25.8	-30.26	5.8	Pass
-81	-80	1.6	-81	6424	-25.03	-29.5	5.03	Pass
80	81	1.6	81	6586	-23.12	-27.59	3.12	Pass
81	160	1.6	81	6586	-22.1	-26.56	2.1	Pass
160	240	1.6	239.04	6744.04	-53.23	-57.69	13.37	Pass
240	480	1.6	272.16	6777.16	-52.85	-57.31	12.85	Pass



9. 802.11ax_160M_Band7_CH143

9.1 A.5-In-Band Emissions-160M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-480	-240	1.6	-240.96	6424.04	-50.48	-56.77	10.48	Pass
-240	-160	1.6	-240	6425	-50.57	-56.85	10.57	Pass
-160	-81	1.6	-81	6584	-25.24	-31.53	5.24	Pass
-81	-80	1.6	-81	6584	-24.06	-30.35	4.06	Pass
80	81	1.6	81	6746	-22.8	-29.09	2.8	Pass
81	160	1.6	81	6746	-22.65	-28.94	2.65	Pass
160	240	1.6	239.52	6904.52	-51.54	-57.83	11.62	Pass
240	480	1.6	317.76	6982.76	-51.36	-57.65	11.36	Pass



10.802.11ax_160M_Band7_CH175

10.1 A.5-In-Band Emissions-160M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-480	-240	1.6	-245.28	6579.72	-49.66	-54.34	9.66	Pass
-240	-160	1.6	-238.08	6586.92	-49.93	-54.61	10.22	Pass
-160	-81	1.6	-81	6744	-25.58	-30.26	5.58	Pass
-81	-80	1.6	-81	6744	-23.63	-28.3	3.63	Pass
80	81	1.6	81	6906	-23.07	-27.74	3.07	Pass
81	160	1.6	81	6906	-21.44	-26.12	1.44	Pass
160	240	1.6	238.56	7063.56	-51.25	-55.92	11.46	Pass
240	480	1.6	245.76	7070.76	-51.31	-55.99	11.31	Pass



11.802.11be_160M_Band7_CH143

11.1 A.5-In-Band Emissions-160M

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-480	-240	1.6	-242.88	6422.12	-51.3	-57.28	11.3	Pass
-240	-160	1.6	-237.6	6427.4	-51.29	-57.26	11.65	Pass
-160	-81	1.6	-81	6584	-25.6	-31.58	5.6	Pass
-81	-80	1.6	-81	6584	-23.3	-29.28	3.3	Pass
80	81	1.6	81	6746	-23.42	-29.39	3.42	Pass
81	160	1.6	81	6746	-22.37	-28.34	2.37	Pass
160	240	1.6	238.56	6903.56	-52.09	-58.06	12.3	Pass
240	480	1.6	251.52	6916.52	-51.55	-57.53	11.55	Pass



12.802.11be_160M_Band7_CH175

12.1 A.5-In-Band Emissions-160M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-480	-240	1.6	-251.04	6573.96	-47.95	-53.5	7.95	Pass
-240	-160	1.6	-236.16	6588.84	-48.18	-53.73	8.76	Pass
-160	-81	1.6	-81	6744	-25.41	-30.95	5.41	Pass
-81	-80	1.6	-81	6744	-22.11	-27.66	2.11	Pass
80	81	1.6	81	6906	-22.38	-27.93	2.38	Pass
81	160	1.6	81	6906	-20.91	-26.46	0.91	Pass
160	240	1.6	239.52	7064.52	-50.69	-56.24	10.77	Pass
240	480	1.6	248.16	7073.16	-50.84	-56.38	10.84	Pass



13.802.11ax_160M_Band8_CH207

13.1 A.5-In-Band Emissions-160M


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-480	-240	1.6	-241.44	6743.56	-48.23	-51.67	8.23	Pass
-240	-160	1.6	-237.12	6747.88	-48.26	-51.7	8.7	Pass
-160	-81	1.6	-81	6904	-24.51	-27.95	4.51	Pass
-81	-80	1.6	-81	6904	-23.97	-27.41	3.97	Pass
80	81	1.6	81	7066	-22.6	-26.05	2.6	Pass
81	160	1.6	81	7066	-21.85	-25.29	1.85	Pass
160	240	1.6	213.6	7198.6	-44.81	-48.25	8.77	Pass
240	480	1.6	240.48	7225.48	-49.85	-53.29	9.85	Pass



14.802.11be_160M_Band8_CH207

14.1 A.5-In-Band Emissions-160M

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-480	-240	1.6	-245.28	6739.72	-46.07	-49.91	6.07	Pass
-240	-160	1.6	-236.64	6748.36	-45.81	-49.65	6.32	Pass
-160	-81	1.6	-81	6904	-24.8	-28.64	4.8	Pass
-81	-80	1.6	-81	6904	-23.2	-27.05	3.2	Pass
80	81	1.6	81	7066	-22.23	-26.07	2.23	Pass
81	160	1.6	81	7066	-20.67	-24.52	0.67	Pass
160	240	1.6	240	7225	-47.08	-50.92	7.08	Pass
240	480	1.6	241.92	7226.92	-46.51	-50.36	6.51	Pass




320M

1. 802.11be_320M_Band5_6105

1.1 A.5-In-Band Emissions-320M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-1913.7	-956.85	3.2	-956.85	5148.15	-54.3	-67.58	14.3	Pass
-956.85	-637.9	3.2	-956.85	5148.15	-54.3	-67.58	14.3	Pass
-637.9	-319.95	3.2	-320.074383	5784.925617	-43.69	-56.97	23.69	Pass
-319.95	-318.95	3.2	-319.95	5785.05	-44.03	-57.31	24.03	Pass
318.95	319.95	3.2	319.95	6424.95	-43.45	-56.73	23.45	Pass
319.95	637.9	3.2	326.071093	6431.071093	-42.71	-55.99	22.55	Pass
637.9	956.85	3.2	956.85	7061.85	-53.31	-66.59	13.31	Pass
956.85	1913.7	3.2	977.846708	7082.846709	-52.99	-66.27	12.99	Pass



2. 802.11be_320M_Band5_6265

2.1 A.5-In-Band Emissions-320M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-1891.5	-945.75	3.2	-1002	5263	-53.14	-67.79	13.14	Pass
-945.75	-630.5	3.2	-945	5320	-53.32	-67.98	13.35	Pass
-630.5	-316.25	3.2	-630.5	5634.5	-54.78	-69.44	26.78	Pass
-316.25	-315.25	3.2	-316.25	5948.75	-49.13	-63.79	29.13	Pass
315.25	316.25	3.2	316.245	6581.245	-49.12	-63.78	29.22	Pass
316.25	630.5	3.2	627.501189	6892.501189	-53.65	-68.31	25.73	Pass
630.5	945.75	3.2	943.5	7208.5	-53.17	-67.83	13.26	Pass
945.75	1891.5	3.2	948	7213	-53.23	-67.89	13.23	Pass



3. 802.11be_320M_Band5_6425

3.1 A.5-In-Band Emissions-320M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-1268.1	-634.05	3.2	-673.3611	5751.6389	-55.06	-65.56	15.06	Pass
-634.05	-422.7	3.2	-634.05	5790.95	-55.61	-66.11	15.61	Pass
-422.7	-212.35	3.2	-361.861619	6063.138381	-50.55	-61.05	24.86	Pass
-212.35	-211.35	3.2	-212.35	6212.65	-46.5	-57	26.5	Pass
211.35	212.35	3.2	212.35	6637.35	-50.02	-60.52	30.02	Pass
212.35	422.7	3.2	417.630135	6842.630135	-54.03	-64.53	26.22	Pass
422.7	634.05	3.2	630.2457	7055.2457	-55.08	-65.58	15.29	Pass
634.05	1268.1	3.2	655.6077	7080.6077	-55.08	-65.58	15.08	Pass



4. 802.11be_320M_Band7_6585

4.1 A.5-In-Band Emissions-320M (NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-1059	-529.5	3.2	-633.282	5951.718	-52.97	-66.03	12.97	Pass
-529.5	-353	3.2	-528.441	6056.559	-53.47	-66.52	13.54	Pass
-353	-177.5	3.2	-353	6232	-51.09	-64.14	23.09	Pass
-177.5	-176.5	3.2	-177.5	6407.5	-46.8	-59.86	26.8	Pass
176.5	177.5	3.2	177.49	6762.49	-49.5	-62.55	29.7	Pass
177.5	353	3.2	346.649175	6931.649175	-51.54	-64.59	23.83	Pass
353	529.5	3.2	528.441	7113.441	-52.51	-65.56	12.58	Pass
529.5	1059	3.2	555.975	7140.975	-52.37	-65.42	12.37	Pass



5. 802.11be_320M_Band7_6745

5.1 A.5-In-Band Emissions-320M (NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-1631.7	-815.85	3.2	-928.32932	5816.67068	-53.7	-65.79	13.7	Pass
-815.85	-543.9	3.2	-815.85	5929.15	-53.99	-66.08	13.99	Pass
-543.9	-272.95	3.2	-274.197521	6470.802479	-45.53	-57.63	25.5	Pass
-272.95	-271.95	3.2	-272.945	6472.055	-46.19	-58.28	26.29	Pass
271.95	272.95	3.2	272.95	7017.95	-50.33	-62.42	30.33	Pass
272.95	543.9	3.2	543.9	7288.9	-53.7	-65.79	25.7	Pass
543.9	815.85	3.2	814.350276	7559.350276	-55.03	-67.12	15.09	Pass
815.85	1631.7	3.2	940.327114	7685.327114	-54.27	-66.36	14.27	Pass



6. 802.11be_320M_Band8_6905

6.1 A.5-In-Band Emissions-320M (NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-1916.7	-958.35	3.2	- 1006.342488	5898.657512	-51.52	-65.78	11.52	Pass
-958.35	-638.9	3.2	-956.850235	5948.149765	-51.83	-66.08	11.88	Pass
-638.9	-320.45	3.2	-635.900469	6269.09953	-52.45	-66.7	24.53	Pass
-320.45	-319.45	3.2	-320.45	6584.55	-46.77	-61.02	26.77	Pass
319.45	320.45	3.2	320.45	7225.45	-49.81	-64.06	29.81	Pass
320.45	638.9	3.2	635.900469	7540.90047	-53.19	-67.44	25.27	Pass
638.9	958.35	3.2	955.35047	7860.35047	-53.54	-67.79	13.66	Pass
958.35	1916.7	3.2	1328.792019	8233.792019	-52.89	-67.14	12.89	Pass

