

Main Antenna Test Result

Project Number: P-CC26060547
Test Time: 2026-07-21_08.23.52

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH1 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	49.92	-4.87	74.0	24.08	Peak	229.71	150	Vertical	Pass
1**	2390.000	40.44	-4.87	54.0	13.56	AV	229.71	150	Vertical	Pass
2	2375.200	52.03	-4.16	74.0	21.97	Peak	240.00	150	Vertical	Pass
2**	2375.200	40.49	-4.16	54.0	13.51	AV	240.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_08.25.06

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH1 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.63	-4.87	74.0	23.37	Peak	32.33	150	Horizontal	Pass
1**	2390.000	40.36	-4.87	54.0	13.64	AV	32.33	150	Horizontal	Pass
2	2367.700	52.35	-4.26	74.0	21.65	Peak	284.00	150	Horizontal	Pass
2**	2367.700	40.73	-4.26	54.0	13.27	AV	284.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_08.28.27

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH11 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.72	-3.78	74.0	22.28	Peak	348.00	150	Vertical	Pass
1**	2483.500	41.24	-3.78	54.0	12.76	AV	348.00	150	Vertical	Pass
2	2494.270	52.99	-3.91	74.0	21.01	Peak	37.00	150	Vertical	Pass
2**	2494.270	41.02	-3.91	54.0	12.98	AV	37.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_08.26.56

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH11 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.83	-3.78	74.0	22.17	Peak	270.00	150	Horizontal	Pass
1**	2483.500	41.32	-3.78	54.0	12.68	AV	270.00	150	Horizontal	Pass
2	2488.960	53.18	-3.82	74.0	20.82	Peak	17.00	150	Horizontal	Pass
2**	2488.960	41.17	-3.82	54.0	12.83	AV	17.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_08.30.23

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH1 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.49	-4.87	74.0	23.51	Peak	106.32	150	Vertical	Pass
1**	2390.000	40.67	-4.87	54.0	13.33	AV	106.32	150	Vertical	Pass
2	2383.500	52.44	-4.50	74.0	21.56	Peak	191.00	150	Vertical	Pass
2**	2383.500	40.63	-4.50	54.0	13.37	AV	191.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_08.31.47

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH1 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.51	-4.87	74.0	21.49	Peak	287.65	150	Horizontal	Pass
1**	2390.000	41.94	-4.87	54.0	12.06	AV	287.65	150	Horizontal	Pass
2	2388.400	54.19	-4.79	74.0	19.81	Peak	50.00	150	Horizontal	Pass
2**	2388.400	41.11	-4.79	54.0	12.89	AV	50.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_08.34.33

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH11 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.21	-3.78	74.0	22.79	Peak	228.00	150	Vertical	Pass
1**	2483.500	41.23	-3.78	54.0	12.77	AV	228.00	150	Vertical	Pass
2	2485.780	53.07	-3.78	74.0	20.93	Peak	247.00	150	Vertical	Pass
2**	2485.780	40.99	-3.78	54.0	13.01	AV	247.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_08.33.16

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH11 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.30	-3.78	74.0	16.70	Peak	52.00	150	Horizontal	Pass
1**	2483.500	45.58	-3.78	54.0	8.42	AV	52.00	150	Horizontal	Pass
2	2484.490	60.95	-3.78	74.0	13.05	Peak	22.00	150	Horizontal	Pass
2**	2484.490	44.19	-3.78	54.0	9.81	AV	22.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_08.36.32

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH1 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.73	-4.87	74.0	23.27	Peak	73.98	150	Vertical	Pass
1**	2390.000	40.44	-4.87	54.0	13.56	AV	73.98	150	Vertical	Pass
2	2379.200	52.42	-4.29	74.0	21.58	Peak	129.00	150	Vertical	Pass
2**	2379.200	40.62	-4.29	54.0	13.38	AV	129.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_08.38.00

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH1 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.42	-4.87	74.0	20.58	Peak	38.00	150	Horizontal	Pass
1**	2390.000	42.53	-4.87	54.0	11.47	AV	38.00	150	Horizontal	Pass
2	2388.600	55.70	-4.80	74.0	18.30	Peak	258.00	150	Horizontal	Pass
2**	2388.600	41.42	-4.80	54.0	12.58	AV	258.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_08.41.11

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH11 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.69	-3.78	74.0	22.31	Peak	354.00	150	Vertical	Pass
1**	2483.500	41.31	-3.78	54.0	12.69	AV	354.00	150	Vertical	Pass
2	2491.720	53.24	-3.86	74.0	20.76	Peak	124.00	150	Vertical	Pass
2**	2491.720	41.04	-3.86	54.0	12.96	AV	124.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_08.39.29

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH11 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.16	-3.78	74.0	16.84	Peak	53.00	150	Horizontal	Pass
1**	2483.500	45.69	-3.78	54.0	8.31	AV	53.00	150	Horizontal	Pass
2	2483.560	60.00	-3.78	74.0	14.00	Peak	44.00	150	Horizontal	Pass
2**	2483.560	45.09	-3.78	54.0	8.91	AV	44.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_08.42.51

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH3 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.24	-4.87	74.0	22.76	Peak	173.99	150	Vertical	Pass
1**	2390.000	40.41	-4.87	54.0	13.59	AV	173.99	150	Vertical	Pass
2	2379.300	52.16	-4.29	74.0	21.84	Peak	294.00	150	Vertical	Pass
2**	2379.300	40.82	-4.29	54.0	13.18	AV	294.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_08.44.05

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH3 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.28	-4.87	74.0	20.72	Peak	37.99	150	Horizontal	Pass
1**	2390.000	43.00	-4.87	54.0	11.00	AV	37.99	150	Horizontal	Pass
2	2389.600	55.56	-4.85	74.0	18.44	Peak	54.00	150	Horizontal	Pass
2**	2389.600	43.43	-4.85	54.0	10.57	AV	54.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_08.47.05

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH9 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.00	-3.78	74.0	22.00	Peak	180.00	150	Vertical	Pass
1**	2483.500	41.47	-3.78	54.0	12.53	AV	180.00	150	Vertical	Pass
2	2484.010	53.59	-3.78	74.0	20.41	Peak	13.00	150	Vertical	Pass
2**	2484.010	41.41	-3.78	54.0	12.59	AV	13.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_08.45.46

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH9 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.02	-3.78	74.0	12.98	Peak	50.00	150	Horizontal	Pass
1**	2483.500	48.33	-3.78	54.0	5.67	AV	50.00	150	Horizontal	Pass
2	2484.400	63.74	-3.78	74.0	10.26	Peak	52.00	150	Horizontal	Pass
2**	2484.400	48.62	-3.78	54.0	5.38	AV	52.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_08.49.20

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax20 CH1 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.04	-4.87	74.0	22.96	Peak	360.00	150	Vertical	Pass
1**	2390.000	40.50	-4.87	54.0	13.50	AV	360.00	150	Vertical	Pass
2	2371.900	52.59	-4.06	74.0	21.41	Peak	7.00	150	Vertical	Pass
2**	2371.900	40.74	-4.06	54.0	13.26	AV	7.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_08.50.32

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax20 CH1 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.18	-4.87	74.0	10.82	Peak	46.02	150	Horizontal	Pass
1**	2390.000	46.53	-4.87	54.0	7.47	AV	46.02	150	Horizontal	Pass
2	2388.800	62.18	-4.81	74.0	11.82	Peak	262.00	150	Horizontal	Pass
2**	2388.800	45.45	-4.81	54.0	8.55	AV	262.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_08.56.33

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax20 CH11 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.10	-3.78	74.0	22.90	Peak	172.00	150	Vertical	Pass
1**	2483.500	41.31	-3.78	54.0	12.69	AV	172.00	150	Vertical	Pass
2	2486.170	53.30	-3.79	74.0	20.70	Peak	131.00	150	Vertical	Pass
2**	2486.170	41.23	-3.79	54.0	12.77	AV	131.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_08.55.11

EUT Name: Tablet

Temp.(°C): 22.6

Model Number: Inventus SD1

Humidity (%RH): 50

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11ax20 CH11 P=15


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08
ANT7

Bandedge_FCC-WIFI_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.53	-3.78	74.0	9.47	Peak	44.00	150	Horizontal	Pass
1**	2483.500	50.52	-3.78	54.0	3.48	AV	44.00	150	Horizontal	Pass
2	2484.430	67.45	-3.78	74.0	6.55	Peak	53.00	150	Horizontal	Pass
2**	2484.430	49.80	-3.78	54.0	4.20	AV	53.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_08.59.21

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax40 CH3 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.62	-4.87	74.0	23.38	Peak	196.21	150	Vertical	Pass
1**	2390.000	40.57	-4.87	54.0	13.43	AV	196.21	150	Vertical	Pass
2	2373.700	53.46	-4.11	74.0	20.54	Peak	360.00	150	Vertical	Pass
2**	2373.700	40.74	-4.11	54.0	13.26	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_09.00.38

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax40 CH3 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	58.69	-4.87	74.0	15.31	Peak	30.99	150	Horizontal	Pass
1**	2390.000	45.02	-4.87	54.0	8.98	AV	30.99	150	Horizontal	Pass
2	2388.200	61.26	-4.78	74.0	12.74	Peak	264.00	150	Horizontal	Pass
2**	2388.200	43.12	-4.78	54.0	10.88	AV	264.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_09.06.47

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax40 CH9 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7

Bandedge_FCC-WIFI_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.57	-3.78	74.0	22.43	Peak	158.00	150	Vertical	Pass
1**	2483.500	41.24	-3.78	54.0	12.76	AV	158.00	150	Vertical	Pass
2	2487.460	52.42	-3.80	74.0	21.58	Peak	268.00	150	Vertical	Pass
2**	2487.460	40.88	-3.80	54.0	13.12	AV	268.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_09.05.20

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax40 CH9 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.00	-3.78	74.0	10.00	Peak	25.00	150	Horizontal	Pass
1**	2483.500	46.49	-3.78	54.0	7.51	AV	25.00	150	Horizontal	Pass
2	2483.890	66.45	-3.78	74.0	7.55	Peak	45.00	150	Horizontal	Pass
2**	2483.890	45.72	-3.78	54.0	8.28	AV	45.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_09.08.56

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11be20 CH1 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.32	-4.87	74.0	22.68	Peak	180.14	150	Vertical	Pass
1**	2390.000	40.46	-4.87	54.0	13.54	AV	180.14	150	Vertical	Pass
2	2381.900	52.10	-4.40	74.0	21.90	Peak	355.00	150	Vertical	Pass
2**	2381.900	40.72	-4.40	54.0	13.28	AV	355.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_09.10.29

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11be20 CH1 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.31	-4.87	74.0	12.69	Peak	33.29	150	Horizontal	Pass
1**	2390.000	44.39	-4.87	54.0	9.61	AV	33.29	150	Horizontal	Pass
2	2388.900	64.68	-4.81	74.0	9.32	Peak	38.00	150	Horizontal	Pass
2**	2388.900	44.23	-4.81	54.0	9.77	AV	38.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_09.18.46

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11be20 CH11 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.44	-3.78	74.0	21.56	Peak	325.00	150	Vertical	Pass
1**	2483.500	41.63	-3.78	54.0	12.37	AV	325.00	150	Vertical	Pass
2	2484.220	55.51	-3.78	74.0	18.49	Peak	358.00	150	Vertical	Pass
2**	2484.220	41.41	-3.78	54.0	12.59	AV	358.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_09.17.25

EUT Name: Tablet

Temp.(°C): 22.6

Model Number: Inventus SD1

Humidity (%RH): 50

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11be20 CH11 P=15

Test Site: 966#2


Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08

ANT7

Bandedge_FCC-WIFI_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	67.04	-3.78	74.0	6.96	Peak	83.00	150	Horizontal	Pass
1**	2483.500	50.43	-3.78	54.0	3.57	AV	83.00	150	Horizontal	Pass
2	2484.520	69.57	-3.78	74.0	4.43	Peak	34.00	150	Horizontal	Pass
2**	2484.520	49.33	-3.78	54.0	4.67	AV	34.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_09.20.40

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11be40 CH3 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	53.82	-4.87	74.0	20.18	Peak	21.43	150	Vertical	Pass
1**	2390.000	40.88	-4.87	54.0	13.12	AV	21.43	150	Vertical	Pass
2	2377.300	52.15	-4.22	74.0	21.85	Peak	282.00	150	Vertical	Pass
2**	2377.300	40.67	-4.22	54.0	13.33	AV	282.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_09.21.50

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11be40 CH3 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	64.26	-4.87	74.0	9.74	Peak	261.70	150	Horizontal	Pass
1**	2390.000	47.51	-4.87	54.0	6.49	AV	261.70	150	Horizontal	Pass
2	2388.900	64.48	-4.81	74.0	9.52	Peak	31.00	150	Horizontal	Pass
2**	2388.900	47.12	-4.81	54.0	6.88	AV	31.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_09.32.35

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11be40 CH9 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.47	-3.78	74.0	19.53	Peak	15.00	150	Vertical	Pass
1**	2483.500	41.75	-3.78	54.0	12.25	AV	15.00	150	Vertical	Pass
2	2484.430	55.14	-3.78	74.0	18.86	Peak	17.00	150	Vertical	Pass
2**	2484.430	41.76	-3.78	54.0	12.24	AV	17.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_09.31.02

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11be40 CH9 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.46	-3.78	74.0	10.54	Peak	16.00	150	Horizontal	Pass
1**	2483.500	48.62	-3.78	54.0	5.38	AV	16.00	150	Horizontal	Pass
2	2485.450	65.97	-3.78	74.0	8.03	Peak	19.00	150	Horizontal	Pass
2**	2485.450	48.04	-3.78	54.0	5.96	AV	19.00	150	Horizontal	Pass

Aux. Antenna Test Result

Project Number: P-CC26060547
Test Time: 2026-07-21_10.44.05

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH1 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.40	-4.87	74.0	23.60	Peak	65.05	150	Vertical	Pass
1**	2390.000	40.60	-4.87	54.0	13.40	AV	65.05	150	Vertical	Pass
2	2363.800	53.05	-4.69	74.0	20.95	Peak	76.00	150	Vertical	Pass
2**	2363.800	40.63	-4.69	54.0	13.37	AV	76.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_10.45.17

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH1 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.90	-4.87	74.0	22.10	Peak	212.73	150	Horizontal	Pass
1**	2390.000	40.55	-4.87	54.0	13.45	AV	212.73	150	Horizontal	Pass
2	2380.400	52.20	-4.34	74.0	21.80	Peak	105.00	150	Horizontal	Pass
2**	2380.400	40.84	-4.34	54.0	13.16	AV	105.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_10.48.23

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH11 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8

Bandedge_FCC-WIFI_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.78	-3.78	74.0	22.22	Peak	0.00	150	Vertical	Pass
1**	2483.500	40.99	-3.78	54.0	13.01	AV	0.00	150	Vertical	Pass
2	2485.780	53.25	-3.78	74.0	20.75	Peak	0.00	150	Vertical	Pass
2**	2485.780	41.04	-3.78	54.0	12.96	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_10.46.59

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH11 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.15	-3.78	74.0	22.85	Peak	241.00	150	Horizontal	Pass
1**	2483.500	41.13	-3.78	54.0	12.87	AV	241.00	150	Horizontal	Pass
2	2489.770	53.03	-3.83	74.0	20.97	Peak	360.00	150	Horizontal	Pass
2**	2489.770	40.86	-3.83	54.0	13.14	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_10.51.30

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH1 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.85	-4.87	74.0	23.15	Peak	321.99	150	Vertical	Pass
1**	2390.000	40.55	-4.87	54.0	13.45	AV	321.99	150	Vertical	Pass
2	2384.700	51.95	-4.57	74.0	22.05	Peak	173.00	150	Vertical	Pass
2**	2384.700	40.57	-4.57	54.0	13.43	AV	173.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_10.53.32

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH1 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.35	-4.87	74.0	14.65	Peak	82.13	150	Horizontal	Pass
1**	2390.000	46.88	-4.87	54.0	7.12	AV	82.13	150	Horizontal	Pass
2	2389.200	58.50	-4.83	74.0	15.50	Peak	202.00	150	Horizontal	Pass
2**	2389.200	45.19	-4.83	54.0	8.81	AV	202.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_10.56.34

EUT Name: Tablet

Temp.(°C): 22.6

Model Number: Inventus SD1

Humidity (%RH): 50

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11g CH11 P=17

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08
ANT8

Bandedge_FCC-WIFI_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.57	-3.78	74.0	21.43	Peak	279.00	150	Vertical	Pass
1**	2483.500	42.32	-3.78	54.0	11.68	AV	279.00	150	Vertical	Pass
2	2484.040	53.81	-3.78	74.0	20.19	Peak	132.00	150	Vertical	Pass
2**	2484.040	41.80	-3.78	54.0	12.20	AV	132.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_10.55.01

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH11 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.22	-3.78	74.0	10.78	Peak	176.00	150	Horizontal	Pass
1**	2483.500	49.62	-3.78	54.0	4.38	AV	176.00	150	Horizontal	Pass
2	2483.710	63.14	-3.78	74.0	10.86	Peak	74.00	150	Horizontal	Pass
2**	2483.710	49.31	-3.78	54.0	4.69	AV	74.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_10.58.22

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH1 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.20	-4.87	74.0	23.80	Peak	81.09	150	Vertical	Pass
1**	2390.000	40.56	-4.87	54.0	13.44	AV	81.09	150	Vertical	Pass
2	2370.300	52.69	-4.01	74.0	21.31	Peak	115.00	150	Vertical	Pass
2**	2370.300	41.09	-4.01	54.0	12.91	AV	115.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_10.59.36

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH1 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.91	-4.87	74.0	14.09	Peak	87.12	150	Horizontal	Pass
1**	2390.000	47.08	-4.87	54.0	6.92	AV	87.12	150	Horizontal	Pass
2	2389.100	58.54	-4.82	74.0	15.46	Peak	182.00	150	Horizontal	Pass
2**	2389.100	46.28	-4.82	54.0	7.72	AV	182.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_11.02.35

EUT Name: Tablet

Temp.(°C): 22.6

Model Number: Inventus SD1

Humidity (%RH): 50

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11n20 CH11 P=17


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08
ANT8

Bandedge_FCC-WIFI_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.58	-3.78	74.0	22.42	Peak	155.00	150	Vertical	Pass
1**	2483.500	42.02	-3.78	54.0	11.98	AV	155.00	150	Vertical	Pass
2	2484.370	53.59	-3.78	74.0	20.41	Peak	131.00	150	Vertical	Pass
2**	2484.370	41.76	-3.78	54.0	12.24	AV	131.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_11.01.04

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH11 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.06	-3.78	74.0	11.94	Peak	78.00	150	Horizontal	Pass
1**	2483.500	49.59	-3.78	54.0	4.41	AV	78.00	150	Horizontal	Pass
2	2484.010	62.57	-3.78	74.0	11.43	Peak	90.00	150	Horizontal	Pass
2**	2484.010	49.50	-3.78	54.0	4.50	AV	90.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_11.04.21

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH3 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.79	-4.87	74.0	22.21	Peak	17.13	150	Vertical	Pass
1**	2390.000	40.89	-4.87	54.0	13.11	AV	17.13	150	Vertical	Pass
2	2384.100	52.45	-4.54	74.0	21.55	Peak	167.00	150	Vertical	Pass
2**	2384.100	40.51	-4.54	54.0	13.49	AV	167.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_11.05.33

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH3 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.99	-4.87	74.0	12.01	Peak	181.99	150	Horizontal	Pass
1**	2390.000	50.77	-4.87	54.0	3.23	AV	181.99	150	Horizontal	Pass
2	2388.500	62.78	-4.79	74.0	11.22	Peak	185.00	150	Horizontal	Pass
2**	2388.500	49.68	-4.79	54.0	4.32	AV	185.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_11.16.21

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH9 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.68	-3.78	74.0	17.32	Peak	138.00	150	Vertical	Pass
1**	2483.500	45.37	-3.78	54.0	8.63	AV	138.00	150	Vertical	Pass
2	2485.030	58.53	-3.78	74.0	15.47	Peak	136.00	150	Vertical	Pass
2**	2485.030	45.08	-3.78	54.0	8.92	AV	136.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_11.14.47

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n40 CH9 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.49	-3.78	74.0	11.51	Peak	87.00	150	Horizontal	Pass
1**	2483.500	50.63	-3.78	54.0	3.37	AV	87.00	150	Horizontal	Pass
2	2484.130	64.90	-3.78	74.0	9.10	Peak	97.00	150	Horizontal	Pass
2**	2484.130	51.64	-3.78	54.0	2.36	AV	97.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_11.18.07

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax20 CH1 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.44	-4.87	74.0	19.56	Peak	21.36	150	Vertical	Pass
1**	2390.000	41.74	-4.87	54.0	12.26	AV	21.36	150	Vertical	Pass
2	2388.800	54.71	-4.81	74.0	19.29	Peak	0.00	150	Vertical	Pass
2**	2388.800	41.30	-4.81	54.0	12.70	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_11.19.23

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax20 CH1 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.50	-4.87	74.0	11.50	Peak	88.11	150	Horizontal	Pass
1**	2390.000	49.16	-4.87	54.0	4.84	AV	88.11	150	Horizontal	Pass
2	2389.800	65.30	-4.86	74.0	8.70	Peak	197.00	150	Horizontal	Pass
2**	2389.800	48.93	-4.86	54.0	5.07	AV	197.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_11.25.33

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax20 CH11 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.43	-3.78	74.0	16.57	Peak	163.00	150	Vertical	Pass
1**	2483.500	45.57	-3.78	54.0	8.43	AV	163.00	150	Vertical	Pass
2	2483.590	61.17	-3.78	74.0	12.83	Peak	143.00	150	Vertical	Pass
2**	2483.590	45.14	-3.78	54.0	8.86	AV	143.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_11.24.03

EUT Name: Tablet

Temp.(°C): 22.6

Model Number: Inventus SD1

Humidity (%RH): 50

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11ax20 CH11 P=15


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08
ANT8

Bandedge_FCC-WIFI_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.67	-3.78	74.0	8.33	Peak	96.00	150	Horizontal	Pass
1**	2483.500	50.02	-3.78	54.0	3.98	AV	96.00	150	Horizontal	Pass
2	2483.530	69.31	-3.78	74.0	4.69	Peak	75.00	150	Horizontal	Pass
2**	2483.530	49.08	-3.78	54.0	4.92	AV	75.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_11.27.22

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax40 CH3 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.91	-4.87	74.0	19.09	Peak	305.96	150	Vertical	Pass
1**	2390.000	42.26	-4.87	54.0	11.74	AV	305.96	150	Vertical	Pass
2	2386.700	53.42	-4.68	74.0	20.58	Peak	25.00	150	Vertical	Pass
2**	2386.700	41.03	-4.68	54.0	12.97	AV	25.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_11.28.36

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax40 CH3 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	59.79	-4.87	74.0	14.21	Peak	180.03	150	Horizontal	Pass
1**	2390.000	49.62	-4.87	54.0	4.38	AV	180.03	150	Horizontal	Pass
2	2388.200	61.72	-4.78	74.0	12.28	Peak	90.00	150	Horizontal	Pass
2**	2388.200	46.79	-4.78	54.0	7.21	AV	90.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_11.34.54

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax40 CH9 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.84	-3.78	74.0	17.16	Peak	132.00	150	Vertical	Pass
1**	2483.500	44.36	-3.78	54.0	9.64	AV	132.00	150	Vertical	Pass
2	2484.130	57.93	-3.78	74.0	16.07	Peak	138.00	150	Vertical	Pass
2**	2484.130	43.98	-3.78	54.0	10.02	AV	138.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_11.33.19

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11ax40 CH9 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.73	-3.78	74.0	12.27	Peak	93.00	150	Horizontal	Pass
1**	2483.500	48.99	-3.78	54.0	5.01	AV	93.00	150	Horizontal	Pass
2	2485.720	64.08	-3.78	74.0	9.92	Peak	90.00	150	Horizontal	Pass
2**	2485.720	48.11	-3.78	54.0	5.89	AV	90.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_11.36.52

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11be20 CH1 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	55.50	-4.87	74.0	18.50	Peak	304.63	150	Vertical	Pass
1**	2390.000	42.02	-4.87	54.0	11.98	AV	304.63	150	Vertical	Pass
2	2389.100	55.12	-4.82	74.0	18.88	Peak	305.00	150	Vertical	Pass
2**	2389.100	41.52	-4.82	54.0	12.48	AV	305.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_11.38.19

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11be20 CH1 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.14	-4.87	74.0	8.86	Peak	181.00	150	Horizontal	Pass
1**	2390.000	49.72	-4.87	54.0	4.28	AV	181.00	150	Horizontal	Pass
2	2389.300	66.70	-4.84	74.0	7.30	Peak	199.00	150	Horizontal	Pass
2**	2389.300	47.79	-4.84	54.0	6.21	AV	199.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_11.45.10

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11be20 CH11 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.18	-3.78	74.0	14.82	Peak	139.00	150	Vertical	Pass
1**	2483.500	45.60	-3.78	54.0	8.40	AV	139.00	150	Vertical	Pass
2	2483.890	61.54	-3.78	74.0	12.46	Peak	142.00	150	Vertical	Pass
2**	2483.890	44.69	-3.78	54.0	9.31	AV	142.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_11.43.40

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11be20 CH11 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	64.20	-3.78	74.0	9.80	Peak	75.00	150	Horizontal	Pass
1**	2483.500	49.05	-3.78	54.0	4.95	AV	75.00	150	Horizontal	Pass
2	2484.580	69.89	-3.78	74.0	4.11	Peak	89.00	150	Horizontal	Pass
2**	2484.580	47.91	-3.78	54.0	6.09	AV	89.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_11.46.46

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11be40 CH3 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	54.34	-4.87	74.0	19.66	Peak	296.80	150	Vertical	Pass
1**	2390.000	42.03	-4.87	54.0	11.97	AV	296.80	150	Vertical	Pass
2	2388.600	54.80	-4.80	74.0	19.20	Peak	10.00	150	Vertical	Pass
2**	2388.600	42.07	-4.80	54.0	11.93	AV	10.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_11.47.56

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11be40 CH3 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.85	-4.87	74.0	10.15	Peak	180.88	150	Horizontal	Pass
1**	2390.000	48.55	-4.87	54.0	5.45	AV	180.88	150	Horizontal	Pass
2	2388.500	63.49	-4.79	74.0	10.51	Peak	181.00	150	Horizontal	Pass
2**	2388.500	47.37	-4.79	54.0	6.63	AV	181.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_11.53.25

EUT Name: Tablet

Temp.(°C): 22.6

Model Number: Inventus SD1

Humidity (%RH): 50

Sample Number: CC26060330-001-S07

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C

Work Mode: 2.4G WIFI 11be40 CH9 P=14


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Mingyue

Remark: 适配器: A01+数据线: A08
ANT8

Bandedge_FCC-WIFI_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	60.61	-3.78	74.0	13.39	Peak	135.00	150	Vertical	Pass
1**	2483.500	45.91	-3.78	54.0	8.09	AV	135.00	150	Vertical	Pass
2	2483.920	62.12	-3.78	74.0	11.88	Peak	139.00	150	Vertical	Pass
2**	2483.920	44.57	-3.78	54.0	9.43	AV	139.00	150	Vertical	Pass

Test Result

Project Number: P-CC26060547

Test Time: 2026-07-21_11.52.01

EUT Name:	Tablet	Temp.(°C):	22.6
Model Number:	Inventus SD1	Humidity (%RH):	50
Sample Number:	CC26060330-001-S07	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11be40 CH9 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Mingyue	Remark:	适配器: A01+数据线: A08 ANT8



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	66.83	-3.78	74.0	7.17	Peak	86.00	150	Horizontal	Pass
1**	2483.500	50.57	-3.78	54.0	3.43	AV	86.00	150	Horizontal	Pass
2	2483.950	68.24	-3.78	74.0	5.76	Peak	89.00	150	Horizontal	Pass
2**	2483.950	50.83	-3.78	54.0	3.17	AV	89.00	150	Horizontal	Pass