Appendix

Test Data

for BTEK241111036A01E04

Start date	2024/12/3	Finish date	2024/12/3
Temperature	22.5℃	Humidity	49%
RF specifications	5.2G_WIFI	Test Engineer	Zora

Table of Contents

1. -26dB and 99% Emission Bandwidth 3
2. Duty Cycle 32
3. Maximum Conducted Output Power 47
4. Power Spectral Density 62
5. Bandedge 82
6. Spurious Emission 94
7. Frequency Stability 109

BTEK241111036A01-T05_7663
FCC_5.2G_WIFI (Part15.407) Test Data

1. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	-26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5180.00	19.94	16.41
NVNT	ANT2	802.11a	5180.00	20.21	16.39
NVNT	ANT1	802.11a	5200.00	19.88	16.40
NVNT	ANT2	802.11a	5200.00	19.99	16.41
NVNT	ANT1	802.11a	5240.00	20.06	16.42
NVNT	ANT2	802.11a	5240.00	19.88	16.38
NVNT	ANT1	802.11n(HT20)	5180.00	20.73	17.68
NVNT	ANT2	802.11n(HT20)	5180.00	20.22	17.58
NVNT	ANT1	802.11n(HT20)	5200.00	20.05	17.54
NVNT	ANT2	802.11n(HT20)	5200.00	20.19	17.59
NVNT	ANT1	802.11n(HT20)	5240.00	20.22	17.55
NVNT	ANT2	802.11n(HT20)	5240.00	20.13	17.57
NVNT	ANT1	802.11ac(VHT20)	5180.00	20.31	17.54
NVNT	ANT2	802.11ac(VHT20)	5180.00	20.09	17.58
NVNT	ANT1	802.11ac(VHT20)	5200.00	20.04	17.55
NVNT	ANT2	802.11ac(VHT20)	5200.00	20.18	17.56
NVNT	ANT1	802.11ac(VHT20)	5240.00	20.20	17.55
NVNT	ANT2	802.11ac(VHT20)	5240.00	19.84	17.58
NVNT	ANT1	802.11n(HT40)	5190.00	40.68	35.96
NVNT	ANT2	802.11n(HT40)	5190.00	40.19	35.98
NVNT	ANT1	802.11n(HT40)	5230.00	40.33	35.99
NVNT	ANT2	802.11n(HT40)	5230.00	40.35	36.03
NVNT	ANT1	802.11ac(VHT40)	5190.00	40.50	36.02
NVNT	ANT2	802.11ac(VHT40)	5190.00	39.60	36.01
NVNT	ANT1	802.11ac(VHT40)	5230.00	40.67	36.00
NVNT	ANT2	802.11ac(VHT40)	5230.00	40.28	35.98
NVNT	ANT1	802.11ac(VHT80)	5210.00	81.05	75.41
NVNT	ANT2	802.11ac(VHT80)	5210.00	80.29	75.30

99%_OCB_NVNT_ANT1_802_11a_5180



-26BW_NVNT_ANT1_802_11a_5180



99%_OCB_NVNT_ANT2_802_11a_5180



-26BW_NVNT_ANT2_802_11a_5180



99%_OCB_NVNT_ANT1_802_11a_5200



-26BW_NVNT_ANT1_802_11a_5200



99%_OCB_NVNT_ANT2_802_11a_5200



-26BW_NVNT_ANT2_802_11a_5200



99%_OCB_NVNT_ANT1_802_11a_5240



-26BW_NVNT_ANT1_802_11a_5240



99%_OCB_NVNT_ANT2_802_11a_5240



-26BW_NVNT_ANT2_802_11a_5240



99%_OCB_NVNT_ANT1_802_11n(HT20)_5180



-26BW_NVNT_ANT1_802_11n(HT20)_5180



99%_OCB_NVNT_ANT2_802_11n(HT20)_5180



-26BW_NVNT_ANT2_802_11n(HT20)_5180



99%_OCB_NVNT_ANT1_802_11n(HT20)_5200



-26BW_NVNT_ANT1_802_11n(HT20)_5200



99%_OCB_NVNT_ANT2_802_11n(HT20)_5200



-26BW_NVNT_ANT2_802_11n(HT20)_5200



99%_OCB_NVNT_ANT1_802_11n(HT20)_5240



-26BW_NVNT_ANT1_802_11n(HT20)_5240



99%_OCB_NVNT_ANT2_802_11n(HT20)_5240



-26BW_NVNT_ANT2_802_11n(HT20)_5240



99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5180



-26BW_NVNT_ANT1_802_11ac(VHT20)_5180



99%_OCB_NVNT_ANT2_802_11ac(VHT20)_5180



-26BW_NVNT_ANT2_802_11ac(VHT20)_5180



99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5200



-26BW_NVNT_ANT1_802_11ac(VHT20)_5200



99%_OCB_NVNT_ANT2_802_11ac(VHT20)_5200



-26BW_NVNT_ANT2_802_11ac(VHT20)_5200



99%_OCB_NVNT_ANT1_802_11ac(VHT20)_5240



-26BW_NVNT_ANT1_802_11ac(VHT20)_5240



99%_OCB_NVNT_ANT2_802_11ac(VHT20)_5240



-26BW_NVNT_ANT2_802_11ac(VHT20)_5240



99%_OCB_NVNT_ANT1_802_11n(HT40)_5190



-26BW_NVNT_ANT1_802_11n(HT40)_5190



99%_OCB_NVNT_ANT2_802_11n(HT40)_5190



-26BW_NVNT_ANT2_802_11n(HT40)_5190



99%_OCB_NVNT_ANT1_802_11n(HT40)_5230



-26BW_NVNT_ANT1_802_11n(HT40)_5230



99%_OCB_NVNT_ANT2_802_11n(HT40)_5230



-26BW_NVNT_ANT2_802_11n(HT40)_5230



99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5190



-26BW_NVNT_ANT1_802_11ac(VHT40)_5190



99%_OCB_NVNT_ANT2_802_11ac(VHT40)_5190



-26BW_NVNT_ANT2_802_11ac(VHT40)_5190



99%_OCB_NVNT_ANT1_802_11ac(VHT40)_5230



-26BW_NVNT_ANT1_802_11ac(VHT40)_5230



99%_OCB_NVNT_ANT2_802_11ac(VHT40)_5230



-26BW_NVNT_ANT2_802_11ac(VHT40)_5230



99%_OCB_NVNT_ANT1_802_11ac(VHT80)_5210



-26BW_NVNT_ANT1_802_11ac(VHT80)_5210



99%_OCB_NVNT_ANT2_802_11ac(VHT80)_5210



-26BW_NVNT_ANT2_802_11ac(VHT80)_5210


Keysight Spectrum Analyzer - Occupied BW
Center Freq 5.210000000 GHz
Center Freq: 5.210000000 GHz
Trig: Free Run
Avg|Hold: 10/10
#Atten: 40 dB
Radio Std: None
Radio Device: BTS
Frequency
Ref Offset 7.17 dB
10 dB/div
Ref 17.34 dBm
Center Freq
5.210000000 GHz
Center 5.21 GHz
#Res BW 820 kHz
#VBW 2.4 MHz
Span 160.5 MHz
Sweep 1 ms
CF Step
16.048000 MHz
Auto
Man
Occupied Bandwidth
75.205 MHz
Total Power
20.1 dBm
Transmit Freq Error
124.27 kHz
% of OBW Power
99.00 %
x dB Bandwidth
80.29 MHz
x dB
-26.00 dB
Freq Offset
0 Hz
MSG
STATUS

2. Duty Cycle

Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5180.00	95.83	0.18
NVNT	ANT2	802.11a	5180.00	97.22	0.12
NVNT	ANT1	802.11a	5200.00	97.22	0.12
NVNT	ANT2	802.11a	5200.00	95.83	0.18
NVNT	ANT1	802.11a	5240.00	97.22	0.12
NVNT	ANT2	802.11a	5240.00	97.22	0.12
NVNT	ANT1	802.11n(HT20)	5180.00	97.01	0.13
NVNT	ANT2	802.11n(HT20)	5180.00	97.01	0.13
NVNT	ANT1	802.11n(HT20)	5200.00	95.59	0.20
NVNT	ANT2	802.11n(HT20)	5200.00	97.01	0.13
NVNT	ANT1	802.11n(HT20)	5240.00	97.01	0.13
NVNT	ANT2	802.11n(HT20)	5240.00	97.01	0.13
NVNT	ANT1	802.11ac(VHT20)	5180.00	91.89	0.37
NVNT	ANT2	802.11ac(VHT20)	5180.00	94.44	0.25
NVNT	ANT1	802.11ac(VHT20)	5200.00	94.44	0.25
NVNT	ANT2	802.11ac(VHT20)	5200.00	94.44	0.25
NVNT	ANT1	802.11ac(VHT20)	5240.00	94.44	0.25
NVNT	ANT2	802.11ac(VHT20)	5240.00	94.44	0.25
NVNT	ANT1	802.11n(HT40)	5190.00	94.12	0.26
NVNT	ANT2	802.11n(HT40)	5190.00	91.43	0.39
NVNT	ANT1	802.11n(HT40)	5230.00	94.12	0.26
NVNT	ANT2	802.11n(HT40)	5230.00	94.12	0.26
NVNT	ANT1	802.11ac(VHT40)	5190.00	89.47	0.48
NVNT	ANT2	802.11ac(VHT40)	5190.00	90.00	0.46
NVNT	ANT1	802.11ac(VHT40)	5230.00	89.47	0.48
NVNT	ANT2	802.11ac(VHT40)	5230.00	90.00	0.46
NVNT	ANT1	802.11ac(VHT80)	5210.00	83.33	0.79
NVNT	ANT2	802.11ac(VHT80)	5210.00	81.82	0.87

Duty_Cycle_NVNT_ANT1_802_11a_5180



Duty_Cycle_NVNT_ANT2_802_11a_5180



Duty_Cycle_NVNT_ANT1_802_11a_5200



Duty_Cycle_NVNT_ANT2_802_11a_5200



Duty_Cycle_NVNT_ANT1_802_11a_5240



Duty_Cycle_NVNT_ANT2_802_11a_5240



Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5180



Duty_Cycle_NVNT_ANT2_802_11n(HT20)_5180



Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5200



Duty_Cycle_NVNT_ANT2_802_11n(HT20)_5200



Duty_Cycle_NVNT_ANT1_802_11n(HT20)_5240



Duty_Cycle_NVNT_ANT2_802_11n(HT20)_5240



Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5180



Duty_Cycle_NVNT_ANT2_802_11ac(VHT20)_5180



Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5200



Duty_Cycle_NVNT_ANT2_802_11ac(VHT20)_5200



Duty_Cycle_NVNT_ANT1_802_11ac(VHT20)_5240



Duty_Cycle_NVNT_ANT2_802_11ac(VHT20)_5240



Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5190



Duty_Cycle_NVNT_ANT2_802_11n(HT40)_5190



Duty_Cycle_NVNT_ANT1_802_11n(HT40)_5230



Duty_Cycle_NVNT_ANT2_802_11n(HT40)_5230



Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5190



Duty_Cycle_NVNT_ANT2_802_11ac(VHT40)_5190



Duty_Cycle_NVNT_ANT1_802_11ac(VHT40)_5230



Duty_Cycle_NVNT_ANT2_802_11ac(VHT40)_5230



Duty_Cycle_NVNT_ANT1_802_11ac(VHT80)_5210



Duty_Cycle_NVNT_ANT2_802_11ac(VHT80)_5210


Keysight Spectrum Analyzer - Swept SA
Center Freq 5.210000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
Atten: 38 dB
#Avg Type: Log-Pwr
04:00:45 PM Dec 11, 2024
Ref Offset 7.17 dB
10 dB/div
Ref 33.34 dBm
Mkr3 280.0 µs
5.20 dBm
Center 5.210000000 GHz
Res BW 8 MHz
#VBW 8.0 MHz
Span 0 Hz
Sweep 20.00 ms (1001 pts)
1 N 1 t (Δ) 60.00 µs (Δ) 5.68 dBm
2 N 1 t 240.0 µs 10.27 dBm
3 N 1 t 280.0 µs 5.20 dBm
Frequency
Auto Tune
Center Freq
5.210000000 GHz
Start Freq
5.210000000 GHz
Stop Freq
5.210000000 GHz
CF Step
8.000000 MHz
Auto
Man
Freq Offset
0 Hz
Scale Type
Log
Lin

3. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	13.36	0.18	13.54	24	Pass
NVNT	ANT2	802.11a	5180.00	12.80	0.12	12.92	24	Pass
NVNT	ANT1	802.11a	5200.00	13.59	0.12	13.71	24	Pass
NVNT	ANT2	802.11a	5200.00	12.84	0.18	13.02	24	Pass
NVNT	ANT1	802.11a	5240.00	13.55	0.12	13.67	24	Pass
NVNT	ANT2	802.11a	5240.00	12.57	0.12	12.69	24	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	10.66	0.13	10.79	24	Pass
NVNT	ANT2	802.11n(HT20)	5180.00	11.36	0.13	11.49	24	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	11.02	0.20	11.22	24	Pass
NVNT	ANT2	802.11n(HT20)	5200.00	11.74	0.13	11.87	24	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	10.92	0.13	11.05	24	Pass
NVNT	ANT2	802.11n(HT20)	5240.00	9.88	0.13	10.01	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	10.44	0.37	10.81	24	Pass
NVNT	ANT2	802.11ac(VHT20)	5180.00	11.16	0.25	11.41	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	10.90	0.25	11.15	24	Pass
NVNT	ANT2	802.11ac(VHT20)	5200.00	11.61	0.25	11.86	24	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	10.85	0.25	11.10	24	Pass
NVNT	ANT2	802.11ac(VHT20)	5240.00	11.36	0.25	11.61	24	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	11.09	0.26	11.35	24	Pass
NVNT	ANT2	802.11n(HT40)	5190.00	11.92	0.39	12.31	24	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	11.46	0.26	11.72	24	Pass
NVNT	ANT2	802.11n(HT40)	5230.00	12.05	0.26	12.31	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	10.77	0.48	11.25	24	Pass
NVNT	ANT2	802.11ac(VHT40)	5190.00	11.65	0.46	12.11	24	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	11.09	0.48	11.57	24	Pass
NVNT	ANT2	802.11ac(VHT40)	5230.00	11.78	0.46	12.24	24	Pass
NVNT	ANT1	802.11ac(VHT80)	5210.00	10.79	0.79	11.58	24	Pass
NVNT	ANT2	802.11ac(VHT80)	5210.00	11.46	0.87	12.33	24	Pass

Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5180_20M



Maximum_Conducted_Output_Power_NVNT_ANT2_802_11a_5180_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5200_20M



Maximum_Conducted_Output_Power_NVNT_ANT2_802_11a_5200_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5240_20M



Maximum_Conducted_Output_Power_NVNT_ANT2_802_11a_5240_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5180_20M



Maximum_Conducted_Output_Power_NVNT_ANT2_802_11n(HT20)_5180_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5200_20M



Maximum_Conducted_Output_Power_NVNT_ANT2_802_11n(HT20)_5200_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT20)_5240_20M



Maximum_Conducted_Output_Power_NVNT_ANT2_802_11n(HT20)_5240_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5180_20M



Maximum_Conducted_Output_Power_NVNT_ANT2_802_11ac(VHT20)_5180_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5200_20M



Maximum_Conducted_Output_Power_NVNT_ANT2_802_11ac(VHT20)_5200_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT20)_5240_20M



Maximum_Conducted_Output_Power_NVNT_ANT2_802_11ac(VHT20)_5240_20M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5190_40M



Maximum_Conducted_Output_Power_NVNT_ANT2_802_11n(HT40)_5190_40M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11n(HT40)_5230_40M



Maximum_Conducted_Output_Power_NVNT_ANT2_802_11n(HT40)_5230_40M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5190_40M



Maximum_Conducted_Output_Power_NVNT_ANT2_802_11ac(VHT40)_5190_40M



Maximum_Conducted_Output_Power_NVNT_ANT1_802_11ac(VHT40)_5230_40M



Maximum_Conducted_Output_Power_NVNT_ANT2_802_11ac(VHT40)_5230_40M