Appendix

Test Data

for BTEK241111036A01E03

Start date	2024/12/10	Finish date	2024/12/10
Temperature	22.8℃	Humidity	61%
RF specifications	2.4G_WIFI	Test Engineer	Zora

Table of Contents

1. -6dB Bandwidth 3
2. 99% Occupied Bandwidth 16
3. Duty Cycle 29
4. MAX. Output Power 42
5. Power Spectral Density 55
6. Bandedge 71
7. Spurious Emission 87

1. -6dB Bandwidth

Condition	Antenna	Modulation	Frequency (MHz)	-6dB BW(MHz)	limit(kHz)	Result
NVNT	ANT1	802.11b	2412.00	9.19	500	Pass
NVNT	ANT2	802.11b	2412.00	9.17	500	Pass
NVNT	ANT1	802.11b	2437.00	9.19	500	Pass
NVNT	ANT2	802.11b	2437.00	9.16	500	Pass
NVNT	ANT1	802.11b	2462.00	9.20	500	Pass
NVNT	ANT2	802.11b	2462.00	9.17	500	Pass
NVNT	ANT1	802.11g	2412.00	16.12	500	Pass
NVNT	ANT2	802.11g	2412.00	16.19	500	Pass
NVNT	ANT1	802.11g	2437.00	16.16	500	Pass
NVNT	ANT2	802.11g	2437.00	16.09	500	Pass
NVNT	ANT1	802.11g	2462.00	16.20	500	Pass
NVNT	ANT2	802.11g	2462.00	16.18	500	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	17.42	500	Pass
NVNT	ANT2	802.11n(HT20)	2412.00	17.01	500	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	17.47	500	Pass
NVNT	ANT2	802.11n(HT20)	2437.00	16.64	500	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	17.45	500	Pass
NVNT	ANT2	802.11n(HT20)	2462.00	16.66	500	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	35.56	500	Pass
NVNT	ANT2	802.11n(HT40)	2422.00	35.61	500	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	35.35	500	Pass
NVNT	ANT2	802.11n(HT40)	2437.00	34.77	500	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	35.46	500	Pass
NVNT	ANT2	802.11n(HT40)	2452.00	35.76	500	Pass

-6dB_Bandwidth_NVNT_ANT1_802_11b_2412



-6dB_Bandwidth_NVNT_ANT2_802_11b_2412



-6dB_Bandwidth_NVNT_ANT1_802_11b_2437



-6dB_Bandwidth_NVNT_ANT2_802_11b_2437



-6dB_Bandwidth_NVNT_ANT1_802_11b_2462



-6dB_Bandwidth_NVNT_ANT2_802_11b_2462



-6dB_Bandwidth_NVNT_ANT1_802_11g_2412



-6dB_Bandwidth_NVNT_ANT2_802_11g_2412



-6dB_Bandwidth_NVNT_ANT1_802_11g_2437



-6dB_Bandwidth_NVNT_ANT2_802_11g_2437



-6dB_Bandwidth_NVNT_ANT1_802_11g_2462



-6dB_Bandwidth_NVNT_ANT2_802_11g_2462



-6dB_Bandwidth_NVNT_ANT1_802_11n(HT20)_2412



-6dB_Bandwidth_NVNT_ANT2_802_11n(HT20)_2412



-6dB_Bandwidth_NVNT_ANT1_802_11n(HT20)_2437



-6dB_Bandwidth_NVNT_ANT2_802_11n(HT20)_2437



-6dB_Bandwidth_NVNT_ANT1_802_11n(HT20)_2462



-6dB_Bandwidth_NVNT_ANT2_802_11n(HT20)_2462



-6dB_Bandwidth_NVNT_ANT1_802_11n(HT40)_2422



-6dB_Bandwidth_NVNT_ANT2_802_11n(HT40)_2422



-6dB_Bandwidth_NVNT_ANT1_802_11n(HT40)_2437



-6dB_Bandwidth_NVNT_ANT2_802_11n(HT40)_2437



-6dB_Bandwidth_NVNT_ANT1_802_11n(HT40)_2452



-6dB_Bandwidth_NVNT_ANT2_802_11n(HT40)_2452


Keysight Spectrum Analyzer - Occupied BW
RL
RF
50 Ω AC
SENSE:PULSE
ALIGN AUTO
06:43:38 PM Dec 10, 2024
Center Freq 2.452000000 GHz
Center Freq: 2.452000000 GHz
Trig: Free Run
Avg|Hold:>10/10
#Atten: 40 dB
Radio Std: None
Radio Device: BTS
#IFGain:Low
Frequency
Ref Offset 5.06 dB
10 dB/div
Ref 15.12 dBm
Log
5.12
-4.88
-14.9
-24.9
-34.9
-44.9
-54.9
-64.9
-74.9
Center Freq
2.452000000 GHz
Center 2.452 GHz
#Res BW 910 kHz
#VBW 2.7 MHz
Span 60 MHz
Sweep 1 ms
CF Step
6.000000 MHz
Auto
Man
Occupied Bandwidth
36.296 MHz
Total Power
20.7 dBm
Transmit Freq Error
37.317 kHz
% of OBW Power
99.00 %
x dB Bandwidth
35.76 MHz
x dB
-6.00 dB
Freq Offset
0 Hz
MSG
STATUS

2. 99% Occupied Bandwidth

Condition	Antenna	Modulation	Frequency (MHz)	99%%BW(MHz)
NVNT	ANT1	802.11b	2412.00	13.547
NVNT	ANT2	802.11b	2412.00	13.372
NVNT	ANT1	802.11b	2437.00	13.569
NVNT	ANT2	802.11b	2437.00	13.377
NVNT	ANT1	802.11b	2462.00	13.543
NVNT	ANT2	802.11b	2462.00	13.373
NVNT	ANT1	802.11g	2412.00	17.060
NVNT	ANT2	802.11g	2412.00	16.768
NVNT	ANT1	802.11g	2437.00	17.025
NVNT	ANT2	802.11g	2437.00	16.781
NVNT	ANT1	802.11g	2462.00	17.045
NVNT	ANT2	802.11g	2462.00	16.726
NVNT	ANT1	802.11n(HT20)	2412.00	17.966
NVNT	ANT2	802.11n(HT20)	2412.00	17.749
NVNT	ANT1	802.11n(HT20)	2437.00	18.037
NVNT	ANT2	802.11n(HT20)	2437.00	17.745
NVNT	ANT1	802.11n(HT20)	2462.00	18.008
NVNT	ANT2	802.11n(HT20)	2462.00	17.760
NVNT	ANT1	802.11n(HT40)	2422.00	36.452
NVNT	ANT2	802.11n(HT40)	2422.00	36.298
NVNT	ANT1	802.11n(HT40)	2437.00	36.273
NVNT	ANT2	802.11n(HT40)	2437.00	36.195
NVNT	ANT1	802.11n(HT40)	2452.00	36.373
NVNT	ANT2	802.11n(HT40)	2452.00	36.371

99%_Occupied_Bandwidth_NVNT_ANT1_802_11b_2412



99%_Occupied_Bandwidth_NVNT_ANT2_802_11b_2412



99%_Occupied_Bandwidth_NVNT_ANT1_802_11b_2437



99%_Occupied_Bandwidth_NVNT_ANT2_802_11b_2437



99%_Occupied_Bandwidth_NVNT_ANT1_802_11b_2462



99%_Occupied_Bandwidth_NVNT_ANT2_802_11b_2462



99%_Occupied_Bandwidth_NVNT_ANT1_802_11g_2412



99%_Occupied_Bandwidth_NVNT_ANT2_802_11g_2412

99%_Occupied_Bandwidth_NVNT_ANT1_802_11g_2437



99%_Occupied_Bandwidth_NVNT_ANT2_802_11g_2437



99%_Occupied_Bandwidth_NVNT_ANT1_802_11g_2462



99%_Occupied_Bandwidth_NVNT_ANT2_802_11g_2462



99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT20)_2412



99%_Occupied_Bandwidth_NVNT_ANT2_802_11n(HT20)_2412



99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT20)_2437



99%_Occupied_Bandwidth_NVNT_ANT2_802_11n(HT20)_2437



99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT20)_2462



99%_Occupied_Bandwidth_NVNT_ANT2_802_11n(HT20)_2462



99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT40)_2422



99%_Occupied_Bandwidth_NVNT_ANT2_802_11n(HT40)_2422



99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT40)_2437



99%_Occupied_Bandwidth_NVNT_ANT2_802_11n(HT40)_2437



99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT40)_2452



99%_Occupied_Bandwidth_NVNT_ANT2_802_11n(HT40)_2452


Keysight Spectrum Analyzer - Occupied BW
RL
RF
50 Ω AC
SENSE:PULSE
ALIGN AUTO
06:44:27 PM Dec 10, 2024
Center Freq 2.452000000 GHz
Center Freq: 2.452000000 GHz
Trig: Free Run
Avg|Hold: 10/10
#Atten: 40 dB
Radio Std: None
Radio Device: BTS
#IFGain:Low
Frequency
Ref Offset 5.06 dB
10 dB/div
Ref 13.12 dBm
Log
3.12
-6.88
-16.9
-26.9
-36.9
-46.9
-56.9
-66.9
-76.9
Center Freq
2.452000000 GHz
Center 2.452 GHz
#Res BW 1 MHz
#VBW 3 MHz
Span 60 MHz
Sweep 1 ms
CF Step
6.000000 MHz
Auto
Man
Occupied Bandwidth
36.371 MHz
Total Power
20.7 dBm
Transmit Freq Error
40.645 kHz
% of OBW Power
99.00 %
x dB Bandwidth
41.40 MHz
x dB
-26.00 dB
Freq Offset
0 Hz
MSG
STATUS

3. Duty Cycle

Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty factor(dB)
NVNT	ANT1	802.11b	2412.00	99.76	0.00
NVNT	ANT2	802.11b	2412.00	99.76	0.00
NVNT	ANT1	802.11b	2437.00	99.76	0.00
NVNT	ANT2	802.11b	2437.00	99.76	0.00
NVNT	ANT1	802.11b	2462.00	99.76	0.00
NVNT	ANT2	802.11b	2462.00	99.76	0.00
NVNT	ANT1	802.11g	2412.00	98.59	0.00
NVNT	ANT2	802.11g	2412.00	97.22	0.12
NVNT	ANT1	802.11g	2437.00	98.61	0.00
NVNT	ANT2	802.11g	2437.00	97.22	0.12
NVNT	ANT1	802.11g	2462.00	98.61	0.00
NVNT	ANT2	802.11g	2462.00	98.59	0.00
NVNT	ANT1	802.11n(HT20)	2412.00	98.51	0.00
NVNT	ANT2	802.11n(HT20)	2412.00	98.51	0.00
NVNT	ANT1	802.11n(HT20)	2437.00	98.51	0.00
NVNT	ANT2	802.11n(HT20)	2437.00	97.06	0.13
NVNT	ANT1	802.11n(HT20)	2462.00	97.06	0.13
NVNT	ANT2	802.11n(HT20)	2462.00	98.51	0.00
NVNT	ANT1	802.11n(HT40)	2422.00	97.14	0.13
NVNT	ANT2	802.11n(HT40)	2422.00	97.06	0.13
NVNT	ANT1	802.11n(HT40)	2437.00	97.06	0.13
NVNT	ANT2	802.11n(HT40)	2437.00	97.06	0.13
NVNT	ANT1	802.11n(HT40)	2452.00	94.29	0.26
NVNT	ANT2	802.11n(HT40)	2452.00	97.14	0.13

Duty_Cycle_NVNT_ANT1_802_11b_2412



Duty_Cycle_NVNT_ANT2_802_11b_2412



Duty_Cycle_NVNT_ANT1_802_11b_2437



Duty_Cycle_NVNT_ANT2_802_11b_2437



Duty_Cycle_NVNT_ANT1_802_11b_2462



Duty_Cycle_NVNT_ANT2_802_11b_2462



Duty_Cycle_NVNT_ANT1_802_11g_2412



Duty_Cycle_NVNT_ANT2_802_11g_2412



Duty_Cycle_NVNT_ANT1_802_11g_2437



Duty_Cycle_NVNT_ANT2_802_11g_2437



Duty_Cycle_NVNT_ANT1_802_11g_2462



Duty_Cycle_NVNT_ANT2_802_11g_2462



Duty_Cycle_NVNT_ANT1_802_11n(HT20)_2412



Duty_Cycle_NVNT_ANT2_802_11n(HT20)_2412



Duty_Cycle_NVNT_ANT1_802_11n(HT20)_2437



Duty_Cycle_NVNT_ANT2_802_11n(HT20)_2437



Duty_Cycle_NVNT_ANT1_802_11n(HT20)_2462



Duty_Cycle_NVNT_ANT2_802_11n(HT20)_2462



Duty_Cycle_NVNT_ANT1_802_11n(HT40)_2422



Duty_Cycle_NVNT_ANT2_802_11n(HT40)_2422



Duty_Cycle_NVNT_ANT1_802_11n(HT40)_2437



Duty_Cycle_NVNT_ANT2_802_11n(HT40)_2437



Duty_Cycle_NVNT_ANT1_802_11n(HT40)_2452



Duty_Cycle_NVNT_ANT2_802_11n(HT40)_2452


Keysight Spectrum Analyzer - Swept SA
Center Freq 2.452000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
Atten: 40 dB
#Avg Type: Log-Pwr
06:42:10 PM Dec 10, 2024
Ref Offset 5.06 dB
10 dB/div
Ref 35.06 dBm
Mkr3 920.0 µs
9.12 dBm
Center 2.452000000 GHz
Res BW 8 MHz
#VBW 8.0 MHz
Span 0 Hz
Sweep 20.00 ms (1001 pts)
MKR MODE TRC SCL X Y FUNCTION FUNCTION WIDTH FUNCTION VALUE
1 N 1 t 220.0 µs 7.39 dBm
2 N 1 t 880.0 µs 10.94 dBm
3 N 1 t 920.0 µs 9.12 dBm
Frequency
Auto Tune
Center Freq
2.452000000 GHz
Start Freq
2.452000000 GHz
Stop Freq
2.452000000 GHz
CF Step
8.000000 MHz
Auto Man
Freq Offset
0 Hz
Scale Type
Log Lin

4. MAX. Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Detector	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11b	2412.00	RMS	16.76	0.00	16.76	30	Pass
NVNT	ANT2	802.11b	2412.00	RMS	17.13	0.00	17.13	30	Pass
NVNT	ANT1	802.11b	2437.00	RMS	17.50	0.00	17.50	30	Pass
NVNT	ANT2	802.11b	2437.00	RMS	17.78	0.00	17.78	30	Pass
NVNT	ANT1	802.11b	2462.00	RMS	17.39	0.00	17.39	30	Pass
NVNT	ANT2	802.11b	2462.00	RMS	17.49	0.00	17.49	30	Pass
NVNT	ANT1	802.11g	2412.00	RMS	12.82	0.00	12.82	30	Pass
NVNT	ANT2	802.11g	2412.00	RMS	13.06	0.12	13.18	30	Pass
NVNT	ANT1	802.11g	2437.00	RMS	13.16	0.00	13.16	30	Pass
NVNT	ANT2	802.11g	2437.00	RMS	13.37	0.12	13.49	30	Pass
NVNT	ANT1	802.11g	2462.00	RMS	13.26	0.00	13.26	30	Pass
NVNT	ANT2	802.11g	2462.00	RMS	13.32	0.00	13.32	30	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	RMS	11.20	0.00	11.20	30	Pass
NVNT	ANT2	802.11n(HT20)	2412.00	RMS	11.43	0.00	11.43	30	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	RMS	11.34	0.00	11.34	30	Pass
NVNT	ANT2	802.11n(HT20)	2437.00	RMS	11.57	0.13	11.70	30	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	RMS	11.61	0.13	11.74	30	Pass
NVNT	ANT2	802.11n(HT20)	2462.00	RMS	11.71	0.00	11.71	30	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	RMS	10.87	0.13	11.00	30	Pass
NVNT	ANT2	802.11n(HT40)	2422.00	RMS	11.07	0.13	11.20	30	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	RMS	11.50	0.13	11.63	30	Pass
NVNT	ANT2	802.11n(HT40)	2437.00	RMS	11.87	0.13	12.00	30	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	RMS	11.70	0.26	11.96	30	Pass
NVNT	ANT2	802.11n(HT40)	2452.00	RMS	11.83	0.13	11.96	30	Pass

MAX__Output_Power_NVNT_ANT1_802_11b_2412



MAX__Output_Power_NVNT_ANT2_802_11b_2412



MAX__Output_Power_NVNT_ANT1_802_11b_2437



MAX__Output_Power_NVNT_ANT2_802_11b_2437



MAX__Output_Power_NVNT_ANT1_802_11b_2462



MAX__Output_Power_NVNT_ANT2_802_11b_2462



MAX__Output_Power_NVNT_ANT1_802_11g_2412



MAX__Output_Power_NVNT_ANT2_802_11g_2412



MAX__Output_Power_NVNT_ANT1_802_11g_2437



MAX__Output_Power_NVNT_ANT2_802_11g_2437



MAX__Output_Power_NVNT_ANT1_802_11g_2462



MAX__Output_Power_NVNT_ANT2_802_11g_2462



MAX__Output_Power_NVNT_ANT1_802_11n(HT20)_2412



MAX__Output_Power_NVNT_ANT2_802_11n(HT20)_2412



MAX__Output_Power_NVNT_ANT1_802_11n(HT20)_2437



MAX__Output_Power_NVNT_ANT2_802_11n(HT20)_2437



MAX__Output_Power_NVNT_ANT1_802_11n(HT20)_2462



MAX__Output_Power_NVNT_ANT2_802_11n(HT20)_2462



MAX__Output_Power_NVNT_ANT1_802_11n(HT40)_2422



MAX__Output_Power_NVNT_ANT2_802_11n(HT40)_2422



MAX__Output_Power_NVNT_ANT1_802_11n(HT40)_2437



MAX__Output_Power_NVNT_ANT2_802_11n(HT40)_2437



MAX__Output_Power_NVNT_ANT1_802_11n(HT40)_2452



MAX__Output_Power_NVNT_ANT2_802_11n(HT40)_2452



Condition	Antenna	Mode	Frequency(MHz)	MIMO_Conducted_Power(dBm)	Limit(dBm)	Result
NVNT	MIMO_TX	802.11n(HT20)	2412.00	14.33	30	Pass
NVNT	MIMO_TX	802.11n(HT20)	2437.00	14.53	30	Pass
NVNT	MIMO_TX	802.11n(HT20)	2462.00	14.73	30	Pass
NVNT	MIMO_TX	802.11n(HT40)	2422.00	14.11	30	Pass
NVNT	MIMO_TX	802.11n(HT40)	2437.00	14.83	30	Pass
NVNT	MIMO_TX	802.11n(HT40)	2452.00	14.97	30	Pass

5. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	SA_PSD(dBm/3kHz)	Duty factor(dB)	RB factor(dB)	PSD(dBm/3kHz)	limit(dBm/3kHz)	Result
NVNT	ANT1	802.11b	2412.00	-17.16	0.00	0.00	-17.16	8	Pass
NVNT	ANT2	802.11b	2412.00	-16.98	0.00	0.00	-16.98	8	Pass
NVNT	ANT1	802.11b	2437.00	-16.42	0.00	0.00	-16.42	8	Pass
NVNT	ANT2	802.11b	2437.00	-16.48	0.00	0.00	-16.48	8	Pass
NVNT	ANT1	802.11b	2462.00	-16.67	0.00	0.00	-16.67	8	Pass
NVNT	ANT2	802.11b	2462.00	-16.55	0.00	0.00	-16.55	8	Pass
NVNT	ANT1	802.11g	2412.00	-22.18	0.00	0.00	-22.18	8	Pass
NVNT	ANT2	802.11g	2412.00	-22.16	0.12	0.00	-22.04	8	Pass
NVNT	ANT1	802.11g	2437.00	-22.09	0.00	0.00	-22.09	8	Pass
NVNT	ANT2	802.11g	2437.00	-21.72	0.12	0.00	-21.60	8	Pass
NVNT	ANT1	802.11g	2462.00	-22.06	0.00	0.00	-22.06	8	Pass
NVNT	ANT2	802.11g	2462.00	-22.14	0.00	0.00	-22.14	8	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	-24.44	0.00	0.00	-24.44	8	Pass
NVNT	ANT2	802.11n(HT20)	2412.00	-23.80	0.00	0.00	-23.80	8	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	-24.11	0.00	0.00	-24.11	8	Pass
NVNT	ANT2	802.11n(HT20)	2437.00	-23.65	0.13	0.00	-23.52	8	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	-23.81	0.13	0.00	-23.68	8	Pass
NVNT	ANT2	802.11n(HT20)	2462.00	-23.76	0.00	0.00	-23.76	8	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	-26.11	0.13	0.00	-25.98	8	Pass
NVNT	ANT2	802.11n(HT40)	2422.00	-25.55	0.13	0.00	-25.42	8	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	-25.36	0.13	0.00	-25.23	8	Pass
NVNT	ANT2	802.11n(HT40)	2437.00	-25.21	0.13	0.00	-25.08	8	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	-25.50	0.26	0.00	-25.24	8	Pass
NVNT	ANT2	802.11n(HT40)	2452.00	-25.52	0.13	0.00	-25.39	8	Pass

Power_Spectral_Density_NVNT_ANT1_802_11b_2412



Power_Spectral_Density_NVNT_ANT2_802_11b_2412



Power_Spectral_Density_NVNT_ANT1_802_11b_2437



Power_Spectral_Density_NVNT_ANT2_802_11b_2437