





802.11n-HT40 Mode Right Side**802.11n-HT40 Mode Right Side**


Chain 3:

802.11b Mode Left Side




802.11b Mode Right Side




802.11g Mode Left Side

ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 7.MAY.2024 13:44:19

802.11g Mode Right Side


ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 7.MAY.2024 14:02:12

802.11n-HT20 Mode Left Side



ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 7.MAY.2024 14:11:52

802.11n-HT20 Mode Right Side



ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 7.MAY.2024 14:28:31

30 Offset 10.5 dB

*Att 30 dB

*RBW 100 kHz Delta 1 [T1]

*VBW 300 kHz -31.28 dB

SWT 10 ms -26.75200000 MHz

30 Offset 10.5 dB

LIMIT CHECK PASS

Marker 1 [T1]

-3.98 dBm

2.425784000 GHz

1.98 GHz

30dB

SWP 1000 Hz 1000

-29.98 dBm

Center 2.4 GHz

8.8 MHz/

Span 88 MHz

ProjectNo.:RKS240228003 Tester:Jay Liu

Date: 7.MAY.2024 14:40:12

Ref 30.5 dBm * Att 30 dB * RBW 100 kHz Delta 1 [T1] -31.41 dB
 * VSW 300 kHz SWT 15 ms 89.964000000 MHz

30 Offset 10.5 dB LIMIT CHECK PASS Marker 1 [T1] -10.13 dBm
 -30.13 dBm 2.446969000 GHz


1.9% 50A3M

SWP 1000 cF 1000


3dB

Center 2.4835 GHz 12.6 MHz/ Span 12.6 MHz


Chain 4:

802.11b Mode Left Side


ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 7.MAY.2024 16:38:23

802.11b Mode Right Side

ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 7.MAY.2024 16:51:56


802.11g Mode Left Side

ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 7.MAY.2024 16:59:32

802.11g Mode Right Side


ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 7.MAY.2024 17:25:00

802.11n-HT20 Mode Left Side




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 7.MAY.2024 17:34:56

802.11n-HT20 Mode Right Side




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 7.MAY.2024 18:44:42

802.11n-HT40 Mode Right Side



802.11n-HT40 Mode Right Side



EUT PHOTOGRAPHS

Please refer to the attachment EXHIBIT A-EUT EXTERNAL PHOTOGRAPHS and EXHIBIT B-EUT INTERNAL PHOTOGRAPHS.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment EXHIBIT C-TEST SETUP PHOTOGRAPHS.

Declarations

1. The laboratory is not responsible for the authenticity of any information provided by the applicant. Information from the applicant that may affect test results is marked with “★”.
2. The test data was only valid for the test sample(s).
3. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
4. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
5. The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor $k=2$ with the 95.45% confidence interval.

******* END OF REPORT *******