



802.11n40 mode, Power spectral density-5190MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 17:00:56

802.11n40 mode, Power spectral density-5230MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 17:06:24

802.11 ac20 mode, Power spectral density-5180MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 17:32:31

802.11ac20 mode, Power spectral density-5200MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 17:39:08

802.11 ac20 mode, Power spectral density-5240MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 17:43:59

802.11 ac40 mode, Power spectral density-5190MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 17:50:11

802.11 ac40 mode, Power spectral density-5230MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 17:57:19


802.11 ac80 mode, Power spectral density-5210MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 18:02:41


Chain 4:

802.11a mode, Power spectral density-5180MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 11:31:17

802.11a mode, Power spectral density-5200MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 11:36:49

Ref 30.5 dBm *Att 30 dB SWT 20 ms 5.243200000 GHz

30 Offset 10 5 dB

1 RBW
AVG

0 dBm

SWP 100 dB

1

Center 5.24 GHz 4 MHz/ Span 40 MHz

ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 11:41:21

Ref 30.5 dBm *Att 30 dB SWT 20 ms 5.183880000 GHz

30 Offset 10 5 dB

1 MHz
AVG

20
10
0
-10
-20
-30
-40
-50
-60

SWP 100 of 100


Marker 1 [T1] 1.50 dBm

5.183880000 GHz

Center 5.18 GHz 4 MHz/ Span 40 MHz


ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 11:46:40

802.11n20 mode, Power spectral density-5200MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 11:51:13

802.11n20 mode, Power spectral density-5240MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 11:56:01

802.11n40 mode, Power spectral density-5190MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 13:13:32

802.11n40 mode, Power spectral density-5230MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 13:18:55

802.11 ac20 mode, Power spectral density-5180MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 13:23:49

802.11ac20 mode, Power spectral density-5200MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 13:23:49

802.11 ac20 mode, Power spectral density-5240MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 13:23:49

802.11 ac40 mode, Power spectral density-5190MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 13:39:29

The screenshot displays a spectrum analyzer interface. The main plot shows a signal centered at 5.23 GHz with a span of 80 MHz. The signal has a flat top at approximately -5 dBm and a 3 dB bandwidth of about 10 MHz. A marker is placed on the flat top at 5.234720000 GHz, indicating a level of -2.55 dBm. The interface includes various control buttons and readouts:

- Top Bar:**
 - Ref: 30.5 dBm
 - Att: 30 dB
 - SWT: 20 ms
 - 5.234720000 GHz
- Left Panel:**
 - Buttons: **Ref**, **AVG**
 - Offset: 10.5 dB
 - SWP: 100.0
 - 100.0
- Right Panel:**
 - Buttons: **A**, **SQL**, **LVL**, **3dB**
- Bottom Bar:**
 - Center: 5.23 GHz
 - 8 MHz/
 - Span: 80 MHz

1. Ref
AVG

Offset 10.5 dBm

30
20
10
0
-10
-20
-30
-40
-50
-60

SWP 100.0 dB 100.0

Marker 1 [T1] -8.29 dBm

RBW 1 MHz
VBW 3 MHz
SWT 20 ms
5.22360000 GHz


Center 5.21 GHz 16 MHz/ 160 MHz

Page 254 of 285

5725MHz-5850 MHz Band:


Chain 1:

802.11a mode, Power spectral density-5745MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 29.APR.2024 16:02:36

802.11a mode, Power spectral density-5785MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 29.APR.2024 16:07:35

802.11a mode, Power spectral density-5825MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 29.APR.2024 16:13:03

802.11n20 mode, Power spectral density-5745MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 29.APR.2024 17:11:32

802.11 n20 mode, Power spectral density-5785MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 29.APR.2024 17:12:33


802.11 n20 mode, Power spectral density-5825MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 29.APR.2024 17:14:18

802.11n40 mode, Power spectral density-5755MHz

ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 29.APR.2024 16:26:08

802.11n40 mode, Power spectral density-5795MHz

ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 29.APR.2024 16:29:13

Ref 30.5 dBm * Att 30 dB * RBW 500 kHz * VBW 2 MHz SWT 20 ms Marker 1 [T1] -0.63 dBm

30 Offset 10.5 dB

1 [T1] -0.63 dBm

SWP 100.00 dB

Center 5.745 GHz 4 MHz/ Span 40 MHz

ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 29.APR.2024 16:31:40

Ref 30.5 dBm * Att 30 dB RBW 500 KHz Marker 1 [T1] -1.13 dBm
 * VBW 2 MHz SWT 20 ms 5.784200000 GHz

30 Offset 10.5 dB


1.00
 AVG

SWP 100 dB

Center 5.785 GHz 4 MHz/ Span 40 MHz


ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 29.APR.2024 16:34:08

802.11 ac20 mode, Power spectral density-5825MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 29.APR.2024 16:36:29

802.11 ac40 mode, Power spectral density-5755MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 29.APR.2024 16:40:21

802.11 ac40 mode, Power spectral density-5795MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 29.APR.2024 16:43:17


802.11 ac80 mode, Power spectral density-5775MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 29.APR.2024 16:47:27


Chain 2:

802.11a mode, Power spectral density-5745MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 30.APR.2024 13:30:20

802.11a mode, Power spectral density-5785MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 30.APR.2024 13:34:51

802.11a mode, Power spectral density-5825MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 13:38:44

802.11n20 mode, Power spectral density-5745MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 13:43:48

802.11 n20 mode, Power spectral density-5785MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 13:48:06

802.11 n20 mode, Power spectral density-5825MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 13:55:59

802.11n40 mode, Power spectral density-5755MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 14:16:41

802.11n40 mode, Power spectral density-5795MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 14:23:28

802.11ac20 mode, Power spectral density-5745MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 14:28:01

802.11ac20 mode, Power spectral density-5785MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 14:32:08

802.11 ac20 mode, Power spectral density-5825MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 15:06:37

802.11 ac40 mode, Power spectral density-5755MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 15:15:05

802.11 ac40 mode, Power spectral density-5795MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 15:22:03


802.11 ac80 mode, Power spectral density-5775MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 30.APR.2024 15:27:51


Chain 3:

802.11a mode, Power spectral density-5745MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 09:42:26

802.11a mode, Power spectral density-5785MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 09:46:28

802.11a mode, Power spectral density-5825MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 09:54:11

802.11n20 mode, Power spectral density-5745MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 09:59:08

802.11 n20 mode, Power spectral density-5785MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 10:03:29

802.11 n20 mode, Power spectral density-5825MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 10:08:42

802.11n40 mode, Power spectral density-5755MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 10:25:07

802.11n40 mode, Power spectral density-5795MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 10:30:53


802.11ac20 mode, Power spectral density-5745MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu

Date: 6.MAY.2024 10:44:24

802.11ac20 mode, Power spectral density-5785MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu

Date: 6.MAY.2024 10:48:31

ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 10:52:41

Ref 30.5 dBm * Att. 30 dB * RBW 500 kHz Marker 1 [T1] -3.54 dBm
 VBW 2 MHz SWT 20 ms 5.755800000 GHz

30 Offset 10.5 dB


10 PR
 AVG

SWP 100 of 100

Center 5.755 GHz B MHz/ Span 80 MHz


ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 11:01:09

802.11 ac40 mode, Power spectral density-5795MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 6.MAY.2024 11:13:26


802.11 ac80 mode, Power spectral density-5775MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 6.MAY.2024 11:20:19


Chain 4:

802.11a mode, Power spectral density-5745MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 6.MAY.2024 14:20:08

802.11a mode, Power spectral density-5785MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 6.MAY.2024 14:35:29

802.11a mode, Power spectral density-5825MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 14:39:54

802.11n20 mode, Power spectral density-5745MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 14:44:00

802.11 n20 mode, Power spectral density-5785MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 14:49:02

802.11 n20 mode, Power spectral density-5825MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 14:53:15

802.11n40 mode, Power spectral density-5755MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 15:30:50

802.11n40 mode, Power spectral density-5795MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 15:36:42

802.11ac20 mode, Power spectral density-5745MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 15:40:54

802.11ac20 mode, Power spectral density-5785MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 15:45:33

802.11 ac20 mode, Power spectral density-5825MHz




ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 6.MAY.2024 15:49:32


802.11 ac40 mode, Power spectral density-5755MHz



ProjectNo.:RKSA240228003 Tester:Jay Liu
 Date: 6.MAY.2024 15:58:21

802.11 ac40 mode, Power spectral density-5795MHz

ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 16:04:34

802.11 ac80 mode, Power spectral density-5775MHz

ProjectNo.:RKSA240228003 Tester:Jay Liu
Date: 6.MAY.2024 16:10:03

EUT PHOTOGRAPHS

Please refer to the attachment EXHIBIT A-EUT EXTERNAL PHOTOGRAPHS and EXHIBIT B-EUT INTERNAL PHOTOGRAPHS.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment EXHIBIT D-TEST SETUP PHOTOGRAPHS.

Declarations

1. The laboratory is not responsible for the authenticity of any information provided by the applicant. Information from the applicant that may affect test results is marked with “★”.
2. The test data was only valid for the test sample(s).
3. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.
4. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.
5. The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor $k=2$ with the 95.45% confidence interval.

******* END OF REPORT *******