







11N40SISO-Ant1-5190-PASS




11N40SISO-Ant1-5230-PASS




11AC20SISO-Ant1-5180-PASS




11AC20SISO-Ant1-5200-PASS




11AC20SISO-Ant1-5240-PASS




11AC40SISO-Ant1-5190-PASS



11AC40SISO-Ant1-5230-PASS




11AX20SISO-Ant1-5180-PASS




11AX20SISO-Ant1-5200-PASS



11AX20SISO-Ant1-5240-PASS



11AX40SISO-Ant1-5190-PASS



11AX40SISO-Ant1-5230-PASS


Appendix D: Maximum power spectral density**Test Result**

TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	5.27	≤11.00	PASS
11A	Ant1	5200	4.70	≤11.00	PASS
11A	Ant1	5240	3.85	≤11.00	PASS
11N20SISO	Ant1	5180	4.28	≤11.00	PASS
11N20SISO	Ant1	5200	5.37	≤11.00	PASS
11N20SISO	Ant1	5240	4.99	≤11.00	PASS
11N40SISO	Ant1	5190	3.13	≤11.00	PASS
11N40SISO	Ant1	5230	4.51	≤11.00	PASS
11AC20SISO	Ant1	5180	3.82	≤11.00	PASS
11AC20SISO	Ant1	5200	5.39	≤11.00	PASS
11AC20SISO	Ant1	5240	6.37	≤11.00	PASS
11AC40SISO	Ant1	5190	4.25	≤11.00	PASS
11AC40SISO	Ant1	5230	2.06	≤11.00	PASS
11AX20SISO	Ant1	5180	-0.93	≤11.00	PASS
11AX20SISO	Ant1	5200	1.93	≤11.00	PASS
11AX20SISO	Ant1	5240	4.08	≤11.00	PASS
11AX40SISO	Ant1	5190	1.33	≤11.00	PASS
11AX40SISO	Ant1	5230	2.09	≤11.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and RBW Factor is compensated in the graph.


Test Graphs




11A-Ant1-5180-PASS




11A-Ant1-5200-PASS




11A-Ant1-5240-PASS



11N20SISO-Ant1-5180-PASS




11N20SISO-Ant1-5200-PASS




11N20SISO-Ant1-5240-PASS




11N40SISO-Ant1-5190-PASS




11N40SISO-Ant1-5230-PASS




11AC20SISO-Ant1-5180-PASS




11AC20SISO-Ant1-5200-PASS




11AC20SISO-Ant1-5240-PASS




11AC40SISO-Ant1-5190-PASS




11AC40SISO-Ant1-5230-PASS




11AX20SISO-Ant1-5180-PASS




11AX20SISO-Ant1-5200-PASS



11AX20SISO-Ant1-5240-PASS



11AX40SISO-Ant1-5190-PASS



11AX40SISO-Ant1-5230-PASS

Appendix E: Frequency Stability**Test Result**

TestMode	Antenna	Frequency [MHz]	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	NT	-40000.00	-7.722008	20	PASS
11A	Ant1	5180	LV	NT	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	HV	NT	-20000.00	-3.861004	20	PASS
11A	Ant1	5200	NV	NT	0.00	0.000000	20	PASS
11A	Ant1	5200	LV	NT	0.00	0.000000	20	PASS
11A	Ant1	5200	HV	NT	0.00	0.000000	20	PASS
11A	Ant1	5240	NV	NT	-20000.00	-3.816794	20	PASS
11A	Ant1	5240	LV	NT	-20000.00	-3.816794	20	PASS
11A	Ant1	5240	HV	NT	0.00	0.000000	20	PASS
11N20SISO	Ant1	5180	NV	NT	0.00	0.000000	20	PASS
11N20SISO	Ant1	5180	LV	NT	-20000.00	-3.861004	20	PASS
11N20SISO	Ant1	5180	HV	NT	-20000.00	-3.861004	20	PASS
11N20SISO	Ant1	5200	NV	NT	0.00	0.000000	20	PASS
11N20SISO	Ant1	5200	LV	NT	-20000.00	-3.846154	20	PASS
11N20SISO	Ant1	5200	HV	NT	-40000.00	-7.692308	20	PASS
11N20SISO	Ant1	5240	NV	NT	-20000.00	-3.816794	20	PASS
11N20SISO	Ant1	5240	LV	NT	-20000.00	-3.816794	20	PASS
11N20SISO	Ant1	5240	HV	NT	-20000.00	-3.816794	20	PASS
11N40SISO	Ant1	5190	NV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5190	LV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5190	HV	NT	-40000.00	-7.707129	20	PASS
11N40SISO	Ant1	5230	NV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5230	LV	NT	-40000.00	-7.648184	20	PASS
11N40SISO	Ant1	5230	HV	NT	-40000.00	-7.648184	20	PASS
11AC20SISO	Ant1	5180	NV	NT	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5180	LV	NT	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5180	HV	NT	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5200	NV	NT	-20000.00	-3.846154	20	PASS
11AC20SISO	Ant1	5200	LV	NT	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5200	HV	NT	-40000.00	-7.692308	20	PASS
11AC20SISO	Ant1	5240	NV	NT	-20000.00	-3.816794	20	PASS

O								
11AC20SIS O	Ant1	5240	LV	NT	0.00	0.000000	20	PASS
11AC20SIS O	Ant1	5240	HV	NT	-20000.00	-3.816794	20	PASS
11AC40SIS O	Ant1	5190	NV	NT	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5190	LV	NT	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5190	HV	NT	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5230	NV	NT	40000.00	7.648184	20	PASS
11AC40SIS O	Ant1	5230	LV	NT	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5230	HV	NT	-40000.00	-7.648184	20	PASS
11AX20SIS O	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
11AX20SIS O	Ant1	5180	LV	NT	0.00	0.000000	20	PASS
11AX20SIS O	Ant1	5180	HV	NT	0.00	0.000000	20	PASS
11AX20SIS O	Ant1	5200	NV	NT	-20000.00	-3.846154	20	PASS
11AX20SIS O	Ant1	5200	LV	NT	0.00	0.000000	20	PASS
11AX20SIS O	Ant1	5200	HV	NT	0.00	0.000000	20	PASS
11AX20SIS O	Ant1	5240	NV	NT	0.00	0.000000	20	PASS
11AX20SIS O	Ant1	5240	LV	NT	-20000.00	-3.816794	20	PASS
11AX20SIS O	Ant1	5240	HV	NT	-20000.00	-3.816794	20	PASS
11AX40SIS O	Ant1	5190	NV	NT	0.00	0.000000	20	PASS
11AX40SIS O	Ant1	5190	LV	NT	-40000.00	-7.707129	20	PASS
11AX40SIS O	Ant1	5190	HV	NT	-40000.00	-7.707129	20	PASS
11AX40SIS	Ant1	5230	NV	NT	40000.00	7.648184	20	PASS

O								
11AX40SIS O	Ant1	5230	LV	NT	-40000.00	-7.648184	20	PASS
11AX40SIS O	Ant1	5230	HV	NT	0.00	0.000000	20	PASS

TestMode	Antenna	Frequency [MHz]	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	NV	-20	0.00	0.000000	20	PASS
11A	Ant1	5180	NV	-10	0.00	0.000000	20	PASS
11A	Ant1	5180	NV	0	0.00	0.000000	20	PASS
11A	Ant1	5180	NV	10	-40000.00	-7.722008	20	PASS
11A	Ant1	5180	NV	20	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	NV	30	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	NV	40	-20000.00	-3.861004	20	PASS
11A	Ant1	5180	NV	50	-20000.00	-3.861004	20	PASS
11A	Ant1	5200	NV	-30	-20000.00	-3.846154	20	PASS
11A	Ant1	5200	NV	-20	-40000.00	-7.692308	20	PASS
11A	Ant1	5200	NV	-10	0.00	0.000000	20	PASS
11A	Ant1	5200	NV	0	-20000.00	-3.846154	20	PASS
11A	Ant1	5200	NV	10	-20000.00	-3.846154	20	PASS
11A	Ant1	5200	NV	20	-20000.00	-3.846154	20	PASS
11A	Ant1	5200	NV	30	-40000.00	-7.692308	20	PASS
11A	Ant1	5200	NV	40	0.00	0.000000	20	PASS
11A	Ant1	5200	NV	50	-20000.00	-3.846154	20	PASS
11A	Ant1	5240	NV	-30	-20000.00	-3.816794	20	PASS
11A	Ant1	5240	NV	-20	-20000.00	-3.816794	20	PASS
11A	Ant1	5240	NV	-10	-20000.00	-3.816794	20	PASS
11A	Ant1	5240	NV	0	-20000.00	-3.816794	20	PASS
11A	Ant1	5240	NV	10	-20000.00	-3.816794	20	PASS
11A	Ant1	5240	NV	20	-20000.00	-3.816794	20	PASS
11A	Ant1	5240	NV	30	-20000.00	-3.816794	20	PASS
11N20SISO	Ant1	5180	NV	-30	-40000.00	-7.722008	20	PASS
11N20SISO	Ant1	5180	NV	-20	-20000.00	-3.861004	20	PASS
11N20SISO	Ant1	5180	NV	-10	-20000.00	-3.861004	20	PASS
11N20SISO	Ant1	5180	NV	0	-40000.00	-7.722008	20	PASS
11N20SISO	Ant1	5180	NV	10	-20000.00	-3.861004	20	PASS
11N20SISO	Ant1	5180	NV	20	-40000.00	-7.722008	20	PASS
11N20SISO	Ant1	5180	NV	30	0.00	0.000000	20	PASS
11N20SISO	Ant1	5180	NV	40	0.00	0.000000	20	PASS
11N20SISO	Ant1	5180	NV	50	-20000.00	-3.861004	20	PASS

11N20SISO	Ant1	5200	NV	-30	-40000.00	-7.692308	20	PASS
11N20SISO	Ant1	5200	NV	-20	-20000.00	-3.846154	20	PASS
11N20SISO	Ant1	5200	NV	-10	-40000.00	-7.692308	20	PASS
11N20SISO	Ant1	5200	NV	0	-40000.00	-7.692308	20	PASS
11N20SISO	Ant1	5200	NV	10	-20000.00	-3.846154	20	PASS
11N20SISO	Ant1	5200	NV	20	-20000.00	-3.846154	20	PASS
11N20SISO	Ant1	5200	NV	30	0.00	0.000000	20	PASS
11N20SISO	Ant1	5200	NV	40	0.00	0.000000	20	PASS
11N20SISO	Ant1	5200	NV	50	-20000.00	-3.846154	20	PASS
11N20SISO	Ant1	5240	NV	-30	0.00	0.000000	20	PASS
11N20SISO	Ant1	5240	NV	-20	-20000.00	-3.816794	20	PASS
11N20SISO	Ant1	5240	NV	-10	-20000.00	-3.816794	20	PASS
11N20SISO	Ant1	5240	NV	0	0.00	0.000000	20	PASS
11N20SISO	Ant1	5240	NV	10	-20000.00	-3.816794	20	PASS
11N20SISO	Ant1	5240	NV	20	-40000.00	-7.633588	20	PASS
11N20SISO	Ant1	5240	NV	30	-20000.00	-3.816794	20	PASS
11N20SISO	Ant1	5240	NV	40	-20000.00	-3.816794	20	PASS
11N20SISO	Ant1	5240	NV	50	-20000.00	-3.816794	20	PASS
11N40SISO	Ant1	5190	NV	-30	0.00	0.000000	20	PASS
11N40SISO	Ant1	5190	NV	-20	0.00	0.000000	20	PASS
11N40SISO	Ant1	5190	NV	-10	0.00	0.000000	20	PASS
11N40SISO	Ant1	5190	NV	0	0.00	0.000000	20	PASS
11N40SISO	Ant1	5190	NV	10	-40000.00	-7.707129	20	PASS
11N40SISO	Ant1	5190	NV	20	-40000.00	-7.707129	20	PASS
11N40SISO	Ant1	5190	NV	30	0.00	0.000000	20	PASS
11N40SISO	Ant1	5190	NV	40	-40000.00	-7.707129	20	PASS
11N40SISO	Ant1	5190	NV	50	0.00	0.000000	20	PASS
11N40SISO	Ant1	5230	NV	-30	-40000.00	-7.648184	20	PASS
11N40SISO	Ant1	5230	NV	-20	-40000.00	-7.648184	20	PASS
11N40SISO	Ant1	5230	NV	-10	-40000.00	-7.648184	20	PASS
11N40SISO	Ant1	5230	NV	0	-40000.00	-7.648184	20	PASS
11N40SISO	Ant1	5230	NV	10	0.00	0.000000	20	PASS
11N40SISO	Ant1	5230	NV	20	-40000.00	-7.648184	20	PASS
11N40SISO	Ant1	5230	NV	30	0.00	0.000000	20	PASS
11N40SISO	Ant1	5230	NV	40	-40000.00	-7.648184	20	PASS
11N40SISO	Ant1	5230	NV	50	40000.00	7.648184	20	PASS
11AC20SISO	Ant1	5180	NV	-30	-20000.00	-3.861004	20	PASS
11AC20SISO	Ant1	5180	NV	-20	0.00	0.000000	20	PASS
11AC20SISO	Ant1	5180	NV	-10	-20000.00	-3.861004	20	PASS

11AC20SIS O	Ant1	5180	NV	0	0.00	0.000000	20	PASS
11AC20SIS O	Ant1	5180	NV	10	0.00	0.000000	20	PASS
11AC20SIS O	Ant1	5180	NV	20	-40000.00	-7.722008	20	PASS
11AC20SIS O	Ant1	5180	NV	30	-40000.00	-7.722008	20	PASS
11AC20SIS O	Ant1	5180	NV	40	-20000.00	-3.861004	20	PASS
11AC20SIS O	Ant1	5180	NV	50	-20000.00	-3.861004	20	PASS
11AC20SIS O	Ant1	5200	NV	-30	-40000.00	-7.692308	20	PASS
11AC20SIS O	Ant1	5200	NV	-20	-20000.00	-3.846154	20	PASS
11AC20SIS O	Ant1	5200	NV	-10	-40000.00	-7.692308	20	PASS
11AC20SIS O	Ant1	5200	NV	0	-20000.00	-3.846154	20	PASS
11AC20SIS O	Ant1	5200	NV	10	-40000.00	-7.692308	20	PASS
11AC20SIS O	Ant1	5200	NV	20	0.00	0.000000	20	PASS
11AC20SIS O	Ant1	5200	NV	30	-20000.00	-3.846154	20	PASS
11AC20SIS O	Ant1	5200	NV	40	-40000.00	-7.692308	20	PASS
11AC20SIS O	Ant1	5200	NV	50	-20000.00	-3.846154	20	PASS
11AC20SIS O	Ant1	5240	NV	-30	0.00	0.000000	20	PASS
11AC20SIS O	Ant1	5240	NV	-20	-20000.00	-3.816794	20	PASS
11AC20SIS O	Ant1	5240	NV	-10	0.00	0.000000	20	PASS
11AC20SIS O	Ant1	5240	NV	0	-20000.00	-3.816794	20	PASS
11AC20SIS O	Ant1	5240	NV	10	-20000.00	-3.816794	20	PASS
11AC20SIS O	Ant1	5240	NV	20	-20000.00	-3.816794	20	PASS

11AC20SIS O	Ant1	5240	NV	30	-20000.00	-3.816794	20	PASS
11AC20SIS O	Ant1	5240	NV	40	-20000.00	-3.816794	20	PASS
11AC20SIS O	Ant1	5240	NV	50	-20000.00	-3.816794	20	PASS
11AC40SIS O	Ant1	5190	NV	-30	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5190	NV	-20	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5190	NV	-10	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5190	NV	0	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5190	NV	10	-40000.00	-7.707129	20	PASS
11AC40SIS O	Ant1	5190	NV	20	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5190	NV	30	-40000.00	-7.707129	20	PASS
11AC40SIS O	Ant1	5190	NV	40	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5190	NV	50	-40000.00	-7.707129	20	PASS
11AC40SIS O	Ant1	5230	NV	-30	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5230	NV	-20	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5230	NV	-10	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5230	NV	0	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5230	NV	10	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5230	NV	20	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5230	NV	30	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5230	NV	40	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5230	NV	50	-40000.00	-7.648184	20	PASS

11AX20SIS O	Ant1	5180	NV	-30	-20000.00	-3.861004	20	PASS
11AX20SIS O	Ant1	5180	NV	-20	-20000.00	-3.861004	20	PASS
11AX20SIS O	Ant1	5180	NV	-10	-40000.00	-7.722008	20	PASS
11AX20SIS O	Ant1	5180	NV	0	-20000.00	-3.861004	20	PASS
11AX20SIS O	Ant1	5180	NV	10	-20000.00	-3.861004	20	PASS
11AX20SIS O	Ant1	5180	NV	20	-20000.00	-3.861004	20	PASS
11AX20SIS O	Ant1	5180	NV	30	0.00	0.000000	20	PASS
11AX20SIS O	Ant1	5180	NV	40	0.00	0.000000	20	PASS
11AX20SIS O	Ant1	5180	NV	50	0.00	0.000000	20	PASS
11AX20SIS O	Ant1	5200	NV	-30	-20000.00	-3.846154	20	PASS
11AX20SIS O	Ant1	5200	NV	-20	-20000.00	-3.846154	20	PASS
11AX20SIS O	Ant1	5200	NV	-10	-20000.00	-3.846154	20	PASS
11AX20SIS O	Ant1	5200	NV	0	-40000.00	-7.692308	20	PASS
11AX20SIS O	Ant1	5200	NV	10	-20000.00	-3.846154	20	PASS
11AX20SIS O	Ant1	5200	NV	20	0.00	0.000000	20	PASS
11AX20SIS O	Ant1	5200	NV	30	0.00	0.000000	20	PASS
11AX20SIS O	Ant1	5200	NV	40	-20000.00	-3.846154	20	PASS
11AX20SIS O	Ant1	5200	NV	50	-40000.00	-7.692308	20	PASS
11AX20SIS O	Ant1	5240	NV	-30	-20000.00	-3.816794	20	PASS
11AX20SIS O	Ant1	5240	NV	-20	-40000.00	-7.633588	20	PASS
11AX20SIS O	Ant1	5240	NV	-10	-20000.00	-3.816794	20	PASS

11AX20SIS O	Ant1	5240	NV	0	-40000.00	-7.633588	20	PASS
11AX20SIS O	Ant1	5240	NV	10	0.00	0.000000	20	PASS
11AX20SIS O	Ant1	5240	NV	20	-20000.00	-3.816794	20	PASS
11AX20SIS O	Ant1	5240	NV	30	0.00	0.000000	20	PASS
11AX20SIS O	Ant1	5240	NV	40	0.00	0.000000	20	PASS
11AX20SIS O	Ant1	5240	NV	50	-20000.00	-3.816794	20	PASS
11AX40SIS O	Ant1	5190	NV	-30	-40000.00	-7.707129	20	PASS
11AX40SIS O	Ant1	5190	NV	-20	0.00	0.000000	20	PASS
11AX40SIS O	Ant1	5190	NV	-10	-40000.00	-7.707129	20	PASS
11AX40SIS O	Ant1	5190	NV	0	-40000.00	-7.707129	20	PASS
11AX40SIS O	Ant1	5190	NV	10	-40000.00	-7.707129	20	PASS
11AX40SIS O	Ant1	5190	NV	20	-40000.00	-7.707129	20	PASS
11AX40SIS O	Ant1	5190	NV	30	-40000.00	-7.707129	20	PASS
11AX40SIS O	Ant1	5190	NV	40	80000.00	15.414258	20	PASS
11AX40SIS O	Ant1	5190	NV	50	0.00	0.000000	20	PASS
11AX40SIS O	Ant1	5230	NV	-30	-80000.00	-15.296367	20	PASS
11AX40SIS O	Ant1	5230	NV	-20	-40000.00	-7.648184	20	PASS
11AX40SIS O	Ant1	5230	NV	-10	-40000.00	-7.648184	20	PASS
11AX40SIS O	Ant1	5230	NV	0	0.00	0.000000	20	PASS
11AX40SIS O	Ant1	5230	NV	10	0.00	0.000000	20	PASS
11AX40SIS O	Ant1	5230	NV	20	-40000.00	-7.648184	20	PASS

Reference No.: WTX25X10271254W001

11AX40SIS O	Ant1	5230	NV	30	-40000.00	-7.648184	20	PASS
11AX40SIS O	Ant1	5230	NV	40	-40000.00	-7.648184	20	PASS
11AX40SIS O	Ant1	5230	NV	50	-40000.00	-7.648184	20	PASS

APPENDIX PHOTOGRAPHS

Please refer to “ANNEX”

***** END OF REPORT *****