



Appendix B

RF Test Data for 5.3GWIFI (Conducted Measurement)

Product Name: Digital Conference System

Test Model: TS-W310A

Environmental Conditions

Temperature:	23.4°C
Relative Humidity:	52.8%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Luo
Supervised by:	Paddi Chen




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




B.1 -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)
NVNT	a	5260	Ant1	28.71
NVNT	a	5280	Ant1	27.45
NVNT	a	5320	Ant1	27.68
NVNT	n20	5260	Ant1	29.75
NVNT	n20	5280	Ant1	29.79
NVNT	n20	5320	Ant1	29.31
NVNT	n40	5270	Ant1	46.52
NVNT	n40	5310	Ant1	49.19
NVNT	ac20	5260	Ant1	28.83
NVNT	ac20	5280	Ant1	29.7
NVNT	ac20	5320	Ant1	29.38
NVNT	ac40	5270	Ant1	48.16
NVNT	ac40	5310	Ant1	45.17
NVNT	ax20	5260	Ant1	29.44
NVNT	ax20	5280	Ant1	29.78
NVNT	ax20	5320	Ant1	29.58
NVNT	ax40	5270	Ant1	53.79
NVNT	ax40	5310	Ant1	56





-26dB Bandwidth NVNT a 5260MHz Ant1



-26dB Bandwidth NVNT a 5280MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT a 5320MHz Ant1



-26dB Bandwidth NVNT n20 5260MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




-26dB Bandwidth NVNT n20 5280MHz Ant1




-26dB Bandwidth NVNT n20 5320MHz Ant1






-26dB Bandwidth NVNT n40 5270MHz Ant1




-26dB Bandwidth NVNT n40 5310MHz Ant1






-26dB Bandwidth NVNT ac20 5260MHz Ant1




-26dB Bandwidth NVNT ac20 5280MHz Ant1






-26dB Bandwidth NVNT ac20 5320MHz Ant1




-26dB Bandwidth NVNT ac40 5270MHz Ant1






-26dB Bandwidth NVNT ac40 5310MHz Ant1




-26dB Bandwidth NVNT ax20 5260MHz Ant1






-26dB Bandwidth NVNT ax20 5280MHz Ant1




-26dB Bandwidth NVNT ax20 5320MHz Ant1





-26dB Bandwidth NVNT ax40 5270MHz Ant1



-26dB Bandwidth NVNT ax40 5310MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



B.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Conducted Power (dBm)	Limit Conducted(dBm)	Verdict
NVNT	a	5260	Ant1	18.22	0.1	18.32	23.77	Pass
NVNT	a	5280	Ant1	18.01	0.1	18.11	23.77	Pass
NVNT	a	5320	Ant1	18.78	0.1	18.88	23.77	Pass
NVNT	n20	5260	Ant1	17.05	0.13	17.18	23.77	Pass
NVNT	n20	5280	Ant1	16.95	0.11	17.06	23.77	Pass
NVNT	n20	5320	Ant1	16.5	0.11	16.61	23.77	Pass
NVNT	n40	5270	Ant1	16.57	0.23	16.80	23.77	Pass
NVNT	n40	5310	Ant1	15.84	0.27	16.11	23.77	Pass
NVNT	ac20	5260	Ant1	17.19	0.13	17.32	23.77	Pass
NVNT	ac20	5280	Ant1	17.21	0.11	17.32	23.77	Pass
NVNT	ac20	5320	Ant1	16.83	0.11	16.94	23.77	Pass
NVNT	ac40	5270	Ant1	16.73	0.23	16.96	23.77	Pass
NVNT	ac40	5310	Ant1	15.77	0.23	16.00	23.77	Pass
NVNT	ax20	5260	Ant1	17.09	0.11	17.20	23.77	Pass
NVNT	ax20	5280	Ant1	17.12	0.11	17.23	23.77	Pass
NVNT	ax20	5320	Ant1	16.72	0.11	16.83	23.77	Pass
NVNT	ax40	5270	Ant1	16.71	0.23	16.94	23.77	Pass
NVNT	ax40	5310	Ant1	16.51	0.27	16.78	23.77	Pass





B.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total Conducted PSD (dBm)	Limit Conducted(dBm)	Verdict
NVNT	a	5260	Ant1	-0.27	0.1	-0.17	10.77	Pass
NVNT	a	5280	Ant1	-0.31	0.1	-0.21	10.77	Pass
NVNT	a	5320	Ant1	-0.74	0.1	-0.64	10.77	Pass
NVNT	n20	5260	Ant1	-2.12	0.13	-1.99	10.77	Pass
NVNT	n20	5280	Ant1	-2.09	0.11	-1.98	10.77	Pass
NVNT	n20	5320	Ant1	-2.58	0.11	-2.47	10.77	Pass
NVNT	n40	5270	Ant1	-2.11	0.23	-1.88	10.77	Pass
NVNT	n40	5310	Ant1	-2.44	0.27	-2.17	10.77	Pass
NVNT	ac20	5260	Ant1	0.95	0.13	1.08	10.77	Pass
NVNT	ac20	5280	Ant1	0.84	0.11	0.95	10.77	Pass
NVNT	ac20	5320	Ant1	0.71	0.11	0.82	10.77	Pass
NVNT	ac40	5270	Ant1	-2.34	0.23	-2.11	10.77	Pass
NVNT	ac40	5310	Ant1	-2.59	0.23	-2.36	10.77	Pass
NVNT	ax20	5260	Ant1	0.81	0.11	0.92	10.77	Pass
NVNT	ax20	5280	Ant1	0.85	0.11	0.96	10.77	Pass
NVNT	ax20	5320	Ant1	-2	0.11	-1.89	10.77	Pass
NVNT	ax40	5270	Ant1	-5.34	0.23	-5.11	10.77	Pass
NVNT	ax40	5310	Ant1	-5.59	0.27	-5.32	10.77	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




PSD NVNT a 5260MHz Ant1




PSD NVNT a 5280MHz Ant1






PSD NVNT a 5320MHz Ant1




PSD NVNT n20 5260MHz Ant1






PSD NVNT n20 5280MHz Ant1




PSD NVNT n20 5320MHz Ant1






PSD NVNT n40 5270MHz Ant1




PSD NVNT n40 5310MHz Ant1






PSD NVNT ac20 5260MHz Ant1




PSD NVNT ac20 5280MHz Ant1






PSD NVNT ac20 5320MHz Ant1




PSD NVNT ac40 5270MHz Ant1






PSD NVNT ac40 5310MHz Ant1




PSD NVNT ax20 5260MHz Ant1






PSD NVNT ax20 5280MHz Ant1




PSD NVNT ax20 5320MHz Ant1





PSD NVNT ax40 5270MHz Ant1



PSD NVNT ax40 5310MHz Ant1





B.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5260	Ant1	4500	-62.31	6.23	39.15	Peak	68.2	Pass
NVNT	a	5260	Ant1	4500	-69.61	6.23	31.85	Average	54	Pass
NVNT	a	5260	Ant1	4773	-54.15	6.23	47.31	Peak	68.2	Pass
NVNT	a	5260	Ant1	4787.82	-58.74	6.23	42.72	Average	54	Pass
NVNT	a	5260	Ant1	5150	-57.77	6.23	43.69	Peak	68.2	Pass
NVNT	a	5260	Ant1	5150	-62.61	6.23	38.85	Average	54	Pass
NVNT	a	5320	Ant1	5350	-44.33	6.23	57.13	Peak	68.2	Pass
NVNT	a	5320	Ant1	5350	-54.61	6.23	46.85	Average	54	Pass
NVNT	a	5320	Ant1	5350.4	-42.54	6.23	58.92	Peak	68.2	Pass
NVNT	a	5320	Ant1	5350.2	-54.54	6.23	46.92	Average	54	Pass
NVNT	a	5320	Ant1	5460	-51.75	6.23	49.71	Peak	68.2	Pass
NVNT	a	5320	Ant1	5460	-57.94	6.23	43.52	Average	54	Pass
NVNT	n20	5260	Ant1	4500	-62.61	6.23	38.85	Peak	68.2	Pass
NVNT	n20	5260	Ant1	4500	-69.66	6.23	31.8	Average	54	Pass
NVNT	n20	5260	Ant1	4788.6	-53.82	6.23	47.64	Peak	68.2	Pass
NVNT	n20	5260	Ant1	4787.82	-58.5	6.23	42.96	Average	54	Pass
NVNT	n20	5260	Ant1	5150	-59.42	6.23	42.04	Peak	68.2	Pass
NVNT	n20	5260	Ant1	5150	-62.66	6.23	38.8	Average	54	Pass
NVNT	n20	5320	Ant1	5350	-39.15	6.23	62.31	Peak	68.2	Pass
NVNT	n20	5320	Ant1	5350	-55.02	6.23	46.44	Average	54	Pass
NVNT	n20	5320	Ant1	5350.6	-38.15	6.23	63.31	Peak	68.2	Pass
NVNT	n20	5320	Ant1	5350.2	-54.81	6.23	46.65	Average	54	Pass
NVNT	n20	5320	Ant1	5460	-59.96	6.23	41.5	Peak	68.2	Pass
NVNT	n20	5320	Ant1	5460	-67.39	6.23	34.07	Average	54	Pass
NVNT	n40	5270	Ant1	4500	-53.09	6.23	48.37	Peak	68.2	Pass
NVNT	n40	5270	Ant1	4500	-59.49	6.23	41.97	Average	54	Pass
NVNT	n40	5270	Ant1	4807.8	-46.62	6.23	54.84	Peak	68.2	Pass
NVNT	n40	5270	Ant1	4806.99	-52.21	6.23	49.25	Average	54	Pass
NVNT	n40	5270	Ant1	5150	-49.94	6.23	51.52	Peak	68.2	Pass
NVNT	n40	5270	Ant1	5150	-57.14	6.23	44.32	Average	54	Pass
NVNT	n40	5310	Ant1	5350	-43.17	6.23	58.29	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5350	-52.52	6.23	48.94	Average	54	Pass
NVNT	n40	5310	Ant1	5350.2	-41.36	6.23	60.1	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5350	-52.52	6.23	48.94	Average	54	Pass
NVNT	n40	5310	Ant1	5460	-50.88	6.23	50.58	Peak	68.2	Pass
NVNT	n40	5310	Ant1	5460	-57.57	6.23	43.89	Average	54	Pass
NVNT	ac20	5260	Ant1	4500	-61.28	6.23	40.18	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac20	5260	Ant1	4500	-69.51	6.23	31.95	Average	54	Pass
NVNT	ac20	5260	Ant1	4775.34	-55.9	6.23	45.56	Peak	68.2	Pass
NVNT	ac20	5260	Ant1	4787.82	-58.34	6.23	43.12	Average	54	Pass
NVNT	ac20	5260	Ant1	5150	-59.74	6.23	41.72	Peak	68.2	Pass
NVNT	ac20	5260	Ant1	5150	-62.33	6.23	39.13	Average	54	Pass
NVNT	ac20	5320	Ant1	5350	-41.97	6.23	59.49	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5350	-54.49	6.23	46.97	Average	54	Pass
NVNT	ac20	5320	Ant1	5353.4	-38.18	6.23	63.28	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5350.2	-54.46	6.23	47	Average	54	Pass
NVNT	ac20	5320	Ant1	5460	-62.03	6.23	39.43	Peak	68.2	Pass
NVNT	ac20	5320	Ant1	5460	-67.32	6.23	34.14	Average	54	Pass
NVNT	ac40	5270	Ant1	4500	-52.58	6.23	48.88	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	4500	-59.52	6.23	41.94	Average	54	Pass
NVNT	ac40	5270	Ant1	4807.8	-45.11	6.23	56.35	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	4806.99	-52.21	6.23	49.25	Average	54	Pass
NVNT	ac40	5270	Ant1	5150	-50.6	6.23	50.86	Peak	68.2	Pass
NVNT	ac40	5270	Ant1	5150	-57.23	6.23	44.23	Average	54	Pass
NVNT	ac40	5310	Ant1	5350	-42.05	6.23	59.41	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5350	-53.56	6.23	47.9	Average	54	Pass
NVNT	ac40	5310	Ant1	5351	-40.21	6.23	61.25	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5350.6	-53.36	6.23	48.1	Average	54	Pass
NVNT	ac40	5310	Ant1	5460	-59.75	6.23	41.71	Peak	68.2	Pass
NVNT	ac40	5310	Ant1	5460	-67.24	6.23	34.22	Average	54	Pass
NVNT	ax20	5260	Ant1	4500	-60.37	6.23	41.09	Peak	68.2	Pass
NVNT	ax20	5260	Ant1	4500	-69.48	6.23	31.98	Average	54	Pass
NVNT	ax20	5260	Ant1	4773.78	-52.29	6.23	49.17	Peak	68.2	Pass
NVNT	ax20	5260	Ant1	4787.82	-58.48	6.23	42.98	Average	54	Pass
NVNT	ax20	5260	Ant1	5150	-58.85	6.23	42.61	Peak	68.2	Pass
NVNT	ax20	5260	Ant1	5150	-62.59	6.23	38.87	Average	54	Pass
NVNT	ax20	5320	Ant1	5350	-41.05	6.23	60.41	Peak	68.2	Pass
NVNT	ax20	5320	Ant1	5350	-54.17	6.23	47.29	Average	54	Pass
NVNT	ax20	5320	Ant1	5352.2	-37.08	6.23	64.38	Peak	68.2	Pass
NVNT	ax20	5320	Ant1	5350	-54.17	6.23	47.29	Average	54	Pass
NVNT	ax20	5320	Ant1	5460	-59.05	6.23	42.41	Peak	68.2	Pass
NVNT	ax20	5320	Ant1	5460	-67.49	6.23	33.97	Average	54	Pass
NVNT	ax40	5270	Ant1	4500	-61.61	6.23	39.85	Peak	68.2	Pass
NVNT	ax40	5270	Ant1	4500	-69.26	6.23	32.2	Average	54	Pass
NVNT	ax40	5270	Ant1	4808.61	-49.23	6.23	52.23	Peak	68.2	Pass
NVNT	ax40	5270	Ant1	4806.99	-53.41	6.23	48.05	Average	54	Pass
NVNT	ax40	5270	Ant1	5150	-60.17	6.23	41.29	Peak	68.2	Pass
NVNT	ax40	5270	Ant1	5150	-63.5	6.23	37.96	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




NVNT	ax40	5310	Ant1	5350	-38.1	6.23	63.36	Peak	68.2	Pass
NVNT	ax40	5310	Ant1	5350	-53.32	6.23	48.14	Average	54	Pass
NVNT	ax40	5310	Ant1	5350	-38.1	6.23	63.36	Peak	68.2	Pass
NVNT	ax40	5310	Ant1	5350	-53.32	6.23	48.14	Average	54	Pass
NVNT	ax40	5310	Ant1	5460	-60.32	6.23	41.14	Peak	68.2	Pass
NVNT	ax40	5310	Ant1	5460	-67.12	6.23	34.34	Average	54	Pass






Restrict Band NVNT a 5260MHz Ant1 Peak




Restrict Band NVNT a 5260MHz Ant1 Average






Restrict Band NVNT a 5320MHz Ant1 Peak




Restrict Band NVNT a 5320MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Restrict Band NVNT n20 5260MHz Ant1 Peak




Restrict Band NVNT n20 5260MHz Ant1 Average






Restrict Band NVNT n20 5320MHz Ant1 Peak




Restrict Band NVNT n20 5320MHz Ant1 Average






Restrict Band NVNT n40 5270MHz Ant1 Peak




Restrict Band NVNT n40 5270MHz Ant1 Average






Restrict Band NVNT n40 5310MHz Ant1 Peak




Restrict Band NVNT n40 5310MHz Ant1 Average





Restrict Band NVNT ac20 5260MHz Ant1 Peak



Restrict Band NVNT ac20 5260MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Restrict Band NVNT ac20 5320MHz Ant1 Peak




Restrict Band NVNT ac20 5320MHz Ant1 Average






Restrict Band NVNT ac40 5270MHz Ant1 Peak




Restrict Band NVNT ac40 5270MHz Ant1 Average






Restrict Band NVNT ac40 5310MHz Ant1 Peak




Restrict Band NVNT ac40 5310MHz Ant1 Average






Restrict Band NVNT ax20 5260MHz Ant1 Peak




Restrict Band NVNT ax20 5260MHz Ant1 Average






Restrict Band NVNT ax20 5320MHz Ant1 Peak




Restrict Band NVNT ax20 5320MHz Ant1 Average






Restrict Band NVNT ax40 5270MHz Ant1 Peak




Restrict Band NVNT ax40 5270MHz Ant1 Average





Restrict Band NVNT ax40 5310MHz Ant1 Peak



Restrict Band NVNT ax40 5310MHz Ant1 Average







B.5 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5260	Ant1	5259.98	-20000	-3.8	25	Pass
NVNT	a	5280	Ant1	5279.98	-20000	-3.79	25	Pass
NVNT	a	5320	Ant1	5319.98	-20000	-3.76	25	Pass
NVNT	n20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
NVNT	n20	5280	Ant1	5279.98	-20000	-3.79	25	Pass
NVNT	n20	5320	Ant1	5319.98	-20000	-3.76	25	Pass
NVNT	n40	5270	Ant1	5270	0	0	25	Pass
NVNT	n40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
NVNT	ac20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
NVNT	ac20	5280	Ant1	5279.98	-20000	-3.79	25	Pass
NVNT	ac20	5320	Ant1	5320	0	0	25	Pass
NVNT	ac40	5270	Ant1	5269.96	-40000	-7.59	25	Pass
NVNT	ac40	5310	Ant1	5310	0	0	25	Pass
NVNT	ax20	5260	Ant1	5260.02	20000	3.8	25	Pass
NVNT	ax20	5280	Ant1	5280	0	0	25	Pass
NVNT	ax20	5320	Ant1	5320	0	0	25	Pass
NVNT	ax40	5270	Ant1	5269.96	-40000	-7.59	25	Pass
NVNT	ax40	5310	Ant1	5310	0	0	25	Pass






Freq. Stability NVNT a 5260MHz Ant1




Freq. Stability NVNT a 5280MHz Ant1






Freq. Stability NVNT a 5320MHz Ant1




Freq. Stability NVNT n20 5260MHz Ant1





Freq. Stability NVNT n20 5280MHz Ant1



Freq. Stability NVNT n20 5320MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Freq. Stability NVNT n40 5270MHz Ant1




Freq. Stability NVNT n40 5310MHz Ant1






Freq. Stability NVNT ac20 5260MHz Ant1




Freq. Stability NVNT ac20 5280MHz Ant1






Freq. Stability NVNT ac20 5320MHz Ant1




Freq. Stability NVNT ac40 5270MHz Ant1






Freq. Stability NVNT ac40 5310MHz Ant1




Freq. Stability NVNT ax20 5260MHz Ant1






Freq. Stability NVNT ax20 5280MHz Ant1




Freq. Stability NVNT ax20 5320MHz Ant1





Freq. Stability NVNT ax40 5270MHz Ant1



Freq. Stability NVNT ax40 5310MHz Ant1







B.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5260	Ant1	97.83	0.1	0.37
NVNT	a	5280	Ant1	97.83	0.1	0.37
NVNT	a	5320	Ant1	97.83	0.1	0.37
NVNT	n20	5260	Ant1	97	0.13	0.44
NVNT	n20	5280	Ant1	97.41	0.11	0.44
NVNT	n20	5320	Ant1	97.42	0.11	0.44
NVNT	n40	5270	Ant1	94.87	0.23	0.9
NVNT	n40	5310	Ant1	94.02	0.27	0.91
NVNT	ac20	5260	Ant1	97.01	0.13	0.44
NVNT	ac20	5280	Ant1	97.42	0.11	0.44
NVNT	ac20	5320	Ant1	97.42	0.11	0.44
NVNT	ac40	5270	Ant1	94.92	0.23	0.89
NVNT	ac40	5310	Ant1	94.92	0.23	0.89
NVNT	ax20	5260	Ant1	97.42	0.11	0.44
NVNT	ax20	5280	Ant1	97.42	0.11	0.44
NVNT	ax20	5320	Ant1	97.42	0.11	0.44
NVNT	ax40	5270	Ant1	94.87	0.23	0.9
NVNT	ax40	5310	Ant1	94.07	0.27	0.9






Duty Cycle NVNT a 5260MHz Ant1




Duty Cycle NVNT a 5280MHz Ant1






Duty Cycle NVNT a 5320MHz Ant1




Duty Cycle NVNT n20 5260MHz Ant1






Duty Cycle NVNT n20 5280MHz Ant1




Duty Cycle NVNT n20 5320MHz Ant1






Duty Cycle NVNT n40 5270MHz Ant1




Duty Cycle NVNT n40 5310MHz Ant1






Duty Cycle NVNT ac20 5260MHz Ant1




Duty Cycle NVNT ac20 5280MHz Ant1






Duty Cycle NVNT ac20 5320MHz Ant1




Duty Cycle NVNT ac40 5270MHz Ant1






Duty Cycle NVNT ac40 5310MHz Ant1




Duty Cycle NVNT ax20 5260MHz Ant1






Duty Cycle NVNT ax20 5280MHz Ant1




Duty Cycle NVNT ax20 5320MHz Ant1





Duty Cycle NVNT ax40 5270MHz Ant1



Duty Cycle NVNT ax40 5310MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity