


ASMAX

Future 1 & Future 1 EVA R

*Bluetooth Voice Controlled Headset with
Mesh Communication System*



QUICK START GUIDE

V 1.0

FREEDOM IN INFINITE

Scan QR code, more information on official website



www.asmaxworld.com



Profile

Thank you for choosing the ASMAX voice-controlled helmet Bluetooth intercom. Please read this guide before use.



Bluetooth 5.4



OTA upgrade



10 riders
Mesh intercom



IPX7 waterproof



Group intercom



Fast charge



Universal pairing
Connect with other
brands' Bluetooth



ASMAX World App



Multi-language
Voice Commands



Out/In-Mount Auto Off/On
Set Up On The App



ENC noise reduction

ASMAX WORLD APP

You can configure your ASMAX device more features through the ASMAX WORLD application which can scan the QR code or get from Google Play Store/ Apple App Store.

Download



ASMAX WORLD App



Register

9:41

<

Register an Account

Please enter your email address

Enter the security code **Send security code**

Enter 6-16 digit alphanumeric password

Please re-enter your password

Sign in

Connect your unit

ASMAX World
Not Connected

Future 1 Mode **Connect**

Add Note ☐

Future 1 Mode **Connect**

Add Note ☐

+

Devices Groups My

Update your unit

< Firmware Upgrade

Update firmware ?

Chip A
Current Version: 2.0.0 Latest Version: 2.0.0

Chip B
Current Version: 2.0.0 Latest Version: 2.0.0

Update


Chip A
1.xxxxxxxxxxxxxx
2.xxxxxxxxxxxxxx
3.xxxxxxxxxxxxxx
xxxxxxxxxxxxxxxxxxxx

Chip B
1.xxxxxxxxxxxxxx
2.xxxxxxxxxxxxxx
3.xxxxxxxxxxxxxx

Confirm

Keeping Update
the Latest Firmware
From APP


Package Contents



Future 1 Main Unit




Magnet Mount



Speaker Unit



3M Glue Plate




Metal Clamp



Hybrid
Microphone



Wired
Microphone




Type-C Cable



Clean Pack



Double sided
Velcro



Velcro for
Speaker



Velcro for
Wired Mic



Velcro for
Hybrid Mic







Microphone
Sponge




Manual

Install



To remove the main unit, please push the two buttons at same time, or just push one button and remove the main unit with reverse direction

Main Unit



Type-C Charging Port




Note:

- The headset can fully charge within 50mins (The Charging time maybe changed due to charging environment)
- Do not use a charger with an output more than 15V to charge the device.

Basic Operation

Power On / Off



Volume Up / Down

Voice operation



Hi Max, volume up

Hi Max, volume down


You can also:

Key operation

Volume +




x1 Tap



Volume -



x1 Tap



Phone / GPS Pairing

Voice operation




Hi Max, phone pairing



You can also:

Key operation


1




Red and blue lights flashing



2



3



Phone Calls

Answer / End

Voice operation



Hi Max, answer the phone



Hi Max, hang up

You can also:

Key operation

Answer call





x1
Tap

End call



x1
Tap




Any button



Reject

Key operation



Music

Play / Pause

Voice operation




Hi Max, music on



Hi Max, pause music

You can also:

Key operation



Previous track / Next track

Voice operation



Hi Max, previous track



Hi Max, next track



You can also:

Key operation

Previous track



Next track



Intercom

Group Mesh


Voice operation



Hi Max, group mesh



Join 2 or N members.



Dark blue light on




Team up.


You can also:

Key operation

Red and blue lights flashing



Join 2 or N members.



Dark blue light on



Team up.

Group Mode

After Group mesh, you can choose group mode or free mode.

Voice operation




Hi Max, group mode

You can also:

Key operation

Dark blue light on



Free Mode

Voice operation




Hi Max, free mode

You can also:

Key operation

Dark blue light on






Team Leader mode

In the Group Mode, team leader, head car and tail car which can set a sub-group chat

Team leader mode setting

Team Leader (Team leader which is press the "Intercom Button" to confirm team up.)






Private chat


All the riders can have 1V1 private chat in the group

Private chat (Any rider)




step 2

Click the Profile photo to chose member.



Different mode switch



Key operation



Switch from Team Leader mode and Private mode, press and hold 2s.

Leave the mount automatic power off

Operation Tips



You need to turn on the control switch on the app

Stick on the mount auto power on
leave off the mount auto power off


Universal Mode

Key operation

Enter pairing


1

Red and blue lights flashing



2

Red and green lights flashing



Other brand intercom

3

follow their instruction

Enter pairing mode

Start intercom

4



End Intercom


Voice operation



Hi Max, end intercom

You can also:


Key operation



Factory Reset

Key operation

Red light on



x2s

Quick Operation

ASMAX has two operation modes: intelligent voice and buttons, and you can freely choose according to your own habits.

When the main unit is connected to the official ASMAX app and the phone is connected to the internet, the main unit can perform intelligent voice interaction operations such as route navigation, sending messages, making and receiving calls, playing music, and so on.

When not connected to the network, the main unit can perform voice commands through local offline voice commands.

Awakening words

Hi Max

Function

Voice operation

Or

Key operation

POWER ON/OFF



VOLUME +

Hi max, volume up



VOLUME -

Hi max, volume down



PHONE / GPS PAIRING

Hi max, phone pairing



ANSWER CALL

Hi max, answer the phone



Any button

END CALL

Hi max, hang up



REJECT A CALL



PLAY MUSIC

Hi max, music on



PAUSE MUSIC

Hi max, pause music



PREVIOUS TRACK

Hi max, previous track



NEXT TRACK

Hi max, next track



Function	Voice operation	Or	Key operation
GROUP MESH	Hi max, group mesh ↓  Join 2 or N members. ↓   ↓  Team up.		  ↓  Join 2 or N members. ↓   ↓  Team up.
GROUP MODE	Hi max, group mode		 
FREE MODE	Hi max, free mode		 
UNIVERSAL MODE			① Red and blue lights flashing  × 3s ② Red and green lights flashing  × 2 Tap ③ follow their instruction Enter pairing mode ④  
END INTERCOM	Hi max, end intercom		 
FACTORY RESET			 

RF exposure statement

This equipment complies with the FCC and ISED radiation exposure limits set forth for an uncontrolled environment. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Cet équipement est conforme aux limites d'exposition aux rayonnements de la FCC et de l'ISED établies pour un environnement non contrôlé. Cet émetteur ne doit pas être co-localisé ou fonctionner en conjonction avec une autre antenne ou un autre émetteur.

FCC Warning

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

—Reorient or relocate the receiving antenna.

—Increase the separation between the equipment and receiver.

—Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

—Consult the dealer or an experienced radio/TV technician for help.

NOTE 2: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

IC WARNING

This device contains licence-exempt transmitter(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

(1) This device may not cause interference.

(2) This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

1. L'appareil ne doit pas produire de brouillage;

2. L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

ASMAX

www.asmaxworld.com

