






FETUKEJI

Frequency ID	1	2	3	4	5	6	7	8	9	10	11
Frequency (MHz)	2400.0	2410.0	2420.0	2430.0	2440.0	2450.0	2460.0	2470.0	2480.0	2490.0	2500.0
Point Values											
Ant. Port Input Pwr. (dBm)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tot. Rad. Pwr. (dBm)	-4.27	-4.27	-3.99	-3.93	-4.16	-3.72	-3.72	-3.87	-3.45	-3.58	-3.63
Peak EIRP (dBm)	3.18	3.11	3.37	3.43	3.12	3.39	3.29	3.02	3.30	3.13	2.99
Directivity (dBi)	7.45	7.38	7.36	7.36	7.28	7.11	7.01	6.89	6.75	6.71	6.62
Efficiency (dB)	-4.27	-4.27	-3.99	-3.93	-4.16	-3.72	-3.72	-3.87	-3.45	-3.58	-3.63
Efficiency (%)	37.40	37.40	39.90	40.50	38.40	42.40	42.40	41.00	45.20	43.90	43.40
Gain (dBi)	3.18	3.11	3.37	3.43	3.12	3.39	3.29	3.02	3.30	3.13	2.99
NHPRP ±Pi/ 4 (dBm)	-6.48	-6.46	-6.15	-6.06	-6.27	-5.83	-5.83	-5.97	-5.50	-5.58	-5.62
NHPRP ±Pi/ 6 (dBm)	-7.92	-7.87	-7.53	-7.42	-7.65	-7.24	-7.27	-7.41	-6.92	-6.98	-7.01
NHPRP ±Pi/ 8 (dBm)	-8.91	-8.83	-8.47	-8.35	-8.58	-8.19	-8.22	-8.33	-7.80	-7.83	-7.85
Upper Hem. PRP (dBm)	-8.72	-8.84	-8.65	-8.69	-8.96	-8.57	-8.61	-8.77	-8.36	-8.44	-8.46
Lower Hem. PRP (dBm)	-6.20	-6.14	-5.80	-5.70	-5.90	-5.45	-5.43	-5.57	-5.14	-5.29	-5.36
Upper Hem. PRP (%)	13.42	13.07	13.63	13.52	12.71	13.89	13.78	13.27	14.59	14.31	14.26
Lower Hem. PRP (%)	23.96	24.35	26.29	26.93	25.69	28.53	28.66	27.73	30.61	29.55	29.13






天线尺寸图





VSWR




SMISH










2480.0MHz H+V, ER: 12.7%




Back View




2480.0MHz Total(E1-YZ), Max: -3.74dB





Total(H-XY), Max: -4.17dB, CrD=13.71




2485.0MHz H+V, ER: 12.2%




Back View




2485.0MHz Total(E1-YZ), Max: -3.91dB





Total(H-XY), Max: -4.28dB, CrD=13.75




2490.0MHz H+V, ER: 11.8%




Back View




2490.0MHz Total(E1-YZ), Max: -4.06dB





Total(H-XY), Max: -4.41dB, CrD=13.86




2495.0MHz H+V, ER: 11.5%




Back View




2495.0MHz Total(E1-YZ), Max: -4.23dB





Total(H-XY), Max: -4.49dB, CrD=14.03




2500.0MHz H+V, ER: 11.2%



Back View



2500.0MHz Total(E1-YZ), Max: -4.37dB



Total(H-XY), Max: -4.55dB, CrD=14.12

