Band Edge(Hopping) NVNT 2-DH5 2480MHz Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Hopping Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	(Δ) 2.477 0 GHz	(Δ) 0.439 dBm			
2	N	1	f	2.483 5 GHz	-41.658 dBm			
3	N	1	f	2.500 0 GHz	-58.636 dBm			
4	N	1	f	2.483 5 GHz	-41.658 dBm			
5								
6								
7								
8								
9								
10								
11								
12								

Band Edge(Hopping) NVNT 3-DH5 2402MHz Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2402MHz Hopping Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	(Δ) 2.406 0 GHz	(Δ) -1.326 dBm			
2	N	1	f	2.400 0 GHz	-53.656 dBm			
3	N	1	f	2.390 0 GHz	-60.100 dBm			
4	N	1	f	2.381 1 GHz	-56.465 dBm			
5								
6								
7								
8								
9								
10								
11								
12								

Band Edge(Hopping) NVNT 3-DH5 2480MHz Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Hopping Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	(Δ) 2.478 1 GHz	(Δ) 0.338 dBm			
2	N	1	f	2.483 5 GHz	-58.334 dBm			
3	N	1	f	2.500 0 GHz	-59.631 dBm			
4	N	1	f	2.485 4 GHz	-55.679 dBm			
5								
6								
7								
8								
9								
10								
11								
12								

8. Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-47.08	<=-20	Pass
NVNT	1-DH5	2441	-47.4	<=-20	Pass
NVNT	1-DH5	2480	-49.65	<=-20	Pass
NVNT	2-DH5	2402	-42.8	<=-20	Pass
NVNT	2-DH5	2441	-43.93	<=-20	Pass
NVNT	2-DH5	2480	-44.41	<=-20	Pass
NVNT	3-DH5	2402	-46.97	<=-20	Pass
NVNT	3-DH5	2441	-46.23	<=-20	Pass
NVNT	3-DH5	2480	-46.44	<=-20	Pass

Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ref



Tx. Spurious NVNT 1-DH5 2402MHz Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.401 7 GHz	0.858 dBm			
2	N	1	f	25.180 0 GHz	-47.019 dBm			
3	N	1	f	5.001 9 GHz	-57.312 dBm			
4	N	1	f	7.397 5 GHz	-56.098 dBm			
5	N	1	f	9.508 0 GHz	-56.843 dBm			
6								
7								
8								
9								
10								
11								
12								

Tx. Spurious NVNT 1-DH5 2441MHz Ref



Tx. Spurious NVNT 1-DH5 2441MHz Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.441 4 GHz	-0.118 dBm			
2	N	1	f	25.237 4 GHz	-46.885 dBm			
3	N	1	f	5.061 9 GHz	-57.919 dBm			
4	N	1	f	7.433 7 GHz	-56.707 dBm			
5	N	1	f	9.953 6 GHz	-57.263 dBm			
6								
7								
8								
9								
10								
11								
12								

Tx. Spurious NVNT 1-DH5 2480MHz Ref



Tx. Spurious NVNT 1-DH5 2480MHz Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.481 1 GHz	1.617 dBm			
2	N	1	f	24.747 7 GHz	-48.062 dBm			
3	N	1	f	5.032 8 GHz	-57.020 dBm			
4	N	1	f	7.526 3 GHz	-56.385 dBm			
5	N	1	f	9.800 1 GHz	-57.066 dBm			
6								
7								
8								
9								
10								
11								
12								

Tx. Spurious NVNT 2-DH5 2402MHz Ref



Tx. Spurious NVNT 2-DH5 2402MHz Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	(Δ) 2.401 7 GHz	(Δ) -2.502 dBm			
2	N	1	f	24.745 0 GHz	-46.804 dBm			
3	N	1	f	4.852 8 GHz	-57.359 dBm			
4	N	1	f	7.243 1 GHz	-56.689 dBm			
5	N	1	f	9.418 9 GHz	-57.255 dBm			
6								
7								
8								
9								
10								
11								
12								

Tx. Spurious NVNT 2-DH5 2441MHz Ref



Tx. Spurious NVNT 2-DH5 2441MHz Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	(Δ) 2.441 4 GHz	(Δ) -3.093 dBm			
2	N	1	f	25.224 1 GHz	-47.504 dBm			
3	N	1	f	5.042 5 GHz	-56.970 dBm			
4	N	1	f	7.486 6 GHz	-55.675 dBm			
5	N	1	f	9.619 2 GHz	-56.015 dBm			
6								
7								
8								
9								
10								
11								
12								

Tx. Spurious NVNT 2-DH5 2480MHz Ref



Tx. Spurious NVNT 2-DH5 2480MHz Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	(Δ) 2.481 1 GHz	(Δ) -1.959 dBm			
2	N	1	f	24.694 7 GHz	-47.256 dBm			
3	N	1	f	4.903 1 GHz	-56.148 dBm			
4	N	1	f	7.574 0 GHz	-55.897 dBm			
5	N	1	f	9.771 0 GHz	-57.380 dBm			
6								
7								
8								
9								
10								
11								
12								

Tx. Spurious NVNT 3-DH5 2402MHz Ref



Tx. Spurious NVNT 3-DH5 2402MHz Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	(Δ) 2.401 7 GHz	(Δ) -2.774 dBm			
2	N	1	f	25.319 4 GHz	-47.771 dBm			
3	N	1	f	4.995 8 GHz	-56.764 dBm			
4	N	1	f	7.016 3 GHz	-55.817 dBm			
5	N	1	f	9.797 4 GHz	-56.821 dBm			
6								
7								
8								
9								
10								
11								
12								

Tx. Spurious NVNT 3-DH5 2441MHz Ref



Tx. Spurious NVNT 3-DH5 2441MHz Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	(Δ) 2.441 4 GHz	(Δ) -3.297 dBm			
2	N	1	f	24.779 5 GHz	-47.230 dBm			
3	N	1	f	4.964 0 GHz	-56.867 dBm			
4	N	1	f	7.487 5 GHz	-56.678 dBm			
5	N	1	f	9.624 5 GHz	-56.837 dBm			
6								
7								
8								
9								
10								
11								
12								

Tx. Spurious NVNT 3-DH5 2480MHz Ref



Tx. Spurious NVNT 3-DH5 2480MHz Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	(Δ) 2.480 2 GHz	(Δ) -2.638 dBm			
2	N	1	f	25.187 1 GHz	-46.734 dBm			
3	N	1	f	5.155 5 GHz	-56.085 dBm			
4	N	1	f	7.544 8 GHz	-56.394 dBm			
5	N	1	f	10.087 7 GHz	-56.977 dBm			
6								
7								
8								
9								
10								
11								
12								

Right side:

1. Dwell Time

Condition	Mode	Frequency (MHz)	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2441	0.392	124.656	318	31600	<=400	Pass
NVNT	1-DH3	2441	1.648	276.864	168	31600	<=400	Pass
NVNT	1-DH5	2441	2.896	312.77	108	31600	<=400	Pass
NVNT	2-DH1	2441	0.384	121.73	317	31600	<=400	Pass
NVNT	2-DH3	2441	1.637	247.187	151	31600	<=400	Pass
NVNT	2-DH5	2441	2.884	302.82	105	31600	<=400	Pass
NVNT	3-DH1	2441	0.382	121.86	319	31600	<=400	Pass
NVNT	3-DH3	2441	1.632	252.96	155	31600	<=400	Pass
NVNT	3-DH5	2441	2.883	291.183	101	31600	<=400	Pass

Test Graphs

Dwell NVNT 1-DH1 2441MHz One Burst

Dwell NVNT 1-DH1 2441MHz Accumulated



Dwell NVNT 1-DH3 2441MHz One Burst

Dwell NVNT 1-DH3 2441MHz Accumulated



Dwell NVNT 1-DH5 2441MHz One Burst

Dwell NVNT 1-DH5 2441MHz Accumulated



Dwell NVNT 2-DH1 2441MHz One Burst

Dwell NVNT 2-DH1 2441MHz Accumulated



Dwell NVNT 2-DH3 2441MHz One Burst

Dwell NVNT 2-DH3 2441MHz Accumulated



Dwell NVNT 2-DH5 2441MHz One Burst

Dwell NVNT 2-DH5 2441MHz Accumulated



Dwell NVNT 3-DH1 2441MHz One Burst

Dwell NVNT 3-DH1 2441MHz Accumulated



Dwell NVNT 3-DH3 2441MHz One Burst

Dwell NVNT 3-DH3 2441MHz Accumulated



Dwell NVNT 3-DH5 2441MHz One Burst

Dwell NVNT 3-DH5 2441MHz Accumulated



2. Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	0.46	<=21	Pass
NVNT	1-DH5	2441	1.86	<=21	Pass
NVNT	1-DH5	2480	0.41	<=21	Pass
NVNT	2-DH5	2402	-0.77	<=21	Pass
NVNT	2-DH5	2441	0.46	<=21	Pass
NVNT	2-DH5	2480	-0.86	<=21	Pass
NVNT	3-DH5	2402	-0.6	<=21	Pass
NVNT	3-DH5	2441	0.82	<=21	Pass
NVNT	3-DH5	2480	-0.45	<=21	Pass

Test Graphs

Peak Power NVNT 1-DH5 2402MHz



Peak Power NVNT 1-DH5 2441MHz



Peak Power NVNT 1-DH5 2480MHz



Peak Power NVNT 2-DH5 2402MHz



Peak Power NVNT 2-DH5 2441MHz



Peak Power NVNT 2-DH5 2480MHz



Peak Power NVNT 3-DH5 2402MHz



Peak Power NVNT 3-DH5 2441MHz



Peak Power NVNT 3-DH5 2480MHz



3. -20dB Bandwidth

Condition	Mode	Frequency (MHz)	-20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	0.9492	Pass
NVNT	1-DH5	2441	0.9299	Pass
NVNT	1-DH5	2480	0.9397	Pass
NVNT	2-DH5	2402	1.3164	Pass
NVNT	2-DH5	2441	1.2822	Pass
NVNT	2-DH5	2480	1.3095	Pass
NVNT	3-DH5	2402	1.2968	Pass
NVNT	3-DH5	2441	1.3043	Pass
NVNT	3-DH5	2480	1.293	Pass

Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz



-20dB Bandwidth NVNT 1-DH5 2441MHz



-20dB Bandwidth NVNT 1-DH5 2480MHz



-20dB Bandwidth NVNT 2-DH5 2402MHz



-20dB Bandwidth NVNT 2-DH5 2441MHz



-20dB Bandwidth NVNT 2-DH5 2480MHz



-20dB Bandwidth NVNT 3-DH5 2402MHz



-20dB Bandwidth NVNT 3-DH5 2441MHz



-20dB Bandwidth NVNT 3-DH5 2480MHz



4. Carrier Frequencies Separation

Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2402.018	2403.03	1.012	>=0.633	Pass
NVNT	1-DH5	2440.982	2442	1.018	>=0.62	Pass
NVNT	1-DH5	2478.972	2480.012	1.04	>=0.626	Pass
NVNT	2-DH5	2402.018	2403.044	1.026	>=0.878	Pass
NVNT	2-DH5	2441.152	2442.172	1.02	>=0.855	Pass
NVNT	2-DH5	2479.104	2480.016	0.912	>=0.873	Pass
NVNT	3-DH5	2402.03	2403.174	1.144	>=0.865	Pass
NVNT	3-DH5	2440.844	2442.018	1.174	>=0.87	Pass
NVNT	3-DH5	2479.046	2480.01	0.964	>=0.862	Pass

Test Graphs

CFS NVNT 1-DH5 2402MHz



CFS NVNT 1-DH5 2441MHz



CFS NVNT 1-DH5 2480MHz



CFS NVNT 2-DH5 2402MHz



CFS NVNT 2-DH5 2441MHz



CFS NVNT 2-DH5 2480MHz



CFS NVNT 3-DH5 2402MHz



CFS NVNT 3-DH5 2441MHz



CFS NVNT 3-DH5 2480MHz



5. Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	>=15	Pass
NVNT	2-DH5	79	>=15	Pass
NVNT	3-DH5	79	>=15	Pass

Test Graphs

Hopping No. NVNT 1-DH5 Hopping



Hopping No. NVNT 2-DH5 Hopping



Hopping No. NVNT 3-DH5 Hopping



6. Band Edge

Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-55.5	<=-20	Pass
NVNT	1-DH5	2480	No-Hopping	-55.78	<=-20	Pass
NVNT	2-DH5	2402	No-Hopping	-51.78	<=-20	Pass
NVNT	2-DH5	2480	No-Hopping	-50.41	<=-20	Pass
NVNT	3-DH5	2402	No-Hopping	-52.01	<=-20	Pass
NVNT	3-DH5	2480	No-Hopping	-52.98	<=-20	Pass

Test Graphs

Band Edge NVNT 1-DH5 2402MHz No-Hopping Ref



Band Edge NVNT 1-DH5 2402MHz No-Hopping Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.401 8 GHz	0.077 dBm			
2	N	1	f	2.400 0 GHz	-58.155 dBm			
3	N	1	f	2.400 0 GHz	-58.155 dBm			
4	N	1	f	2.322 4 GHz	-55.693 dBm			
5								
6								
7								
8								
9								
10								
11								

Band Edge NVNT 1-DH5 2480MHz No-Hopping Ref



Band Edge NVNT 1-DH5 2480MHz No-Hopping Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.479 8 GHz	0.129 dBm			
2	N	1	f	2.483 5 GHz	-58.967 dBm			
3	N	1	f	2.500 0 GHz	-57.836 dBm			
4	N	1	f	2.499 7 GHz	-56.004 dBm			
5								
6								
7								
8								
9								
10								
11								

Band Edge NVNT 2-DH5 2402MHz No-Hopping Ref



Band Edge NVNT 2-DH5 2402MHz No-Hopping Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.402 1 GHz	-3.778 dBm			
2	N	1	f	2.400 0 GHz	-57.700 dBm			
3	N	1	f	2.400 0 GHz	-57.700 dBm			
4	N	1	f	2.375 1 GHz	-55.541 dBm			
5								
6								
7								
8								
9								
10								
11								

Band Edge NVNT 2-DH5 2480MHz No-Hopping Ref



Band Edge NVNT 2-DH5 2480MHz No-Hopping Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.480 0 GHz	-3.626 dBm			
2	N	1	f	2.483 5 GHz	-58.300 dBm			
3	N	1	f	2.500 0 GHz	-57.055 dBm			
4	N	1	f	2.491 0 GHz	-56.490 dBm			
5								
6								
7								
8								
9								
10								
11								

Band Edge NVNT 3-DH5 2402MHz No-Hopping Ref



Band Edge NVNT 3-DH5 2402MHz No-Hopping Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.402 2 GHz	-3.868 dBm			
2	N	1	f	2.400 0 GHz	-56.732 dBm			
3	N	1	f	2.400 0 GHz	-56.732 dBm			
4	N	1	f	2.320 6 GHz	-55.318 dBm			
5								
6								
7								
8								
9								
10								
11								

Band Edge NVNT 3-DH5 2480MHz No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz No-Hopping Emission



7. Band Edge(Hopping)

Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-55.24	<=-20	Pass
NVNT	1-DH5	2480	Hopping	-55.54	<=-20	Pass
NVNT	2-DH5	2402	Hopping	-51.78	<=-20	Pass
NVNT	2-DH5	2480	Hopping	-50.76	<=-20	Pass
NVNT	3-DH5	2402	Hopping	-52.49	<=-20	Pass
NVNT	3-DH5	2480	Hopping	-52.01	<=-20	Pass

Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2402MHz Hopping Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.404 2 GHz	0.437 dBm			
2	N	1	f	2.400 0 GHz	-57.007 dBm			
3	N	1	f	2.390 0 GHz	-57.140 dBm			
4	N	1	f	2.338 4 GHz	-54.877 dBm			
5								
6								
7								
8								
9								
10								
11								

Band Edge(Hopping) NVNT 1-DH5 2480MHz Hopping Ref



Band Edge(Hopping) NVNT 1-DH5 2480MHz Hopping Emission



Band Edge(Hopping) NVNT 2-DH5 2402MHz Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2402MHz Hopping Emission



Band Edge(Hopping) NVNT 2-DH5 2480MHz Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Hopping Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.477 8 GHz	-5.678 dBm			
2	N	1	f	2.483 5 GHz	-57.199 dBm			
3	N	1	f	2.500 0 GHz	-57.398 dBm			
4	N	1	f	2.489 0 GHz	-55.467 dBm			
5								
6								
7								
8								
9								
10								
11								

Band Edge(Hopping) NVNT 3-DH5 2402MHz Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2402MHz Hopping Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.406 0 GHz	-3.171 dBm			
2	N	1	f	2.400 0 GHz	-57.141 dBm			
3	N	1	f	2.390 0 GHz	-57.724 dBm			
4	N	1	f	2.336 2 GHz	-55.550 dBm			
5								
6								
7								
8								
9								
10								
11								

Band Edge(Hopping) NVNT 3-DH5 2480MHz Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Hopping Emission



8. Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-44.63	<=-20	Pass
NVNT	1-DH5	2441	-46.2	<=-20	Pass
NVNT	1-DH5	2480	-44.31	<=-20	Pass
NVNT	2-DH5	2402	-39.85	<=-20	Pass
NVNT	2-DH5	2441	-42.14	<=-20	Pass
NVNT	2-DH5	2480	-40.94	<=-20	Pass
NVNT	3-DH5	2402	-38.84	<=-20	Pass
NVNT	3-DH5	2441	-41.56	<=-20	Pass
NVNT	3-DH5	2480	-41.17	<=-20	Pass

Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ref



Tx. Spurious NVNT 1-DH5 2402MHz Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.401 7 GHz	-0.155 dBm			
2	N	1	f	24.274 8 GHz	-44.650 dBm			
3	N	1	f	4.998 4 GHz	-55.117 dBm			
4	N	1	f	7.028 7 GHz	-54.837 dBm			
5	N	1	f	9.420 7 GHz	-55.701 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT 1-DH5 2441MHz Ref



Tx. Spurious NVNT 1-DH5 2441MHz Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.441 4 GHz	0.335 dBm			
2	N	1	f	24.558 9 GHz	-44.625 dBm			
3	N	1	f	5.067 2 GHz	-55.347 dBm			
4	N	1	f	7.258 1 GHz	-55.913 dBm			
5	N	1	f	9.744 5 GHz	-56.772 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT 1-DH5 2480MHz Ref



Tx. Spurious NVNT 1-DH5 2480MHz Emission



Tx. Spurious NVNT 2-DH5 2402MHz Ref



Tx. Spurious NVNT 2-DH5 2402MHz Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.401 7 GHz	-6.260 dBm			
2	N	1	f	25.570 0 GHz	-44.124 dBm			
3	N	1	f	4.965 8 GHz	-55.464 dBm			
4	N	1	f	7.152 2 GHz	-55.133 dBm			
5	N	1	f	9.457 7 GHz	-55.618 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT 2-DH5 2441MHz Ref



Tx. Spurious NVNT 2-DH5 2441MHz Emission



Tx. Spurious NVNT 2-DH5 2480MHz Ref



Tx. Spurious NVNT 2-DH5 2480MHz Emission



Tx. Spurious NVNT 3-DH5 2402MHz Ref



Tx. Spurious NVNT 3-DH5 2402MHz Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.401 7 GHz	-6.287 dBm			
2	N	1	f	25.452 7 GHz	-44.237 dBm			
3	N	1	f	4.973 7 GHz	-54.364 dBm			
4	N	1	f	7.022 5 GHz	-55.278 dBm			
5	N	1	f	9.488 6 GHz	-55.476 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT 3-DH5 2441MHz Ref



Tx. Spurious NVNT 3-DH5 2441MHz Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.440 5 GHz	-4.846 dBm			
2	N	1	f	24.222 7 GHz	-44.447 dBm			
3	N	1	f	5.039 9 GHz	-55.339 dBm			
4	N	1	f	7.428 4 GHz	-54.748 dBm			
5	N	1	f	9.573 3 GHz	-56.263 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT 3-DH5 2480MHz Ref



Tx. Spurious NVNT 3-DH5 2480MHz Emission



APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

※※※※END OF THE REPORT※※※※※