



USER MANUAL

一、Function Description



Note: Engineering Mode

1. This mode can only be entered during initialization.
2. Enter 888 + # to enter Engineering Mode.
3. If the user has configured the network via the Tuya App and added the administrator's fingerprint, password, or card in the menu , this mode will be inaccessible until the system is reset.

Note: User Menu

1. The system is in initial setup state. The management password in initial setup state is "123456".
2. After 5 consecutive incorrect password entries, the door lock alarm will sound for 30 seconds, and the door lock will remain locked for 90 seconds.
3. Press and hold the reset button for 5 seconds, then release the button to restore factory settings. A voice prompt will say "Initialization successful".

Note: Quickly Set the Language

Please ensure the lock is in the initialized state before starting to set the language.

555666881	Chinese
555666882	English
555666883	Russian
555666884	Thai
555666885	French
555666886	Spanish
555666887	Italian
555666888	Arabic
555666889	Portuguese


二、TUYA APP Configuration

1. Download App (Tuya Smart APP or Smart Life APP)




2. App Configuration


(1) Add Device




(2) Select Lock Model Number




(3) Select "2.4G" network input WiFi name and password



(4) Add successfully



(5) Lock operation surface



FCC Warning:

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.