


Project Information

Mode:	802.11ac(VHT40)	Band:	-
Bandwidth	40MHz	Channel	38
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2329.21	32.16	1.98	34.14	54.00	19.86	Horizontal	PASS
2	5177.02	38.62	13.91	52.53	-	-	Horizontal	NA
3	11297.96	34.77	4.65	39.42	54.00	14.58	Horizontal	PASS
4	17931.00	31.76	13.17	44.93	54.00	9.07	Horizontal	PASS
5	2118.00	44.18	1.17	45.35	68.20	22.85	Horizontal	PASS
6	5178.12	45.40	13.90	59.30	-	-	Horizontal	NA
7	10692.27	43.42	3.63	47.05	74.00	26.95	Horizontal	PASS
8	17792.23	40.50	11.84	52.34	74.00	21.66	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	-
Bandwidth	40MHz	Channel	38
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2335.81	32.90	2.03	34.93	54.00	19.07	Vertical	PASS
2	5176.66	41.06	13.91	54.97	-	-	Vertical	NA
3	11375.78	34.05	5.21	39.26	54.00	14.74	Vertical	PASS
4	17978.15	31.07	13.47	44.54	54.00	9.46	Vertical	PASS
5	1994.98	47.04	0.89	47.93	68.20	20.27	Vertical	PASS
6	5173.36	45.67	13.90	59.57	-	-	Vertical	NA
7	10385.21	46.25	3.62	49.87	68.20	18.33	Vertical	PASS
8	17857.78	38.88	13.89	52.77	74.00	21.23	Vertical	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	-
Bandwidth	40MHz	Channel	46
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2245.06	32.55	1.92	34.47	54.00	19.53	Horizontal	PASS
2	11326.33	34.37	4.84	39.21	54.00	14.79	Horizontal	PASS
3	17980.07	31.78	13.50	45.28	54.00	8.72	Horizontal	PASS
4	1995.90	40.84	0.89	41.73	68.20	26.47	Horizontal	PASS
5	10906.95	41.61	4.83	46.44	74.00	27.56	Horizontal	PASS
6	17889.21	38.98	13.48	52.46	74.00	21.54	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	-
Bandwidth	40MHz	Channel	46
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2311.06	32.55	1.84	34.39	54.00	19.61	Vertical	PASS
2	11464.33	33.88	5.00	38.88	54.00	15.12	Vertical	PASS
3	17986.97	30.88	13.60	44.48	54.00	9.52	Vertical	PASS
4	1996.45	50.84	0.87	51.71	68.20	16.49	Vertical	PASS
5	10465.33	45.97	4.36	50.33	68.20	17.87	Vertical	PASS
6	17970.10	38.72	13.36	52.08	74.00	21.92	Vertical	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	-
Bandwidth	40MHz	Channel	54
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2239.56	32.76	1.85	34.61	54.00	19.39	Horizontal	PASS
2	5274.01	36.01	14.32	50.33	-	-	Horizontal	NA
3	11378.46	34.07	5.23	39.30	54.00	14.70	Horizontal	PASS
4	17841.68	31.37	13.63	45.00	54.00	9.00	Horizontal	PASS
5	1994.43	43.54	0.89	44.43	68.20	23.77	Horizontal	PASS
6	5273.83	42.64	14.32	56.96	-	-	Horizontal	NA
7	11977.63	41.76	5.12	46.88	74.00	27.12	Horizontal	PASS
8	17977.77	38.66	13.47	52.13	74.00	21.87	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	-
Bandwidth	40MHz	Channel	54
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2232.59	32.36	1.76	34.12	54.00	19.88	Vertical	PASS
2	5271.63	34.74	14.30	49.04	-	-	Vertical	NA
3	11450.92	33.76	5.07	38.83	54.00	15.17	Vertical	PASS
4	17836.31	31.67	13.40	45.07	54.00	8.93	Vertical	PASS
5	1994.98	45.41	0.89	46.30	68.20	21.90	Vertical	PASS
6	5274.01	42.21	14.32	56.53	-	-	Vertical	NA
7	10536.25	43.69	3.84	47.53	68.20	20.67	Vertical	PASS
8	17859.31	38.73	13.87	52.60	74.00	21.40	Vertical	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	-
Bandwidth	40MHz	Channel	62
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2336.54	31.90	2.04	33.94	54.00	20.06	Horizontal	PASS
2	5322.59	34.42	14.55	48.97	-	-	Horizontal	NA
3	11373.48	34.12	5.20	39.32	54.00	14.68	Horizontal	PASS
4	17851.26	30.90	13.97	44.87	54.00	9.13	Horizontal	PASS
5	1994.07	41.09	0.90	41.99	68.20	26.21	Horizontal	PASS
6	5322.23	42.04	14.55	56.59	-	-	Horizontal	NA
7	11426.38	41.45	5.22	46.67	74.00	27.33	Horizontal	PASS
8	17842.44	38.54	13.66	52.20	74.00	21.80	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	-
Bandwidth	40MHz	Channel	62
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2279.16	32.33	1.85	34.18	54.00	19.82	Vertical	PASS
2	5322.96	35.75	14.55	50.30	-	-	Vertical	NA
3	11435.20	33.72	5.16	38.88	54.00	15.12	Vertical	PASS
4	17937.90	31.51	13.13	44.64	54.00	9.36	Vertical	PASS
5	1999.02	46.87	0.85	47.72	68.20	20.48	Vertical	PASS
6	5322.23	42.15	14.55	56.70	-	-	Vertical	NA
7	10624.42	42.23	4.10	46.33	74.00	27.67	Vertical	PASS
8	17847.04	38.72	13.86	52.58	74.00	21.42	Vertical	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	-
Bandwidth	40MHz	Channel	102
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2234.24	32.58	1.95	34.53	54.00	19.47	Horizontal	PASS
2	5505.20	40.07	14.68	54.75	-	-	Horizontal	NA
3	11378.85	34.10	5.24	39.34	54.00	14.66	Horizontal	PASS
4	17849.73	31.02	13.98	45.00	54.00	9.00	Horizontal	PASS
5	2068.50	40.27	1.11	41.38	68.20	26.82	Horizontal	PASS
6	5499.52	43.74	14.68	58.42	-	-	Horizontal	NA
7	11469.32	41.37	4.97	46.34	74.00	27.66	Horizontal	PASS
8	17894.20	39.10	13.42	52.52	74.00	21.48	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	-
Bandwidth	40MHz	Channel	102
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2240.11	32.21	2.05	34.26	54.00	19.74	Vertical	PASS
2	5501.53	39.32	14.68	54.00	-	-	Vertical	NA
3	11021.57	36.56	4.69	41.25	54.00	12.75	Vertical	PASS
4	17992.72	30.73	13.68	44.41	54.00	9.59	Vertical	PASS
5	1995.90	47.88	0.83	48.71	68.20	19.49	Vertical	PASS
6	5500.98	45.72	14.68	60.40	-	-	Vertical	NA
7	11021.18	42.23	4.70	46.93	74.00	27.07	Vertical	PASS
8	17860.46	38.62	13.85	52.47	74.00	21.53	Vertical	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	-
Bandwidth	40MHz	Channel	110
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2215.17	32.94	1.61	34.55	54.00	19.45	Horizontal	PASS
2	5543.88	37.16	14.62	51.78	-	-	Horizontal	NA
3	11363.51	33.93	5.13	39.06	54.00	14.94	Horizontal	PASS
4	17856.63	30.62	13.90	44.52	54.00	9.48	Horizontal	PASS
5	1999.57	44.84	0.78	45.62	68.20	22.58	Horizontal	PASS
6	5544.62	44.20	14.62	58.82	-	-	Horizontal	NA
7	11484.27	41.76	4.90	46.66	74.00	27.34	Horizontal	PASS
8	17875.41	38.71	13.66	52.37	74.00	21.63	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	-
Bandwidth	40MHz	Channel	110
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2210.22	33.26	1.52	34.78	54.00	19.22	Vertical	PASS
2	5544.62	37.81	14.62	52.43	-	-	Vertical	NA
3	11111.65	37.37	4.09	41.46	54.00	12.54	Vertical	PASS
4	17991.95	31.41	13.68	45.09	54.00	8.91	Vertical	PASS
5	1993.15	50.97	0.86	51.83	68.20	16.37	Vertical	PASS
6	5544.43	44.69	14.62	59.31	-	-	Vertical	NA
7	11362.36	41.36	5.12	46.48	74.00	27.52	Vertical	PASS
8	17837.08	38.64	13.44	52.08	74.00	21.92	Vertical	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	-
Bandwidth	40MHz	Channel	134
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2242.49	32.07	2.08	34.15	54.00	19.85	Horizontal	PASS
2	5678.82	36.78	14.92	51.70	-	-	Horizontal	NA
3	11426.00	34.46	5.22	39.68	54.00	14.32	Horizontal	PASS
4	17970.48	31.52	13.36	44.88	54.00	9.12	Horizontal	PASS
5	2045.22	40.35	1.11	41.46	68.20	26.74	Horizontal	PASS
6	5674.06	43.26	14.93	58.19	-	-	Horizontal	NA
7	11460.88	41.53	5.01	46.54	74.00	27.46	Horizontal	PASS
8	17988.88	38.11	13.63	51.74	74.00	22.26	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	-
Bandwidth	40MHz	Channel	134
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2242.31	33.10	2.08	35.18	54.00	18.82	Vertical	PASS
2	5680.29	37.33	14.92	52.25	-	-	Vertical	NA
3	11350.10	34.80	5.03	39.83	54.00	14.17	Vertical	PASS
4	17837.46	31.18	13.45	44.63	54.00	9.37	Vertical	PASS
5	1994.07	45.71	0.85	46.56	68.20	21.64	Vertical	PASS
6	5681.76	44.20	14.92	59.12	-	-	Vertical	NA
7	11340.13	44.26	4.95	49.21	74.00	24.79	Vertical	PASS
8	17860.46	38.16	13.85	52.01	74.00	21.99	Vertical	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	-
Bandwidth	40MHz	Channel	142
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2271.64	32.07	1.99	34.06	54.00	19.94	Horizontal	PASS
2	5727.59	65.70	14.91	80.61	-	-	Horizontal	NA
3	11384.60	33.75	5.28	39.03	54.00	14.97	Horizontal	PASS
4	17892.66	32.25	13.44	45.69	54.00	8.31	Horizontal	PASS
5	1998.83	44.29	0.79	45.08	68.20	23.12	Horizontal	PASS
6	5727.59	70.91	14.91	85.82	-	-	Horizontal	NA
7	11468.93	41.92	4.97	46.89	74.00	27.11	Horizontal	PASS
8	17973.55	38.64	13.40	52.04	74.00	21.96	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	-
Bandwidth	40MHz	Channel	151
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2245.06	33.07	2.13	35.20	54.00	18.80	Vertical	PASS
2	5728.14	68.09	14.91	83.00	-	-	Vertical	NA
3	11423.31	34.04	5.24	39.28	54.00	14.72	Vertical	PASS
4	17883.46	31.53	13.56	45.09	54.00	8.91	Vertical	PASS
5	1995.72	50.05	0.83	50.88	68.20	17.32	Vertical	PASS
6	5727.77	73.36	14.91	88.27	-	-	Vertical	NA
7	11435.96	41.40	5.16	46.56	74.00	27.44	Vertical	PASS
8	17862.76	38.66	13.83	52.49	74.00	21.51	Vertical	PASS

Project Information			
Mode:	802.11ac(VHT40)	Band:	-
Bandwidth	40MHz	Channel	151
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2246.34	32.35	1.86	34.21	54.00	19.79	Horizontal	PASS
2	5717.69	37.03	15.75	52.78	-	-	Horizontal	NA
3	11404.15	33.83	5.37	39.20	54.00	14.80	Horizontal	PASS
4	17856.63	30.77	13.90	44.67	54.00	9.33	Horizontal	PASS
5	1999.93	43.13	0.87	44.00	68.20	24.20	Horizontal	PASS
6	5711.82	44.88	15.77	60.65	-	-	Horizontal	NA
7	11352.01	42.28	5.05	47.33	74.00	26.67	Horizontal	PASS
8	17984.67	39.18	13.57	52.75	74.00	21.25	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	-
Bandwidth	40MHz	Channel	159
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2332.33	32.94	2.07	35.01	54.00	18.99	Vertical	PASS
2	5712.92	37.14	15.77	52.91	-	-	Vertical	NA
3	11397.25	33.59	5.37	38.96	54.00	15.04	Vertical	PASS
4	17996.17	30.64	13.73	44.37	54.00	9.63	Vertical	PASS
5	1995.53	46.03	0.91	46.94	68.20	21.26	Vertical	PASS
6	5714.39	45.02	15.76	60.78	-	-	Vertical	NA
7	11370.80	41.92	5.18	47.10	74.00	26.90	Vertical	PASS
8	17944.03	38.77	13.11	51.88	74.00	22.12	Vertical	PASS

Project Information			
Mode:	802.11ac(VHT40)	Band:	-
Bandwidth	40MHz	Channel	159
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2235.89	32.57	1.80	34.37	54.00	19.63	Horizontal	PASS
2	5790.11	35.43	15.68	51.11	-	-	Horizontal	NA
3	12019.03	33.77	5.31	39.08	54.00	14.92	Horizontal	PASS
4	17891.51	31.66	13.45	45.11	54.00	8.89	Horizontal	PASS
5	1995.53	40.78	0.91	41.69	68.20	26.51	Horizontal	PASS
6	5809.18	41.67	15.68	57.35	-	-	Horizontal	NA
7	12073.85	41.88	5.31	47.19	74.00	26.81	Horizontal	PASS
8	17888.06	39.22	13.50	52.72	74.00	21.28	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	-
Bandwidth	40MHz	Channel	159
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2230.94	32.88	1.77	34.65	54.00	19.35	Vertical	PASS
2	5811.19	36.25	15.67	51.92	-	-	Vertical	NA
3	11378.08	33.62	5.23	38.85	54.00	15.15	Vertical	PASS
4	17872.35	30.93	13.69	44.62	54.00	9.38	Vertical	PASS
5	1998.10	45.88	0.89	46.77	68.20	21.43	Vertical	PASS
6	5805.69	42.15	15.68	57.83	-	-	Vertical	NA
7	11427.53	41.33	5.21	46.54	74.00	27.46	Vertical	PASS
8	17881.16	39.03	13.58	52.61	74.00	21.39	Vertical	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	-
Bandwidth	80MHz	Channel	42
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2268.89	32.96	1.90	34.86	54.00	19.14	Horizontal	PASS
2	5177.57	38.70	13.90	52.60	-	-	Horizontal	NA
3	11389.96	35.88	5.32	41.20	54.00	12.80	Horizontal	PASS
4	17855.10	32.42	13.92	46.34	54.00	7.66	Horizontal	PASS
5	2239.37	41.95	1.85	43.80	74.00	30.20	Horizontal	PASS
6	5175.74	44.95	13.90	58.85	-	-	Horizontal	NA
7	11600.42	42.53	5.74	48.27	74.00	25.73	Horizontal	PASS
8	17983.52	40.46	13.55	54.01	74.00	19.99	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	-
Bandwidth	80MHz	Channel	42
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2234.06	33.65	1.78	35.43	54.00	18.57	Vertical	PASS
2	5175.19	38.50	13.90	52.40	-	-	Vertical	NA
3	11087.12	35.35	4.12	39.47	54.00	14.53	Vertical	PASS
4	17969.72	32.56	13.36	45.92	54.00	8.08	Vertical	PASS
5	1993.88	53.99	0.90	54.89	68.20	13.31	Vertical	PASS
6	5178.31	44.16	13.90	58.06	-	-	Vertical	NA
7	10439.26	47.88	4.22	52.10	68.20	16.10	Vertical	PASS
8	17972.78	40.23	13.40	53.63	74.00	20.37	Vertical	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	-
Bandwidth	80MHz	Channel	58
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2239.74	33.25	1.86	35.11	54.00	18.89	Horizontal	PASS
2	5371.73	34.23	14.64	48.87	-	-	Horizontal	NA
3	11478.90	35.06	4.92	39.98	54.00	14.02	Horizontal	PASS
4	17850.11	31.55	13.99	45.54	54.00	8.46	Horizontal	PASS
5	2123.14	44.57	1.19	45.76	68.20	22.44	Horizontal	PASS
6	5367.51	41.38	14.63	56.01	-	-	Horizontal	NA
7	11447.46	43.06	5.08	48.14	74.00	25.86	Horizontal	PASS
8	17878.10	39.30	13.63	52.93	74.00	21.07	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	-
Bandwidth	80MHz	Channel	58
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2287.96	33.20	1.81	35.01	54.00	18.99	Vertical	PASS
2	5362.75	35.33	14.63	49.96	-	-	Vertical	NA
3	11444.78	34.70	5.11	39.81	54.00	14.19	Vertical	PASS
4	17877.71	32.46	13.63	46.09	54.00	7.91	Vertical	PASS
5	1996.63	50.39	0.87	51.26	68.20	16.94	Vertical	PASS
6	5378.51	42.10	14.64	56.74	-	-	Vertical	NA
7	10976.33	41.99	5.09	47.08	74.00	26.92	Vertical	PASS
8	17863.15	39.73	13.82	53.55	74.00	20.45	Vertical	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	-
Bandwidth	80MHz	Channel	106
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2260.83	32.60	2.11	34.71	54.00	19.29	Horizontal	PASS
2	5497.32	36.65	14.66	51.31	-	-	Horizontal	NA
3	11353.93	35.53	5.06	40.59	54.00	13.41	Horizontal	PASS
4	17988.12	31.69	13.62	45.31	54.00	8.69	Horizontal	PASS
5	2120.20	43.58	1.20	44.78	68.20	23.42	Horizontal	PASS
6	5497.13	42.53	14.66	57.19	-	-	Horizontal	NA
7	11388.05	43.30	5.30	48.60	74.00	25.40	Horizontal	PASS
8	17974.32	40.02	13.42	53.44	74.00	20.56	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	-
Bandwidth	80MHz	Channel	106
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2259.91	32.83	2.12	34.95	54.00	19.05	Vertical	PASS
2	5501.35	37.03	14.68	51.71	-	-	Vertical	NA
3	11081.75	35.98	4.13	40.11	54.00	13.89	Vertical	PASS
4	17863.53	32.08	13.82	45.90	54.00	8.10	Vertical	PASS
5	1992.78	49.53	0.87	50.40	68.20	17.80	Vertical	PASS
6	5503.92	42.75	14.67	57.42	-	-	Vertical	NA
7	11059.14	43.56	4.20	47.76	74.00	26.24	Vertical	PASS
8	17983.52	40.43	13.55	53.98	74.00	20.02	Vertical	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	-
Bandwidth	80MHz	Channel	122
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2241.02	33.28	2.07	35.35	54.00	18.65	Horizontal	PASS
2	5604.02	36.38	14.76	51.14	-	-	Horizontal	NA
3	11241.61	35.97	4.83	40.80	54.00	13.20	Horizontal	PASS
4	17853.95	31.84	13.94	45.78	54.00	8.22	Horizontal	PASS
5	1999.02	43.20	0.79	43.99	68.20	24.21	Horizontal	PASS
6	5606.04	43.37	14.76	58.13	-	-	Horizontal	NA
7	11475.45	42.50	4.93	47.43	74.00	26.57	Horizontal	PASS
8	17843.21	40.23	13.70	53.93	74.00	20.07	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	-
Bandwidth	80MHz	Channel	122
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2247.99	34.56	2.19	36.75	54.00	17.25	Vertical	PASS
2	5635.19	38.03	14.90	52.93	-	-	Vertical	NA
3	11229.72	35.35	4.77	40.12	54.00	13.88	Vertical	PASS
4	17880.01	32.40	13.60	46.00	54.00	8.00	Vertical	PASS
5	1998.65	50.51	0.80	51.31	68.20	16.89	Vertical	PASS
6	5635.19	44.43	14.90	59.33	-	-	Vertical	NA
7	11195.61	42.98	4.56	47.54	74.00	26.46	Vertical	PASS
8	17833.24	39.91	13.28	53.19	74.00	20.81	Vertical	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	-
Bandwidth	80MHz	Channel	138
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2283.56	33.16	1.87	35.03	54.00	18.97	Horizontal	PASS
2	5727.96	65.39	14.91	80.30	-	-	Horizontal	NA
3	10941.83	35.38	5.07	40.45	54.00	13.55	Horizontal	PASS
4	17849.73	31.50	13.98	45.48	54.00	8.52	Horizontal	PASS
5	1997.92	45.11	0.81	45.92	68.20	22.28	Horizontal	PASS
6	5727.04	71.71	14.91	86.62	-	-	Horizontal	NA
7	10464.57	44.13	4.36	48.49	68.20	19.71	Horizontal	PASS
8	17914.90	40.31	13.26	53.57	74.00	20.43	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	-
Bandwidth	80MHz	Channel	138
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2269.08	33.16	2.02	35.18	54.00	18.82	Vertical	PASS
2	5727.96	67.22	14.91	82.13	-	-	Vertical	NA
3	11337.44	34.82	4.93	39.75	54.00	14.25	Vertical	PASS
4	17887.68	32.64	13.50	46.14	54.00	7.86	Vertical	PASS
5	1998.83	53.46	0.79	54.25	68.20	13.95	Vertical	PASS
6	5727.41	72.54	14.91	87.45	-	-	Vertical	NA
7	11396.48	42.58	5.36	47.94	74.00	26.06	Vertical	PASS
8	17871.20	39.61	13.71	53.32	74.00	20.68	Vertical	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	-
Bandwidth	80MHz	Channel	155
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2287.04	33.17	1.89	35.06	54.00	18.94	Horizontal	PASS
2	5810.09	35.46	15.67	51.13	-	-	Horizontal	NA
3	12038.97	35.09	5.39	40.48	54.00	13.52	Horizontal	PASS
4	17850.11	31.19	13.99	45.18	54.00	8.82	Horizontal	PASS
5	1995.72	45.25	0.91	46.16	68.20	22.04	Horizontal	PASS
6	5810.09	43.44	15.67	59.11	-	-	Horizontal	NA
7	11518.38	42.82	4.84	47.66	74.00	26.34	Horizontal	PASS
8	17829.41	40.40	13.11	53.51	74.00	20.49	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	-
Bandwidth	80MHz	Channel	155
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2251.66	33.39	1.88	35.27	54.00	18.73	Vertical	PASS
2	5790.11	36.81	15.68	52.49	-	-	Vertical	NA
3	11367.73	35.52	5.16	40.68	54.00	13.32	Vertical	PASS
4	17855.86	31.77	13.91	45.68	54.00	8.32	Vertical	PASS
5	1998.65	48.39	0.89	49.28	68.20	18.92	Vertical	PASS
6	5808.08	42.67	15.68	58.35	-	-	Vertical	NA
7	11366.96	42.29	5.15	47.44	74.00	26.56	Vertical	PASS
8	17864.30	39.09	13.81	52.90	74.00	21.10	Vertical	PASS

Project Information

Mode:	802.11ac(VHT160)	Band:	-
Bandwidth	160MHz	Channel	50
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2289.61	33.40	1.80	35.20	54.00	18.80	Horizontal	PASS
2	11446.31	34.01	5.09	39.10	54.00	14.90	Horizontal	PASS
3	17849.34	31.45	13.96	45.41	54.00	8.59	Horizontal	PASS
4	1997.18	43.29	0.87	44.16	68.20	24.04	Horizontal	PASS
5	11414.11	41.81	5.30	47.11	74.00	26.89	Horizontal	PASS
6	17860.46	39.10	13.85	52.95	74.00	21.05	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT160)	Band:	-
Bandwidth	160MHz	Channel	50
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2265.96	33.11	1.91	35.02	54.00	18.98	Vertical	PASS
2	11946.58	35.79	5.02	40.81	54.00	13.19	Vertical	PASS
3	17987.73	31.86	13.61	45.47	54.00	8.53	Vertical	PASS
4	1993.33	50.53	0.91	51.44	68.20	16.76	Vertical	PASS
5	10516.70	47.31	4.07	51.38	68.20	16.82	Vertical	PASS
6	17850.50	39.09	13.98	53.07	74.00	20.93	Vertical	PASS

Project Information

Mode:	802.11ac(VHT160)	Band:	-
Bandwidth	160MHz	Channel	114
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2269.99	33.10	2.01	35.11	54.00	18.89	Horizontal	PASS
2	11454.37	35.14	5.05	40.19	54.00	13.81	Horizontal	PASS
3	17891.13	32.73	13.45	46.18	54.00	7.82	Horizontal	PASS
4	1995.53	42.87	0.84	43.71	68.20	24.49	Horizontal	PASS
5	11199.82	43.84	4.60	48.44	74.00	25.56	Horizontal	PASS
6	17991.18	39.64	13.66	53.30	74.00	20.70	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT160)	Band:	-
Bandwidth	160MHz	Channel	114
IMEI:		Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2240.84	33.18	2.06	35.24	54.00	18.76	Vertical	PASS
2	11577.04	34.61	5.35	39.96	54.00	14.04	Vertical	PASS
3	17893.81	32.30	13.42	45.72	54.00	8.28	Vertical	PASS
4	1993.88	48.59	0.85	49.44	68.20	18.76	Vertical	PASS
5	11450.92	42.36	5.07	47.43	74.00	26.57	Vertical	PASS
6	17843.21	39.80	13.70	53.50	74.00	20.50	Vertical	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	36
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2249.09	33.37	1.97	35.34	54.00	18.66	Horizontal	PASS
2	5176.84	44.19	13.91	58.10	-	-	Horizontal	NA
3	11603.10	33.96	5.65	39.61	54.00	14.39	Horizontal	PASS
4	17852.41	31.89	13.95	45.84	54.00	8.16	Horizontal	PASS
5	2239.74	41.75	1.86	43.61	74.00	30.39	Horizontal	PASS
6	5176.66	50.50	13.91	64.41	-	-	Horizontal	NA
7	11598.12	42.09	5.72	47.81	74.00	26.19	Horizontal	PASS
8	17886.91	39.68	13.51	53.19	74.00	20.81	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	36
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2244.87	33.34	1.92	35.26	54.00	18.74	Vertical	PASS
2	5176.29	47.40	13.91	61.31	-	-	Vertical	NA
3	11475.45	35.22	4.93	40.15	54.00	13.85	Vertical	PASS
4	17990.42	32.48	13.65	46.13	54.00	7.87	Vertical	PASS
5	1997.37	53.45	0.87	54.32	68.20	13.88	Vertical	PASS
6	5177.02	51.94	13.91	65.85	-	-	Vertical	NA
7	10364.13	50.27	3.72	53.99	68.20	14.21	Vertical	PASS
8	17982.37	39.66	13.54	53.20	74.00	20.80	Vertical	PASS

Project Information

Mode:	802.11ax(HE20)RU26 Left	Band:	-
Bandwidth	20MHz	Channel	36
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2222.87	33.86	1.63	35.49	54.00	18.51	Horizontal	PASS
2	5172.07	51.60	13.90	65.50	-	-	Horizontal	NA
3	11498.07	35.06	4.82	39.88	54.00	14.12	Horizontal	PASS
4	17885.76	32.34	13.52	45.86	54.00	8.14	Horizontal	PASS
5	1993.70	45.24	0.91	46.15	68.20	22.05	Horizontal	PASS
6	5170.61	58.74	13.90	72.64	-	-	Horizontal	NA
7	10344.19	48.57	3.81	52.38	68.20	15.82	Horizontal	PASS
8	17848.58	39.13	13.93	53.06	74.00	20.94	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20)RU26 Left	Band:	-
Bandwidth	20MHz	Channel	36
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2245.06	33.51	1.92	35.43	54.00	18.57	Vertical	PASS
2	5171.16	52.99	13.90	66.89	-	-	Vertical	NA
3	11510.33	35.52	4.83	40.35	54.00	13.65	Vertical	PASS
4	17886.15	31.94	13.52	45.46	54.00	8.54	Vertical	PASS
5	1996.08	47.99	0.88	48.87	68.20	19.33	Vertical	PASS
6	5171.52	60.94	13.90	74.84	-	-	Vertical	NA
7	10341.89	56.29	3.81	60.10	68.20	8.10	Vertical	PASS
8	17871.58	39.52	13.71	53.23	74.00	20.77	Vertical	PASS

Project Information

Mode:	802.11ax(HE20)RU106 Left	Band:	-
Bandwidth	20MHz	Channel	36
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2248.72	33.24	1.97	35.21	54.00	18.79	Horizontal	PASS
2	5177.76	47.01	13.90	60.91	-	-	Horizontal	NA
3	11595.05	34.61	5.66	40.27	54.00	13.73	Horizontal	PASS
4	17835.93	32.47	13.39	45.86	54.00	8.14	Horizontal	PASS
5	1994.25	43.59	0.90	44.49	68.20	23.71	Horizontal	PASS
6	5171.71	55.40	13.90	69.30	-	-	Horizontal	NA
7	10351.86	46.00	3.78	49.78	68.20	18.42	Horizontal	PASS
8	17881.16	39.85	13.58	53.43	74.00	20.57	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20)RU106 Left	Band:	-
Bandwidth	20MHz	Channel	36
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2256.43	33.51	1.96	35.47	54.00	18.53	Vertical	PASS
2	5173.91	48.66	13.90	62.56	-	-	Vertical	NA
3	11481.20	34.85	4.91	39.76	54.00	14.24	Vertical	PASS
4	17847.81	32.04	13.90	45.94	54.00	8.06	Vertical	PASS
5	1999.02	51.97	0.85	52.82	68.20	15.38	Vertical	PASS
6	5177.57	56.13	13.90	70.03	-	-	Vertical	NA
7	10351.10	51.87	3.78	55.65	68.20	12.55	Vertical	PASS
8	17343.33	41.22	12.02	53.24	68.20	14.96	Vertical	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	40
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2341.31	33.24	2.07	35.31	54.00	18.69	Horizontal	PASS
2	5191.32	35.37	13.92	49.29	-	-	Horizontal	NA
3	10913.08	35.10	4.87	39.97	54.00	14.03	Horizontal	PASS
4	17861.23	31.71	13.84	45.55	54.00	8.45	Horizontal	PASS
5	1992.60	41.99	0.92	42.91	68.20	25.29	Horizontal	PASS
6	5191.14	44.07	13.92	57.99	-	-	Horizontal	NA
7	11342.81	42.75	4.98	47.73	74.00	26.27	Horizontal	PASS
8	17374.76	40.81	12.15	52.96	68.20	15.24	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	40
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2243.41	33.31	1.90	35.21	54.00	18.79	Vertical	PASS
2	5191.14	37.31	13.92	51.23	-	-	Vertical	NA
3	11305.24	34.94	4.68	39.62	54.00	14.38	Vertical	PASS
4	17883.85	32.28	13.55	45.83	54.00	8.17	Vertical	PASS
5	1994.25	49.28	0.90	50.18	68.20	18.02	Vertical	PASS
6	5191.14	44.83	13.92	58.75	-	-	Vertical	NA
7	10408.98	49.76	3.70	53.46	68.20	14.74	Vertical	PASS
8	17851.26	39.55	13.97	53.52	74.00	20.48	Vertical	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	48
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2296.58	33.11	1.76	34.87	54.00	19.13	Horizontal	PASS
2	11386.90	34.14	5.29	39.43	54.00	14.57	Horizontal	PASS
3	17858.55	31.80	13.88	45.68	54.00	8.32	Horizontal	PASS
4	1999.75	43.54	0.84	44.38	68.20	23.82	Horizontal	PASS
5	10478.37	44.14	4.33	48.47	68.20	19.73	Horizontal	PASS
6	17887.30	39.99	13.50	53.49	74.00	20.51	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	48
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2335.63	34.08	2.03	36.11	54.00	17.89	Vertical	PASS
2	11437.11	34.27	5.15	39.42	54.00	14.58	Vertical	PASS
3	17967.42	32.66	13.32	45.98	54.00	8.02	Vertical	PASS
4	1993.70	51.76	0.91	52.67	68.20	15.53	Vertical	PASS
5	10480.28	47.70	4.32	52.02	68.20	16.18	Vertical	PASS
6	17840.14	39.95	13.57	53.52	74.00	20.48	Vertical	PASS

Project Information

Mode:	802.11ax(HE20)RU52 Left	Band:	-
Bandwidth	20MHz	Channel	48
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2249.46	32.77	1.99	34.76	54.00	19.24	Horizontal	PASS
2	11365.05	35.15	5.13	40.28	54.00	13.72	Horizontal	PASS
3	17978.53	32.46	13.48	45.94	54.00	8.06	Horizontal	PASS
4	1996.63	43.66	0.87	44.53	68.20	23.67	Horizontal	PASS
5	10464.95	44.82	4.36	49.18	68.20	19.02	Horizontal	PASS
6	17853.18	40.03	13.95	53.98	74.00	20.02	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20)RU52 Left	Band:	-
Bandwidth	20MHz	Channel	48
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2379.08	33.55	2.08	35.63	54.00	18.37	Vertical	PASS
2	11255.79	35.31	4.86	40.17	54.00	13.83	Vertical	PASS
3	17861.61	32.12	13.84	45.96	54.00	8.04	Vertical	PASS
4	1994.62	48.73	0.89	49.62	68.20	18.58	Vertical	PASS
5	10464.95	52.45	4.36	56.81	68.20	11.39	Vertical	PASS
6	17848.19	39.87	13.92	53.79	74.00	20.21	Vertical	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	52
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2289.43	33.75	1.80	35.55	54.00	18.45	Horizontal	PASS
2	11225.12	36.13	4.75	40.88	54.00	13.12	Horizontal	PASS
3	17875.41	32.81	13.66	46.47	54.00	7.53	Horizontal	PASS
4	1993.33	43.93	0.91	44.84	68.20	23.36	Horizontal	PASS
5	10932.63	42.99	5.01	48.00	74.00	26.00	Horizontal	PASS
6	17999.62	40.12	13.79	53.91	74.00	20.09	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	52
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2248.91	33.76	1.97	35.73	54.00	18.27	Vertical	PASS
2	11607.70	34.53	5.49	40.02	54.00	13.98	Vertical	PASS
3	17998.85	32.19	13.78	45.97	54.00	8.03	Vertical	PASS
4	1993.15	51.44	0.91	52.35	68.20	15.85	Vertical	PASS
5	10513.63	45.16	4.11	49.27	68.20	18.93	Vertical	PASS
6	17983.13	40.96	13.54	54.50	74.00	19.50	Vertical	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	60
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2224.52	33.75	1.66	35.41	54.00	18.59	Horizontal	PASS
2	11608.09	34.83	5.48	40.31	54.00	13.69	Horizontal	PASS
3	17874.26	32.33	13.68	46.01	54.00	7.99	Horizontal	PASS
4	2120.94	43.30	1.18	44.48	68.20	23.72	Horizontal	PASS
5	11485.42	42.62	4.88	47.50	74.00	26.50	Horizontal	PASS
6	17351.76	41.20	12.23	53.43	68.20	14.77	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	60
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2326.83	32.96	1.96	34.92	54.00	19.08	Vertical	PASS
2	10891.61	35.45	4.61	40.06	54.00	13.94	Vertical	PASS
3	17862.00	32.35	13.83	46.18	54.00	7.82	Vertical	PASS
4	1993.70	49.64	0.91	50.55	68.20	17.65	Vertical	PASS
5	10606.79	44.52	4.15	48.67	74.00	25.33	Vertical	PASS
6	17820.98	40.64	12.75	53.39	74.00	20.61	Vertical	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	64
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2256.98	33.16	1.95	35.11	54.00	18.89	Horizontal	PASS
2	5321.31	39.11	14.55	53.66	-	-	Horizontal	NA
3	11326.71	34.85	4.85	39.70	54.00	14.30	Horizontal	PASS
4	17986.58	32.06	13.60	45.66	54.00	8.34	Horizontal	PASS
5	1995.72	46.98	0.89	47.87	68.20	20.33	Horizontal	PASS
6	5321.13	44.75	14.55	59.30	-	-	Horizontal	NA
7	10931.86	42.93	5.00	47.93	74.00	26.07	Horizontal	PASS
8	17873.50	39.72	13.69	53.41	74.00	20.59	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20)RU26 Right	Band:	-
Bandwidth	20MHz	Channel	64
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2263.76	32.98	1.93	34.91	54.00	19.09	Vertical	PASS
2	5322.59	39.14	14.55	53.69	-	-	Vertical	NA
3	10957.55	34.68	5.12	39.80	54.00	14.20	Vertical	PASS
4	17991.95	32.42	13.68	46.10	54.00	7.90	Vertical	PASS
5	1992.78	49.25	0.91	50.16	68.20	18.04	Vertical	PASS
6	5321.13	44.47	14.55	59.02	-	-	Vertical	NA
7	10639.75	44.25	4.04	48.29	74.00	25.71	Vertical	PASS
8	17984.28	39.83	13.57	53.40	74.00	20.60	Vertical	PASS

Project Information

Mode:	802.11ax(HE20)RU26 Right	Band:	-
Bandwidth	20MHz	Channel	64
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2261.93	32.74	1.93	34.67	54.00	19.33	Horizontal	PASS
2	5329.38	36.54	14.57	51.11	-	-	Horizontal	NA
3	10657.39	41.37	3.94	45.31	54.00	8.69	Horizontal	PASS
4	17864.68	32.56	13.80	46.36	54.00	7.64	Horizontal	PASS
5	1997.55	44.48	0.87	45.35	68.20	22.85	Horizontal	PASS
6	5329.19	43.60	14.57	58.17	-	-	Horizontal	NA
7	10657.01	50.41	3.94	54.35	74.00	19.65	Horizontal	PASS
8	17843.98	39.92	13.74	53.66	74.00	20.34	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20)RU26 Right	Band:	-
Bandwidth	20MHz	Channel	64
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2272.01	33.21	1.88	35.09	54.00	18.91	Vertical	PASS
2	5321.68	39.08	14.55	53.63	-	-	Vertical	NA
3	10657.01	43.76	3.94	47.70	54.00	6.30	Vertical	PASS
4	17981.22	32.28	13.51	45.79	54.00	8.21	Vertical	PASS
5	1999.38	49.34	0.84	50.18	68.20	18.02	Vertical	PASS
6	5329.19	45.40	14.57	59.97	-	-	Vertical	NA
7	10656.62	53.31	3.95	57.26	74.00	16.74	Vertical	PASS
8	17848.58	39.41	13.93	53.34	74.00	20.66	Vertical	PASS

Project Information

Mode:	802.11ax(HE20)RU106 Right	Band:	-
Bandwidth	20MHz	Channel	64
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2250.93	33.42	1.98	35.40	54.00	18.60	Horizontal	PASS
2	5322.04	40.31	14.55	54.86	-	-	Horizontal	NA
3	10650.11	36.99	4.01	41.00	54.00	13.00	Horizontal	PASS
4	17980.07	32.19	13.50	45.69	54.00	8.31	Horizontal	PASS
5	1992.97	44.51	0.91	45.42	68.20	22.78	Horizontal	PASS
6	5321.86	49.16	14.55	63.71	-	-	Horizontal	NA
7	10769.33	43.42	4.35	47.77	74.00	26.23	Horizontal	PASS
8	17977.77	39.78	13.47	53.25	74.00	20.75	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20)RU106 Right	Band:	-
Bandwidth	20MHz	Channel	64
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2243.77	33.60	1.91	35.51	54.00	18.49	Vertical	PASS
2	5321.49	41.49	14.55	56.04	-	-	Vertical	NA
3	10649.72	40.58	4.01	44.59	54.00	9.41	Vertical	PASS
4	17997.32	32.19	13.75	45.94	54.00	8.06	Vertical	PASS
5	1993.33	47.81	0.91	48.72	68.20	19.48	Vertical	PASS
6	5322.04	50.17	14.55	64.72	-	-	Vertical	NA
7	10649.34	48.88	4.01	52.89	74.00	21.11	Vertical	PASS
8	17995.78	39.74	13.73	53.47	74.00	20.53	Vertical	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	100
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2222.14	33.39	1.73	35.12	54.00	18.88	Horizontal	PASS
2	5499.52	41.58	14.68	56.26	-	-	Horizontal	NA
3	10997.42	37.22	5.05	42.27	54.00	11.73	Horizontal	PASS
4	17880.40	32.17	13.59	45.76	54.00	8.24	Horizontal	PASS
5	1994.62	46.30	0.84	47.14	68.20	21.06	Horizontal	PASS
6	5500.98	48.96	14.68	63.64	-	-	Horizontal	NA
7	11269.59	43.24	4.79	48.03	74.00	25.97	Horizontal	PASS
8	17338.34	41.60	11.87	53.47	68.20	14.73	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	100
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2247.26	34.57	2.17	36.74	54.00	17.26	Vertical	PASS
2	5501.53	43.19	14.68	57.87	-	-	Vertical	NA
3	11005.85	40.92	4.96	45.88	54.00	8.12	Vertical	PASS
4	17840.53	32.94	13.59	46.53	54.00	7.47	Vertical	PASS
5	1995.35	49.23	0.84	50.07	68.20	18.13	Vertical	PASS
6	5502.08	48.99	14.68	63.67	-	-	Vertical	NA
7	11005.47	45.46	4.96	50.42	74.00	23.58	Vertical	PASS
8	17845.51	39.58	13.80	53.38	74.00	20.62	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU26 Left	Band:	-
Bandwidth	20MHz	Channel	100
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2268.71	33.30	2.03	35.33	54.00	18.67	Horizontal	PASS
2	5492.18	46.18	14.63	60.81	-	-	Horizontal	NA
3	10982.47	42.66	5.08	47.74	54.00	6.26	Horizontal	PASS
4	17843.21	31.88	13.70	45.58	54.00	8.42	Horizontal	PASS
5	1995.17	43.19	0.84	44.03	68.20	24.17	Horizontal	PASS
6	5492.00	52.66	14.63	67.29	-	-	Horizontal	NA
7	10982.08	47.14	5.08	52.22	74.00	21.78	Horizontal	PASS
8	17847.81	39.39	13.90	53.29	74.00	20.71	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU26 Lef	Band:	-
Bandwidth	20MHz	Channel	100
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2243.96	33.34	2.11	35.45	54.00	18.55	Vertical	PASS
2	5492.55	46.69	14.64	61.33	-	-	Vertical	NA
3	10983.62	44.82	5.08	49.90	54.00	4.10	Vertical	PASS
4	17860.08	31.57	13.86	45.43	54.00	8.57	Vertical	PASS
5	1996.82	48.99	0.82	49.81	68.20	18.39	Vertical	PASS
6	5492.37	53.20	14.63	67.83	-	-	Vertical	NA
7	10983.23	51.09	5.08	56.17	74.00	17.83	Vertical	PASS
8	17881.55	40.09	13.58	53.67	74.00	20.33	Vertical	PASS

Project Information

Mode:	802.11ax(HE20)RU106 Left	Band:	-
Bandwidth	20MHz	Channel	100
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2283.74	33.60	1.87	35.47	54.00	18.53	Horizontal	PASS
2	5492.55	46.26	14.64	60.90	-	-	Horizontal	NA
3	10983.23	41.28	5.08	46.36	54.00	7.64	Horizontal	PASS
4	17981.60	31.95	13.53	45.48	54.00	8.52	Horizontal	PASS
5	2043.93	40.91	1.10	42.01	68.20	26.19	Horizontal	PASS
6	5491.82	52.54	14.63	67.17	-	-	Horizontal	NA
7	10982.85	46.79	5.08	51.87	74.00	22.13	Horizontal	PASS
8	17839.76	39.93	13.55	53.48	74.00	20.52	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20)RU106 Left	Band:	-
Bandwidth	20MHz	Channel	100
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2241.39	33.13	2.07	35.20	54.00	18.80	Vertical	PASS
2	5492.55	48.95	14.64	63.59	-	-	Vertical	NA
3	10982.85	44.56	5.08	49.64	54.00	4.36	Vertical	PASS
4	17861.23	32.04	13.84	45.88	54.00	8.12	Vertical	PASS
5	1994.62	52.53	0.84	53.37	68.20	14.83	Vertical	PASS
6	5491.45	52.36	14.63	66.99	-	-	Vertical	NA
7	10983.62	52.89	5.08	57.97	74.00	16.03	Vertical	PASS
8	17844.36	40.13	13.75	53.88	74.00	20.12	Vertical	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	116
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2345.53	33.22	2.19	35.41	54.00	18.59	Horizontal	PASS
2	5584.22	36.40	14.70	51.10	-	-	Horizontal	NA
3	11164.17	36.76	4.27	41.03	54.00	12.97	Horizontal	PASS
4	17988.88	31.99	13.63	45.62	54.00	8.38	Horizontal	PASS
5	1999.20	43.20	0.79	43.99	68.20	24.21	Horizontal	PASS
6	5584.77	43.81	14.70	58.51	-	-	Horizontal	NA
7	11380.00	43.31	5.25	48.56	74.00	25.44	Horizontal	PASS
8	17978.15	40.06	13.47	53.53	74.00	20.47	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	116
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2243.77	35.24	2.11	37.35	54.00	16.65	Vertical	PASS
2	5585.14	39.01	14.70	53.71	-	-	Vertical	NA
3	11160.34	39.90	4.23	44.13	54.00	9.87	Vertical	PASS
4	17857.01	32.36	13.89	46.25	54.00	7.75	Vertical	PASS
5	1995.90	48.72	0.83	49.55	68.20	18.65	Vertical	PASS
6	5585.69	44.66	14.70	59.36	-	-	Vertical	NA
7	11159.96	46.54	4.23	50.77	74.00	23.23	Vertical	PASS
8	17960.52	40.23	13.22	53.45	74.00	20.55	Vertical	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	140
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2327.38	32.97	2.00	34.97	54.00	19.03	Horizontal	PASS
2	5705.22	38.37	14.90	53.27	-	-	Horizontal	NA
3	11455.52	35.28	5.04	40.32	54.00	13.68	Horizontal	PASS
4	17887.68	32.32	13.50	45.82	54.00	8.18	Horizontal	PASS
5	1994.25	42.31	0.85	43.16	68.20	25.04	Horizontal	PASS
6	5705.96	45.31	14.90	60.21	-	-	Horizontal	NA
7	10775.08	43.39	4.35	47.74	74.00	26.26	Horizontal	PASS
8	17860.08	39.86	13.86	53.72	74.00	20.28	Horizontal	PASS