


Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	140
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2243.22	34.65	2.10	36.75	54.00	17.25	Vertical	PASS
2	5701.01	40.25	14.89	55.14	-	-	Vertical	NA
3	11393.03	36.12	5.34	41.46	54.00	12.54	Vertical	PASS
4	17847.43	31.74	13.88	45.62	54.00	8.38	Vertical	PASS
5	1994.07	49.44	0.85	50.29	68.20	17.91	Vertical	PASS
6	5705.96	47.96	14.90	62.86	-	-	Vertical	NA
7	11396.48	44.12	5.36	49.48	74.00	24.52	Vertical	PASS
8	17989.65	39.91	13.64	53.55	74.00	20.45	Vertical	PASS

Project Information

Mode:	802.11ax(HE20)RU26 Right	Band:	-
Bandwidth	20MHz	Channel	140
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2239.56	33.34	2.04	35.38	54.00	18.62	Horizontal	PASS
2	5707.79	48.63	14.90	63.53	-	-	Horizontal	NA
3	11418.33	34.92	5.27	40.19	54.00	13.81	Horizontal	PASS
4	17884.61	32.29	13.54	45.83	54.00	8.17	Horizontal	PASS
5	1998.10	42.36	0.81	43.17	68.20	25.03	Horizontal	PASS
6	5708.52	54.88	14.90	69.78	-	-	Horizontal	NA
7	11416.41	42.29	5.28	47.57	74.00	26.43	Horizontal	PASS
8	17860.46	39.86	13.85	53.71	74.00	20.29	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20)RU26 Right	Band:	-
Bandwidth	20MHz	Channel	140
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2349.38	33.58	2.23	35.81	54.00	18.19	Vertical	PASS
2	5707.97	49.44	14.90	64.34	-	-	Vertical	NA
3	11417.56	40.74	5.28	46.02	54.00	7.98	Vertical	PASS
4	17849.73	31.72	13.98	45.70	54.00	8.30	Vertical	PASS
5	1997.00	54.16	0.81	54.97	68.20	13.23	Vertical	PASS
6	5707.79	56.54	14.90	71.44	-	-	Vertical	NA
7	11417.95	47.31	5.27	52.58	74.00	21.42	Vertical	PASS
8	17886.91	39.64	13.51	53.15	74.00	20.85	Vertical	PASS

Project Information

Mode:	802.11ax(HE20)RU106 Right	Band:	-
Bandwidth	20MHz	Channel	140
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2250.74	33.13	2.21	35.34	54.00	18.66	Horizontal	PASS
2	5709.26	48.68	14.90	63.58	-	-	Horizontal	NA
3	11417.56	35.10	5.28	40.38	54.00	13.62	Horizontal	PASS
4	17881.16	31.99	13.58	45.57	54.00	8.43	Horizontal	PASS
5	1999.57	41.97	0.78	42.75	68.20	25.45	Horizontal	PASS
6	5709.07	55.97	14.90	70.87	-	-	Horizontal	NA
7	11416.41	43.40	5.28	48.68	74.00	25.32	Horizontal	PASS
8	17824.04	40.52	12.89	53.41	74.00	20.59	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20)RU106 Right	Band:	-
Bandwidth	20MHz	Channel	140
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2288.51	33.33	1.82	35.15	54.00	18.85	Vertical	PASS
2	5708.34	50.87	14.90	65.77	-	-	Vertical	NA
3	11417.56	40.41	5.28	45.69	54.00	8.31	Vertical	PASS
4	17963.97	32.07	13.28	45.35	54.00	8.65	Vertical	PASS
5	1995.17	49.08	0.84	49.92	68.20	18.28	Vertical	PASS
6	5707.97	56.26	14.90	71.16	-	-	Vertical	NA
7	11417.56	46.26	5.28	51.54	74.00	22.46	Vertical	PASS
8	17891.51	39.83	13.45	53.28	74.00	20.72	Vertical	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	144
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2239.01	33.12	2.02	35.14	54.00	18.86	Horizontal	PASS
2	5727.59	77.30	14.91	92.21	-	-	Horizontal	NA
3	11474.68	35.50	4.95	40.45	54.00	13.55	Horizontal	PASS
4	17862.00	32.56	13.83	46.39	54.00	7.61	Horizontal	PASS
5	1999.20	46.00	0.79	46.79	68.20	21.41	Horizontal	PASS
6	5729.06	82.24	14.91	97.15	-	-	Horizontal	NA
7	11421.78	42.56	5.25	47.81	74.00	26.19	Horizontal	PASS
8	17866.60	39.34	13.77	53.11	74.00	20.89	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	144
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2213.34	33.51	1.57	35.08	54.00	18.92	Vertical	PASS
2	5729.06	78.11	14.91	93.02	-	-	Vertical	NA
3	11433.28	36.54	5.18	41.72	54.00	12.28	Vertical	PASS
4	17979.30	32.31	13.49	45.80	54.00	8.20	Vertical	PASS
5	1993.15	46.33	0.86	47.19	68.20	21.01	Vertical	PASS
6	5729.06	85.78	14.91	100.69	-	-	Vertical	NA
7	11447.08	43.29	5.09	48.38	74.00	25.62	Vertical	PASS
8	17873.50	39.56	13.69	53.25	74.00	20.75	Vertical	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	149
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2273.84	33.23	1.89	35.12	54.00	18.88	Horizontal	PASS
2	10939.91	35.19	5.06	40.25	54.00	13.75	Horizontal	PASS
3	17855.10	31.58	13.92	45.50	54.00	8.50	Horizontal	PASS
4	1999.57	42.71	0.87	43.58	68.20	24.62	Horizontal	PASS
5	11462.03	42.83	5.01	47.84	74.00	26.16	Horizontal	PASS
6	17981.98	39.78	13.53	53.31	74.00	20.69	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	149
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2249.09	33.57	1.87	35.44	54.00	18.56	Vertical	PASS
2	5740.06	36.22	15.68	51.90	-	-	Vertical	NA
3	12084.97	35.37	5.26	40.63	54.00	13.37	Vertical	PASS
4	17845.13	32.34	13.78	46.12	54.00	7.88	Vertical	PASS
5	1999.20	49.91	0.87	50.78	68.20	17.42	Vertical	PASS
6	5741.34	41.76	15.68	57.44	-	-	Vertical	NA
7	12107.59	42.65	5.13	47.78	74.00	26.22	Vertical	PASS
8	17984.67	40.16	13.57	53.73	74.00	20.27	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU26 Left	Band:	-
Bandwidth	20MHz	Channel	149
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2307.03	33.34	1.94	35.28	-	-	Horizontal	NA
2	11383.45	34.61	5.27	39.88	54.00	14.12	Horizontal	PASS
3	17993.87	32.29	13.71	46.00	54.00	8.00	Horizontal	PASS
4	1994.98	44.93	0.92	45.85	68.20	22.35	Horizontal	PASS
5	11570.90	42.42	5.25	47.67	74.00	26.33	Horizontal	PASS
6	17996.55	39.88	13.74	53.62	74.00	20.38	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU26 Left	Band:	-
Bandwidth	20MHz	Channel	149
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2323.71	33.04	2.02	35.06	54.00	18.94	Vertical	PASS
2	5741.89	35.54	15.67	51.21	-	-	Vertical	NA
3	11518.00	35.65	4.84	40.49	54.00	13.51	Vertical	PASS
4	17860.08	32.12	13.86	45.98	54.00	8.02	Vertical	PASS
5	1992.97	48.49	0.94	49.43	68.20	18.77	Vertical	PASS
6	5741.52	42.07	15.68	57.75	-	-	Vertical	NA
7	11907.48	42.09	5.42	47.51	74.00	26.49	Vertical	PASS
8	17822.13	40.27	12.80	53.07	74.00	20.93	Vertical	PASS

Project Information

Mode:	802.11ax(HE20)RU106 Left	Band:	-
Bandwidth	20MHz	Channel	149
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2360.20	33.85	2.15	36.00	54.00	18.00	Horizontal	PASS
2	12381.30	34.20	5.87	40.07	54.00	13.93	Horizontal	PASS
3	17995.02	31.95	13.72	45.67	54.00	8.33	Horizontal	PASS
4	1995.72	43.50	0.91	44.41	68.20	23.79	Horizontal	PASS
5	12073.85	42.64	5.31	47.95	74.00	26.05	Horizontal	PASS
6	17988.12	39.60	13.62	53.22	74.00	20.78	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20)RU106 Left	Band:	-
Bandwidth	20MHz	Channel	149
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2275.13	34.47	1.89	36.36	54.00	17.64	Vertical	PASS
2	11009.30	35.64	4.90	40.54	54.00	13.46	Vertical	PASS
3	17979.68	32.08	13.50	45.58	54.00	8.42	Vertical	PASS
4	1992.78	49.27	0.94	50.21	68.20	17.99	Vertical	PASS
5	11488.10	42.38	4.87	47.25	74.00	26.75	Vertical	PASS
6	17854.71	39.50	13.93	53.43	74.00	20.57	Vertical	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	157
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2258.99	33.22	1.89	35.11	54.00	18.89	Horizontal	PASS
2	5792.13	36.52	15.68	52.20	-	-	Horizontal	NA
3	10925.35	34.64	4.96	39.60	54.00	14.40	Horizontal	PASS
4	17991.57	32.11	13.67	45.78	54.00	8.22	Horizontal	PASS
5	1993.15	43.94	0.94	44.88	68.20	23.32	Horizontal	PASS
6	5791.03	43.13	15.67	58.80	-	-	Horizontal	NA
7	11016.58	43.06	4.78	47.84	74.00	26.16	Horizontal	PASS
8	17905.70	39.54	13.31	52.85	74.00	21.15	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	157
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2254.23	33.17	1.88	35.05	54.00	18.95	Vertical	PASS
2	5789.74	39.24	15.68	54.92	-	-	Vertical	NA
3	11444.40	35.05	5.11	40.16	54.00	13.84	Vertical	PASS
4	17843.21	32.56	13.70	46.26	54.00	7.74	Vertical	PASS
5	1997.00	49.86	0.90	50.76	68.20	17.44	Vertical	PASS
6	5789.74	46.03	15.68	61.71	-	-	Vertical	NA
7	11407.98	44.02	5.34	49.36	74.00	24.64	Vertical	PASS
8	17815.23	41.01	12.51	53.52	74.00	20.48	Vertical	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	165
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2266.14	33.32	1.88	35.20	54.00	18.80	Horizontal	PASS
2	5820.91	37.46	15.66	53.12	-	-	Horizontal	NA
3	11452.83	35.00	5.06	40.06	54.00	13.94	Horizontal	PASS
4	17851.65	32.17	13.97	46.14	54.00	7.86	Horizontal	PASS
5	1998.83	45.96	0.88	46.84	68.20	21.36	Horizontal	PASS
6	5823.84	44.29	15.66	59.95	-	-	Horizontal	NA
7	11698.94	42.82	4.91	47.73	74.00	26.27	Horizontal	PASS
8	17827.88	40.27	13.05	53.32	74.00	20.68	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20)RU242	Band:	-
Bandwidth	20MHz	Channel	165
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2281.54	33.54	1.89	35.43	54.00	18.57	Vertical	PASS
2	5821.28	39.65	15.66	55.31	-	-	Vertical	NA
3	11658.69	36.64	4.26	40.90	54.00	13.10	Vertical	PASS
4	17891.51	32.26	13.45	45.71	54.00	8.29	Vertical	PASS
5	1997.00	48.46	0.90	49.36	68.20	18.84	Vertical	PASS
6	5819.44	46.70	15.66	62.36	-	-	Vertical	NA
7	11204.04	43.29	4.62	47.91	74.00	26.09	Vertical	PASS
8	17851.65	39.52	13.97	53.49	74.00	20.51	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU26 Right	Band:	-
Bandwidth	20MHz	Channel	165
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2319.68	33.51	2.00	35.51	54.00	18.49	Horizontal	PASS
2	5819.44	39.54	15.66	55.20	-	-	Horizontal	NA
3	11463.95	35.31	5.00	40.31	54.00	13.69	Horizontal	PASS
4	17865.45	32.12	13.79	45.91	54.00	8.09	Horizontal	PASS
5	1999.75	42.66	0.87	43.53	68.20	24.67	Horizontal	PASS
6	5819.26	45.82	15.66	61.48	-	-	Horizontal	NA
7	11483.12	44.05	4.90	48.95	74.00	25.05	Horizontal	PASS
8	17482.87	42.53	11.86	54.39	68.20	13.81	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU26 Right	Band:	-
Bandwidth	20MHz	Channel	165
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2358.18	33.83	2.15	35.98	54.00	18.02	Vertical	PASS
2	5821.83	40.20	15.65	55.85	-	-	Vertical	NA
3	11644.50	36.35	4.30	40.65	54.00	13.35	Vertical	PASS
4	17868.51	31.67	13.75	45.42	54.00	8.58	Vertical	PASS
5	1997.00	53.30	0.90	54.20	68.20	14.00	Vertical	PASS
6	5819.08	46.38	15.66	62.04	-	-	Vertical	NA
7	11465.87	42.47	4.98	47.45	74.00	26.55	Vertical	PASS
8	17979.68	39.90	13.50	53.40	74.00	20.60	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU52 Right	Band:	-
Bandwidth	20MHz	Channel	165
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2256.06	33.41	1.88	35.29	54.00	18.71	Horizontal	PASS
2	5830.99	39.23	15.64	54.87	-	-	Horizontal	NA
3	11664.82	35.96	4.36	40.32	54.00	13.68	Horizontal	PASS
4	17850.50	31.57	13.98	45.55	54.00	8.45	Horizontal	PASS
5	1994.25	43.78	0.92	44.70	68.20	23.50	Horizontal	PASS
6	5831.36	45.29	15.64	60.93	-	-	Horizontal	NA
7	12045.10	43.36	5.42	48.78	74.00	25.22	Horizontal	PASS
8	17868.90	39.20	13.75	52.95	74.00	21.05	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU52 Right	Band:	-
Bandwidth	20MHz	Channel	165
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2336.73	33.92	2.09	36.01	54.00	17.99	Vertical	PASS
2	5831.36	40.62	15.64	56.26	-	-	Vertical	NA
3	11665.21	40.27	4.37	44.64	54.00	9.36	Vertical	PASS
4	17894.20	32.44	13.42	45.86	54.00	8.14	Vertical	PASS
5	1993.70	48.37	0.93	49.30	68.20	18.90	Vertical	PASS
6	5820.73	47.12	15.66	62.78	-	-	Vertical	NA
7	11664.82	48.02	4.36	52.38	74.00	21.62	Vertical	PASS
8	17868.13	39.51	13.76	53.27	74.00	20.73	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU106 Right	Band:	-
Bandwidth	20MHz	Channel	165
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2320.96	33.21	2.01	35.22	54.00	18.78	Horizontal	PASS
2	5820.91	36.44	15.66	52.10	-	-	Horizontal	NA
3	11586.24	34.39	5.51	39.90	54.00	14.10	Horizontal	PASS
4	17811.01	33.40	12.33	45.73	54.00	8.27	Horizontal	PASS
5	1997.18	41.75	0.90	42.65	68.20	25.55	Horizontal	PASS
6	5824.21	43.06	15.66	58.72	-	-	Horizontal	NA
7	11358.15	43.24	5.09	48.33	74.00	25.67	Horizontal	PASS
8	17836.69	40.23	13.42	53.65	74.00	20.35	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU106 Right	Band:	-
Bandwidth	20MHz	Channel	165
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2291.63	33.77	1.89	35.66	54.00	18.34	Vertical	PASS
2	5820.18	40.14	15.66	55.80	-	-	Vertical	NA
3	12129.44	35.38	4.93	40.31	54.00	13.69	Vertical	PASS
4	17845.13	31.66	13.78	45.44	54.00	8.56	Vertical	PASS
5	1994.07	48.92	0.92	49.84	68.20	18.36	Vertical	PASS
6	5818.89	45.35	15.66	61.01	-	-	Vertical	NA
7	11613.07	42.53	5.32	47.85	74.00	26.15	Vertical	PASS
8	17888.83	40.02	13.49	53.51	74.00	20.49	Vertical	PASS

Project Information

Mode:	802.11ax(HE40))RU484	Band:	-
Bandwidth	40MHz	Channel	38
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2336.54	33.13	2.04	35.17	54.00	18.83	Horizontal	PASS
2	5179.04	41.89	13.90	55.79	-	-	Horizontal	NA
3	11986.07	35.09	5.16	40.25	54.00	13.75	Horizontal	PASS
4	17993.48	32.10	13.69	45.79	54.00	8.21	Horizontal	PASS
5	1999.02	44.38	0.85	45.23	68.20	22.97	Horizontal	PASS
6	5189.31	46.24	13.91	60.15	-	-	Horizontal	NA
7	11517.23	42.63	4.83	47.46	74.00	26.54	Horizontal	PASS
8	17993.10	39.56	13.69	53.25	74.00	20.75	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40))RU484	Band:	-
Bandwidth	40MHz	Channel	38
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2242.12	33.74	1.88	35.62	54.00	18.38	Vertical	PASS
2	5175.37	43.07	13.90	56.97	-	-	Vertical	NA
3	11203.66	35.12	4.62	39.74	54.00	14.26	Vertical	PASS
4	17978.92	32.21	13.49	45.70	54.00	8.30	Vertical	PASS
5	1994.07	48.29	0.90	49.19	68.20	19.01	Vertical	PASS
6	5177.02	49.95	13.91	63.86	-	-	Vertical	NA
7	10375.63	48.74	3.67	52.41	68.20	15.79	Vertical	PASS
8	17853.95	38.99	13.94	52.93	74.00	21.07	Vertical	PASS

Project Information

Mode:	802.11ax(HE40))RU484	Band:	-
Bandwidth	40MHz	Channel	46
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2248.17	33.12	1.97	35.09	54.00	18.91	Horizontal	PASS
2	10923.43	34.64	4.94	39.58	54.00	14.42	Horizontal	PASS
3	17992.33	32.36	13.68	46.04	54.00	7.96	Horizontal	PASS
4	1993.88	42.73	0.90	43.63	68.20	24.57	Horizontal	PASS
5	10956.78	42.56	5.12	47.68	74.00	26.32	Horizontal	PASS
6	17974.70	40.22	13.43	53.65	74.00	20.35	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40))RU484	Band:	-
Bandwidth	40MHz	Channel	46
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2249.09	34.02	1.97	35.99	54.00	18.01	Vertical	PASS
2	11420.63	34.71	5.26	39.97	54.00	14.03	Vertical	PASS
3	17856.25	31.76	13.91	45.67	54.00	8.33	Vertical	PASS
4	1996.08	52.97	0.88	53.85	68.20	14.35	Vertical	PASS
5	10469.17	46.64	4.35	50.99	68.20	17.21	Vertical	PASS
6	17867.36	40.00	13.76	53.76	74.00	20.24	Vertical	PASS

Project Information

Mode:	802.11ax(HE40))RU484	Band:	-
Bandwidth	40MHz	Channel	54
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2235.16	33.22	1.79	35.01	54.00	18.99	Horizontal	PASS
2	5274.19	34.32	14.32	48.64	-	-	Horizontal	NA
3	10967.13	34.74	5.10	39.84	54.00	14.16	Horizontal	PASS
4	17837.84	32.20	13.48	45.68	54.00	8.32	Horizontal	PASS
5	1998.28	44.01	0.86	44.87	68.20	23.33	Horizontal	PASS
6	5272.73	41.51	14.31	55.82	-	-	Horizontal	NA
7	10923.81	42.98	4.95	47.93	74.00	26.07	Horizontal	PASS
8	17975.47	39.41	13.43	52.84	74.00	21.16	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40))RU484	Band:	-
Bandwidth	40MHz	Channel	54
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2347.18	33.27	2.12	35.39	54.00	18.61	Vertical	PASS
2	5272.73	37.46	14.31	51.77	-	-	Vertical	NA
3	11401.46	34.48	5.38	39.86	54.00	14.14	Vertical	PASS
4	17983.52	32.05	13.55	45.60	54.00	8.40	Vertical	PASS
5	1998.83	50.26	0.85	51.11	68.20	17.09	Vertical	PASS
6	5274.19	42.85	14.32	57.17	-	-	Vertical	NA
7	10544.30	44.36	3.75	48.11	68.20	20.09	Vertical	PASS
8	17991.18	39.44	13.66	53.10	74.00	20.90	Vertical	PASS

Project Information

Mode:	802.11ax(HE40))RU484	Band:	-
Bandwidth	40MHz	Channel	62
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2312.71	33.94	1.85	35.79	54.00	18.21	Horizontal	PASS
2	5321.49	35.54	14.55	50.09	-	-	Horizontal	NA
3	11207.49	34.78	4.64	39.42	54.00	14.58	Horizontal	PASS
4	17840.14	31.76	13.57	45.33	54.00	8.67	Horizontal	PASS
5	1998.65	43.39	0.86	44.25	68.20	23.95	Horizontal	PASS
6	5321.31	42.89	14.55	57.44	-	-	Horizontal	NA
7	11434.43	42.53	5.17	47.70	74.00	26.30	Horizontal	PASS
8	17887.30	40.11	13.50	53.61	74.00	20.39	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40))RU484	Band:	-
Bandwidth	40MHz	Channel	62
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2323.53	33.55	1.93	35.48	54.00	18.52	Vertical	PASS
2	5321.49	37.14	14.55	51.69	-	-	Vertical	NA
3	11425.61	34.72	5.22	39.94	54.00	14.06	Vertical	PASS
4	17853.18	31.88	13.95	45.83	54.00	8.17	Vertical	PASS
5	1999.75	48.63	0.84	49.47	68.20	18.73	Vertical	PASS
6	5322.04	44.23	14.55	58.78	-	-	Vertical	NA
7	11378.46	42.05	5.23	47.28	74.00	26.72	Vertical	PASS
8	17892.28	39.40	13.44	52.84	74.00	21.16	Vertical	PASS

Project Information

Mode:	802.11ax(HE40))RU484	Band:	-
Bandwidth	40MHz	Channel	102
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2298.41	33.76	1.72	35.48	54.00	18.52	Horizontal	PASS
2	5500.98	38.16	14.68	52.84	-	-	Horizontal	NA
3	11021.57	38.89	4.69	43.58	54.00	10.42	Horizontal	PASS
4	17875.03	32.54	13.66	46.20	54.00	7.80	Horizontal	PASS
5	1993.52	42.76	0.86	43.62	68.20	24.58	Horizontal	PASS
6	5506.12	44.52	14.68	59.20	-	-	Horizontal	NA
7	11020.03	44.63	4.72	49.35	74.00	24.65	Horizontal	PASS
8	17988.50	39.72	13.62	53.34	74.00	20.66	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40))RU484	Band:	-
Bandwidth	40MHz	Channel	102
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2246.16	32.79	2.16	34.95	54.00	19.05	Vertical	PASS
2	5501.53	41.46	14.68	56.14	-	-	Vertical	NA
3	11016.58	38.58	4.78	43.36	54.00	10.64	Vertical	PASS
4	17849.34	31.71	13.96	45.67	54.00	8.33	Vertical	PASS
5	1999.02	48.64	0.79	49.43	68.20	18.77	Vertical	PASS
6	5502.45	46.68	14.68	61.36	-	-	Vertical	NA
7	11016.20	45.62	4.78	50.40	74.00	23.60	Vertical	PASS
8	17884.61	40.06	13.54	53.60	74.00	20.40	Vertical	PASS

Project Information

Mode:	802.11ax(HE40))RU484	Band:	-
Bandwidth	40MHz	Channel	110
IMEI:		Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2240.29	32.76	2.05	34.81	54.00	19.19	Horizontal	PASS
2	5548.28	38.49	14.61	53.10	-	-	Horizontal	NA
3	11528.35	35.67	4.86	40.53	54.00	13.47	Horizontal	PASS
4	17986.20	32.36	13.59	45.95	54.00	8.05	Horizontal	PASS
5	1999.38	44.42	0.78	45.20	68.20	23.00	Horizontal	PASS
6	5544.62	47.80	14.62	62.42	-	-	Horizontal	NA
7	11298.73	43.02	4.65	47.67	74.00	26.33	Horizontal	PASS
8	17866.21	39.37	13.78	53.15	74.00	20.85	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40))RU484	Band:	-
Bandwidth	40MHz	Channel	110
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2272.01	34.04	1.99	36.03	54.00	17.97	Vertical	PASS
2	5546.27	39.38	14.62	54.00	-	-	Vertical	NA
3	11095.94	39.10	4.10	43.20	54.00	10.80	Vertical	PASS
4	17871.58	31.89	13.71	45.60	54.00	8.40	Vertical	PASS
5	1994.07	49.26	0.85	50.11	68.20	18.09	Vertical	PASS
6	5544.80	47.19	14.62	61.81	-	-	Vertical	NA
7	11095.55	46.05	4.10	50.15	74.00	23.85	Vertical	PASS
8	17980.83	40.22	13.51	53.73	74.00	20.27	Vertical	PASS

Project Information

Mode:	802.11ax(HE40))RU484	Band:	-
Bandwidth	40MHz	Channel	134
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2364.96	32.91	2.17	35.08	54.00	18.92	Horizontal	PASS
2	5672.77	42.04	14.93	56.97	-	-	Horizontal	NA
3	11601.95	34.19	5.69	39.88	54.00	14.12	Horizontal	PASS
4	17864.30	31.54	13.81	45.35	54.00	8.65	Horizontal	PASS
5	1996.45	43.67	0.82	44.49	68.20	23.71	Horizontal	PASS
6	5668.92	46.61	14.94	61.55	-	-	Horizontal	NA
7	11949.26	42.71	5.00	47.71	74.00	26.29	Horizontal	PASS
8	17998.47	39.23	13.76	52.99	74.00	21.01	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40))RU484	Band:	-
Bandwidth	40MHz	Channel	134
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2374.68	33.97	2.13	36.10	54.00	17.90	Vertical	PASS
2	5673.69	42.25	14.93	57.18	-	-	Vertical	NA
3	11342.81	37.17	4.98	42.15	54.00	11.85	Vertical	PASS
4	17993.87	32.55	13.71	46.26	54.00	7.74	Vertical	PASS
5	1993.15	48.30	0.86	49.16	68.20	19.04	Vertical	PASS
6	5678.64	48.48	14.92	63.40	-	-	Vertical	NA
7	11342.43	43.28	4.97	48.25	74.00	25.75	Vertical	PASS
8	17866.98	39.60	13.77	53.37	74.00	20.63	Vertical	PASS

Project Information

Mode:	802.11ax(HE40))RU484	Band:	-
Bandwidth	40MHz	Channel	142
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2222.32	32.91	1.73	34.64	54.00	19.36	Horizontal	PASS
2	5727.41	71.83	14.91	86.74	-	-	Horizontal	NA
3	11613.84	34.96	5.30	40.26	54.00	13.74	Horizontal	PASS
4	17858.16	31.96	13.89	45.85	54.00	8.15	Horizontal	PASS
5	1996.45	46.17	0.82	46.99	68.20	21.21	Horizontal	PASS
6	5728.51	78.04	14.91	92.95	-	-	Horizontal	NA
7	11344.34	42.53	4.99	47.52	74.00	26.48	Horizontal	PASS
8	17848.96	40.11	13.95	54.06	74.00	19.94	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40))RU484	Band:	-
Bandwidth	40MHz	Channel	142
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2322.61	33.94	1.94	35.88	54.00	18.12	Vertical	PASS
2	5729.06	75.69	14.91	90.60	-	-	Vertical	NA
3	11426.38	35.40	5.22	40.62	54.00	13.38	Vertical	PASS
4	17854.33	31.60	13.94	45.54	54.00	8.46	Vertical	PASS
5	1993.52	50.80	0.86	51.66	68.20	16.54	Vertical	PASS
6	5728.51	80.30	14.91	95.21	-	-	Vertical	NA
7	11426.38	43.42	5.22	48.64	74.00	25.36	Vertical	PASS
8	17995.02	39.62	13.72	53.34	74.00	20.66	Vertical	PASS

Project Information

Mode:	802.11ax(HE40))RU484	Band:	-
Bandwidth	40MHz	Channel	151
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2294.19	33.85	1.90	35.75	54.00	18.25	Horizontal	PASS
2	11514.55	35.24	4.83	40.07	54.00	13.93	Horizontal	PASS
3	17988.88	32.38	13.63	46.01	54.00	7.99	Horizontal	PASS
4	1998.83	44.90	0.88	45.78	68.20	22.42	Horizontal	PASS
5	10951.03	42.22	5.13	47.35	74.00	26.65	Horizontal	PASS
6	17858.16	39.56	13.89	53.45	74.00	20.55	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40))RU484	Band:	-
Bandwidth	40MHz	Channel	151
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2256.43	33.35	1.88	35.23	54.00	18.77	Vertical	PASS
2	11306.39	34.78	4.69	39.47	54.00	14.53	Vertical	PASS
3	17861.61	31.85	13.84	45.69	54.00	8.31	Vertical	PASS
4	1993.15	53.10	0.94	54.04	68.20	14.16	Vertical	PASS
5	10941.83	42.54	5.07	47.61	74.00	26.39	Vertical	PASS
6	17977.00	40.61	13.46	54.07	74.00	19.93	Vertical	PASS

Project Information

Mode:	802.11ax(HE40))RU484	Band:	-
Bandwidth	40MHz	Channel	159
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2257.71	33.35	1.89	35.24	54.00	18.76	Horizontal	PASS
2	5791.76	35.79	15.68	51.47	-	-	Horizontal	NA
3	11419.86	34.80	5.26	40.06	54.00	13.94	Horizontal	PASS
4	17847.43	32.21	13.88	46.09	54.00	7.91	Horizontal	PASS
5	1998.83	44.56	0.88	45.44	68.20	22.76	Horizontal	PASS
6	5806.61	42.71	15.67	58.38	-	-	Horizontal	NA
7	11334.76	43.16	4.92	48.08	74.00	25.92	Horizontal	PASS
8	17888.83	39.82	13.49	53.31	74.00	20.69	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40))RU484	Band:	-
Bandwidth	40MHz	Channel	159
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2338.56	32.80	2.10	34.90	54.00	19.10	Vertical	PASS
2	5790.84	38.22	15.67	53.89	-	-	Vertical	NA
3	11597.35	34.60	5.70	40.30	54.00	13.70	Vertical	PASS
4	17994.63	32.22	13.71	45.93	54.00	8.07	Vertical	PASS
5	1993.52	52.65	0.94	53.59	68.20	14.61	Vertical	PASS
6	5801.11	44.74	15.68	60.42	-	-	Vertical	NA
7	11446.70	42.39	5.09	47.48	74.00	26.52	Vertical	PASS
8	17883.08	39.85	13.56	53.41	74.00	20.59	Vertical	PASS

Project Information

Mode:	802.11ax(HE80))RU996	Band:	-
Bandwidth	80MHz	Channel	42
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2233.14	33.46	1.77	35.23	54.00	18.77	Horizontal	PASS
2	5174.82	37.57	13.90	51.47	-	-	Horizontal	NA
3	10932.63	34.86	5.01	39.87	54.00	14.13	Horizontal	PASS
4	17995.78	32.61	13.73	46.34	54.00	7.66	Horizontal	PASS
5	1993.88	45.81	0.90	46.71	68.20	21.49	Horizontal	PASS
6	5176.47	44.93	13.91	58.84	-	-	Horizontal	NA
7	10779.68	42.95	4.35	47.30	74.00	26.70	Horizontal	PASS
8	17881.55	39.59	13.58	53.17	74.00	20.83	Horizontal	PASS

Project Information

Mode:	802.11ax(HE80))RU996	Band:	-
Bandwidth	80MHz	Channel	42
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2335.26	34.14	2.03	36.17	54.00	17.83	Vertical	PASS
2	5175.19	39.08	13.90	52.98	-	-	Vertical	NA
3	11381.15	34.51	5.26	39.77	54.00	14.23	Vertical	PASS
4	17840.53	31.88	13.59	45.47	54.00	8.53	Vertical	PASS
5	1998.65	50.02	0.86	50.88	68.20	17.32	Vertical	PASS
6	5175.19	45.41	13.90	59.31	-	-	Vertical	NA
7	10448.46	46.56	4.37	50.93	68.20	17.27	Vertical	PASS
8	17858.55	39.29	13.88	53.17	74.00	20.83	Vertical	PASS

Project Information

Mode:	802.11ax(HE80))RU996	Band:	-
Bandwidth	80MHz	Channel	58
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2232.59	33.20	1.76	34.96	54.00	19.04	Horizontal	PASS
2	11444.40	35.18	5.11	40.29	54.00	13.71	Horizontal	PASS
3	17833.63	32.35	13.30	45.65	54.00	8.35	Horizontal	PASS
4	2000.30	42.13	0.84	42.97	68.20	25.23	Horizontal	PASS
5	11353.55	42.79	5.06	47.85	74.00	26.15	Horizontal	PASS
6	17982.75	39.99	13.54	53.53	74.00	20.47	Horizontal	PASS

Project Information

Mode:	802.11ax(HE80))RU996	Band:	-
Bandwidth	80MHz	Channel	58
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2251.84	33.73	1.98	35.71	54.00	18.29	Vertical	PASS
2	11462.42	34.52	5.01	39.53	54.00	14.47	Vertical	PASS
3	17995.40	32.13	13.72	45.85	54.00	8.15	Vertical	PASS
4	1997.92	48.16	0.86	49.02	68.20	19.18	Vertical	PASS
5	12026.70	41.72	5.34	47.06	74.00	26.94	Vertical	PASS
6	17961.28	40.08	13.24	53.32	74.00	20.68	Vertical	PASS

Project Information

Mode:	802.11ax(HE80))RU996	Band:	-
Bandwidth	80MHz	Channel	106
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5545.35	37.91	14.62	52.53	-	-	Horizontal	NA
2	5542.42	42.83	14.63	57.46	-	-	Horizontal	NA

Project Information

Mode:	802.11ax(HE80))RU996	Band:	-
Bandwidth	80MHz	Channel	106
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2234.61	33.63	1.95	35.58	54.00	18.42	Vertical	PASS
2	5542.78	37.30	14.62	51.92	-	-	Vertical	NA
3	11081.37	37.66	4.13	41.79	54.00	12.21	Vertical	PASS
4	17852.80	31.75	13.96	45.71	54.00	8.29	Vertical	PASS
5	1998.10	49.79	0.81	50.60	68.20	17.60	Vertical	PASS
6	5542.23	45.30	14.63	59.93	-	-	Vertical	NA
7	11458.58	42.47	5.02	47.49	74.00	26.51	Vertical	PASS
8	17998.47	39.26	13.76	53.02	74.00	20.98	Vertical	PASS

Project Information

Mode:	802.11ax(HE80))RU996	Band:	-
Bandwidth	80MHz	Channel	122
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2337.28	32.93	2.10	35.03	54.00	18.97	Horizontal	PASS
2	5634.82	36.50	14.90	51.40	-	-	Horizontal	NA
3	11513.78	35.25	4.83	40.08	54.00	13.92	Horizontal	PASS
4	17994.25	31.68	13.71	45.39	54.00	8.61	Horizontal	PASS
5	1997.73	46.57	0.81	47.38	68.20	20.82	Horizontal	PASS
6	5641.97	42.52	14.93	57.45	-	-	Horizontal	NA
7	11349.33	42.71	5.02	47.73	74.00	26.27	Horizontal	PASS
8	17830.94	40.45	13.18	53.63	74.00	20.37	Horizontal	PASS

Project Information

Mode:	802.11ax(HE80))RU996	Band:	-
Bandwidth	80MHz	Channel	122
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2232.41	33.74	1.91	35.65	54.00	18.35	Vertical	PASS
2	5619.97	37.55	14.83	52.38	-	-	Vertical	NA
3	11232.02	37.52	4.78	42.30	54.00	11.70	Vertical	PASS
4	17888.83	32.25	13.49	45.74	54.00	8.26	Vertical	PASS
5	1998.28	47.91	0.80	48.71	68.20	19.49	Vertical	PASS
6	5642.15	44.27	14.93	59.20	-	-	Vertical	NA
7	11185.64	44.19	4.47	48.66	74.00	25.34	Vertical	PASS
8	17416.55	41.27	12.02	53.29	68.20	14.91	Vertical	PASS

Project Information

Mode:	802.11ax(HE80))RU996	Band:	-
Bandwidth	80MHz	Channel	138
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2367.53	33.96	2.17	36.13	54.00	17.87	Horizontal	PASS
2	5728.51	70.88	14.91	85.79	-	-	Horizontal	NA
3	11330.54	35.36	4.88	40.24	54.00	13.76	Horizontal	PASS
4	17967.80	32.31	13.33	45.64	54.00	8.36	Horizontal	PASS
5	1995.17	45.30	0.84	46.14	68.20	22.06	Horizontal	PASS
6	5728.69	76.90	14.91	91.81	-	-	Horizontal	NA
7	11593.14	43.20	5.64	48.84	74.00	25.16	Horizontal	PASS
8	17966.65	40.12	13.31	53.43	74.00	20.57	Horizontal	PASS

Project Information

Mode:	802.11ax(HE80))RU996	Band:	-
Bandwidth	80MHz	Channel	138
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2257.16	33.00	2.14	35.14	54.00	18.86	Vertical	PASS
2	5727.77	73.97	14.91	88.88	-	-	Vertical	NA
3	11355.08	36.15	5.06	41.21	54.00	12.79	Vertical	PASS
4	17970.87	32.69	13.37	46.06	54.00	7.94	Vertical	PASS
5	1999.75	48.53	0.78	49.31	68.20	18.89	Vertical	PASS
6	5727.77	78.61	14.91	93.52	-	-	Vertical	NA
7	11380.76	42.26	5.25	47.51	74.00	26.49	Vertical	PASS
8	17879.25	39.43	13.61	53.04	74.00	20.96	Vertical	PASS

Project Information

Mode:	802.11ax(HE80))RU996	Band:	-
Bandwidth	80MHz	Channel	155
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2277.69	32.58	1.90	34.48	54.00	19.52	Horizontal	PASS
2	5792.49	34.29	15.68	49.97	-	-	Horizontal	NA
3	11382.30	34.38	5.26	39.64	54.00	14.36	Horizontal	PASS
4	17883.46	31.71	13.56	45.27	54.00	8.73	Horizontal	PASS
5	2000.12	44.00	0.87	44.87	68.20	23.33	Horizontal	PASS
6	5792.49	42.62	15.68	58.30	-	-	Horizontal	NA
7	11458.20	42.89	5.03	47.92	74.00	26.08	Horizontal	PASS
8	17882.70	39.34	13.57	52.91	74.00	21.09	Horizontal	PASS

Project Information

Mode:	802.11ax(HE80))RU996	Band:	-
Bandwidth	80MHz	Channel	155
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2268.53	33.39	1.89	35.28	54.00	18.72	Vertical	PASS
2	5806.24	36.16	15.67	51.83	-	-	Vertical	NA
3	12245.59	33.93	5.36	39.29	54.00	14.71	Vertical	PASS
4	17887.30	31.78	13.50	45.28	54.00	8.72	Vertical	PASS
5	1997.92	53.54	0.89	54.43	68.20	13.77	Vertical	PASS
6	5806.06	42.40	15.68	58.08	-	-	Vertical	NA
7	12083.44	43.43	5.27	48.70	74.00	25.30	Vertical	PASS
8	17860.46	38.91	13.85	52.76	74.00	21.24	Vertical	PASS

Project Information

Mode:	802.11ax(HE160))RU2x996	Band:	-
Bandwidth	80MHz	Channel	50
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2247.62	33.00	1.96	34.96	54.00	19.04	Horizontal	PASS
2	11395.33	33.96	5.35	39.31	54.00	14.69	Horizontal	PASS
3	17977.77	31.70	13.47	45.17	54.00	8.83	Horizontal	PASS
4	1993.52	44.08	0.91	44.99	68.20	23.21	Horizontal	PASS
5	12096.47	42.40	5.21	47.61	74.00	26.39	Horizontal	PASS
6	17874.65	39.92	13.67	53.59	74.00	20.41	Horizontal	PASS

Project Information

Mode:	802.11ax(HE160))RU2x996	Band:	-
Bandwidth	80MHz	Channel	50
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2344.06	32.90	2.09	34.99	54.00	19.01	Vertical	PASS
2	11569.37	34.51	5.22	39.73	54.00	14.27	Vertical	PASS
3	17988.88	31.54	13.63	45.17	54.00	8.83	Vertical	PASS
4	1999.02	45.95	0.85	46.80	68.20	20.90	Vertical	PASS
5	12090.72	42.55	5.23	47.78	74.00	26.22	Vertical	PASS
6	17979.68	39.25	13.50	52.75	74.00	21.25	Vertical	PASS

Project Information

Mode:	802.11ax(HE160))RU2x996	Band:	-
Bandwidth	160MHz	Channel	114
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2239.92	32.23	2.04	34.27	54.00	19.73	Horizontal	PASS
2	11437.88	35.00	5.15	40.15	54.00	13.85	Horizontal	PASS
3	17845.51	31.30	13.80	45.10	54.00	8.90	Horizontal	PASS
4	2118.00	42.63	1.19	43.82	68.20	24.38	Horizontal	PASS
5	11365.81	42.12	5.14	47.26	74.00	26.74	Horizontal	PASS
6	17973.55	40.40	13.40	53.80	74.00	20.20	Horizontal	PASS

Project Information

Mode:	802.11ax(HE160))RU2x996	Band:	-
Bandwidth	160MHz	Channel	114
IMEI:	-	Engineer:	Tian Shuo
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2218.29	32.99	1.66	34.65	54.00	19.35	Vertical	PASS
2	11341.66	34.54	4.97	39.51	54.00	14.49	Vertical	PASS
3	17883.46	31.77	13.56	45.33	54.00	8.67	Vertical	PASS
4	1996.82	51.65	0.82	52.47	68.20	15.73	Vertical	PASS
5	11561.32	41.85	5.08	46.93	74.00	27.07	Vertical	PASS
6	17860.08	39.49	13.86	53.35	74.00	20.65	Vertical	PASS

~The End~