


Project Information

Mode:	802.11ac(VHT20)	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.30	31.50	12.73	44.23	54.00	9.77	Vertical	PASS
2	5728.63	75.18	14.91	90.09	-	-	Vertical	NA
3	11439.03	41.41	5.14	46.55	54.00	7.45	Vertical	PASS
4	17839.38	31.75	13.54	45.29	54.00	8.71	Vertical	PASS
5	4985.85	40.58	12.74	53.32	74.00	20.68	Vertical	PASS
6	5727.80	81.06	14.91	95.97	-	-	Vertical	NA
7	11439.03	48.15	5.14	53.29	74.00	20.71	Vertical	PASS
8	17972.40	38.38	13.39	51.77	74.00	22.23	Vertical	PASS

Project Information

Mode:	802.11ac(VHT20)	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.38	27.41	12.99	40.40	54.00	13.60	Horizontal	PASS
2	5741.55	29.75	15.67	45.42	-	-	Horizontal	NA
3	11490.78	37.57	4.86	42.43	54.00	11.57	Horizontal	PASS
4	17985.82	31.57	13.58	45.15	54.00	8.85	Horizontal	PASS
5	4983.10	35.50	12.99	48.49	74.00	25.51	Horizontal	PASS
6	5741.55	35.76	15.67	51.43	-	-	Horizontal	NA
7	11493.08	43.00	4.85	47.85	74.00	26.15	Horizontal	PASS
8	17913.75	38.75	13.26	52.01	74.00	21.99	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT20)	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.93	30.86	12.99	43.85	54.00	10.15	Vertical	PASS
2	5741.55	33.02	15.67	48.69	-	-	Vertical	NA
3	11488.10	40.25	4.87	45.12	54.00	8.88	Vertical	PASS
4	17845.13	31.91	13.78	45.69	54.00	8.31	Vertical	PASS
5	4992.45	40.27	12.98	53.25	74.00	20.75	Vertical	PASS
6	5741.28	39.82	15.68	55.50	-	-	Vertical	NA
7	11487.72	46.38	4.87	51.25	74.00	22.75	Vertical	PASS
8	17896.50	38.90	13.38	52.28	74.00	21.72	Vertical	PASS

Project Information

Mode:	802.11ac(VHT20)	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.30	27.79	12.98	40.77	54.00	13.23	Horizontal	PASS
2	5790.50	32.02	15.68	47.70	-	-	Horizontal	NA
3	11570.90	38.39	5.25	43.64	54.00	10.36	Horizontal	PASS
4	17855.48	31.53	13.92	45.45	54.00	8.55	Horizontal	PASS
5	4988.33	35.97	12.99	48.96	74.00	25.04	Horizontal	PASS
6	5792.43	37.13	15.68	52.81	-	-	Horizontal	NA
7	11581.64	44.18	5.43	49.61	74.00	24.39	Horizontal	PASS
8	17855.86	38.63	13.91	52.54	74.00	21.46	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT20)	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.93	31.11	12.99	44.10	54.00	9.90	Vertical	PASS
2	5790.50	36.80	15.68	52.48	-	-	Vertical	NA
3	11567.07	39.80	5.18	44.98	54.00	9.02	Vertical	PASS
4	17999.23	31.51	13.78	45.29	54.00	8.71	Vertical	PASS
5	4981.73	40.05	12.98	53.03	74.00	20.97	Vertical	PASS
6	5792.43	41.59	15.68	57.27	-	-	Vertical	NA
7	11566.69	45.62	5.17	50.79	74.00	23.21	Vertical	PASS
8	17989.65	39.13	13.64	52.77	74.00	21.23	Vertical	PASS

Project Information

Mode:	802.11ac(VHT20)	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5018.85	27.15	13.04	40.19	54.00	13.81	Horizontal	PASS
2	5820.20	32.59	15.66	48.25	-	-	Horizontal	NA
3	11653.71	40.91	4.18	45.09	54.00	8.91	Horizontal	PASS
4	17891.51	31.83	13.45	45.28	54.00	8.72	Horizontal	PASS
5	4981.45	35.71	12.98	48.69	74.00	25.31	Horizontal	PASS
6	5817.18	38.44	15.66	54.10	-	-	Horizontal	NA
7	11649.10	47.01	4.15	51.16	74.00	22.84	Horizontal	PASS
8	17991.18	38.53	13.66	52.19	74.00	21.81	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT20)	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4986.13	30.57	12.98	43.55	54.00	10.45	Vertical	PASS
2	5821.30	35.85	15.66	51.51	-	-	Vertical	NA
3	11654.86	42.19	4.20	46.39	54.00	7.61	Vertical	PASS
4	17848.96	31.20	13.95	45.15	54.00	8.85	Vertical	PASS
5	4995.20	39.83	12.99	52.82	74.00	21.18	Vertical	PASS
6	5819.10	43.01	15.66	58.67	-	-	Vertical	NA
7	11646.04	48.16	4.25	52.41	74.00	21.59	Vertical	PASS
8	17863.53	38.41	13.82	52.23	74.00	21.77	Vertical	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4986.68	27.05	12.98	40.03	54.00	13.97	Horizontal	PASS
2	5177.80	31.48	13.90	45.38	-	-	Horizontal	NA
3	12034.75	34.61	5.36	39.97	54.00	14.03	Horizontal	PASS
4	17880.40	32.27	13.59	45.86	54.00	8.14	Horizontal	PASS
5	4985.03	35.92	12.97	48.89	74.00	25.11	Horizontal	PASS
6	5177.25	37.81	13.91	51.72	-	-	Horizontal	NA
7	11976.48	42.45	5.11	47.56	74.00	26.44	Horizontal	PASS
8	17860.85	38.58	13.85	52.43	74.00	21.57	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.93	31.18	12.97	44.15	54.00	9.85	Vertical	PASS
2	5175.05	35.27	13.90	49.17	-	-	Vertical	NA
3	11595.44	34.14	5.67	39.81	54.00	14.19	Vertical	PASS
4	17847.81	31.44	13.90	45.34	54.00	8.66	Vertical	PASS
5	4999.88	40.42	13.07	53.49	74.00	20.51	Vertical	PASS
6	5175.33	41.99	13.90	55.89	-	-	Vertical	NA
7	11611.92	42.13	5.37	47.50	74.00	26.50	Vertical	PASS
8	17859.31	39.07	13.87	52.94	74.00	21.06	Vertical	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4990.80	28.09	13.01	41.10	54.00	12.90	Horizontal	PASS
2	12385.13	34.14	5.95	40.09	54.00	13.91	Horizontal	PASS
3	17990.42	31.50	13.65	45.15	54.00	8.85	Horizontal	PASS
4	4990.80	35.62	13.01	48.63	74.00	25.37	Horizontal	PASS
5	12369.03	41.75	5.62	47.37	74.00	26.63	Horizontal	PASS
6	17994.63	39.50	13.71	53.21	74.00	20.79	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.93	31.65	12.97	44.62	54.00	9.38	Vertical	PASS
2	12676.09	34.75	6.05	40.80	54.00	13.20	Vertical	PASS
3	17992.33	31.86	13.68	45.54	54.00	8.46	Vertical	PASS
4	4983.65	40.68	12.97	53.65	74.00	20.35	Vertical	PASS
5	12244.44	41.77	5.36	47.13	74.00	26.87	Vertical	PASS
6	17880.40	38.40	13.59	51.99	74.00	22.01	Vertical	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.85	27.33	12.98	40.31	54.00	13.69	Horizontal	PASS
2	5272.40	29.61	14.31	43.92	-	-	Horizontal	NA
3	12382.83	34.86	5.91	40.77	54.00	13.23	Horizontal	PASS
4	17886.15	31.79	13.52	45.31	54.00	8.69	Horizontal	PASS
5	4985.85	35.61	12.98	48.59	74.00	25.41	Horizontal	PASS
6	5271.85	37.23	14.30	51.53	-	-	Horizontal	NA
7	12390.50	41.31	6.06	47.37	74.00	26.63	Horizontal	PASS
8	17857.78	38.75	13.89	52.64	74.00	21.36	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4998.78	31.17	13.06	44.23	54.00	9.77	Vertical	PASS
2	5274.05	32.29	14.32	46.61	-	-	Vertical	NA
3	12026.32	35.07	5.34	40.41	54.00	13.59	Vertical	PASS
4	17877.33	32.11	13.63	45.74	54.00	8.26	Vertical	PASS
5	4991.35	40.86	13.01	53.87	74.00	20.13	Vertical	PASS
6	5273.50	38.27	14.31	52.58	-	-	Vertical	NA
7	12410.05	41.35	6.05	47.40	74.00	26.60	Vertical	PASS
8	17850.50	38.97	13.98	52.95	74.00	21.05	Vertical	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5059.28	27.16	13.38	40.54	54.00	13.46	Horizontal	PASS
2	5322.45	30.76	14.55	45.31	-	-	Horizontal	NA
3	11403.00	34.74	5.37	40.11	54.00	13.89	Horizontal	PASS
4	17984.28	31.92	13.57	45.49	54.00	8.51	Horizontal	PASS
5	4999.88	36.23	13.07	49.30	74.00	24.70	Horizontal	PASS
6	5321.63	37.84	14.55	52.39	-	-	Horizontal	NA
7	11286.84	43.02	4.71	47.73	74.00	26.27	Horizontal	PASS
8	17961.28	39.21	13.24	52.45	74.00	21.55	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4982.00	31.53	12.95	44.48	54.00	9.52	Vertical	PASS
2	5322.73	32.64	14.55	47.19	-	-	Vertical	NA
3	12058.90	34.86	5.39	40.25	54.00	13.75	Vertical	PASS
4	17855.86	31.25	13.91	45.16	54.00	8.84	Vertical	PASS
5	4981.73	41.07	12.95	54.02	74.00	19.98	Vertical	PASS
6	5322.45	38.22	14.55	52.77	-	-	Vertical	NA
7	12042.42	42.48	5.40	47.88	74.00	26.12	Vertical	PASS
8	17979.30	38.93	13.49	52.42	74.00	21.58	Vertical	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4832.68	27.67	12.63	40.30	54.00	13.70	Horizontal	PASS
2	5503.13	31.81	14.67	46.48	-	-	Horizontal	NA
3	11018.88	38.17	4.74	42.91	54.00	11.09	Horizontal	PASS
4	17981.60	32.51	13.53	46.04	54.00	7.96	Horizontal	PASS
5	4982.00	35.61	12.72	48.33	74.00	25.67	Horizontal	PASS
6	5500.10	38.18	14.68	52.86	-	-	Horizontal	NA
7	11018.50	43.24	4.74	47.98	74.00	26.02	Horizontal	PASS
8	17993.10	38.89	13.69	52.58	74.00	21.42	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.03	31.03	12.73	43.76	54.00	10.24	Vertical	PASS
2	5502.58	34.95	14.67	49.62	-	-	Vertical	NA
3	11018.88	41.92	4.74	46.66	54.00	7.34	Vertical	PASS
4	17982.75	31.88	13.54	45.42	54.00	8.58	Vertical	PASS
5	4988.88	40.73	12.75	53.48	74.00	20.52	Vertical	PASS
6	5500.38	41.03	14.68	55.71	-	-	Vertical	NA
7	11016.20	45.90	4.78	50.68	74.00	23.32	Vertical	PASS
8	17849.34	38.02	13.96	51.98	74.00	22.02	Vertical	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	U-NII-2C
Bandwidth	40MHz	Channel	110
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4982.28	27.76	12.72	40.48	54.00	13.52	Horizontal	PASS
2	5545.20	35.55	14.62	50.17	-	-	Horizontal	NA
3	11372.71	34.89	5.20	40.09	54.00	13.91	Horizontal	PASS
4	17862.76	32.01	13.83	45.84	54.00	8.16	Horizontal	PASS
5	4987.78	35.99	12.75	48.74	74.00	25.26	Horizontal	PASS
6	5544.93	40.48	14.62	55.10	-	-	Horizontal	NA
7	11475.07	41.99	4.93	46.92	74.00	27.08	Horizontal	PASS
8	17835.16	39.48	13.36	52.84	74.00	21.16	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	U-NII-2C
Bandwidth	40MHz	Channel	110
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4998.78	31.06	12.80	43.86	54.00	10.14	Vertical	PASS
2	5544.65	36.50	14.62	51.12	-	-	Vertical	NA
3	11100.92	39.70	4.08	43.78	54.00	10.22	Vertical	PASS
4	17849.73	31.78	13.98	45.76	54.00	8.24	Vertical	PASS
5	4981.45	40.90	12.72	53.62	74.00	20.38	Vertical	PASS
6	5543.28	41.51	14.62	56.13	-	-	Vertical	NA
7	11112.04	45.84	4.09	49.93	74.00	24.07	Vertical	PASS
8	17888.83	38.74	13.49	52.23	74.00	21.77	Vertical	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 17.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4988.33	27.58	12.75	40.33	54.00	13.67	Horizontal	PASS
2	5681.33	35.26	14.92	50.18	-	-	Horizontal	NA
3	11340.89	37.04	4.96	42.00	54.00	12.00	Horizontal	PASS
4	17985.43	32.05	13.58	45.63	54.00	8.37	Horizontal	PASS
5	4999.33	35.34	12.80	48.14	74.00	25.86	Horizontal	PASS
6	5679.95	42.15	14.92	57.07	-	-	Horizontal	NA
7	11342.81	42.38	4.98	47.36	74.00	26.64	Horizontal	PASS
8	17863.91	38.72	13.81	52.53	74.00	21.47	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 17.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4982.00	31.14	12.72	43.86	54.00	10.14	Vertical	PASS
2	5678.03	39.81	14.92	54.73	-	-	Vertical	NA
3	11329.01	42.00	4.87	46.87	54.00	7.13	Vertical	PASS
4	17986.97	31.54	13.60	45.14	54.00	8.86	Vertical	PASS
5	4981.73	40.99	12.72	53.71	74.00	20.29	Vertical	PASS
6	5680.23	44.91	14.92	59.83	-	-	Vertical	NA
7	11337.06	48.08	4.93	53.01	74.00	20.99	Vertical	PASS
8	17887.30	38.51	13.50	52.01	74.00	21.99	Vertical	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.93	27.79	12.73	40.52	54.00	13.48	Horizontal	PASS
2	5728.08	65.21	14.91	80.12	-	-	Horizontal	NA
3	11416.41	35.82	5.28	41.10	54.00	12.90	Horizontal	PASS
4	17847.04	31.43	13.86	45.29	54.00	8.71	Horizontal	PASS
5	4996.85	35.72	12.78	48.50	74.00	25.50	Horizontal	PASS
6	5727.53	71.57	14.91	86.48	-	-	Horizontal	NA
7	11416.03	42.63	5.28	47.91	74.00	26.09	Horizontal	PASS
8	17855.48	37.66	13.92	51.58	74.00	22.42	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4988.33	31.23	12.75	43.98	54.00	10.02	Vertical	PASS
2	5727.80	69.18	14.91	84.09	-	-	Vertical	NA
3	11425.23	40.36	5.22	45.58	54.00	8.42	Vertical	PASS
4	17992.33	31.42	13.68	45.10	54.00	8.90	Vertical	PASS
5	4983.93	39.98	12.73	52.71	74.00	21.29	Vertical	PASS
6	5727.25	75.72	14.91	90.63	-	-	Vertical	NA
7	11426.76	45.92	5.22	51.14	74.00	22.86	Vertical	PASS
8	17988.88	39.32	13.63	52.95	74.00	21.05	Vertical	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4984.48	28.34	12.98	41.32	54.00	12.68	Horizontal	PASS
2	11493.47	35.99	4.85	40.84	54.00	13.16	Horizontal	PASS
3	17863.91	31.72	13.81	45.53	54.00	8.47	Horizontal	PASS
4	4991.63	36.15	12.98	49.13	74.00	24.87	Horizontal	PASS
5	11499.60	43.44	4.81	48.25	74.00	25.75	Horizontal	PASS
6	17856.63	38.54	13.90	52.44	74.00	21.56	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4996.03	31.21	12.99	44.20	54.00	9.80	Vertical	PASS
2	11506.88	39.32	4.82	44.14	54.00	9.86	Vertical	PASS
3	17983.52	31.39	13.55	44.94	54.00	9.06	Vertical	PASS
4	4999.33	40.43	12.99	53.42	74.00	20.58	Vertical	PASS
5	11501.13	44.87	4.81	49.68	74.00	24.32	Vertical	PASS
6	17982.75	38.37	13.54	51.91	74.00	22.09	Vertical	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4966.88	27.70	12.97	40.67	54.00	13.33	Horizontal	PASS
2	5797.93	31.02	15.68	46.70	-	-	Horizontal	NA
3	11602.72	39.22	5.66	44.88	54.00	9.12	Horizontal	PASS
4	17995.78	31.92	13.73	45.65	54.00	8.35	Horizontal	PASS
5	4986.40	35.68	12.98	48.66	74.00	25.34	Horizontal	PASS
6	5800.40	37.60	15.68	53.28	-	-	Horizontal	NA
7	11597.35	43.65	5.70	49.35	74.00	24.65	Horizontal	PASS
8	17941.73	39.75	13.12	52.87	74.00	21.13	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT40)	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4999.88	30.94	12.99	43.93	54.00	10.07	Vertical	PASS
2	5800.40	35.44	15.68	51.12	-	-	Vertical	NA
3	11597.74	39.08	5.72	44.80	54.00	9.20	Vertical	PASS
4	17861.23	31.51	13.84	45.35	54.00	8.65	Vertical	PASS
5	4991.08	39.92	12.98	52.90	74.00	21.10	Vertical	PASS
6	5800.13	41.55	15.68	57.23	-	-	Vertical	NA
7	11597.35	44.87	5.70	50.57	74.00	23.43	Vertical	PASS
8	17831.33	38.82	13.19	52.01	74.00	21.99	Vertical	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4994.38	27.70	13.04	40.74	54.00	13.26	Horizontal	PASS
2	11499.98	35.27	4.81	40.08	54.00	13.92	Horizontal	PASS
3	17984.28	32.10	13.57	45.67	54.00	8.33	Horizontal	PASS
4	4986.95	35.09	12.98	48.07	74.00	25.93	Horizontal	PASS
5	11852.66	42.22	4.96	47.18	74.00	26.82	Horizontal	PASS
6	17983.90	40.38	13.56	53.94	74.00	20.06	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 13		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.30	31.40	12.98	44.38	54.00	9.62	Vertical	PASS
2	5178.90	33.36	13.90	47.26	-	-	Vertical	NA
3	10960.23	34.40	5.11	39.51	54.00	14.49	Vertical	PASS
4	17983.90	31.99	13.56	45.55	54.00	8.45	Vertical	PASS
5	4983.93	41.08	12.97	54.05	74.00	19.95	Vertical	PASS
6	5179.18	38.87	13.90	52.77	-	-	Vertical	NA
7	10960.23	43.34	5.11	48.45	74.00	25.55	Vertical	PASS
8	17849.73	38.93	13.98	52.91	74.00	21.09	Vertical	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5060.38	27.31	13.38	40.69	54.00	13.31	Horizontal	PASS
2	11403.00	34.45	5.37	39.82	54.00	14.18	Horizontal	PASS
3	17997.70	31.25	13.76	45.01	54.00	8.99	Horizontal	PASS
4	4983.10	35.70	12.97	48.67	74.00	25.33	Horizontal	PASS
5	11381.15	43.05	5.26	48.31	74.00	25.69	Horizontal	PASS
6	17871.58	38.59	13.71	52.30	74.00	21.70	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.03	31.39	12.97	44.36	54.00	9.64	Vertical	PASS
2	12067.34	35.22	5.35	40.57	54.00	13.43	Vertical	PASS
3	17845.13	31.52	13.78	45.30	54.00	8.70	Vertical	PASS
4	4981.73	40.39	12.95	53.34	74.00	20.66	Vertical	PASS
5	12062.74	41.47	5.37	46.84	74.00	27.16	Vertical	PASS
6	17967.80	39.14	13.33	52.47	74.00	21.53	Vertical	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 16.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4982.55	27.72	12.73	40.45	54.00	13.55	Horizontal	PASS
2	5535.30	30.49	14.63	45.12	-	-	Horizontal	NA
3	11436.73	34.71	5.15	39.86	54.00	14.14	Horizontal	PASS
4	17850.11	31.39	13.99	45.38	54.00	8.62	Horizontal	PASS
5	4981.73	36.95	12.72	49.67	74.00	24.33	Horizontal	PASS
6	5535.30	36.89	14.63	51.52	-	-	Horizontal	NA
7	11599.27	41.32	5.74	47.06	74.00	26.94	Horizontal	PASS
8	17858.16	38.25	13.89	52.14	74.00	21.86	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 16.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4999.88	31.80	12.80	44.60	54.00	9.40	Vertical	PASS
2	5542.18	32.25	14.63	46.88	-	-	Vertical	NA
3	11067.95	38.66	4.17	42.83	54.00	11.17	Vertical	PASS
4	17849.73	31.30	13.98	45.28	54.00	8.72	Vertical	PASS
5	4985.85	41.26	12.74	54.00	74.00	20.00	Vertical	PASS
6	5543.00	38.76	14.62	53.38	-	-	Vertical	NA
7	11027.70	43.25	4.59	47.84	74.00	26.16	Vertical	PASS
8	17892.66	38.47	13.44	51.91	74.00	22.09	Vertical	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 17.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4994.93	27.52	12.78	40.30	54.00	13.70	Horizontal	PASS
2	5642.83	32.19	14.93	47.12	-	-	Horizontal	NA
3	11466.25	34.95	4.98	39.93	54.00	14.07	Horizontal	PASS
4	17847.43	32.40	13.88	46.28	54.00	7.72	Horizontal	PASS
5	4986.13	36.17	12.74	48.91	74.00	25.09	Horizontal	PASS
6	5642.55	38.88	14.93	53.81	-	-	Horizontal	NA
7	11462.03	42.89	5.01	47.90	74.00	26.10	Horizontal	PASS
8	17847.04	39.05	13.86	52.91	74.00	21.09	Horizontal	PASS

Project Information			
Mode:	802.11ac(VHT80)	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 17.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.93	31.51	12.73	44.24	54.00	9.76	Vertical	PASS
2	5641.45	34.04	14.93	48.97	-	-	Vertical	NA
3	11256.94	38.58	4.85	43.43	54.00	10.57	Vertical	PASS
4	17968.18	32.20	13.33	45.53	54.00	8.47	Vertical	PASS
5	4991.35	40.90	12.76	53.66	74.00	20.34	Vertical	PASS
6	5638.15	41.03	14.91	55.94	-	-	Vertical	NA
7	11256.56	44.00	4.85	48.85	74.00	25.15	Vertical	PASS
8	17980.07	38.72	13.50	52.22	74.00	21.78	Vertical	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4986.68	28.44	12.74	41.18	54.00	12.82	Horizontal	PASS
2	5728.08	63.15	14.91	78.06	-	-	Horizontal	NA
3	11389.58	35.84	5.31	41.15	54.00	12.85	Horizontal	PASS
4	18000.00	31.92	13.79	45.71	54.00	8.29	Horizontal	PASS
5	4991.63	36.49	12.76	49.25	74.00	24.75	Horizontal	PASS
6	5727.53	68.74	14.91	83.65	-	-	Horizontal	NA
7	11371.56	41.94	5.19	47.13	74.00	26.87	Horizontal	PASS
8	17854.33	37.96	13.94	51.90	74.00	22.10	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4986.13	32.12	12.74	44.86	54.00	9.14	Vertical	PASS
2	5727.53	68.05	14.91	82.96	-	-	Vertical	NA
3	11407.21	39.53	5.34	44.87	54.00	9.13	Vertical	PASS
4	17995.40	31.63	13.72	45.35	54.00	8.65	Vertical	PASS
5	4985.85	41.79	12.74	54.53	74.00	19.47	Vertical	PASS
6	5727.25	73.36	14.91	88.27	-	-	Vertical	NA
7	11406.83	45.30	5.34	50.64	74.00	23.36	Vertical	PASS
8	17847.81	38.60	13.90	52.50	74.00	21.50	Vertical	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4879.70	28.12	12.71	40.83	54.00	13.17	Horizontal	PASS
2	12381.68	34.48	5.88	40.36	54.00	13.64	Horizontal	PASS
3	17991.18	32.39	13.66	46.05	54.00	7.95	Horizontal	PASS
4	4778.78	36.50	12.63	49.13	74.00	24.87	Horizontal	PASS
5	12409.28	41.88	6.07	47.95	74.00	26.05	Horizontal	PASS
6	17993.48	39.02	13.69	52.71	74.00	21.29	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT80)	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.30	31.18	12.98	44.16	54.00	9.84	Vertical	PASS
2	11537.93	37.02	4.87	41.89	54.00	12.11	Vertical	PASS
3	17986.20	31.64	13.59	45.23	54.00	8.77	Vertical	PASS
4	4985.03	40.37	12.98	53.35	74.00	20.65	Vertical	PASS
5	11537.55	44.39	4.87	49.26	74.00	24.74	Vertical	PASS
6	17881.93	38.67	13.57	52.24	74.00	21.76	Vertical	PASS

Project Information

Mode:	802.11ac(VHT160)	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4818.10	27.09	12.65	39.74	54.00	14.26	Horizontal	PASS
2	11381.91	34.85	5.26	40.11	54.00	13.89	Horizontal	PASS
3	17989.27	31.94	13.64	45.58	54.00	8.42	Horizontal	PASS
4	4797.48	35.37	12.69	48.06	74.00	25.94	Horizontal	PASS
5	11332.84	42.52	4.90	47.42	74.00	26.58	Horizontal	PASS
6	17981.22	39.00	13.51	52.51	74.00	21.49	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT160)	Band:	U-NII-1&2A U-NII-1&2A
Bandwidth	160MHz	Channel	50
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4614.60	28.00	12.45	40.45	54.00	13.55	Vertical	PASS
2	10959.85	35.52	5.11	40.63	54.00	13.37	Vertical	PASS
3	17861.61	31.42	13.84	45.26	54.00	8.74	Vertical	PASS
4	4836.25	35.10	12.61	47.71	74.00	26.29	Vertical	PASS
5	10959.47	45.05	5.11	50.16	74.00	23.84	Vertical	PASS
6	17995.02	38.85	13.72	52.57	74.00	21.43	Vertical	PASS

Project Information

Mode:	802.11ac(VHT160)	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5046.90	27.24	13.06	40.30	54.00	13.70	Horizontal	PASS
2	11505.35	35.25	4.82	40.07	54.00	13.93	Horizontal	PASS
3	17988.88	31.74	13.63	45.37	54.00	8.63	Horizontal	PASS
4	4999.88	35.92	12.80	48.72	74.00	25.28	Horizontal	PASS
5	11348.94	41.74	5.02	46.76	74.00	27.24	Horizontal	PASS
6	17983.90	38.64	13.56	52.20	74.00	21.80	Horizontal	PASS

Project Information

Mode:	802.11ac(VHT160)	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4996.85	31.42	12.78	44.20	54.00	9.80	Vertical	PASS
2	11156.51	38.38	4.20	42.58	54.00	11.42	Vertical	PASS
3	17981.60	31.85	13.53	45.38	54.00	8.62	Vertical	PASS
4	4982.28	40.76	12.72	53.48	74.00	20.52	Vertical	PASS
5	11156.12	45.67	4.19	49.86	74.00	24.14	Vertical	PASS
6	17990.80	37.97	13.65	51.62	74.00	22.38	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4982.28	27.67	12.95	40.62	54.00	13.38	Horizontal	PASS
2	5175.05	35.12	13.90	49.02	-	-	Horizontal	NA
3	11172.99	35.77	4.36	40.13	54.00	13.87	Horizontal	PASS
4	17975.47	31.88	13.43	45.31	54.00	8.69	Horizontal	PASS
5	4995.75	36.04	13.04	49.08	74.00	24.92	Horizontal	PASS
6	5176.98	41.52	13.91	55.43	-	-	Horizontal	NA
7	11371.95	41.85	5.19	47.04	74.00	26.96	Horizontal	PASS
8	17974.70	39.36	13.43	52.79	74.00	21.21	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4986.68	30.98	12.98	43.96	54.00	10.04	Vertical	PASS
2	5177.25	40.38	13.91	54.29	-	-	Vertical	NA
3	12632.39	34.74	5.78	40.52	54.00	13.48	Vertical	PASS
4	17864.68	31.69	13.80	45.49	54.00	8.51	Vertical	PASS
5	4987.78	40.41	13.00	53.41	74.00	20.59	Vertical	PASS
6	5176.70	46.31	13.91	60.22	-	-	Vertical	NA
7	12379.38	42.36	5.84	48.20	74.00	25.80	Vertical	PASS
8	17990.80	38.40	13.65	52.05	74.00	21.95	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU26 Left	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4992.73	27.59	13.03	40.62	54.00	13.38	Horizontal	PASS
2	5172.03	41.26	13.90	55.16	-	-	Horizontal	NA
3	12022.87	35.48	5.32	40.80	54.00	13.20	Horizontal	PASS
4	17976.23	31.71	13.44	45.15	54.00	8.85	Horizontal	PASS
5	4987.50	35.86	12.99	48.85	74.00	25.15	Horizontal	PASS
6	5172.03	47.92	13.90	61.82	-	-	Horizontal	NA
7	12200.74	42.19	5.27	47.46	74.00	26.54	Horizontal	PASS
8	17866.21	38.95	13.78	52.73	74.00	21.27	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU26 Left	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.58	31.75	12.98	44.73	54.00	9.27	Vertical	PASS
2	5172.03	47.22	13.90	61.12	-	-	Vertical	NA
3	11596.20	35.05	5.68	40.73	54.00	13.27	Vertical	PASS
4	17980.45	31.63	13.51	45.14	54.00	8.86	Vertical	PASS
5	4985.30	41.33	12.98	54.31	74.00	19.69	Vertical	PASS
6	5170.93	53.17	13.90	67.07	-	-	Vertical	NA
7	12056.60	41.39	5.40	46.79	74.00	27.21	Vertical	PASS
8	17984.28	38.42	13.57	51.99	74.00	22.01	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU106 Left	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.93	27.88	12.97	40.85	54.00	13.15	Horizontal	PASS
2	5177.53	38.36	13.90	52.26	-	-	Horizontal	NA
3	11943.51	35.36	5.06	40.42	54.00	13.58	Horizontal	PASS
4	17846.28	31.49	13.83	45.32	54.00	8.68	Horizontal	PASS
5	4995.75	36.03	13.04	49.07	74.00	24.93	Horizontal	PASS
6	5176.70	43.81	13.91	57.72	-	-	Horizontal	NA
7	11943.13	43.22	5.06	48.28	74.00	25.72	Horizontal	PASS
8	17978.92	38.45	13.49	51.94	74.00	22.06	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU106 Left	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.85	30.94	12.98	43.92	54.00	10.08	Vertical	PASS
2	5175.88	43.26	13.90	57.16	-	-	Vertical	NA
3	12402.00	34.74	6.22	40.96	54.00	13.04	Vertical	PASS
4	17985.43	31.56	13.58	45.14	54.00	8.86	Vertical	PASS
5	4999.60	40.24	13.07	53.31	74.00	20.69	Vertical	PASS
6	5176.70	50.02	13.91	63.93	-	-	Vertical	NA
7	12401.61	41.44	6.23	47.67	74.00	26.33	Vertical	PASS
8	17990.80	39.31	13.65	52.96	74.00	21.04	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4982.28	28.72	12.95	41.67	54.00	12.33	Horizontal	PASS
2	12408.90	34.23	6.07	40.30	54.00	13.70	Horizontal	PASS
3	17836.69	32.21	13.42	45.63	54.00	8.37	Horizontal	PASS
4	4982.00	35.66	12.95	48.61	74.00	25.39	Horizontal	PASS
5	12408.51	41.24	6.08	47.32	74.00	26.68	Horizontal	PASS
6	17833.63	38.79	13.30	52.09	74.00	21.91	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-1
Bandwidth	20MHz	Channel	40
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4996.30	30.81	13.04	43.85	54.00	10.15	Vertical	PASS
2	5191.55	31.29	13.92	45.21	-	-	Vertical	NA
3	12084.59	35.11	5.26	40.37	54.00	13.63	Vertical	PASS
4	17888.83	32.46	13.49	45.95	54.00	8.05	Vertical	PASS
5	4996.03	40.82	13.04	53.86	74.00	20.14	Vertical	PASS
6	5192.10	38.65	13.92	52.57	-	-	Vertical	NA
7	12084.20	42.29	5.26	47.55	74.00	26.45	Vertical	PASS
8	17849.73	38.46	13.98	52.44	74.00	21.56	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5063.68	28.21	13.40	41.61	54.00	12.39	Horizontal	PASS
2	12428.06	34.95	5.68	40.63	54.00	13.37	Horizontal	PASS
3	17879.63	32.09	13.61	45.70	54.00	8.30	Horizontal	PASS
4	4994.10	36.26	13.03	49.29	74.00	24.71	Horizontal	PASS
5	12398.93	42.07	6.24	48.31	74.00	25.69	Horizontal	PASS
6	17935.60	38.93	13.15	52.08	74.00	21.92	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4987.78	31.41	13.00	44.41	54.00	9.59	Vertical	PASS
2	11473.92	34.85	4.95	39.80	54.00	14.20	Vertical	PASS
3	17882.31	31.69	13.57	45.26	54.00	8.74	Vertical	PASS
4	4986.95	40.72	12.98	53.70	74.00	20.30	Vertical	PASS
5	11459.35	42.43	5.02	47.45	74.00	26.55	Vertical	PASS
6	17848.19	38.54	13.92	52.46	74.00	21.54	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU52 Left	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 12		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4984.20	28.00	12.97	40.97	54.00	13.03	Horizontal	PASS
2	12319.96	35.21	5.06	40.27	54.00	13.73	Horizontal	PASS
3	17989.27	31.63	13.64	45.27	54.00	8.73	Horizontal	PASS
4	4986.95	36.11	12.98	49.09	74.00	24.91	Horizontal	PASS
5	12382.83	42.46	5.91	48.37	74.00	25.63	Horizontal	PASS
6	17857.40	38.94	13.89	52.83	74.00	21.17	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU52 Left	Band:	U-NII-1
Bandwidth	20MHz	Channel	48
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 12		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.85	31.00	12.98	43.98	54.00	10.02	Vertical	PASS
2	11457.82	35.29	5.03	40.32	54.00	13.68	Vertical	PASS
3	17987.35	31.53	13.61	45.14	54.00	8.86	Vertical	PASS
4	5000.15	39.92	13.07	52.99	74.00	21.01	Vertical	PASS
5	11537.55	41.99	4.87	46.86	74.00	27.14	Vertical	PASS
6	17873.11	37.99	13.69	51.68	74.00	22.32	Vertical	PASS