


Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4989.70	27.46	13.00	40.46	54.00	13.54	Horizontal	PASS
2	12370.95	35.60	5.66	41.26	54.00	12.74	Horizontal	PASS
3	17848.58	31.26	13.93	45.19	54.00	8.81	Horizontal	PASS
4	4986.40	36.60	12.98	49.58	74.00	24.42	Horizontal	PASS
5	12370.56	41.75	5.65	47.40	74.00	26.60	Horizontal	PASS
6	17962.82	39.28	13.25	52.53	74.00	21.47	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-2A
Bandwidth	20MHz	Channel	52
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.85	30.83	12.98	43.81	54.00	10.19	Vertical	PASS
2	11440.56	34.40	5.13	39.53	54.00	14.47	Vertical	PASS
3	17987.73	31.57	13.61	45.18	54.00	8.82	Vertical	PASS
4	4989.98	40.66	13.01	53.67	74.00	20.33	Vertical	PASS
5	11449.00	41.87	5.08	46.95	74.00	27.05	Vertical	PASS
6	17839.76	38.81	13.55	52.36	74.00	21.64	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4987.78	27.53	13.00	40.53	54.00	13.47	Horizontal	PASS
2	12402.38	33.90	6.22	40.12	54.00	13.88	Horizontal	PASS
3	17848.19	31.63	13.92	45.55	54.00	8.45	Horizontal	PASS
4	4994.10	35.24	13.03	48.27	74.00	25.73	Horizontal	PASS
5	12275.88	42.39	5.14	47.53	74.00	26.47	Horizontal	PASS
6	17929.85	38.88	13.18	52.06	74.00	21.94	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-2A
Bandwidth	20MHz	Channel	60
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4997.95	31.32	13.06	44.38	54.00	9.62	Vertical	PASS
2	5296.60	30.62	14.47	45.09	-	-	Vertical	NA
3	12084.20	34.96	5.26	40.22	54.00	13.78	Vertical	PASS
4	17888.83	32.55	13.49	46.04	54.00	7.96	Vertical	PASS
5	4997.68	40.67	13.06	53.73	74.00	20.27	Vertical	PASS
6	5293.58	36.10	14.44	50.54	-	-	Vertical	NA
7	12001.02	41.93	5.23	47.16	74.00	26.84	Vertical	PASS
8	17863.53	38.90	13.82	52.72	74.00	21.28	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.38	28.27	12.97	41.24	54.00	12.76	Horizontal	PASS
2	5321.35	35.58	14.55	50.13	-	-	Horizontal	NA
3	11982.62	35.04	5.15	40.19	54.00	13.81	Horizontal	PASS
4	17993.87	31.93	13.71	45.64	54.00	8.36	Horizontal	PASS
5	4997.40	35.47	13.05	48.52	74.00	25.48	Horizontal	PASS
6	5321.08	40.57	14.55	55.12	-	-	Horizontal	NA
7	12010.98	41.56	5.27	46.83	74.00	27.17	Horizontal	PASS
8	17842.83	38.42	13.69	52.11	74.00	21.89	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4986.40	31.22	12.98	44.20	54.00	9.80	Vertical	PASS
2	5321.35	34.21	14.55	48.76	-	-	Vertical	NA
3	10634.39	39.08	4.07	43.15	54.00	10.85	Vertical	PASS
4	17812.93	32.84	12.41	45.25	54.00	8.75	Vertical	PASS
5	4986.13	39.77	12.98	52.75	74.00	21.25	Vertical	PASS
6	5322.18	40.47	14.55	55.02	-	-	Vertical	NA
7	10636.30	44.83	4.05	48.88	74.00	25.12	Vertical	PASS
8	17867.36	38.21	13.76	51.97	74.00	22.03	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU26 Right	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 11		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4999.33	27.27	13.07	40.34	54.00	13.66	Horizontal	PASS
2	5329.33	33.94	14.57	48.51	-	-	Horizontal	NA
3	10657.39	37.99	3.94	41.93	54.00	12.07	Horizontal	PASS
4	17881.16	31.63	13.58	45.21	54.00	8.79	Horizontal	PASS
5	4999.05	34.94	13.07	48.01	74.00	25.99	Horizontal	PASS
6	5329.33	38.76	14.57	53.33	-	-	Horizontal	NA
7	10656.24	45.01	3.95	48.96	74.00	25.04	Horizontal	PASS
8	17865.06	38.48	13.79	52.27	74.00	21.73	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU26 Right	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 11		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4994.38	31.13	13.04	44.17	54.00	9.83	Vertical	PASS
2	5329.05	35.94	14.57	50.51	-	-	Vertical	NA
3	10657.01	46.70	3.94	50.64	54.00	3.36	Vertical	PASS
4	17855.48	31.77	13.92	45.69	54.00	8.31	Vertical	PASS
5	4994.10	40.46	13.03	53.49	74.00	20.51	Vertical	PASS
6	5328.78	42.08	14.57	56.65	-	-	Vertical	NA
7	10656.62	51.02	3.95	54.97	74.00	19.03	Vertical	PASS
8	17863.53	38.73	13.82	52.55	74.00	21.45	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU106 Right	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4988.33	27.75	13.00	40.75	54.00	13.25	Horizontal	PASS
2	5322.18	36.29	14.55	50.84	-	-	Horizontal	NA
3	11588.92	34.24	5.56	39.80	54.00	14.20	Horizontal	PASS
4	17843.98	31.34	13.74	45.08	54.00	8.92	Horizontal	PASS
5	4991.08	36.43	13.01	49.44	74.00	24.56	Horizontal	PASS
6	5321.63	41.87	14.55	56.42	-	-	Horizontal	NA
7	11473.53	42.00	4.95	46.95	74.00	27.05	Horizontal	PASS
8	17831.71	38.92	13.21	52.13	74.00	21.87	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU106 Right	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4986.95	31.49	12.98	44.47	54.00	9.53	Vertical	PASS
2	5321.63	38.37	14.55	52.92	-	-	Vertical	NA
3	10648.95	40.85	4.01	44.86	54.00	9.14	Vertical	PASS
4	17846.28	31.61	13.83	45.44	54.00	8.56	Vertical	PASS
5	4986.68	40.43	12.98	53.41	74.00	20.59	Vertical	PASS
6	5321.63	44.29	14.55	58.84	-	-	Vertical	NA
7	10651.26	46.76	4.00	50.76	74.00	23.24	Vertical	PASS
8	17891.90	39.10	13.44	52.54	74.00	21.46	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5112.90	27.33	13.29	40.62	54.00	13.38	Horizontal	PASS
2	5505.05	35.26	14.68	49.94	-	-	Horizontal	NA
3	11001.25	37.91	5.03	42.94	54.00	11.06	Horizontal	PASS
4	17995.40	31.95	13.72	45.67	54.00	8.33	Horizontal	PASS
5	5012.80	36.24	12.87	49.11	74.00	24.89	Horizontal	PASS
6	5501.48	41.25	14.68	55.93	-	-	Horizontal	NA
7	10998.57	43.09	5.05	48.14	74.00	25.86	Horizontal	PASS
8	17845.13	38.60	13.78	52.38	74.00	21.62	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4996.30	31.89	12.78	44.67	54.00	9.33	Vertical	PASS
2	5501.48	38.16	14.68	52.84	-	-	Vertical	NA
3	11007.38	41.13	4.93	46.06	54.00	7.94	Vertical	PASS
4	17991.57	31.88	13.67	45.55	54.00	8.45	Vertical	PASS
5	4987.50	41.55	12.75	54.30	74.00	19.70	Vertical	PASS
6	5502.03	42.83	14.68	57.51	-	-	Vertical	NA
7	11007.00	47.54	4.94	52.48	74.00	21.52	Vertical	PASS
8	17977.77	39.27	13.47	52.74	74.00	21.26	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU26 Left	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5000.15	27.85	12.80	40.65	54.00	13.35	Horizontal	PASS
2	5492.13	36.49	14.63	51.12	-	-	Horizontal	NA
3	10984.00	41.02	5.08	46.10	54.00	7.90	Horizontal	PASS
4	17995.78	31.65	13.73	45.38	54.00	8.62	Horizontal	PASS
5	4834.05	35.33	12.63	47.96	74.00	26.04	Horizontal	PASS
6	5491.85	43.48	14.63	58.11	-	-	Horizontal	NA
7	10983.62	46.91	5.08	51.99	74.00	22.01	Horizontal	PASS
8	17874.26	38.39	13.68	52.07	74.00	21.93	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU26 Left	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.85	31.47	12.74	44.21	54.00	9.79	Vertical	PASS
2	5492.13	39.17	14.63	53.80	-	-	Vertical	NA
3	10983.23	48.42	5.08	53.50	54.00	0.50	Vertical	PASS
4	17993.87	31.76	13.71	45.47	54.00	8.53	Vertical	PASS
5	4981.73	41.30	12.72	54.02	74.00	19.98	Vertical	PASS
6	5491.58	45.78	14.63	60.41	-	-	Vertical	NA
7	10984.00	55.25	5.08	60.33	74.00	13.67	Vertical	PASS
8	17995.40	38.88	13.72	52.60	74.00	21.40	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU106 Left	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4734.78	27.57	12.31	39.88	54.00	14.12	Horizontal	PASS
2	5497.63	35.73	14.67	50.40	-	-	Horizontal	NA
3	10991.28	41.15	5.06	46.21	54.00	7.79	Horizontal	PASS
4	17968.57	32.36	13.33	45.69	54.00	8.31	Horizontal	PASS
5	4825.53	36.01	12.65	48.66	74.00	25.34	Horizontal	PASS
6	5495.70	41.71	14.65	56.36	-	-	Horizontal	NA
7	10990.90	44.55	5.06	49.61	74.00	24.39	Horizontal	PASS
8	17845.51	38.59	13.80	52.39	74.00	21.61	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU106 Left	Band:	U-NII-2C
Bandwidth	20MHz	Channel	100
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4986.40	32.10	12.74	44.84	54.00	9.16	Vertical	PASS
2	5497.08	38.52	14.66	53.18	-	-	Vertical	NA
3	10991.67	44.65	5.06	49.71	54.00	4.29	Vertical	PASS
4	17814.84	33.01	12.49	45.50	54.00	8.50	Vertical	PASS
5	4986.13	41.16	12.74	53.90	74.00	20.10	Vertical	PASS
6	5497.35	44.47	14.66	59.13	-	-	Vertical	NA
7	10988.98	48.44	5.07	53.51	74.00	20.49	Vertical	PASS
8	17842.83	38.65	13.69	52.34	74.00	21.66	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-2C
Bandwidth	20MHz	Channel	116
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5142.60	27.15	13.67	40.82	54.00	13.18	Horizontal	PASS
2	5584.53	32.64	14.70	47.34	-	-	Horizontal	NA
3	11161.49	39.18	4.24	43.42	54.00	10.58	Horizontal	PASS
4	17866.60	32.12	13.77	45.89	54.00	8.11	Horizontal	PASS
5	4991.35	35.66	12.76	48.42	74.00	25.58	Horizontal	PASS
6	5585.08	38.71	14.70	53.41	-	-	Horizontal	NA
7	11513.78	43.29	4.83	48.12	74.00	25.88	Horizontal	PASS
8	17844.74	39.10	13.77	52.87	74.00	21.13	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-2C
Bandwidth	20MHz	Channel	116
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4984.48	32.09	12.73	44.82	54.00	9.18	Vertical	PASS
2	5585.35	33.62	14.70	48.32	-	-	Vertical	NA
3	11158.42	41.82	4.22	46.04	54.00	7.96	Vertical	PASS
4	17990.80	31.96	13.65	45.61	54.00	8.39	Vertical	PASS
5	4984.20	41.67	12.73	54.40	74.00	19.60	Vertical	PASS
6	5585.08	40.49	14.70	55.19	-	-	Vertical	NA
7	11156.51	48.59	4.20	52.79	74.00	21.21	Vertical	PASS
8	17818.29	40.19	12.64	52.83	74.00	21.17	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4990.25	27.78	12.76	40.54	54.00	13.46	Horizontal	PASS
2	5707.73	36.41	14.90	51.31	-	-	Horizontal	NA
3	11400.70	36.70	5.39	42.09	54.00	11.91	Horizontal	PASS
4	17886.91	32.31	13.51	45.82	54.00	8.18	Horizontal	PASS
5	4989.98	37.01	12.76	49.77	74.00	24.23	Horizontal	PASS
6	5701.68	41.57	14.89	56.46	-	-	Horizontal	NA
7	11399.93	42.46	5.39	47.85	74.00	26.15	Horizontal	PASS
8	17940.58	39.88	13.12	53.00	74.00	21.00	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4982.28	32.32	12.72	45.04	54.00	8.96	Vertical	PASS
2	5701.13	37.72	14.89	52.61	-	-	Vertical	NA
3	11397.25	42.56	5.37	47.93	54.00	6.07	Vertical	PASS
4	17862.38	31.81	13.82	45.63	54.00	8.37	Vertical	PASS
5	4982.00	41.97	12.72	54.69	74.00	19.31	Vertical	PASS
6	5700.85	44.06	14.89	58.95	-	-	Vertical	NA
7	11404.53	47.00	5.37	52.37	74.00	21.63	Vertical	PASS
8	17982.37	38.86	13.54	52.40	74.00	21.60	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU26 Right	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 11		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2369.78	33.29	2.15	35.44	54.00	18.56	Horizontal	PASS
2	5708.55	44.71	14.90	59.61	-	-	Horizontal	NA
3	11417.56	41.67	5.28	46.95	54.00	7.05	Horizontal	PASS
4	17988.50	31.94	13.62	45.56	54.00	8.44	Horizontal	PASS
5	1998.80	43.47	0.79	44.26	68.20	23.94	Horizontal	PASS
6	5708.00	51.18	14.90	66.08	-	-	Horizontal	NA
7	11417.56	47.14	5.28	52.42	74.00	21.58	Horizontal	PASS
8	17985.82	38.73	13.58	52.31	74.00	21.69	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU26 Right	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 11		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.03	32.23	12.73	44.96	54.00	9.04	Vertical	PASS
2	5708.55	46.94	14.90	61.84	-	-	Vertical	NA
3	11415.65	46.73	5.29	52.02	54.00	1.98	Vertical	PASS
4	17864.68	31.63	13.80	45.43	54.00	8.57	Vertical	PASS
5	4984.75	41.01	12.73	53.74	74.00	20.26	Vertical	PASS
6	5708.28	53.59	14.90	68.49	-	-	Vertical	NA
7	11417.18	52.25	5.28	57.53	74.00	16.47	Vertical	PASS
8	17918.73	38.86	13.23	52.09	74.00	21.91	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU106 Right	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4986.40	27.81	12.74	40.55	54.00	13.45	Horizontal	PASS
2	5706.90	39.22	14.90	54.12	-	-	Horizontal	NA
3	11409.51	37.97	5.33	43.30	54.00	10.70	Horizontal	PASS
4	17977.38	32.28	13.46	45.74	54.00	8.26	Horizontal	PASS
5	4986.13	36.27	12.74	49.01	74.00	24.99	Horizontal	PASS
6	5706.35	45.27	14.90	60.17	-	-	Horizontal	NA
7	11412.96	43.76	5.31	49.07	74.00	24.93	Horizontal	PASS
8	17849.34	38.93	13.96	52.89	74.00	21.11	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU106 Right	Band:	U-NII-2C
Bandwidth	20MHz	Channel	140
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2252.90	33.53	2.19	35.72	54.00	18.28	Vertical	PASS
2	5708.28	43.10	14.90	58.00	-	-	Vertical	NA
3	11413.35	43.32	5.31	48.63	54.00	5.37	Vertical	PASS
4	17851.26	31.95	13.97	45.92	54.00	8.08	Vertical	PASS
5	1997.15	48.19	0.81	49.00	68.20	19.20	Vertical	PASS
6	5707.73	49.71	14.90	64.61	-	-	Vertical	NA
7	11407.21	48.28	5.34	53.62	74.00	20.38	Vertical	PASS
8	17933.30	38.92	13.16	52.08	74.00	21.92	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.03	27.73	12.73	40.46	54.00	13.54	Horizontal	PASS
2	5728.90	69.85	14.91	84.76	-	-	Horizontal	NA
3	12239.84	35.63	5.35	40.98	54.00	13.02	Horizontal	PASS
4	17995.40	31.74	13.72	45.46	54.00	8.54	Horizontal	PASS
5	4984.75	36.88	12.73	49.61	74.00	24.39	Horizontal	PASS
6	5729.18	77.12	14.91	92.03	-	-	Horizontal	NA
7	12037.43	42.19	5.38	47.57	74.00	26.43	Horizontal	PASS
8	17878.48	39.14	13.62	52.76	74.00	21.24	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-2C&3
Bandwidth	20MHz	Channel	144
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4995.75	31.36	12.78	44.14	54.00	9.86	Vertical	PASS
2	5728.90	74.98	14.91	89.89	-	-	Vertical	NA
3	11441.33	44.00	5.13	49.13	54.00	4.87	Vertical	PASS
4	17979.68	32.12	13.50	45.62	54.00	8.38	Vertical	PASS
5	4985.85	41.25	12.74	53.99	74.00	20.01	Vertical	PASS
6	5728.63	79.59	14.91	94.50	-	-	Vertical	NA
7	11440.95	47.31	5.13	52.44	74.00	21.56	Vertical	PASS
8	17990.03	38.60	13.65	52.25	74.00	21.75	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4995.48	27.88	12.99	40.87	54.00	13.13	Horizontal	PASS
2	5742.65	31.77	15.67	47.44	-	-	Horizontal	NA
3	11498.45	36.12	4.82	40.94	54.00	13.06	Horizontal	PASS
4	17941.35	32.89	13.12	46.01	54.00	7.99	Horizontal	PASS
5	4994.93	36.94	12.99	49.93	74.00	24.07	Horizontal	PASS
6	5742.38	35.46	15.67	51.13	-	-	Horizontal	NA
7	11498.07	42.36	4.82	47.18	74.00	26.82	Horizontal	PASS
8	17893.43	38.90	13.43	52.33	74.00	21.67	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.58	31.31	12.98	44.29	54.00	9.71	Vertical	PASS
2	5742.38	31.33	15.67	47.00	-	-	Vertical	NA
3	11490.40	39.86	4.86	44.72	54.00	9.28	Vertical	PASS
4	17859.31	31.99	13.87	45.86	54.00	8.14	Vertical	PASS
5	4988.33	40.77	12.99	53.76	74.00	20.24	Vertical	PASS
6	5742.38	38.02	15.67	53.69	-	-	Vertical	NA
7	11490.02	46.08	4.86	50.94	74.00	23.06	Vertical	PASS
8	17845.89	38.46	13.81	52.27	74.00	21.73	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU26 Left	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4988.88	27.58	12.99	40.57	54.00	13.43	Horizontal	PASS
2	11472.38	40.93	4.96	45.89	54.00	8.11	Horizontal	PASS
3	17994.25	32.05	13.71	45.76	54.00	8.24	Horizontal	PASS
4	4985.85	35.63	12.98	48.61	74.00	25.39	Horizontal	PASS
5	11472.00	47.36	4.96	52.32	74.00	21.68	Horizontal	PASS
6	17815.23	40.02	12.51	52.53	74.00	21.47	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU26 Left	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4999.05	31.84	12.99	44.83	54.00	9.17	Vertical	PASS
2	5742.38	33.47	15.67	49.14	-	-	Vertical	NA
3	11473.15	46.53	4.95	51.48	54.00	2.52	Vertical	PASS
4	17831.33	32.54	13.19	45.73	54.00	8.27	Vertical	PASS
5	4989.70	41.34	12.99	54.33	74.00	19.67	Vertical	PASS
6	5742.10	39.81	15.67	55.48	-	-	Vertical	NA
7	11473.15	50.82	4.95	55.77	74.00	18.23	Vertical	PASS
8	17830.94	39.35	13.18	52.53	74.00	21.47	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU106 Left	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4988.33	28.29	12.99	41.28	54.00	12.72	Horizontal	PASS
2	5742.38	32.07	15.67	47.74	-	-	Horizontal	NA
3	11490.40	38.44	4.86	43.30	54.00	10.70	Horizontal	PASS
4	17994.25	31.89	13.71	45.60	54.00	8.40	Horizontal	PASS
5	4991.90	35.76	12.98	48.74	74.00	25.26	Horizontal	PASS
6	5741.83	37.23	15.67	52.90	-	-	Horizontal	NA
7	11480.82	43.77	4.91	48.68	74.00	25.32	Horizontal	PASS
8	17844.36	38.76	13.75	52.51	74.00	21.49	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU106 Left	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.93	31.34	12.99	44.33	54.00	9.67	Vertical	PASS
2	5742.10	34.59	15.67	50.26	-	-	Vertical	NA
3	11480.05	42.86	4.91	47.77	54.00	6.23	Vertical	PASS
4	17865.45	31.74	13.79	45.53	54.00	8.47	Vertical	PASS
5	3600.13	48.62	7.85	56.47	74.00	17.53	Vertical	PASS
6	5741.00	39.95	15.68	55.63	-	-	Vertical	NA
7	11478.52	48.30	4.92	53.22	74.00	20.78	Vertical	PASS
8	17959.75	38.89	13.21	52.10	74.00	21.90	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5078.80	27.73	13.27	41.00	54.00	13.00	Horizontal	PASS
2	5792.70	30.31	15.68	45.99	-	-	Horizontal	NA
3	11570.14	40.44	5.24	45.68	54.00	8.32	Horizontal	PASS
4	17988.88	32.63	13.63	46.26	54.00	7.74	Horizontal	PASS
5	4994.38	35.46	12.99	48.45	74.00	25.55	Horizontal	PASS
6	5793.25	36.78	15.68	52.46	-	-	Horizontal	NA
7	11569.75	45.44	5.23	50.67	74.00	23.33	Horizontal	PASS
8	17985.43	38.99	13.58	52.57	74.00	21.43	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4982.28	31.37	12.98	44.35	54.00	9.65	Vertical	PASS
2	5792.70	36.03	15.68	51.71	-	-	Vertical	NA
3	11564.77	41.38	5.14	46.52	54.00	7.48	Vertical	PASS
4	17832.86	32.39	13.26	45.65	54.00	8.35	Vertical	PASS
5	4993.00	41.02	12.99	54.01	74.00	19.99	Vertical	PASS
6	5788.58	40.46	15.67	56.13	-	-	Vertical	NA
7	11564.39	45.80	5.14	50.94	74.00	23.06	Vertical	PASS
8	17963.97	39.07	13.28	52.35	74.00	21.65	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5065.88	27.22	13.20	40.42	54.00	13.58	Horizontal	PASS
2	5821.58	33.36	15.65	49.01	-	-	Horizontal	NA
3	11651.41	44.19	4.15	48.34	54.00	5.66	Horizontal	PASS
4	17982.75	32.48	13.54	46.02	54.00	7.98	Horizontal	PASS
5	4988.60	35.91	12.99	48.90	74.00	25.10	Horizontal	PASS
6	5819.65	40.37	15.66	56.03	-	-	Horizontal	NA
7	11651.02	48.05	4.14	52.19	74.00	21.81	Horizontal	PASS
8	17993.87	38.88	13.71	52.59	74.00	21.41	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU242	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2255.10	41.64	1.88	43.52	54.00	10.48	Vertical	PASS
2	5821.58	37.32	15.65	52.97	-	-	Vertical	NA
3	11656.01	43.83	4.22	48.05	54.00	5.95	Vertical	PASS
4	17975.85	32.24	13.44	45.68	54.00	8.32	Vertical	PASS
5	4994.10	41.02	12.99	54.01	74.00	19.99	Vertical	PASS
6	5817.45	42.35	15.66	58.01	-	-	Vertical	NA
7	11655.62	47.61	4.21	51.82	74.00	22.18	Vertical	PASS
8	17984.28	38.90	13.57	52.47	74.00	21.53	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU26 Right	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 12		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4984.75	27.86	12.98	40.84	54.00	13.16	Horizontal	PASS
2	5833.95	36.10	15.64	51.74	-	-	Horizontal	NA
3	11666.36	46.74	4.39	51.13	54.00	2.87	Horizontal	PASS
4	17983.13	31.89	13.54	45.43	54.00	8.57	Horizontal	PASS
5	5078.53	35.94	13.27	49.21	74.00	24.79	Horizontal	PASS
6	5833.68	41.19	15.65	56.84	-	-	Horizontal	NA
7	11665.97	52.68	4.38	57.06	74.00	16.94	Horizontal	PASS
8	17977.38	39.12	13.46	52.58	74.00	21.42	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU26 Right	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 12		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.58	31.22	12.98	44.20	54.00	9.80	Vertical	PASS
2	5833.40	39.08	15.65	54.73	-	-	Vertical	NA
3	11667.12	48.77	4.40	53.17	54.00	0.83	Vertical	PASS
4	17845.89	32.43	13.81	46.24	54.00	7.76	Vertical	PASS
5	4988.33	40.66	12.99	53.65	74.00	20.35	Vertical	PASS
6	5832.58	45.72	15.65	61.37	-	-	Vertical	NA
7	11666.74	54.44	4.39	58.83	74.00	15.17	Vertical	PASS
8	17847.81	38.62	13.90	52.52	74.00	21.48	Vertical	PASS

Project Information

Mode:	802.11ax(HE20) RU52 Right	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5029.58	27.63	13.07	40.70	54.00	13.30	Horizontal	PASS
2	5831.48	34.28	15.64	49.92	-	-	Horizontal	NA
3	11665.97	47.87	4.38	52.25	54.00	1.75	Horizontal	PASS
4	17989.27	32.08	13.64	45.72	54.00	8.28	Horizontal	PASS
5	4972.65	35.64	12.98	48.62	74.00	25.38	Horizontal	PASS
6	5831.48	40.38	15.64	56.02	-	-	Horizontal	NA
7	11665.59	51.73	4.37	56.10	74.00	17.90	Horizontal	PASS
8	17998.85	38.49	13.78	52.27	74.00	21.73	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU52 Right	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4993.55	31.42	12.99	44.41	54.00	9.59	Vertical	PASS
2	5832.58	36.83	15.65	52.48	-	-	Vertical	NA
3	11665.59	46.89	4.37	51.26	54.00	2.74	Vertical	PASS
4	17838.99	31.58	13.52	45.10	54.00	8.90	Vertical	PASS
5	4993.28	40.97	12.99	53.96	74.00	20.04	Vertical	PASS
6	5832.30	43.76	15.64	59.40	-	-	Vertical	NA
7	11664.44	53.51	4.35	57.86	74.00	16.14	Vertical	PASS
8	17865.83	38.59	13.78	52.37	74.00	21.63	Vertical	PASS