


Project Information

Mode:	MIMO 802.11ax(HE20) RU26 Right	Band:	U-NII-7
Bandwidth	20MHz	Channel	181
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power -9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4984.05	30.82	13.19	44.01	54.00	9.99	Vertical	PASS
2	7440.00	27.88	18.80	46.68	54.00	7.32	Vertical	PASS
3	17841.66	31.53	13.79	45.32	54.00	8.68	Vertical	PASS
4	4992.45	40.90	13.20	54.10	74.00	19.90	Vertical	PASS
5	7430.20	36.65	18.82	55.47	74.00	18.53	Vertical	PASS
6	17829.99	38.84	13.48	52.32	74.00	21.68	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE20) RU106 Right	Band:	U-NII-7
Bandwidth	20MHz	Channel	181
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power -3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5055.80	27.52	13.53	41.05	54.00	12.95	Horizontal	PASS
2	7474.65	28.08	18.79	46.87	54.00	7.13	Horizontal	PASS
3	17842.33	32.01	13.81	45.82	54.00	8.18	Horizontal	PASS
4	5062.10	35.63	13.59	49.22	74.00	24.78	Horizontal	PASS
5	7464.15	36.20	18.79	54.99	74.00	19.01	Horizontal	PASS
6	17993.67	39.07	13.99	53.06	74.00	20.94	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE20) RU106 Right	Band:	U-NII-7
Bandwidth	20MHz	Channel	181
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power -3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.45	31.45	13.19	44.64	54.00	9.36	Vertical	PASS
2	7491.10	28.22	18.79	47.01	54.00	6.99	Vertical	PASS
3	17852.66	32.21	13.98	46.19	54.00	7.81	Vertical	PASS
4	4983.00	41.11	13.19	54.30	74.00	19.70	Vertical	PASS
5	7627.95	36.19	18.94	55.13	74.00	18.87	Vertical	PASS
6	17912.00	40.00	13.29	53.29	74.00	20.71	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE20) RU242	Band:	U-NII-7&8
Bandwidth	20MHz	Channel	185
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5095.00	27.41	13.91	41.32	54.00	12.68	Horizontal	PASS
2	6884.20	47.88	18.61	66.49	-	-	Horizontal	NA
3	7435.80	27.81	18.81	46.62	54.00	7.38	Horizontal	PASS
4	17851.66	32.11	13.99	46.10	54.00	7.90	Horizontal	PASS
5	4989.30	36.30	13.20	49.50	74.00	24.50	Horizontal	PASS
6	6883.85	52.55	18.61	71.16	-	-	Horizontal	NA
7	7720.35	35.19	19.47	54.66	74.00	19.34	Horizontal	PASS
8	17972.67	38.95	13.83	52.78	74.00	21.22	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE20) RU242	Band:	U-NII-7&8
Bandwidth	20MHz	Channel	185
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.45	31.25	13.19	44.44	54.00	9.56	Vertical	PASS
2	6883.85	54.16	18.61	72.77	-	-	Vertical	NA
3	7420.40	27.85	18.83	46.68	54.00	7.32	Vertical	PASS
4	17841.99	31.93	13.80	45.73	54.00	8.27	Vertical	PASS
5	4986.85	40.47	13.19	53.66	74.00	20.34	Vertical	PASS
6	6884.20	59.07	18.61	77.68	-	-	Vertical	NA
7	7472.20	36.34	18.78	55.12	74.00	18.88	Vertical	PASS
8	17945.33	38.89	13.60	52.49	74.00	21.51	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE20) RU242	Band:	U-NII-8
Bandwidth	20MHz	Channel	213
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5053.70	27.38	13.61	40.99	54.00	13.01	Horizontal	PASS
2	7018.95	31.81	19.35	51.16	-	-	Horizontal	NA
3	7363.35	27.66	18.73	46.39	54.00	7.61	Horizontal	PASS
4	17866.00	32.32	13.75	46.07	54.00	7.93	Horizontal	PASS
5	5081.00	35.62	13.59	49.21	74.00	24.79	Horizontal	PASS
6	7019.30	37.07	19.35	56.42	-	-	Horizontal	NA
7	7722.10	35.22	19.24	54.46	74.00	19.54	Horizontal	PASS
8	17828.66	39.33	13.44	52.77	74.00	21.23	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE20) RU242	Band:	U-NII-8
Bandwidth	20MHz	Channel	213
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4982.30	31.98	13.04	45.02	54.00	8.98	Vertical	PASS
2	7017.90	40.31	19.35	59.66	-	-	Vertical	NA
3	7494.95	28.19	18.86	47.05	54.00	6.95	Vertical	PASS
4	17863.66	32.73	13.79	46.52	54.00	7.48	Vertical	PASS
5	4987.20	40.93	13.03	53.96	74.00	20.04	Vertical	PASS
6	7017.20	46.27	19.34	65.61	-	-	Vertical	NA
7	7432.65	35.38	18.76	54.14	74.00	19.86	Vertical	PASS
8	17914.00	39.14	13.31	52.45	74.00	21.55	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE20) RU242	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5143.30	27.54	13.83	41.37	54.00	12.63	Horizontal	PASS
2	7114.50	37.13	19.47	56.60	-	-	Horizontal	NA
3	7727.70	27.57	19.29	46.86	54.00	7.14	Horizontal	PASS
4	17995.33	32.42	14.00	46.42	54.00	7.58	Horizontal	PASS
5	4993.15	36.01	13.02	49.03	74.00	24.97	Horizontal	PASS
6	7114.15	45.88	19.47	65.35	-	-	Horizontal	NA
7	7693.05	35.66	19.05	54.71	74.00	19.29	Horizontal	PASS
8	17933.33	39.94	13.49	53.43	74.00	20.57	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE20) RU242	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.35	31.34	13.05	44.39	54.00	9.61	Vertical	PASS
2	7114.15	47.80	19.47	67.27	-	-	Vertical	NA
3	7479.55	28.11	18.82	46.93	54.00	7.07	Vertical	PASS
4	17845.99	31.84	13.91	45.75	54.00	8.25	Vertical	PASS
5	4985.80	40.55	13.04	53.59	74.00	20.41	Vertical	PASS
6	7114.15	52.30	19.47	71.77	-	-	Vertical	NA
7	7479.20	35.24	18.82	54.06	74.00	19.94	Vertical	PASS
8	17993.67	38.82	13.99	52.81	74.00	21.19	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE20) RU26 Right	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power -9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5053.70	28.04	13.61	41.65	54.00	12.35	Horizontal	PASS
2	7115.90	35.99	19.47	55.46	-	-	Horizontal	NA
3	7485.85	28.07	18.83	46.90	54.00	7.10	Horizontal	PASS
4	17851.00	31.99	14.00	45.99	54.00	8.01	Horizontal	PASS
5	4996.30	36.84	13.01	49.85	74.00	24.15	Horizontal	PASS
6	7115.55	41.37	19.47	60.84	-	-	Horizontal	NA
7	7401.15	36.07	18.82	54.89	74.00	19.11	Horizontal	PASS
8	17859.33	38.89	13.86	52.75	74.00	21.25	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE20) RU26 Right	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power -9		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4987.90	32.75	13.04	45.79	54.00	8.21	Vertical	PASS
2	7116.60	45.36	19.48	64.84	-	-	Vertical	NA
3	7461.00	28.19	18.75	46.94	54.00	7.06	Vertical	PASS
4	17804.33	33.17	12.78	45.95	54.00	8.05	Vertical	PASS
5	4987.90	42.25	13.04	55.29	74.00	18.71	Vertical	PASS
6	7115.90	49.08	19.47	68.55	-	-	Vertical	NA
7	7360.20	35.50	18.72	54.22	74.00	19.78	Vertical	PASS
8	17884.66	39.44	13.43	52.87	74.00	21.13	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE20) RU52 Right	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power -6		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5051.25	27.58	13.61	41.19	54.00	12.81	Horizontal	PASS
2	7112.75	35.74	19.46	55.20	-	-	Horizontal	NA
3	7723.50	27.36	19.26	46.62	54.00	7.38	Horizontal	PASS
4	17993.00	31.93	13.98	45.91	54.00	8.09	Horizontal	PASS
5	4993.50	36.33	13.02	49.35	74.00	24.65	Horizontal	PASS
6	7113.10	40.43	19.46	59.89	-	-	Horizontal	NA
7	7486.55	36.05	18.83	54.88	74.00	19.12	Horizontal	PASS
8	17985.33	39.34	13.92	53.26	74.00	20.74	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE20) RU106 Right	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power -6		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4981.95	31.87	13.04	44.91	54.00	9.09	Vertical	PASS
2	7114.15	45.09	19.47	64.56	-	-	Vertical	NA
3	7398.70	28.00	18.82	46.82	54.00	7.18	Vertical	PASS
4	17861.00	32.53	13.83	46.36	54.00	7.64	Vertical	PASS
5	4981.60	42.03	13.04	55.07	74.00	18.93	Vertical	PASS
6	7113.80	49.60	19.47	69.07	-	-	Vertical	NA
7	7476.05	35.36	18.80	54.16	74.00	19.84	Vertical	PASS
8	17837.33	39.50	13.67	53.17	74.00	20.83	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE20) RU106 Right	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5060.70	28.22	13.60	41.82	54.00	12.18	Horizontal	PASS
2	7116.95	36.64	19.48	56.12	-	-	Horizontal	NA
3	7480.25	28.40	18.82	47.22	54.00	6.78	Horizontal	PASS
4	17997.67	31.73	14.02	45.75	54.00	8.25	Horizontal	PASS
5	4981.60	37.41	13.04	50.45	74.00	23.55	Horizontal	PASS
6	7115.55	41.04	19.47	60.51	-	-	Horizontal	NA
7	7486.55	35.16	18.83	53.99	74.00	20.01	Horizontal	PASS
8	17935.00	40.09	13.51	53.60	74.00	20.40	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE20) RU106 Right	Band:	U-NII-8
Bandwidth	20MHz	Channel	233
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.00	31.58	13.05	44.63	54.00	9.37	Vertical	PASS
2	7116.95	46.74	19.48	66.22	-	-	Vertical	NA
3	7389.95	28.03	18.80	46.83	54.00	7.17	Vertical	PASS
4	17849.33	31.87	14.00	45.87	54.00	8.13	Vertical	PASS
5	4984.40	41.04	13.04	54.08	74.00	19.92	Vertical	PASS
6	7116.60	51.91	19.48	71.39	-	-	Vertical	NA
7	7389.60	35.88	18.80	54.68	74.00	19.32	Vertical	PASS
8	17852.00	39.54	13.98	53.52	74.00	20.48	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4994.90	27.84	13.49	41.33	54.00	12.67	Horizontal	PASS
2	7477.10	28.35	18.96	47.31	54.00	6.69	Horizontal	PASS
3	17861.66	32.64	13.82	46.46	54.00	7.54	Horizontal	PASS
4	4981.60	36.12	13.40	49.52	74.00	24.48	Horizontal	PASS
5	7434.75	35.54	18.91	54.45	74.00	19.55	Horizontal	PASS
6	17856.33	38.84	13.91	52.75	74.00	21.25	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-5
Bandwidth	40MHz	Channel	3
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4984.40	31.20	13.42	44.62	54.00	9.38	Vertical	PASS
2	5956.35	32.52	16.00	48.52	-	-	Vertical	NA
3	7489.00	28.40	19.01	47.41	54.00	6.59	Vertical	PASS
4	17847.33	31.50	13.94	45.44	54.00	8.56	Vertical	PASS
5	4997.00	40.44	13.50	53.94	74.00	20.06	Vertical	PASS
6	5956.00	38.20	16.01	54.21	-	-	Vertical	NA
7	7475.70	35.80	18.96	54.76	74.00	19.24	Vertical	PASS
8	17858.00	38.42	13.89	52.31	74.00	21.69	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-5-
Bandwidth	40MHz	Channel	43
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.80	28.14	13.43	41.57	54.00	12.43	Horizontal	PASS
2	7465.90	28.43	18.93	47.36	54.00	6.64	Horizontal	PASS
3	17864.00	32.10	13.78	45.88	54.00	8.12	Horizontal	PASS
4	4987.20	35.78	13.43	49.21	74.00	24.79	Horizontal	PASS
5	7365.45	36.25	18.71	54.96	74.00	19.04	Horizontal	PASS
6	17945.33	39.11	13.60	52.71	74.00	21.29	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-5
Bandwidth	40MHz	Channel	43
IMEI:	--	Engineer:	Ou shuyan
Remark:	Power 3		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4992.80	31.81	13.48	45.29	54.00	8.71	Vertical	PASS
2	7411.30	27.83	18.96	46.79	54.00	7.21	Vertical	PASS
3	17846.33	31.80	13.92	45.72	54.00	8.28	Vertical	PASS
4	4984.75	40.80	13.42	54.22	74.00	19.78	Vertical	PASS
5	7515.25	35.28	19.06	54.34	74.00	19.66	Vertical	PASS
6	17800.99	40.39	12.69	53.08	74.00	20.92	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-5
Bandwidth	40MHz	Channel	91
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5059.30	27.75	13.76	41.51	54.00	12.49	Horizontal	PASS
2	7403.95	27.81	18.98	46.79	54.00	7.21	Horizontal	PASS
3	17994.67	32.06	14.00	46.06	54.00	7.94	Horizontal	PASS
4	4993.15	36.74	13.48	50.22	74.00	23.78	Horizontal	PASS
5	7385.40	35.58	18.87	54.45	74.00	19.55	Horizontal	PASS
6	17991.33	39.18	13.98	53.16	74.00	20.84	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-5
Bandwidth	40MHz	Channel	91
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.35	31.30	13.42	44.72	54.00	9.28	Vertical	PASS
2	7497.05	28.18	19.04	47.22	54.00	6.78	Vertical	PASS
3	17845.99	31.79	13.91	45.70	54.00	8.30	Vertical	PASS
4	4988.25	41.03	13.45	54.48	74.00	19.52	Vertical	PASS
5	7435.80	36.18	18.91	55.09	74.00	18.91	Vertical	PASS
6	17860.00	38.74	13.85	52.59	74.00	21.41	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-6
Bandwidth	40MHz	Channel	99
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5104.45	27.22	14.08	41.30	54.00	12.70	Horizontal	PASS
2	7489.00	28.08	18.87	46.95	54.00	7.05	Horizontal	PASS
3	17999.00	32.17	14.04	46.21	54.00	7.79	Horizontal	PASS
4	4987.20	36.47	13.22	49.69	74.00	24.31	Horizontal	PASS
5	7459.95	35.37	18.88	54.25	74.00	19.75	Horizontal	PASS
6	17860.33	39.24	13.84	53.08	74.00	20.92	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-6
Bandwidth	40MHz	Channel	99
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4984.40	31.45	13.22	44.67	54.00	9.33	Vertical	PASS
2	7443.50	27.79	18.89	46.68	54.00	7.32	Vertical	PASS
3	17989.00	32.19	13.96	46.15	54.00	7.85	Vertical	PASS
4	4999.80	40.90	13.25	54.15	74.00	19.85	Vertical	PASS
5	7708.45	35.18	19.42	54.60	74.00	19.40	Vertical	PASS
6	17863.66	38.91	13.79	52.70	74.00	21.30	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-6
Bandwidth	40MHz	Channel	107
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4988.95	28.04	13.23	41.27	54.00	12.73	Horizontal	PASS
2	7477.10	27.81	18.87	46.68	54.00	7.32	Horizontal	PASS
3	17986.00	32.08	13.93	46.01	54.00	7.99	Horizontal	PASS
4	5107.25	34.88	14.09	48.97	74.00	25.03	Horizontal	PASS
5	7435.10	35.24	18.90	54.14	74.00	19.86	Horizontal	PASS
6	17842.33	38.84	13.81	52.65	74.00	21.35	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-6
Bandwidth	40MHz	Channel	107
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.10	31.34	13.22	44.56	54.00	9.44	Vertical	PASS
2	7437.20	27.78	18.89	46.67	54.00	7.33	Vertical	PASS
3	17852.33	31.67	13.98	45.65	54.00	8.35	Vertical	PASS
4	4988.25	40.76	13.23	53.99	74.00	20.01	Vertical	PASS
5	7432.65	35.93	18.90	54.83	74.00	19.17	Vertical	PASS
6	17838.33	38.34	13.71	52.05	74.00	21.95	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-6&7
Bandwidth	40MHz	Channel	115
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4984.40	27.94	13.19	41.13	54.00	12.87	Horizontal	PASS
2	6506.90	56.18	17.73	73.91	-	-	Horizontal	NA
3	7401.50	27.68	18.86	46.54	54.00	7.46	Horizontal	PASS
4	17995.33	31.97	14.00	45.97	54.00	8.03	Horizontal	PASS
5	4987.90	36.17	13.20	49.37	74.00	24.63	Horizontal	PASS
6	6506.55	60.30	17.73	78.03	-	-	Horizontal	NA
7	7486.20	36.38	18.79	55.17	74.00	18.83	Horizontal	PASS
8	17936.00	39.37	13.51	52.88	74.00	21.12	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-6&7
Bandwidth	40MHz	Channel	115
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4984.75	31.85	13.19	45.04	54.00	8.96	Vertical	PASS
2	6506.20	61.16	17.73	78.89	-	-	Vertical	NA
3	7478.50	28.48	18.79	47.27	54.00	6.73	Vertical	PASS
4	17932.66	32.10	13.48	45.58	54.00	8.42	Vertical	PASS
5	4991.40	40.14	13.20	53.34	74.00	20.66	Vertical	PASS
6	6505.85	66.19	17.73	83.92	-	-	Vertical	NA
7	7688.85	35.19	19.38	54.57	74.00	19.43	Vertical	PASS
8	17845.33	39.16	13.89	53.05	74.00	20.95	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-7
Bandwidth	40MHz	Channel	123
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4998.75	28.25	13.22	41.47	54.00	12.53	Horizontal	PASS
2	7724.55	26.99	19.48	46.47	54.00	7.53	Horizontal	PASS
3	17935.66	32.71	13.51	46.22	54.00	7.78	Horizontal	PASS
4	4998.40	36.40	13.22	49.62	74.00	24.38	Horizontal	PASS
5	7714.75	35.08	19.45	54.53	74.00	19.47	Horizontal	PASS
6	17976.33	38.28	13.86	52.14	74.00	21.86	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-7
Bandwidth	40MHz	Channel	123
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.00	31.21	13.19	44.40	54.00	9.60	Vertical	PASS
2	7554.45	27.81	18.91	46.72	54.00	7.28	Vertical	PASS
3	17987.33	31.71	13.94	45.65	54.00	8.35	Vertical	PASS
4	4992.80	40.78	13.21	53.99	74.00	20.01	Vertical	PASS
5	7449.45	35.48	18.78	54.26	74.00	19.74	Vertical	PASS
6	17987.00	39.35	13.94	53.29	74.00	20.71	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-7
Bandwidth	40MHz	Channel	155
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5058.25	27.33	13.56	40.89	54.00	13.11	Horizontal	PASS
2	7707.40	27.72	19.41	47.13	54.00	6.87	Horizontal	PASS
3	17997.33	32.28	14.02	46.30	54.00	7.70	Horizontal	PASS
4	4985.80	35.96	13.19	49.15	74.00	24.85	Horizontal	PASS
5	7707.05	35.82	19.41	55.23	74.00	18.77	Horizontal	PASS
6	17937.66	40.03	13.53	53.56	74.00	20.44	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-7
Bandwidth	40MHz	Channel	155
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4984.40	31.30	13.19	44.49	54.00	9.51	Vertical	PASS
2	7442.80	27.95	18.79	46.74	54.00	7.26	Vertical	PASS
3	17990.00	31.78	13.96	45.74	54.00	8.26	Vertical	PASS
4	4987.20	41.46	13.19	54.65	74.00	19.35	Vertical	PASS
5	7417.60	35.94	18.84	54.78	74.00	19.22	Vertical	PASS
6	17857.66	38.85	13.89	52.74	74.00	21.26	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-7
Bandwidth	40MHz	Channel	179
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5058.95	27.47	13.57	41.04	54.00	12.96	Horizontal	PASS
2	7453.65	27.76	18.78	46.54	54.00	7.46	Horizontal	PASS
3	17857.66	32.04	13.89	45.93	54.00	8.07	Horizontal	PASS
4	4997.35	36.89	13.21	50.10	74.00	23.90	Horizontal	PASS
5	7490.05	35.53	18.80	54.33	74.00	19.67	Horizontal	PASS
6	17976.00	39.12	13.85	52.97	74.00	21.03	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-7
Bandwidth	40MHz	Channel	179
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4986.85	31.46	13.19	44.65	54.00	9.35	Vertical	PASS
2	7399.05	27.93	18.86	46.79	54.00	7.21	Vertical	PASS
3	17846.66	32.25	13.93	46.18	54.00	7.82	Vertical	PASS
4	4991.40	41.32	13.20	54.52	74.00	19.48	Vertical	PASS
5	7556.20	35.85	18.89	54.74	74.00	19.26	Vertical	PASS
6	17997.67	38.74	14.02	52.76	74.00	21.24	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-7&8
Bandwidth	40MHz	Channel	187
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5030.95	27.72	13.38	41.10	54.00	12.90	Horizontal	PASS
2	6867.05	51.73	18.99	70.72	-	-	Horizontal	NA
3	7678.70	27.51	19.01	46.52	54.00	7.48	Horizontal	PASS
4	17863.33	32.11	13.80	45.91	54.00	8.09	Horizontal	PASS
5	4981.95	36.45	13.04	49.49	74.00	24.51	Horizontal	PASS
6	6866.70	57.12	18.99	76.11	-	-	Horizontal	NA
7	7654.55	35.44	18.93	54.37	74.00	19.63	Horizontal	PASS
8	17925.66	38.93	13.41	52.34	74.00	21.66	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-7&8
Bandwidth	40MHz	Channel	187
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.80	31.37	13.04	44.41	54.00	9.59	Vertical	PASS
2	6866.70	59.56	18.99	78.55	-	-	Vertical	NA
3	7478.50	28.18	18.81	46.99	54.00	7.01	Vertical	PASS
4	17941.33	31.88	13.57	45.45	54.00	8.55	Vertical	PASS
5	4990.00	41.31	13.03	54.34	74.00	19.66	Vertical	PASS
6	6866.00	65.45	18.98	84.43	-	-	Vertical	NA
7	7491.10	35.92	18.85	54.77	74.00	19.23	Vertical	PASS
8	17968.67	39.46	13.79	53.25	74.00	20.75	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-8
Bandwidth	40MHz	Channel	211
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4987.20	28.02	13.03	41.05	54.00	12.95	Horizontal	PASS
2	6997.95	29.64	19.32	48.96	-	-	Horizontal	NA
3	7484.45	28.11	18.83	46.94	54.00	7.06	Horizontal	PASS
4	17872.66	32.27	13.64	45.91	54.00	8.09	Horizontal	PASS
5	4986.85	36.54	13.03	49.57	74.00	24.43	Horizontal	PASS
6	6997.60	36.57	19.32	55.89	-	-	Horizontal	NA
7	7431.60	36.24	18.75	54.99	74.00	19.01	Horizontal	PASS
8	17929.00	39.30	13.45	52.75	74.00	21.25	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-8
Bandwidth	40MHz	Channel	211
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.70	31.68	13.04	44.72	54.00	9.28	Vertical	PASS
2	6998.65	40.71	19.32	60.03	-	-	Vertical	NA
3	7495.30	27.73	18.86	46.59	54.00	7.41	Vertical	PASS
4	17936.66	32.29	13.53	45.82	54.00	8.18	Vertical	PASS
5	4989.30	40.53	13.03	53.56	74.00	20.44	Vertical	PASS
6	6997.60	47.79	19.32	67.11	-	-	Vertical	NA
7	7337.80	35.69	18.73	54.42	74.00	19.58	Vertical	PASS
8	17928.00	39.68	13.44	53.12	74.00	20.88	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-8
Bandwidth	40MHz	Channel	227
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4991.40	28.27	13.02	41.29	54.00	12.71	Horizontal	PASS
2	7485.50	27.68	18.83	46.51	54.00	7.49	Horizontal	PASS
3	17844.99	32.14	13.88	46.02	54.00	7.98	Horizontal	PASS
4	4991.05	36.83	13.02	49.85	74.00	24.15	Horizontal	PASS
5	7395.90	35.99	18.81	54.80	74.00	19.20	Horizontal	PASS
6	17929.33	39.24	13.45	52.69	74.00	21.31	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE40) RU484	Band:	U-NII-8
Bandwidth	40MHz	Channel	227
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4982.30	31.77	13.04	44.81	54.00	9.19	Vertical	PASS
2	7072.50	35.18	19.41	54.59	-	-	Vertical	NA
3	7494.25	27.52	18.86	46.38	54.00	7.62	Vertical	PASS
4	17850.33	32.04	14.01	46.05	54.00	7.95	Vertical	PASS
5	4982.65	41.41	13.05	54.46	74.00	19.54	Vertical	PASS
6	7072.50	41.77	19.41	61.18	-	-	Vertical	NA
7	7361.60	35.45	18.73	54.18	74.00	19.82	Vertical	PASS
8	17978.33	39.19	13.87	53.06	74.00	20.94	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE80) RU996	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4988.60	28.12	13.45	41.57	54.00	12.43	Horizontal	PASS
2	7476.05	28.22	18.96	47.18	54.00	6.82	Horizontal	PASS
3	17995.33	31.93	14.00	45.93	54.00	8.07	Horizontal	PASS
4	4982.65	36.11	13.41	49.52	74.00	24.48	Horizontal	PASS
5	7410.60	35.82	18.97	54.79	74.00	19.21	Horizontal	PASS
6	17850.33	38.87	14.01	52.88	74.00	21.12	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE80) RU996	Band:	U-NII-5
Bandwidth	80MHz	Channel	7
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4984.75	31.48	13.42	44.90	54.00	9.10	Vertical	PASS
2	6002.55	32.82	15.94	48.76	-	-	Vertical	NA
3	11991.47	40.84	5.30	46.14	54.00	7.86	Vertical	PASS
4	17996.67	32.52	14.02	46.54	54.00	7.46	Vertical	PASS
5	4985.10	40.49	13.42	53.91	74.00	20.09	Vertical	PASS
6	6002.55	38.50	15.94	54.44	-	-	Vertical	NA
7	11991.13	46.42	5.30	51.72	74.00	22.28	Vertical	PASS
8	17841.99	38.75	13.80	52.55	74.00	21.45	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE80) RU996	Band:	U-NII-5
Bandwidth	80MHz	Channel	39
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5076.10	27.89	13.98	41.87	54.00	12.13	Horizontal	PASS
2	7453.65	27.80	18.89	46.69	54.00	7.31	Horizontal	PASS
3	17838.33	32.03	13.71	45.74	54.00	8.26	Horizontal	PASS
4	5107.95	34.86	14.30	49.16	74.00	24.84	Horizontal	PASS
5	7383.30	36.18	18.85	55.03	74.00	18.97	Horizontal	PASS
6	17944.00	39.28	13.60	52.88	74.00	21.12	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE80) RU996	Band:	U-NII-5
Bandwidth	80MHz	Channel	39
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4982.30	31.44	13.40	44.84	54.00	9.16	Vertical	PASS
2	7457.85	28.09	18.90	46.99	54.00	7.01	Vertical	PASS
3	17847.33	32.29	13.94	46.23	54.00	7.77	Vertical	PASS
4	4984.75	40.87	13.42	54.29	74.00	19.71	Vertical	PASS
5	7655.25	35.68	19.20	54.88	74.00	19.12	Vertical	PASS
6	17865.00	38.90	13.77	52.67	74.00	21.33	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE80) RU996	Band:	U-NII-5
Bandwidth	80MHz	Channel	87
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4998.40	28.27	13.51	41.78	54.00	12.22	Horizontal	PASS
2	7477.80	27.89	18.97	46.86	54.00	7.14	Horizontal	PASS
3	17857.66	32.29	13.89	46.18	54.00	7.82	Horizontal	PASS
4	4981.95	36.95	13.40	50.35	74.00	23.65	Horizontal	PASS
5	7531.00	35.18	19.07	54.25	74.00	19.75	Horizontal	PASS
6	17855.33	38.88	13.93	52.81	74.00	21.19	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE80) RU996	Band:	U-NII-5
Bandwidth	80MHz	Channel	87
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.70	31.86	13.42	45.28	54.00	8.72	Vertical	PASS
2	7405.00	27.80	18.98	46.78	54.00	7.22	Vertical	PASS
3	17840.33	32.00	13.76	45.76	54.00	8.24	Vertical	PASS
4	4983.35	41.35	13.42	54.77	74.00	19.23	Vertical	PASS
5	7409.90	35.21	18.97	54.18	74.00	19.82	Vertical	PASS
6	17836.66	38.73	13.65	52.38	74.00	21.62	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE80) RU996	Band:	U-NII-6
Bandwidth	80MHz	Channel	103
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4986.15	28.93	13.22	42.15	54.00	11.85	Horizontal	PASS
2	7673.45	27.53	19.36	46.89	54.00	7.11	Horizontal	PASS
3	17980.67	31.85	13.89	45.74	54.00	8.26	Horizontal	PASS
4	4985.80	37.29	13.22	50.51	74.00	23.49	Horizontal	PASS
5	7673.10	36.24	19.36	55.60	74.00	18.40	Horizontal	PASS
6	17833.33	38.89	13.57	52.46	74.00	21.54	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE80) RU996	Band:	U-NII-6
Bandwidth	80MHz	Channel	103
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.45	32.10	13.22	45.32	54.00	8.68	Vertical	PASS
2	7409.55	27.53	18.93	46.46	54.00	7.54	Vertical	PASS
3	17979.00	32.25	13.88	46.13	54.00	7.87	Vertical	PASS
4	4985.10	41.47	13.22	54.69	74.00	19.31	Vertical	PASS
5	7445.60	35.48	18.89	54.37	74.00	19.63	Vertical	PASS
6	17889.00	39.60	13.36	52.96	74.00	21.04	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE80) RU996	Band:	U-NII-6&7
Bandwidth	80MHz	Channel	119
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5081.70	27.40	13.78	41.18	54.00	12.82	Horizontal	PASS
2	6506.55	49.91	17.73	67.64	-	-	Horizontal	NA
3	7476.40	28.05	18.79	46.84	54.00	7.16	Horizontal	PASS
4	17999.67	31.94	14.04	45.98	54.00	8.02	Horizontal	PASS
5	5065.60	35.68	13.63	49.31	74.00	24.69	Horizontal	PASS
6	6506.55	56.16	17.73	73.89	-	-	Horizontal	NA
7	7466.95	35.62	18.78	54.40	74.00	19.60	Horizontal	PASS
8	17850.00	39.07	14.02	53.09	74.00	20.91	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE80) RU996	Band:	U-NII-6&7
Bandwidth	80MHz	Channel	119
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4984.75	31.62	13.19	44.81	54.00	9.19	Vertical	PASS
2	6507.60	57.57	17.74	75.31	-	-	Vertical	NA
3	7445.60	27.87	18.79	46.66	54.00	7.34	Vertical	PASS
4	17930.66	32.00	13.46	45.46	54.00	8.54	Vertical	PASS
5	4986.15	40.66	13.19	53.85	74.00	20.15	Vertical	PASS
6	6506.55	64.87	17.73	82.60	-	-	Vertical	NA
7	7415.50	35.50	18.84	54.34	74.00	19.66	Vertical	PASS
8	17860.33	38.95	13.84	52.79	74.00	21.21	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE80) RU996	Band:	U-NII-7
Bandwidth	80MHz	Channel	135
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4982.30	27.51	13.18	40.69	54.00	13.31	Horizontal	PASS
2	7484.10	27.89	18.80	46.69	54.00	7.31	Horizontal	PASS
3	17936.33	32.92	13.52	46.44	54.00	7.56	Horizontal	PASS
4	4982.30	36.26	13.18	49.44	74.00	24.56	Horizontal	PASS
5	7471.15	35.65	18.79	54.44	74.00	19.56	Horizontal	PASS
6	17980.00	39.44	13.88	53.32	74.00	20.68	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE80) RU996	Band:	U-NII-7
Bandwidth	80MHz	Channel	135
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4986.50	31.22	13.19	44.41	54.00	9.59	Vertical	PASS
2	7400.45	27.49	18.87	46.36	54.00	7.64	Vertical	PASS
3	17983.67	31.55	13.91	45.46	54.00	8.54	Vertical	PASS
4	4986.15	40.50	13.19	53.69	74.00	20.31	Vertical	PASS
5	7429.15	35.44	18.81	54.25	74.00	19.75	Vertical	PASS
6	17936.33	39.71	13.52	53.23	74.00	20.77	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE80) RU996	Band:	U-NII-7
Bandwidth	80MHz	Channel	151
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4974.25	27.83	13.18	41.01	54.00	12.99	Horizontal	PASS
2	7399.75	27.84	18.87	46.71	54.00	7.29	Horizontal	PASS
3	17841.66	32.03	13.79	45.82	54.00	8.18	Horizontal	PASS
4	4986.15	35.83	13.19	49.02	74.00	24.98	Horizontal	PASS
5	7490.05	35.65	18.80	54.45	74.00	19.55	Horizontal	PASS
6	17850.00	38.68	14.02	52.70	74.00	21.30	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE80) RU996	Band:	U-NII-7
Bandwidth	80MHz	Channel	151
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.10	31.24	13.19	44.43	54.00	9.57	Vertical	PASS
2	7456.80	27.84	18.78	46.62	54.00	7.38	Vertical	PASS
3	17854.00	31.74	13.95	45.69	54.00	8.31	Vertical	PASS
4	4986.50	40.98	13.19	54.17	74.00	19.83	Vertical	PASS
5	7489.70	36.05	18.80	54.85	74.00	19.15	Vertical	PASS
6	17992.67	39.35	13.98	53.33	74.00	20.67	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE80) RU996	Band:	U-NII-7
Bandwidth	80MHz	Channel	167
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4982.65	28.10	13.19	41.29	54.00	12.71	Horizontal	PASS
2	7445.95	27.58	18.79	46.37	54.00	7.63	Horizontal	PASS
3	17858.00	32.09	13.89	45.98	54.00	8.02	Horizontal	PASS
4	5092.55	35.16	13.89	49.05	74.00	24.95	Horizontal	PASS
5	7478.85	35.70	18.79	54.49	74.00	19.51	Horizontal	PASS
6	17938.66	39.24	13.54	52.78	74.00	21.22	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE80) RU996	Band:	U-NII-7
Bandwidth	80MHz	Channel	167
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4986.15	31.65	13.19	44.84	54.00	9.16	Vertical	PASS
2	7459.95	28.03	18.78	46.81	54.00	7.19	Vertical	PASS
3	17844.33	33.11	13.87	46.98	54.00	7.02	Vertical	PASS
4	4992.45	41.16	13.20	54.36	74.00	19.64	Vertical	PASS
5	7626.55	35.53	18.92	54.45	74.00	19.55	Vertical	PASS
6	17843.99	39.35	13.86	53.21	74.00	20.79	Vertical	PASS