


Project Information

Mode:	802.11ax(HE20) RU106 Right	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 22		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5047.45	27.58	13.11	40.69	54.00	13.31	Horizontal	PASS
2	5817.73	35.32	15.67	50.99	-	-	Horizontal	NA
3	11651.41	43.89	4.15	48.04	54.00	5.96	Horizontal	PASS
4	17983.52	32.27	13.55	45.82	54.00	8.18	Horizontal	PASS
5	4983.93	35.91	12.99	48.90	74.00	25.10	Horizontal	PASS
6	5821.58	40.86	15.65	56.51	-	-	Horizontal	NA
7	11660.61	48.65	4.29	52.94	74.00	21.06	Horizontal	PASS
8	17980.07	39.16	13.50	52.66	74.00	21.34	Horizontal	PASS

Project Information

Mode:	802.11ax(HE20) RU106 Right	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 22		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4982.28	32.19	12.98	45.17	54.00	8.83	Vertical	PASS
2	5822.40	36.19	15.65	51.84	-	-	Vertical	NA
3	11657.92	42.24	4.24	46.48	54.00	7.52	Vertical	PASS
4	17866.98	31.93	13.77	45.70	54.00	8.30	Vertical	PASS
5	4982.00	41.53	12.98	54.51	74.00	19.49	Vertical	PASS
6	5822.13	42.59	15.65	58.24	-	-	Vertical	NA
7	11657.54	49.00	4.24	53.24	74.00	20.76	Vertical	PASS
8	17981.22	39.34	13.51	52.85	74.00	21.15	Vertical	PASS

Project Information

Mode:	802.11ax(HE40)) RU484	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5044.43	27.37	13.31	40.68	54.00	13.32	Horizontal	PASS
2	5176.15	33.29	13.91	47.20	-	-	Horizontal	NA
3	11370.80	35.14	5.18	40.32	54.00	13.68	Horizontal	PASS
4	17980.45	32.35	13.51	45.86	54.00	8.14	Horizontal	PASS
5	4981.73	36.72	12.95	49.67	74.00	24.33	Horizontal	PASS
6	5188.80	40.04	13.91	53.95	-	-	Horizontal	NA
7	11504.20	42.88	4.82	47.70	74.00	26.30	Horizontal	PASS
8	17995.40	38.97	13.72	52.69	74.00	21.31	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40)) RU484	Band:	U-NII-1
Bandwidth	40MHz	Channel	38
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4997.68	32.22	13.06	45.28	54.00	8.72	Vertical	PASS
2	5189.08	35.73	13.91	49.64	-	-	Vertical	NA
3	11997.18	34.88	5.21	40.09	54.00	13.91	Vertical	PASS
4	17880.40	32.09	13.59	45.68	54.00	8.32	Vertical	PASS
5	4997.40	41.46	13.05	54.51	74.00	19.49	Vertical	PASS
6	5189.08	43.59	13.91	57.50	-	-	Vertical	NA
7	11444.01	42.03	5.11	47.14	74.00	26.86	Vertical	PASS
8	17878.86	38.60	13.62	52.22	74.00	21.78	Vertical	PASS

Project Information

Mode:	802.11ax(HE40)) RU484	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4998.78	28.04	13.06	41.10	54.00	12.90	Horizontal	PASS
2	11378.85	35.02	5.24	40.26	54.00	13.74	Horizontal	PASS
3	17981.98	31.89	13.53	45.42	54.00	8.58	Horizontal	PASS
4	4983.65	36.03	12.97	49.00	74.00	25.00	Horizontal	PASS
5	10933.01	42.41	5.01	47.42	74.00	26.58	Horizontal	PASS
6	17890.36	39.67	13.46	53.13	74.00	20.87	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40)) RU484	Band:	U-NII-1
Bandwidth	40MHz	Channel	46
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4999.05	31.05	13.07	44.12	54.00	9.88	Vertical	PASS
2	11377.31	34.63	5.22	39.85	54.00	14.15	Vertical	PASS
3	17888.83	32.27	13.49	45.76	54.00	8.24	Vertical	PASS
4	4996.58	41.54	13.04	54.58	74.00	19.42	Vertical	PASS
5	11415.65	41.92	5.29	47.21	74.00	26.79	Vertical	PASS
6	17888.45	39.01	13.49	52.50	74.00	21.50	Vertical	PASS

Project Information

Mode:	802.11ax(HE40)) RU484	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4626.98	28.10	12.45	40.55	54.00	13.45	Horizontal	PASS
2	5272.13	30.00	14.30	44.30	-	-	Horizontal	NA
3	11349.33	35.10	5.02	40.12	54.00	13.88	Horizontal	PASS
4	17986.97	32.36	13.60	45.96	54.00	8.04	Horizontal	PASS
5	4722.95	35.19	12.20	47.39	74.00	26.61	Horizontal	PASS
6	5272.13	36.20	14.30	50.50	-	-	Horizontal	NA
7	11366.20	41.84	5.14	46.98	74.00	27.02	Horizontal	PASS
8	17983.13	38.76	13.54	52.30	74.00	21.70	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40)) RU484	Band:	U-NII-2A
Bandwidth	40MHz	Channel	54
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4987.50	31.47	12.99	44.46	54.00	9.54	Vertical	PASS
2	5273.50	31.58	14.31	45.89	-	-	Vertical	NA
3	11456.28	34.94	5.03	39.97	54.00	14.03	Vertical	PASS
4	17841.68	31.73	13.63	45.36	54.00	8.64	Vertical	PASS
5	4989.15	40.64	13.00	53.64	74.00	20.36	Vertical	PASS
6	5274.05	37.97	14.32	52.29	-	-	Vertical	NA
7	10538.55	45.90	3.81	49.71	68.20	18.49	Vertical	PASS
8	17980.83	38.87	13.51	52.38	74.00	21.62	Vertical	PASS

Project Information

Mode:	802.11ax(HE40)) RU484	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5048.00	27.30	13.33	40.63	54.00	13.37	Horizontal	PASS
2	5321.63	31.53	14.55	46.08	-	-	Horizontal	NA
3	12037.05	35.60	5.38	40.98	54.00	13.02	Horizontal	PASS
4	17983.13	32.04	13.54	45.58	54.00	8.42	Horizontal	PASS
5	4982.55	36.38	12.96	49.34	74.00	24.66	Horizontal	PASS
6	5320.53	37.87	14.55	52.42	-	-	Horizontal	NA
7	12383.21	41.84	5.92	47.76	74.00	26.24	Horizontal	PASS
8	17985.43	39.05	13.58	52.63	74.00	21.37	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40)) RU484	Band:	U-NII-2A
Bandwidth	40MHz	Channel	62
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4984.75	31.04	12.97	44.01	54.00	9.99	Vertical	PASS
2	5321.90	32.52	14.55	47.07	-	-	Vertical	NA
3	10619.05	39.68	4.11	43.79	54.00	10.21	Vertical	PASS
4	17986.58	31.82	13.60	45.42	54.00	8.58	Vertical	PASS
5	4997.68	40.55	13.06	53.61	74.00	20.39	Vertical	PASS
6	5321.63	39.48	14.55	54.03	-	-	Vertical	NA
7	10606.40	43.91	4.15	48.06	74.00	25.94	Vertical	PASS
8	17986.20	39.06	13.59	52.65	74.00	21.35	Vertical	PASS

Project Information

Mode:	802.11ax(HE40)) RU484	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4987.23	27.60	12.74	40.34	54.00	13.66	Horizontal	PASS
2	5500.65	32.59	14.68	47.27	-	-	Horizontal	NA
3	11018.88	38.87	4.74	43.61	54.00	10.39	Horizontal	PASS
4	17976.23	32.25	13.44	45.69	54.00	8.31	Horizontal	PASS
5	4989.98	35.80	12.76	48.56	74.00	25.44	Horizontal	PASS
6	5502.58	38.38	14.67	53.05	-	-	Horizontal	NA
7	11352.01	41.82	5.05	46.87	74.00	27.13	Horizontal	PASS
8	17954.38	39.09	13.14	52.23	74.00	21.77	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40)) RU484	Band:	U-NII-2C
Bandwidth	40MHz	Channel	102
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4986.68	30.85	12.74	43.59	54.00	10.41	Vertical	PASS
2	5505.05	34.50	14.68	49.18	-	-	Vertical	NA
3	11027.70	42.37	4.59	46.96	54.00	7.04	Vertical	PASS
4	17860.85	31.65	13.85	45.50	54.00	8.50	Vertical	PASS
5	4981.45	40.71	12.72	53.43	74.00	20.57	Vertical	PASS
6	5500.38	43.77	14.68	58.45	-	-	Vertical	NA
7	11027.32	47.84	4.60	52.44	74.00	21.56	Vertical	PASS
8	17860.46	38.91	13.85	52.76	74.00	21.24	Vertical	PASS

Project Information

Mode:	802.11ax(HE40)) RU484	Band:	U-NII-2C
Bandwidth	40MHz	Channel	110
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4984.20	27.93	12.73	40.66	54.00	13.34	Horizontal	PASS
2	5545.20	34.84	14.62	49.46	-	-	Horizontal	NA
3	11348.94	35.99	5.02	41.01	54.00	12.99	Horizontal	PASS
4	17856.63	31.73	13.90	45.63	54.00	8.37	Horizontal	PASS
5	4997.95	35.78	12.80	48.58	74.00	25.42	Horizontal	PASS
6	5551.25	39.32	14.61	53.93	-	-	Horizontal	NA
7	11453.22	42.18	5.06	47.24	74.00	26.76	Horizontal	PASS
8	17876.56	38.93	13.64	52.57	74.00	21.43	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40)) RU484	Band:	U-NII-2C
Bandwidth	40MHz	Channel	110
IMEI:	-	Engineer:	Ou shuyan
Remark:	Power 20		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4996.03	31.57	12.78	44.35	54.00	9.65	Vertical	PASS
2	5546.30	34.06	14.62	48.68	-	-	Vertical	NA
3	11101.69	40.53	4.08	44.61	54.00	9.39	Vertical	PASS
4	17976.62	32.21	13.46	45.67	54.00	8.33	Vertical	PASS
5	4988.88	41.79	12.75	54.54	74.00	19.46	Vertical	PASS
6	5546.30	40.10	14.62	54.72	-	-	Vertical	NA
7	11095.94	44.83	4.10	48.93	74.00	25.07	Vertical	PASS
8	17977.38	39.25	13.46	52.71	74.00	21.29	Vertical	PASS

Project Information

Mode:	802.11ax(HE40) RU484	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5017.48	27.90	12.90	40.80	54.00	13.20	Horizontal	PASS
2	5677.48	36.99	14.93	51.92	-	-	Horizontal	NA
3	11341.66	40.76	4.97	45.73	54.00	8.27	Horizontal	PASS
4	17982.75	31.69	13.54	45.23	54.00	8.77	Horizontal	PASS
5	5175.33	35.00	13.62	48.62	68.19	19.57	Horizontal	PASS
6	5679.95	42.81	14.92	57.73	-	-	Horizontal	NA
7	11341.28	44.87	4.96	49.83	74.00	24.17	Horizontal	PASS
8	17986.20	39.21	13.59	52.80	74.00	21.20	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40) RU484	Band:	U-NII-2C
Bandwidth	40MHz	Channel	134
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4986.13	31.60	12.74	44.34	54.00	9.66	Vertical	PASS
2	5672.80	39.58	14.93	54.51	-	-	Vertical	NA
3	11341.28	42.86	4.96	47.82	54.00	6.18	Vertical	PASS
4	17991.95	32.38	13.68	46.06	54.00	7.94	Vertical	PASS
5	4997.40	40.92	12.78	53.70	74.00	20.30	Vertical	PASS
6	5679.40	45.27	14.92	60.19	-	-	Vertical	NA
7	11334.76	46.76	4.92	51.68	74.00	22.32	Vertical	PASS
8	17845.89	38.97	13.81	52.78	74.00	21.22	Vertical	PASS

Project Information

Mode:	802.11ax(HE40) RU484	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5055.15	27.25	13.08	40.33	54.00	13.67	Horizontal	PASS
2	5728.90	69.74	14.91	84.65	-	-	Horizontal	NA
3	11427.15	37.19	5.21	42.40	54.00	11.60	Horizontal	PASS
4	17888.06	32.21	13.50	45.71	54.00	8.29	Horizontal	PASS
5	4987.50	36.19	12.75	48.94	74.00	25.06	Horizontal	PASS
6	5728.63	73.90	14.91	88.81	-	-	Horizontal	NA
7	11507.27	42.40	4.82	47.22	74.00	26.78	Horizontal	PASS
8	17987.73	39.30	13.61	52.91	74.00	21.09	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40) RU484	Band:	U-NII-2C&3
Bandwidth	40MHz	Channel	142
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4998.78	31.22	12.80	44.02	54.00	9.98	Vertical	PASS
2	5728.63	70.47	14.91	85.38	-	-	Vertical	NA
3	11419.10	40.80	5.27	46.07	54.00	7.93	Vertical	PASS
4	17886.91	31.98	13.51	45.49	54.00	8.51	Vertical	PASS
5	4988.60	41.30	12.75	54.05	74.00	19.95	Vertical	PASS
6	5728.63	77.15	14.91	92.06	-	-	Vertical	NA
7	11407.60	45.54	5.34	50.88	74.00	23.12	Vertical	PASS
8	18000.00	38.33	13.79	52.12	74.00	21.88	Vertical	PASS

Project Information

Mode:	802.11ax(HE40) RU484	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4988.05	27.59	12.99	40.58	54.00	13.42	Horizontal	PASS
2	12628.17	35.00	5.69	40.69	54.00	13.31	Horizontal	PASS
3	17998.47	32.30	13.76	46.06	54.00	7.94	Horizontal	PASS
4	4999.88	36.16	12.99	49.15	74.00	24.85	Horizontal	PASS
5	12387.05	41.79	5.99	47.78	74.00	26.22	Horizontal	PASS
6	17962.05	39.05	13.25	52.30	74.00	21.70	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40) RU484	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2367.03	37.96	2.13	40.09	54.00	13.91	Vertical	PASS
2	4986.40	31.57	12.98	44.55	54.00	9.45	Vertical	PASS
3	17998.85	31.73	13.78	45.51	54.00	8.49	Vertical	PASS
4	1997.43	52.11	0.89	53.00	68.20	15.20	Vertical	PASS
5	4987.23	40.79	12.98	53.77	74.00	20.23	Vertical	PASS
6	17889.98	39.37	13.47	52.84	74.00	21.16	Vertical	PASS

Project Information

Mode:	802.11ax(HE40) RU484	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4993.00	27.49	12.99	40.48	54.00	13.52	Horizontal	PASS
2	5810.03	33.38	15.67	49.05	-	-	Horizontal	NA
3	11597.74	39.48	5.72	45.20	54.00	8.80	Horizontal	PASS
4	17835.16	32.33	13.36	45.69	54.00	8.31	Horizontal	PASS
5	5059.00	34.91	13.17	48.08	74.00	25.92	Horizontal	PASS
6	5802.33	38.94	15.68	54.62	-	-	Horizontal	NA
7	11597.35	45.14	5.70	50.84	74.00	23.16	Horizontal	PASS
8	17875.41	38.50	13.66	52.16	74.00	21.84	Horizontal	PASS

Project Information

Mode:	802.11ax(HE40) RU484	Band:	U-NII-3
Bandwidth	40MHz	Channel	159
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4988.33	30.73	12.99	43.72	54.00	10.28	Vertical	PASS
2	5800.13	35.72	15.68	51.40	-	-	Vertical	NA
3	11601.57	40.61	5.70	46.31	54.00	7.69	Vertical	PASS
4	17860.46	31.96	13.85	45.81	54.00	8.19	Vertical	PASS
5	4985.30	40.98	12.98	53.96	74.00	20.04	Vertical	PASS
6	5798.48	41.27	15.68	56.95	-	-	Vertical	NA
7	11601.57	44.64	5.70	50.34	74.00	23.66	Vertical	PASS
8	17975.85	39.09	13.44	52.53	74.00	21.47	Vertical	PASS

Project Information

Mode:	802.11ax(HE80) RU996	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4618.45	27.65	12.46	40.11	54.00	13.89	Horizontal	PASS
2	5181.38	30.47	13.91	44.38	-	-	Horizontal	NA
3	11399.55	34.96	5.39	40.35	54.00	13.65	Horizontal	PASS
4	17993.10	32.18	13.69	45.87	54.00	8.13	Horizontal	PASS
5	4639.35	34.93	12.46	47.39	74.00	26.61	Horizontal	PASS
6	5173.95	36.24	13.90	50.14	-	-	Horizontal	NA
7	11367.35	42.57	5.15	47.72	74.00	26.28	Horizontal	PASS
8	17885.38	39.82	13.53	53.35	74.00	20.65	Horizontal	PASS

Project Information

Mode:	802.11ax(HE80) RU996	Band:	U-NII-1
Bandwidth	80MHz	Channel	42
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4986.40	31.66	12.98	44.64	54.00	9.36	Vertical	PASS
2	5190.45	32.32	13.91	46.23	-	-	Vertical	NA
3	12400.46	34.80	6.25	41.05	54.00	12.95	Vertical	PASS
4	17993.10	32.03	13.69	45.72	54.00	8.28	Vertical	PASS
5	4991.63	41.32	13.01	54.33	74.00	19.67	Vertical	PASS
6	5190.18	39.26	13.91	53.17	-	-	Vertical	NA
7	12498.60	43.03	5.47	48.50	74.00	25.50	Vertical	PASS
8	17970.48	38.54	13.36	51.90	74.00	22.10	Vertical	PASS

Project Information

Mode:	802.11ax(HE80) RU996	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4989.70	27.86	13.00	40.86	54.00	13.14	Horizontal	PASS
2	12366.73	35.41	5.57	40.98	54.00	13.02	Horizontal	PASS
3	17938.28	32.58	13.13	45.71	54.00	8.29	Horizontal	PASS
4	4985.30	36.30	12.98	49.28	74.00	24.72	Horizontal	PASS
5	12232.94	41.97	5.34	47.31	74.00	26.69	Horizontal	PASS
6	17878.86	38.90	13.62	52.52	74.00	21.48	Horizontal	PASS

Project Information

Mode:	802.11ax(HE80) RU996	Band:	U-NII-2A
Bandwidth	80MHz	Channel	58
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.10	31.40	12.97	44.37	54.00	9.63	Vertical	PASS
2	11467.40	35.13	4.98	40.11	54.00	13.89	Vertical	PASS
3	17862.00	31.34	13.83	45.17	54.00	8.83	Vertical	PASS
4	4998.50	40.94	13.06	54.00	74.00	20.00	Vertical	PASS
5	11375.01	41.72	5.21	46.93	74.00	27.07	Vertical	PASS
6	17820.21	39.17	12.72	51.89	74.00	22.11	Vertical	PASS

Project Information

Mode:	802.11ax(HE80) RU996	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4824.70	27.69	12.64	40.33	54.00	13.67	Horizontal	PASS
2	5545.75	30.75	14.62	45.37	-	-	Horizontal	NA
3	11426.76	34.88	5.22	40.10	54.00	13.90	Horizontal	PASS
4	17894.58	32.89	13.41	46.30	54.00	7.70	Horizontal	PASS
5	4994.65	36.20	12.78	48.98	74.00	25.02	Horizontal	PASS
6	5535.30	37.86	14.63	52.49	-	-	Horizontal	NA
7	11429.83	42.36	5.20	47.56	74.00	26.44	Horizontal	PASS
8	17992.33	38.95	13.68	52.63	74.00	21.37	Horizontal	PASS

Project Information

Mode:	802.11ax(HE80) RU996	Band:	U-NII-2C
Bandwidth	80MHz	Channel	106
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.30	31.74	12.73	44.47	54.00	9.53	Vertical	PASS
2	5545.20	34.10	14.62	48.72	-	-	Vertical	NA
3	11075.24	38.24	4.15	42.39	54.00	11.61	Vertical	PASS
4	17996.17	31.86	13.73	45.59	54.00	8.41	Vertical	PASS
5	4981.73	41.55	12.72	54.27	74.00	19.73	Vertical	PASS
6	5543.00	38.36	14.62	52.98	-	-	Vertical	NA
7	11074.85	44.97	4.15	49.12	74.00	24.88	Vertical	PASS
8	17860.46	38.53	13.85	52.38	74.00	21.62	Vertical	PASS

Project Information

Mode:	802.11ax(HE80) RU996	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4996.85	27.96	12.78	40.74	54.00	13.26	Horizontal	PASS
2	5644.75	31.62	14.94	46.56	-	-	Horizontal	NA
3	11436.73	35.09	5.15	40.24	54.00	13.76	Horizontal	PASS
4	17984.67	31.83	13.57	45.40	54.00	8.60	Horizontal	PASS
5	4981.73	36.45	12.72	49.17	74.00	24.83	Horizontal	PASS
6	5644.48	39.86	14.94	54.80	-	-	Horizontal	NA
7	11478.52	42.62	4.92	47.54	74.00	26.46	Horizontal	PASS
8	17983.90	39.71	13.56	53.27	74.00	20.73	Horizontal	PASS

Project Information

Mode:	802.11ax(HE80) RU996	Band:	U-NII-2C
Bandwidth	80MHz	Channel	122
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4984.48	31.75	12.73	44.48	54.00	9.52	Vertical	PASS
2	5645.03	32.83	14.94	47.77	-	-	Vertical	NA
3	11238.92	42.09	4.82	46.91	54.00	7.09	Vertical	PASS
4	17893.05	31.85	13.43	45.28	54.00	8.72	Vertical	PASS
5	4987.23	41.35	12.74	54.09	74.00	19.91	Vertical	PASS
6	5645.03	39.93	14.94	54.87	-	-	Vertical	NA
7	11238.54	44.86	4.82	49.68	74.00	24.32	Vertical	PASS
8	17784.18	41.12	11.82	52.94	74.00	21.06	Vertical	PASS

Project Information

Mode:	802.11ax(HE80) RU996	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4990.80	27.33	12.76	40.09	54.00	13.91	Horizontal	PASS
2	5728.90	64.06	14.91	78.97	-	-	Horizontal	NA
3	12472.92	35.47	5.34	40.81	54.00	13.19	Horizontal	PASS
4	17994.25	31.85	13.71	45.56	54.00	8.44	Horizontal	PASS
5	4831.03	35.80	12.64	48.44	74.00	25.56	Horizontal	PASS
6	5727.80	70.17	14.91	85.08	-	-	Horizontal	NA
7	12387.05	42.15	5.99	48.14	74.00	25.86	Horizontal	PASS
8	17998.85	38.68	13.78	52.46	74.00	21.54	Horizontal	PASS

Project Information

Mode:	802.11ax(HE80) RU996	Band:	U-NII-2C&3
Bandwidth	80MHz	Channel	138
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4989.43	31.61	12.75	44.36	54.00	9.64	Vertical	PASS
2	5728.90	68.30	14.91	83.21	-	-	Vertical	NA
3	11368.11	39.07	5.16	44.23	54.00	9.77	Vertical	PASS
4	17984.28	32.16	13.57	45.73	54.00	8.27	Vertical	PASS
5	4982.83	42.54	12.73	55.27	74.00	18.73	Vertical	PASS
6	5728.63	75.12	14.91	90.03	-	-	Vertical	NA
7	11363.13	45.43	5.13	50.56	74.00	23.44	Vertical	PASS
8	17990.80	38.42	13.65	52.07	74.00	21.93	Vertical	PASS

Project Information

Mode:	802.11ax(HE80) RU996	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4982.00	27.42	12.98	40.40	54.00	13.60	Horizontal	PASS
2	12398.55	34.13	6.23	40.36	54.00	13.64	Horizontal	PASS
3	17894.96	31.78	13.41	45.19	54.00	8.81	Horizontal	PASS
4	4985.58	35.39	12.98	48.37	74.00	25.63	Horizontal	PASS
5	12014.82	42.89	5.28	48.17	74.00	25.83	Horizontal	PASS
6	17940.20	39.13	13.12	52.25	74.00	21.75	Horizontal	PASS

Project Information

Mode:	802.11ax(HE80) RU996	Band:	U-NII-3
Bandwidth	80MHz	Channel	155
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4986.68	31.03	12.98	44.01	54.00	9.99	Vertical	PASS
2	11556.34	39.01	5.00	44.01	54.00	9.99	Vertical	PASS
3	17991.18	32.16	13.66	45.82	54.00	8.18	Vertical	PASS
4	4981.73	41.54	12.98	54.52	74.00	19.48	Vertical	PASS
5	11555.95	44.12	4.99	49.11	74.00	24.89	Vertical	PASS
6	17853.95	39.04	13.94	52.98	74.00	21.02	Vertical	PASS

Project Information

Mode:	802.11ax(HE160) 2xRU996	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4612.68	27.64	12.46	40.10	54.00	13.90	Horizontal	PASS
2	11585.85	34.39	5.50	39.89	54.00	14.11	Horizontal	PASS
3	17986.58	32.09	13.60	45.69	54.00	8.31	Horizontal	PASS
4	4609.38	35.36	12.45	47.81	74.00	26.19	Horizontal	PASS
5	10915.00	42.98	4.88	47.86	74.00	26.14	Horizontal	PASS
6	17864.30	38.72	13.81	52.53	74.00	21.47	Horizontal	PASS

Project Information

Mode:	802.11ax(HE160) 2xRU996	Band:	U-NII-1&2A
Bandwidth	160MHz	Channel	50
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4986.13	31.61	12.98	44.59	54.00	9.41	Vertical	PASS
2	10962.15	34.86	5.11	39.97	54.00	14.03	Vertical	PASS
3	17837.84	32.38	13.48	45.86	54.00	8.14	Vertical	PASS
4	4985.85	41.63	12.98	54.61	74.00	19.39	Vertical	PASS
5	11371.56	41.76	5.19	46.95	74.00	27.05	Vertical	PASS
6	17987.35	39.26	13.61	52.87	74.00	21.13	Vertical	PASS

Project Information

Mode:	802.11ax(HE160) 2xRU996	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.65	28.15	12.73	40.88	54.00	13.12	Horizontal	PASS
2	11340.13	35.93	4.95	40.88	54.00	13.12	Horizontal	PASS
3	17964.35	32.56	13.28	45.84	54.00	8.16	Horizontal	PASS
4	4985.03	36.57	12.73	49.30	74.00	24.70	Horizontal	PASS
5	11475.45	42.63	4.93	47.56	74.00	26.44	Horizontal	PASS
6	17988.12	38.70	13.62	52.32	74.00	21.68	Horizontal	PASS

Project Information

Mode:	802.11ax(HE160) 2xRU996	Band:	U-NII-2C
Bandwidth	160MHz	Channel	114
IMEI:	-	Engineer:	Ou shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.65	31.77	12.73	44.50	54.00	9.50	Vertical	PASS
2	11152.29	37.37	4.16	41.53	54.00	12.47	Vertical	PASS
3	17852.41	31.46	13.95	45.41	54.00	8.59	Vertical	PASS
4	4998.23	40.77	12.80	53.57	74.00	20.43	Vertical	PASS
5	11168.77	43.54	4.32	47.86	74.00	26.14	Vertical	PASS
6	17883.08	39.02	13.56	52.58	74.00	21.42	Vertical	PASS

~The End~