


Project Information

Mode:	MIMO 802.11ax(HE80) RU996	Band:	U-NII-7&8
Bandwidth	80MHz	Channel	183
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4997.35	27.95	13.21	41.16	54.00	12.84	Horizontal	PASS
2	6900.30	60.77	18.67	79.44	-	-	Horizontal	NA
3	7466.25	28.04	18.78	46.82	54.00	7.18	Horizontal	PASS
4	17862.66	32.51	13.81	46.32	54.00	7.68	Horizontal	PASS
5	4998.05	36.39	13.22	49.61	74.00	24.39	Horizontal	PASS
6	6899.95	66.78	18.67	85.45	-	-	Horizontal	NA
7	7675.55	35.52	19.36	54.88	74.00	19.12	Horizontal	PASS
8	17908.66	40.06	13.25	53.31	74.00	20.69	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE80) RU996	Band:	U-NII-7&8
Bandwidth	80MHz	Channel	183
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.00	31.64	13.19	44.83	54.00	9.17	Vertical	PASS
2	6901.35	69.81	18.67	88.48	-	-	Vertical	NA
3	7478.50	28.01	18.79	46.80	54.00	7.20	Vertical	PASS
4	17994.33	31.44	14.00	45.44	54.00	8.56	Vertical	PASS
5	4982.65	40.53	13.19	53.72	74.00	20.28	Vertical	PASS
6	6903.10	74.69	18.68	93.37	-	-	Vertical	NA
7	7510.00	35.61	18.83	54.44	74.00	19.56	Vertical	PASS
8	17921.33	39.12	13.38	52.50	74.00	21.50	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE80) RU996	Band:	U-NII-8
Bandwidth	80MHz	Channel	199
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5072.60	27.39	13.60	40.99	54.00	13.01	Horizontal	PASS
2	6936.00	33.51	19.19	52.70	-	-	Horizontal	NA
3	7489.35	27.71	18.85	46.56	54.00	7.44	Horizontal	PASS
4	17856.00	31.72	13.92	45.64	54.00	8.36	Horizontal	PASS
5	4999.10	36.32	13.00	49.32	74.00	24.68	Horizontal	PASS
6	6935.30	41.34	19.19	60.53	-	-	Horizontal	NA
7	7355.30	35.79	18.71	54.50	74.00	19.50	Horizontal	PASS
8	17962.67	39.53	13.75	53.28	74.00	20.72	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE80) RU996	Band:	U-NII-8
Bandwidth	80MHz	Channel	199
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.70	31.86	13.04	44.90	54.00	9.10	Vertical	PASS
2	6936.35	43.21	19.19	62.40	-	-	Vertical	NA
3	7484.10	28.26	18.83	47.09	54.00	6.91	Vertical	PASS
4	17981.67	31.70	13.90	45.60	54.00	8.40	Vertical	PASS
5	4988.95	41.41	13.03	54.44	74.00	19.56	Vertical	PASS
6	6935.30	50.52	19.19	69.71	-	-	Vertical	NA
7	7398.00	35.53	18.82	54.35	74.00	19.65	Vertical	PASS
8	8027.67	42.85	1.01	43.86	-	-	Vertical	NA
9	17846.33	38.56	13.92	52.48	74.00	21.52	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE80) RU996	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5023.25	27.91	13.28	41.19	54.00	12.81	Horizontal	PASS
2	7057.80	31.35	19.41	50.76	-	-	Horizontal	NA
3	7483.75	27.77	18.83	46.60	54.00	7.40	Horizontal	PASS
4	17854.00	32.02	13.95	45.97	54.00	8.03	Horizontal	PASS
5	4986.85	35.45	13.03	48.48	74.00	25.52	Horizontal	PASS
6	7058.85	37.24	19.41	56.65	-	-	Horizontal	NA
7	7468.00	35.94	18.78	54.72	74.00	19.28	Horizontal	PASS
8	17870.66	39.20	13.67	52.87	74.00	21.13	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE80) RU996	Band:	U-NII-8
Bandwidth	80MHz	Channel	215
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4982.30	31.19	13.04	44.23	54.00	9.77	Vertical	PASS
2	7056.40	39.73	19.41	59.14	-	-	Vertical	NA
3	7528.55	27.60	18.81	46.41	54.00	7.59	Vertical	PASS
4	17850.00	32.00	14.02	46.02	54.00	7.98	Vertical	PASS
5	4991.75	40.84	13.02	53.86	74.00	20.14	Vertical	PASS
6	7056.75	45.49	19.41	64.90	-	-	Vertical	NA
7	7402.20	35.99	18.81	54.80	74.00	19.20	Vertical	PASS
8	17833.99	39.71	13.59	53.30	74.00	20.70	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE160) RU2x996	Band:	U-NII-5
Bandwidth	160MHz	Channel	15
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4986.85	27.62	13.43	41.05	54.00	12.95	Horizontal	PASS
2	7389.95	27.68	18.91	46.59	54.00	7.41	Horizontal	PASS
3	17987.00	32.20	13.94	46.14	54.00	7.86	Horizontal	PASS
4	4984.40	36.24	13.42	49.66	74.00	24.34	Horizontal	PASS
5	7583.50	35.59	18.79	54.38	74.00	19.62	Horizontal	PASS
6	17997.67	39.02	14.02	53.04	74.00	20.96	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE160) RU2x996	Band:	U-NII-5
Bandwidth	160MHz	Channel	15
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4997.00	31.46	13.50	44.96	54.00	9.04	Vertical	PASS
2	6013.05	32.54	15.98	48.52	-	-	Vertical	NA
3	7417.95	27.85	18.95	46.80	54.00	7.20	Vertical	PASS
4	17969.33	32.22	13.80	46.02	54.00	7.98	Vertical	PASS
5	4992.80	40.49	13.48	53.97	74.00	20.03	Vertical	PASS
6	6012.70	38.00	15.98	53.98	-	-	Vertical	NA
7	7489.00	37.29	19.01	56.30	74.00	17.70	Vertical	PASS
8	17846.66	38.68	13.93	52.61	74.00	21.39	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE160) RU2x996	Band:	U-NII-5
Bandwidth	160MHz	Channel	47
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.10	27.66	13.42	41.08	54.00	12.92	Horizontal	PASS
2	7536.25	27.59	19.07	46.66	54.00	7.34	Horizontal	PASS
3	17986.00	32.38	13.93	46.31	54.00	7.69	Horizontal	PASS
4	4992.45	35.36	13.47	48.83	74.00	25.17	Horizontal	PASS
5	7676.60	35.59	19.18	54.77	74.00	19.23	Horizontal	PASS
6	17836.99	39.11	13.66	52.77	74.00	21.23	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE160) RU2x996	Band:	U-NII-5
Bandwidth	160MHz	Channel	47
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4986.50	31.29	13.43	44.72	54.00	9.28	Vertical	PASS
2	7480.60	27.69	18.98	46.67	54.00	7.33	Vertical	PASS
3	17845.66	32.71	13.90	46.61	54.00	7.39	Vertical	PASS
4	4984.75	40.54	13.42	53.96	74.00	20.04	Vertical	PASS
5	7735.75	35.71	19.49	55.20	74.00	18.80	Vertical	PASS
6	17984.67	38.43	13.92	52.35	74.00	21.65	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE160) RU2x996	Band:	U-NII-5
Bandwidth	160MHz	Channel	79
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4984.40	28.06	13.42	41.48	54.00	12.52	Horizontal	PASS
2	7409.55	28.13	18.97	47.10	54.00	6.90	Horizontal	PASS
3	17849.66	31.76	14.01	45.77	54.00	8.23	Horizontal	PASS
4	4984.05	36.48	13.42	49.90	74.00	24.10	Horizontal	PASS
5	7609.05	35.81	18.74	54.55	74.00	19.45	Horizontal	PASS
6	17849.33	38.77	14.00	52.77	74.00	21.23	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE160) RU2x996	Band:	U-NII-5
Bandwidth	160MHz	Channel	79
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4984.40	31.38	13.42	44.80	54.00	9.20	Vertical	PASS
2	7412.35	27.58	18.96	46.54	54.00	7.46	Vertical	PASS
3	17851.33	33.15	13.99	47.14	54.00	6.86	Vertical	PASS
4	4987.90	40.51	13.45	53.96	74.00	20.04	Vertical	PASS
5	7386.80	35.84	18.88	54.72	74.00	19.28	Vertical	PASS
6	17854.00	39.08	13.95	53.03	74.00	20.97	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE160) RU2x996	Band:	U-NII-6&7
Bandwidth	160MHz	Channel	111
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5053.00	28.17	13.71	41.88	54.00	12.12	Horizontal	PASS
2	6548.90	62.43	18.13	80.56	-	-	Horizontal	NA
3	7658.40	27.18	19.39	46.57	54.00	7.43	Horizontal	PASS
4	17844.33	31.89	13.87	45.76	54.00	8.24	Horizontal	PASS
5	5082.75	35.30	13.92	49.22	74.00	24.78	Horizontal	PASS
6	6563.60	69.16	18.05	87.21	-	-	Horizontal	NA
7	7658.05	35.49	19.39	54.88	74.00	19.12	Horizontal	PASS
8	17987.33	38.85	13.94	52.79	74.00	21.21	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE160) RU2x996	Band:	U-NII-6&7
Bandwidth	160MHz	Channel	111
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4999.80	31.58	13.25	44.83	54.00	9.17	Vertical	PASS
2	6554.15	69.73	18.10	87.83	-	-	Vertical	NA
3	7585.60	28.41	18.67	47.08	54.00	6.92	Vertical	PASS
4	17800.33	33.36	12.67	46.03	54.00	7.97	Vertical	PASS
5	4993.85	40.67	13.24	53.91	74.00	20.09	Vertical	PASS
6	6555.90	77.45	18.09	95.54	-	-	Vertical	NA
7	7446.65	35.90	18.88	54.78	74.00	19.22	Vertical	PASS
8	17996.67	38.84	14.02	52.86	74.00	21.14	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE160) RU2x996	Band:	U-NII-7
Bandwidth	160MHz	Channel	143
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5061.40	27.73	13.59	41.32	54.00	12.68	Horizontal	PASS
2	7478.50	27.89	18.79	46.68	54.00	7.32	Horizontal	PASS
3	17979.00	32.04	13.88	45.92	54.00	8.08	Horizontal	PASS
4	4988.25	36.01	13.20	49.21	74.00	24.79	Horizontal	PASS
5	7477.45	35.63	18.79	54.42	74.00	19.58	Horizontal	PASS
6	17818.66	39.55	13.17	52.72	74.00	21.28	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE160) RU2x996	Band:	U-NII-7
Bandwidth	160MHz	Channel	143
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.70	32.15	13.19	45.34	54.00	8.66	Vertical	PASS
2	7489.35	27.73	18.80	46.53	54.00	7.47	Vertical	PASS
3	17863.33	32.02	13.80	45.82	54.00	8.18	Vertical	PASS
4	4985.10	41.09	13.19	54.28	74.00	19.72	Vertical	PASS
5	7371.40	35.78	18.56	54.34	74.00	19.66	Vertical	PASS
6	17859.00	38.68	13.87	52.55	74.00	21.45	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE160) RU2x996	Band:	U-NII-7&8
Bandwidth	160MHz	Channel	175
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5055.80	27.83	13.53	41.36	54.00	12.64	Horizontal	PASS
2	6903.10	56.92	18.68	75.60	-	-	Horizontal	NA
3	7565.30	27.71	18.80	46.51	54.00	7.49	Horizontal	PASS
4	17932.33	32.67	13.48	46.15	54.00	7.85	Horizontal	PASS
5	5091.50	34.91	13.88	48.79	74.00	25.21	Horizontal	PASS
6	6893.65	62.85	18.64	81.49	-	-	Horizontal	NA
7	7732.60	35.84	19.52	55.36	74.00	18.64	Horizontal	PASS
8	17996.33	39.01	14.02	53.03	74.00	20.97	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE160) RU2x996	Band:	U-NII-7&8
Bandwidth	160MHz	Channel	175
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4983.00	32.01	13.19	45.20	54.00	8.80	Vertical	PASS
2	6898.90	66.34	18.67	85.01	-	-	Vertical	NA
3	7440.35	27.68	18.80	46.48	54.00	7.52	Vertical	PASS
4	17996.33	31.91	14.02	45.93	54.00	8.07	Vertical	PASS
5	4987.20	40.69	13.19	53.88	74.00	20.12	Vertical	PASS
6	6902.40	72.28	18.67	90.95	-	-	Vertical	NA
7	7462.75	35.66	18.79	54.45	74.00	19.55	Vertical	PASS
8	17997.00	38.65	14.02	52.67	74.00	21.33	Vertical	PASS

Project Information

Mode:	MIMO 802.11ax(HE160) RU2x996	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5060.35	27.84	13.60	41.44	54.00	12.56	Horizontal	PASS
2	6977.65	31.39	19.28	50.67	-	-	Horizontal	NA
3	7476.40	28.04	18.80	46.84	54.00	7.16	Horizontal	PASS
4	17851.00	32.40	14.00	46.40	54.00	7.60	Horizontal	PASS
5	4998.40	35.64	13.01	48.65	74.00	25.35	Horizontal	PASS
6	6974.85	38.07	19.27	57.34	-	-	Horizontal	NA
7	7492.15	35.71	18.85	54.56	74.00	19.44	Horizontal	PASS
8	17998.67	39.29	14.02	53.31	74.00	20.69	Horizontal	PASS

Project Information

Mode:	MIMO 802.11ax(HE160) RU2x996	Band:	U-NII-8
Bandwidth	160MHz	Channel	207
IMEI:	--	Engineer:	Ou shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	4985.10	31.16	13.04	44.20	54.00	9.80	Vertical	PASS
2	6976.25	40.59	19.27	59.86	-	-	Vertical	NA
3	7490.40	27.75	18.85	46.60	54.00	7.40	Vertical	PASS
4	17850.66	32.30	14.01	46.31	54.00	7.69	Vertical	PASS
5	4992.10	40.95	13.02	53.97	74.00	20.03	Vertical	PASS
6	6975.90	47.31	19.27	66.58	-	-	Vertical	NA
7	7436.15	35.75	18.75	54.50	74.00	19.50	Vertical	PASS
8	17983.67	38.50	13.91	52.41	74.00	21.59	Vertical	PASS

~The End~