Table of Contents

1. -6dB Bandwidth 2
2. 99% Occupied Bandwidth 9
3. Duty Cycle 16
4. MAX. Output Power 23
5. Power Spectral Density 30
6. Bandedge 37
7. Spurious Emission 45

FCC ID:2BEOR-1G-2G-32G
FCC_2.4G_WIFI (Part15.247) Test Data

1. -6dB Bandwidth

Condition	Antenna	Modulation	Frequency (MHz)	-6dB BW(MHz)	limit(kHz)	Result
NVNT	ANT1	802.11b	2412.00	10.38	500	Pass
NVNT	ANT1	802.11b	2437.00	11.05	500	Pass
NVNT	ANT1	802.11b	2462.00	10.10	500	Pass
NVNT	ANT1	802.11g	2412.00	16.34	500	Pass
NVNT	ANT1	802.11g	2437.00	16.45	500	Pass
NVNT	ANT1	802.11g	2462.00	16.19	500	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	17.24	500	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	17.26	500	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	17.69	500	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	35.80	500	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	35.20	500	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	35.58	500	Pass

-6dB_Bandwidth_NVNT_ANT1_802_11b_2412

-6dB_Bandwidth_NVNT_ANT1_802_11b_2437

-6dB_Bandwidth_NVNT_ANT1_802_11b_2462

-6dB_Bandwidth_NVNT_ANT1_802_11g_2412

-6dB_Bandwidth_NVNT_ANT1_802_11g_2437

-6dB_Bandwidth_NVNT_ANT1_802_11g_2462



-6dB_Bandwidth_NVNT_ANT1_802_11n(HT20)_2412



-6dB_Bandwidth_NVNT_ANT1_802_11n(HT20)_2437

-6dB_Bandwidth_NVNT_ANT1_802_11n(HT20)_2462



-6dB_Bandwidth_NVNT_ANT1_802_11n(HT40)_2422

-6dB_Bandwidth_NVNT_ANT1_802_11n(HT40)_2437



-6dB_Bandwidth_NVNT_ANT1_802_11n(HT40)_2452


Keysight Spectrum Analyzer - Occupied BW
Center Freq 2.452000000 GHz
Center Freq: 2.452000000 GHz
Trig: Free Run
Avg|Hold: 10/10
#Atten: 40 dB
Radio Std: None
Radio Device: BTS
05:05:01 PM Jan 17, 2024
Frequency
Ref Offset 4.64 dB
10 dB/div
Ref 16.28 dBm
Center Freq
2.452000000 GHz
Center 2.452 GHz
#Res BW 100 kHz
#VBW 300 kHz
Span 60 MHz
Sweep 5.8 ms
CF Step
6.000000 MHz
Auto
Man
Occupied Bandwidth
36.142 MHz
Total Power 21.9 dBm
Transmit Freq Error 83.990 kHz
% of OBW Power 99.00 %
x dB Bandwidth 35.58 MHz
x dB -6.00 dB
Freq Offset
0 Hz
MSG
STATUS

2. 99% Occupied Bandwidth

Condition	Antenna	Modulation	Frequency (MHz)	99%%BW(MHz)
NVNT	ANT1	802.11b	2412.00	15.006
NVNT	ANT1	802.11b	2437.00	14.939
NVNT	ANT1	802.11b	2462.00	14.974
NVNT	ANT1	802.11g	2412.00	16.743
NVNT	ANT1	802.11g	2437.00	16.878
NVNT	ANT1	802.11g	2462.00	16.913
NVNT	ANT1	802.11n(HT20)	2412.00	17.933
NVNT	ANT1	802.11n(HT20)	2437.00	17.993
NVNT	ANT1	802.11n(HT20)	2462.00	17.940
NVNT	ANT1	802.11n(HT40)	2422.00	36.484
NVNT	ANT1	802.11n(HT40)	2437.00	36.675
NVNT	ANT1	802.11n(HT40)	2452.00	36.640

99%_Occupied_Bandwidth_NVNT_ANT1_802_11b_2412



99%_Occupied_Bandwidth_NVNT_ANT1_802_11b_2437

99%_Occupied_Bandwidth_NVNT_ANT1_802_11b_2462



99%_Occupied_Bandwidth_NVNT_ANT1_802_11g_2412

99%_Occupied_Bandwidth_NVNT_ANT1_802_11g_2437



99%_Occupied_Bandwidth_NVNT_ANT1_802_11g_2462

99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT20)_2412

99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT20)_2437

99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT20)_2462



99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT40)_2422

99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT40)_2437

99%_Occupied_Bandwidth_NVNT_ANT1_802_11n(HT40)_2452

Keysight Spectrum Analyzer - Occupied BW
Center Freq 2.452000000 GHz
Center Freq: 2.452000000 GHz
Trig: Free Run
Avg|Hold:>10/10
#Atten: 40 dB
Radio Std: None
Radio Device: BTS
05:05:22 PM Jan 17, 2024
Frequency
Ref Offset 4.64 dB
10 dB/div
Ref 20.28 dBm
Center Freq
2.452000000 GHz
Center 2.452 GHz
#Res BW 1 MHz
#VBW 3 MHz
Span 60 MHz
Sweep 1 ms
CF Step
6.000000 MHz
Auto
Man
Occupied Bandwidth
36.640 MHz
Total Power
23.1 dBm
Transmit Freq Error
129.54 kHz
% of OBW Power
99.00 %
x dB Bandwidth
56.77 MHz
x dB
-26.00 dB
Freq Offset
0 Hz
MSG
STATUS

3. Duty Cycle

Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty factor(dB)
NVNT	ANT1	802.11b	2412.00	99.53	0.02
NVNT	ANT1	802.11b	2437.00	99.53	0.02
NVNT	ANT1	802.11b	2462.00	99.53	0.02
NVNT	ANT1	802.11g	2412.00	98.61	0.06
NVNT	ANT1	802.11g	2437.00	97.26	0.12
NVNT	ANT1	802.11g	2462.00	98.61	0.00
NVNT	ANT1	802.11n(HT20)	2412.00	96.77	0.14
NVNT	ANT1	802.11n(HT20)	2437.00	96.77	0.14
NVNT	ANT1	802.11n(HT20)	2462.00	98.39	0.00
NVNT	ANT1	802.11n(HT40)	2422.00	96.87	0.14
NVNT	ANT1	802.11n(HT40)	2437.00	93.75	0.28
NVNT	ANT1	802.11n(HT40)	2452.00	93.75	0.28

Duty_Cycle_NVNT_ANT1_802_11b_2412



Duty_Cycle_NVNT_ANT1_802_11b_2437

Duty_Cycle_NVNT_ANT1_802_11b_2462



Duty_Cycle_NVNT_ANT1_802_11g_2412



Duty_Cycle_NVNT_ANT1_802_11g_2437



Duty_Cycle_NVNT_ANT1_802_11g_2462



Duty_Cycle_NVNT_ANT1_802_11n(HT20)_2412



Duty_Cycle_NVNT_ANT1_802_11n(HT20)_2437



Duty_Cycle_NVNT_ANT1_802_11n(HT20)_2462



Duty_Cycle_NVNT_ANT1_802_11n(HT40)_2422



Duty_Cycle_NVNT_ANT1_802_11n(HT40)_2437



Duty_Cycle_NVNT_ANT1_802_11n(HT40)_2452


Keysight Spectrum Analyzer - Swept SA
Center Freq 2.452000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
Atten: 30 dB
#Avg Type: RMS
10:06:38 AM Jan 22, 2024
Ref Offset 4.64 dB
10 dB/div
Ref 24.28 dBm
Mkr3 1.260 ms
-0.94 dBm
Center 2.452000000 GHz
Res BW 8 MHz
#VBW 8.0 MHz
Span 0 Hz
Sweep 20.00 ms (1001 pts)
1 N 1 t 620.0 µs -0.94 dBm
2 N 1 t 1.200 ms 4.10 dBm
3 N 1 t 1.260 ms -0.94 dBm
Frequency
Auto Tune
Center Freq
2.452000000 GHz
Start Freq
2.452000000 GHz
Stop Freq
2.452000000 GHz
CF Step
8.000000 MHz
Auto
Man
Freq Offset
0 Hz
Scale Type
Log
Lin

4. MAX. Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Detector	Conducted Power(dBm)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11b	2412.00	Peak	17.43	17.43	30	Pass
NVNT	ANT1	802.11b	2437.00	Peak	21.39	21.39	30	Pass
NVNT	ANT1	802.11b	2462.00	Peak	20.98	20.98	30	Pass
NVNT	ANT1	802.11g	2412.00	Peak	12.12	12.12	30	Pass
NVNT	ANT1	802.11g	2437.00	Peak	15.87	15.87	30	Pass
NVNT	ANT1	802.11g	2462.00	Peak	18.60	18.60	30	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	Peak	15.29	15.29	30	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	Peak	17.12	17.12	30	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	Peak	17.07	17.07	30	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	Peak	16.04	16.04	30	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	Peak	22.74	22.74	30	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	Peak	22.36	22.36	30	Pass

MAX__Output_Power_NVNT_ANT1_802_11b_2412



MAX__Output_Power_NVNT_ANT1_802_11b_2437



MAX__Output_Power_NVNT_ANT1_802_11b_2462



MAX__Output_Power_NVNT_ANT1_802_11g_2412



MAX__Output_Power_NVNT_ANT1_802_11g_2437



MAX__Output_Power_NVNT_ANT1_802_11g_2462



MAX__Output_Power_NVNT_ANT1_802_11n(HT20)_2412



MAX__Output_Power_NVNT_ANT1_802_11n(HT20)_2437



MAX__Output_Power_NVNT_ANT1_802_11n(HT20)_2462

MAX__Output_Power_NVNT_ANT1_802_11n(HT40)_2422



MAX__Output_Power_NVNT_ANT1_802_11n(HT40)_2437

MAX__Output_Power_NVNT_ANT1_802_11n(HT40)_2452


Keysight Spectrum Analyzer - Channel Power
Center Freq 2.452000000 GHz
Center Freq: 2.452000000 GHz
Trig: Free Run
Avg|Hold: 500/500
#Atten: 30 dB
#IFGain:Low
Radio Std: None
Radio Device: BTS
05:05:57 PM Jan 17, 2024
Frequency
Ref Offset 4.64 dB
10 dB/div
Ref 24.28 dBm
Log
Center 2.452 GHz
#Res BW 1 MHz
#VBW 3 MHz
Span 60 MHz
Sweep 1 ms
Center Freq
2.452000000 GHz
CF Step
6.000000 MHz
Auto
Man
Freq Offset
0 Hz
Channel Power
22.36 dBm / 40 MHz
Power Spectral Density
-53.66 dBm /Hz
MSG
STATUS

5. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD(dBm/30kHz)	RB factor(dB)	PSD(dBm/3kHz)	limit(dBm/3kHz)	Result
NVNT	ANT1	802.11b	2412.00	-11.87	-10.00	-21.87	8	Pass
NVNT	ANT1	802.11b	2437.00	1.23	-10.00	-8.77	8	Pass
NVNT	ANT1	802.11b	2462.00	0.51	-10.00	-9.49	8	Pass
NVNT	ANT1	802.11g	2412.00	-9.36	-10.00	-19.36	8	Pass
NVNT	ANT1	802.11g	2437.00	-13.17	-10.00	-23.17	8	Pass
NVNT	ANT1	802.11g	2462.00	-8.62	-10.00	-18.62	8	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	-9.28	-10.00	-19.27	8	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	-13.18	-10.00	-23.18	8	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	-8.65	-10.00	-18.65	8	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	-10.19	-10.00	-20.19	8	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	-3.57	-10.00	-13.57	8	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	-3.51	-10.00	-13.51	8	Pass

Power_Spectral_Density_NVNT_ANT1_802_11b_2412

Power_Spectral_Density_NVNT_ANT1_802_11b_2437

Power_Spectral_Density_NVNT_ANT1_802_11b_2462

Power_Spectral_Density_NVNT_ANT1_802_11g_2412



Power_Spectral_Density_NVNT_ANT1_802_11g_2437



Power_Spectral_Density_NVNT_ANT1_802_11g_2462



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_2412



Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_2437

Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_2462



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_2422



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_2437



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_2452


Keysight Spectrum Analyzer - Swept SA
Center Freq 2.452000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
Atten: 16 dB
#Avg Type: RMS
Avg|Hold: 100/100
05:06:17 PM Jan 17, 2024
Ref Offset 4.64 dB
10 dB/div
Ref 10.28 dBm
Log
Mkr1 2.440 834 GHz
-3.508 dBm
Center 2.45200 GHz
#Res BW 30 kHz
#VBW 100 kHz
Span 60.00 MHz
Sweep 63.46 ms (8351 pts)
Frequency
Auto Tune
Center Freq
2.452000000 GHz
Start Freq
2.422000000 GHz
Stop Freq
2.482000000 GHz
CF Step
6.000000 MHz
Auto
Man
Freq Offset
0 Hz
Scale Type
Log
Lin

6. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark_frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11b	2412.00	2399.712	-56.417	-28.925	Pass
NVNT	ANT1	802.11b	2462.00	2488.192	-55.040	-15.217	Pass
NVNT	ANT1	802.11g	2412.00	2399.936	-49.007	-26.634	Pass
NVNT	ANT1	802.11g	2462.00	2483.584	-47.670	-18.968	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	2399.936	-45.592	-21.270	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	2483.824	-54.517	-20.524	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	2399.760	-45.823	-25.176	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	2483.680	-29.726	-18.262	Pass

1_Reference_Level_NVNT_ANT1_802_11b_2412

2_Bandedge_NVNT_ANT1_802_11b_2412



1_Reference_Level_NVNT_ANT1_802_11b_2462

2_Bandedge_NVNT_ANT1_802_11b_2462

1_Reference_Level_NVNT_ANT1_802_11g_2412

2_Bandedge_NVNT_ANT1_802_11g_2412



1_Reference_Level_NVNT_ANT1_802_11g_2462

2_Bandedge_NVNT_ANT1_802_11g_2462

1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2412

2_Bandedge_NVNT_ANT1_802_11n(HT20)_2412



1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2462

2_Bandedge_NVNT_ANT1_802_11n(HT20)_2462

1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2422

2_Bandedge_NVNT_ANT1_802_11n(HT40)_2422



1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2452

2_Bandedge_NVNT_ANT1_802_11n(HT40)_2452

7. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark_frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11b	2412.00	24977.527	-59.906	-28.925	Pass
NVNT	ANT1	802.11b	2437.00	24897.623	-51.621	-15.296	Pass
NVNT	ANT1	802.11b	2462.00	24965.042	-48.347	-15.217	Pass
NVNT	ANT1	802.11g	2412.00	24927.587	-64.275	-26.634	Pass
NVNT	ANT1	802.11g	2437.00	24977.527	-60.133	-21.570	Pass
NVNT	ANT1	802.11g	2462.00	24990.012	-49.951	-18.968	Pass
NVNT	ANT1	802.11n(HT20)	2412.00	24957.551	-59.123	-21.270	Pass
NVNT	ANT1	802.11n(HT20)	2437.00	24972.533	-51.975	-19.503	Pass
NVNT	ANT1	802.11n(HT20)	2462.00	24985.018	-60.397	-20.524	Pass
NVNT	ANT1	802.11n(HT40)	2422.00	24967.539	-57.273	-25.176	Pass
NVNT	ANT1	802.11n(HT40)	2437.00	1752.930	-47.509	-18.508	Pass
NVNT	ANT1	802.11n(HT40)	2452.00	2504.527	-46.385	-18.262	Pass

1_Reference_Level_NVNT_ANT1_802_11b_2412

2_Spurious_Emission_NVNT_ANT1_802_11b_2412



1_Reference_Level_NVNT_ANT1_802_11b_2437



2_Spurious_Emission_NVNT_ANT1_802_11b_2437



1_Reference_Level_NVNT_ANT1_802_11b_2462

2_Spurious_Emission_NVNT_ANT1_802_11b_2462



1_Reference_Level_NVNT_ANT1_802_11g_2412

2_Spurious_Emission_NVNT_ANT1_802_11g_2412



1_Reference_Level_NVNT_ANT1_802_11g_2437

2_Spurious_Emission_NVNT_ANT1_802_11g_2437



1_Reference_Level_NVNT_ANT1_802_11g_2462

2_Spurious_Emission_NVNT_ANT1_802_11g_2462



1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2412

2_Spurious_Emission_NVNT_ANT1_802_11n(HT20)_2412



1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2437



2_Spurious_Emission_NVNT_ANT1_802_11n(HT20)_2437

1_Reference_Level_NVNT_ANT1_802_11n(HT20)_2462

2_Spurious_Emission_NVNT_ANT1_802_11n(HT20)_2462



1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2422

2_Spurious_Emission_NVNT_ANT1_802_11n(HT40)_2422

1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2437



2_Spurious_Emission_NVNT_ANT1_802_11n(HT40)_2437



1_Reference_Level_NVNT_ANT1_802_11n(HT40)_2452

2_Spurious_Emission_NVNT_ANT1_802_11n(HT40)_2452


Keysight Spectrum Analyzer - Swept SA
Center Freq 12.515000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
Atten: 18 dB
#Avg Type: RMS
Avg|Hold: 10/10
05:07:11 PM Jan 17, 2024
Ref Offset 4.64 dB
10 dB/div
Ref 11.64 dBm
Mkr2 2.504 5 GHz
-46.385 dBm
Start 30 MHz
#Res BW 100 kHz
#VBW 300 kHz
Stop 25.00 GHz
Sweep 2.387 s (10001 pts)
1 N 1 f (Δ) 2.469 6 GHz (Δ) -3.151 dBm
2 N 1 f 2.504 5 GHz -46.385 dBm
Frequency
Auto Tune
Center Freq
12.515000000 GHz
Start Freq
30.000000 MHz
Stop Freq
25.000000000 GHz
CF Step
2.497000000 GHz
Auto Man
Freq Offset
0 Hz
Scale Type
Log Lin