Mode	20	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5137.69 58.05 74.00 -15.95 41.45 34.22 12.45 30.07 0.00 272 268 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 102.16 ------ ------ 84.92 34.44 12.60 29.80 0.00 272 268 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5101.02 45.99 54.00 -8.01 29.38 34.30 12.44 30.13 0.00 272 268 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5310.00 92.51 ------ ------ 75.27 34.44 12.60 29.80 0.00 272 268 AVERAGE

Mode	20	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.75 60.56 74.00 -13.44 43.13 34.60 12.57 29.74 0.00 272 268 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.54 50.10 54.00 -3.90 32.67 34.60 12.57 29.74 0.00 272 268 AVERAGE	Blank

Mode	20	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10620.00 46.52 74.00 -27.48 55.83 37.72 17.86 64.89 0.00 -- -- PEAK 2 15930.00 45.85 74.00 -28.15 47.24 40.76 22.36 64.51 0.00 -- -- PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10620.00 45.43 74.00 -28.57 54.74 37.72 17.86 64.89 0.00 -- -- PEAK 2 15930.00 46.08 74.00 -27.92 47.47 40.76 22.36 64.51 0.00 -- -- PEAK

Mode	21	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5124.09 58.01 74.00 -15.99 41.42 34.25 12.44 30.10 0.00 241 203 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 99.16 ------ ------ 81.97 34.40 12.61 29.82 0.00 241 203 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5100.53 46.03 54.00 -7.97 29.42 34.30 12.44 30.13 0.00 241 203 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 90.09 ------ ------ 72.90 34.40 12.61 29.82 0.00 241 203 AVERAGE

Mode	21	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.15 60.72 74.00 -13.28 43.30 34.60 12.56 29.74 0.00 241 203 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.65 50.34 54.00 -3.66 32.91 34.60 12.57 29.74 0.00 241 203 AVERAGE	Blank

Mode	21	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5101.85 58.12 74.00 -15.88 41.51 34.30 12.44 30.13 0.00 100 233 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 97.06 ------ ------ 80.10 34.28 12.55 29.87 0.00 100 233 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5101.52 45.88 54.00 -8.12 29.27 34.30 12.44 30.13 0.00 100 233 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5290.00 88.03 ------ ------ 70.93 34.35 12.59 29.84 0.00 100 233 AVERAGE

Mode	21	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5351.85 59.06 74.00 -14.94 41.62 34.60 12.58 29.74 0.00 100 233 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5351.45 49.03 54.00 -4.97 31.60 34.60 12.57 29.74 0.00 100 233 AVERAGE	Blank

Mode	21	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10580.00 44.89 68.20 -23.31 54.22 37.70 17.91 64.94 0.00 -- -- PEAK 2 15870.00 44.72 74.00 -29.28 46.16 40.64 22.39 64.47 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10580.00 45.80 68.20 -22.40 55.13 37.70 17.91 64.94 0.00 -- -- PEAK 2 15870.00 44.42 74.00 -29.58 45.86 40.64 22.39 64.47 0.00 -- -- PEAK

Mode	22	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5117.88 58.23 74.00 -15.77 41.63 34.26 12.44 30.10 0.00 149 334 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5250.00 95.40 ------ ------ 78.35 34.32 12.58 29.85 0.00 149 334 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5107.12 47.37 54.00 -6.63 30.76 34.29 12.44 30.12 0.00 149 334 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5250.00 86.83 ------ ------ 69.82 34.30 12.57 29.86 0.00 149 334 AVERAGE

Mode	22	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5369.39 61.68 74.00 -12.32 44.05 34.60 12.74 29.71 0.00 149 334 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5399.86 50.18 54.00 -3.82 32.21 34.60 13.03 29.66 0.00 149 334 AVERAGE	Blank

Mode	22	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5097.63 58.16 74.00 -15.84 41.57 34.30 12.43 30.14 0.00 101 232 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5250.00 96.06 ------ ------ 79.19 34.23 12.53 29.89 0.00 101 232 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5110.10 46.97 54.00 -7.03 30.37 34.28 12.44 30.12 0.00 101 232 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5250.00 85.14 ------ ------ 68.04 34.35 12.59 29.84 0.00 101 232 AVERAGE

Mode	22	
	Band Edge - R	
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5368.76 61.09 74.00 -12.91 43.46 34.60 12.74 29.71 0.00 101 232 PEAK	Blank
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5390.28 50.79 54.00 -3.21 32.93 34.60 12.94 29.68 0.00 101 232 AVERAGE	Blank

Mode	22	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10500.00 46.55 68.20 -21.65 55.68 37.70 18.20 65.03 0.00 -- -- PEAK 2 15750.00 47.35 74.00 -26.65 49.08 40.45 22.20 64.38 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10500.00 46.55 68.20 -21.65 55.68 37.70 18.20 65.03 0.00 -- -- PEAK 2 15750.00 47.05 74.00 -26.95 48.78 40.45 22.20 64.38 0.00 -- -- PEAK
Peak Avg	 	

Mode	22	
	LF	
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full RU_5250MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg		

Horizontal:

	Freq	Level	Limit Line	Over Limit	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	A/Pos	T/Pos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	31.94	31.75	40.00	-8.25	39.40	24.03	0.52	32.20	---	---	Peak
2	149.31	20.08	43.50	-23.42	33.37	17.05	1.76	32.10	---	---	Peak
3	322.94	21.72	46.00	-24.28	31.56	19.68	2.63	32.15	---	---	Peak
4	471.35	23.72	46.00	-22.28	29.62	23.22	3.16	32.28	---	---	Peak
5	727.43	27.24	46.00	-18.76	28.24	27.31	3.94	32.25	---	---	Peak
6	988.36	31.49	54.00	-22.51	28.88	30.16	4.57	32.12	---	---	Peak

Vertical:

	Freq	Level	Limit Line	Over Limit	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	A/Pos	T/Pos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	
1	30.00	20.82	40.00	-19.18	27.44	25.08	0.50	32.20	---	---	Peak
2	209.45	20.94	43.50	-22.56	36.01	14.94	2.11	32.12	---	---	Peak
3	321.00	25.61	46.00	-20.39	35.50	19.63	2.62	32.14	---	---	Peak
4	554.77	24.48	46.00	-21.52	27.95	25.40	3.43	32.30	---	---	Peak
5	747.80	27.72	46.00	-18.28	27.99	28.04	3.99	32.30	---	---	Peak
6	955.38	30.83	46.00	-15.17	28.76	29.77	4.49	32.19	---	---	Peak

Mode	23	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_26/8RU _5320MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5376.25 56.62 74.00 -17.38 38.91 34.60 12.81 29.70 0.00 199 204 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 109.55 ------ ------ 92.25 34.49 12.59 29.78 0.00 199 204 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5398.75 45.24 54.00 -8.76 27.29 34.60 13.02 29.67 0.00 199 204 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 101.35 ------ ------ 84.04 34.51 12.58 29.78 0.00 199 204 AVERAGE

Mode	23	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_26/8RU _5320MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5377.15 56.52 74.00 -17.48 38.80 34.60 12.82 29.70 0.00 242 261 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 108.04 ------ ------ 90.74 34.49 12.59 29.78 0.00 242 261 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5399.15 45.24 54.00 -8.76 27.29 34.60 13.02 29.67 0.00 242 261 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 100.02 ------ ------ 82.72 34.49 12.59 29.78 0.00 242 261 AVERAGE

Mode	24	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_52/40RU _5320MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5380.15 57.24 74.00 -16.76 39.50 34.60 12.84 29.70 0.00 190 204 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 108.85 ------ ------ 91.52 34.52 12.58 29.77 0.00 190 204 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5398.84 45.36 54.00 -8.64 27.41 34.60 13.02 29.67 0.00 190 204 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 101.60 ------ ------ 84.30 34.49 12.59 29.78 0.00 190 204 AVERAGE

Mode	24	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_52/40RU _5320MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5361.25 56.49 74.00 -17.51 38.94 34.60 12.67 29.72 0.00 254 268 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 107.79 ------ ------ 90.49 34.49 12.59 29.78 0.00 254 268 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5399.63 45.32 54.00 -8.68 27.36 34.60 13.03 29.67 0.00 254 268 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 100.36 ------ ------ 83.06 34.49 12.59 29.78 0.00 254 268 AVERAGE

Mode	25	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_106/54RU _5320MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5351.05 56.55 74.00 -17.45 39.12 34.60 12.57 29.74 0.00 243 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 108.12 ------ ------ 90.82 34.49 12.59 29.78 0.00 243 0 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5399.35 45.26 54.00 -8.74 27.31 34.60 13.02 29.67 0.00 243 0 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 100.44 ------ ------ 83.15 34.49 12.59 29.79 0.00 243 0 AVERAGE

Mode	25	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_106/54RU _5320MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5360.35 57.83 74.00 -16.17 40.30 34.60 12.66 29.73 0.00 270 274 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 108.72 ------ ------ 91.39 34.52 12.58 29.77 0.00 270 274 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.00 45.48 54.00 -8.52 28.06 34.60 12.56 29.74 0.00 270 274 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5320.00 100.44 ------ ------ 83.17 34.47 12.59 29.79 0.00 270 274 AVERAGE

Mode	26	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5456.01 56.65 74.00 -17.35 38.81 34.60 12.82 29.58 0.00 100 177 PEAK 2 5466.57 59.54 68.20 -8.66 41.61 34.60 12.89 29.56 0.00 100 177 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 108.97 ------ ------ 90.82 34.60 13.06 29.51 0.00 100 177 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5460.00 47.37 54.00 -6.63 29.49 34.60 12.85 29.57 0.00 100 177 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 101.53 ------ ------ 83.38 34.60 13.06 29.51 0.00 100 177 AVERAGE

Mode	26	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5450.89 57.36 74.00 -16.64 39.55 34.60 12.80 29.59 0.00 100 231 PEAK 2 5469.61 60.15 68.20 -8.05 42.21 34.60 12.90 29.56 0.00 100 231 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 108.19 ------ ------ 90.08 34.60 13.03 29.52 0.00 100 231 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.83 47.45 54.00 -6.55 29.57 34.60 12.85 29.57 0.00 100 231 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 100.03 ------ ------ 81.84 34.61 13.08 29.50 0.00 100 231 AVERAGE

Mode	26	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11000.00 47.01 74.00 -26.99 55.19 38.20 18.08 64.46 0.00 -- -- PEAK 2 16500.00 49.36 68.20 -18.84 49.49 41.50 22.89 64.52 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11000.00 48.40 74.00 -25.60 56.58 38.20 18.08 64.46 0.00 100 360 PEAK 2 11000.00 37.14 54.00 -16.86 45.31 38.20 18.08 64.45 0.00 100 360 AVERAGE 3 16500.00 48.22 68.20 -19.98 48.38 41.49 22.87 64.52 0.00 -- -- PEAK

Mode	27	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11160.00 48.31 74.00 -25.69 56.00 38.36 18.22 64.27 0.00 300 360 PEAK 2 11160.00 37.34 54.00 -16.66 45.03 38.36 18.22 64.27 0.00 300 360 AVERAGE 3 16740.00 48.27 68.20 -19.93 47.87 41.94 22.96 64.50 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11160.00 51.28 74.00 -22.72 58.97 38.36 18.22 64.27 0.00 332 33 PEAK 2 11160.00 40.87 54.00 -13.13 48.56 38.36 18.22 64.27 0.00 332 33 AVERAGE 3 16740.00 48.28 68.20 -19.92 47.89 41.94 22.95 64.50 0.00 -- -- PEAK

Mode	28	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5727.12 64.33 68.20 -3.87 46.09 34.65 13.32 29.73 0.00 100 165 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 107.15 ------ ------ 89.05 34.59 13.08 29.57 0.00 100 165 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 98.87 ------ ------ 80.77 34.59 13.08 29.57 0.00 100 165 AVERAGE

Mode	28	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5726.64 61.60 68.20 -6.60 43.36 34.65 13.32 29.73 0.00 383 31 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 106.74 ------ ------ 88.63 34.58 13.07 29.54 0.00 383 31 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 99.69 ------ ------ 81.59 34.59 13.08 29.57 0.00 383 31 AVERAGE

Mode	28	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11400.00 46.64 74.00 -27.36 53.92 38.30 18.42 64.00 0.00 -- -- PEAK 2 17100.00 48.76 68.20 -19.44 48.33 41.70 23.08 64.35 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11400.00 46.57 74.00 -27.43 53.85 38.30 18.42 64.00 0.00 -- -- PEAK 2 17100.00 48.77 68.20 -19.43 48.33 41.71 23.09 64.36 0.00 -- -- PEAK

Mode	29	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5450.73 56.87 74.00 -17.13 39.07 34.60 12.79 29.59 0.00 100 178 PEAK 2 5461.49 60.19 68.20 -8.01 42.30 34.60 12.86 29.57 0.00 100 178 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 109.93 ------ ------ 91.78 34.60 13.06 29.51 0.00 100 178 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5460.00 48.23 54.00 -5.77 30.35 34.60 12.85 29.57 0.00 100 178 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 100.95 ------ ------ 82.80 34.60 13.06 29.51 0.00 100 178 AVERAGE

Mode	29	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.05 58.21 74.00 -15.79 40.34 34.60 12.84 29.57 0.00 100 235 PEAK 2 5469.45 61.62 68.20 -6.58 43.68 34.60 12.90 29.56 0.00 100 235 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 108.95 ------ ------ 90.80 34.60 13.06 29.51 0.00 100 235 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.86 48.69 54.00 -5.31 30.81 34.60 12.85 29.57 0.00 100 235 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 99.62 ------ ------ 81.47 34.60 13.06 29.51 0.00 100 235 AVERAGE

Mode	29	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11000.00 50.45 74.00 -23.55 58.63 38.20 18.08 64.46 0.00 100 0 PEAK 2 11000.00 39.03 54.00 -14.97 47.19 38.20 18.09 64.45 0.00 100 0 AVERAGE 3 16500.00 49.41 68.20 -18.79 49.53 41.51 22.89 64.52 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11000.00 51.27 74.00 -22.73 59.45 38.20 18.08 64.46 0.00 100 268 PEAK 2 11000.00 40.92 54.00 -13.08 49.09 38.20 18.08 64.45 0.00 100 268 AVERAGE 3 16500.00 48.98 68.20 -19.22 49.10 41.51 22.89 64.52 0.00 -- -- PEAK

Mode	30	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11160.00 47.10 74.00 -26.90 54.79 38.36 18.22 64.27 0.00 -- -- PEAK 2 16740.00 48.51 68.20 -19.69 48.09 41.95 22.97 64.50 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11160.00 49.45 74.00 -24.55 57.14 38.36 18.22 64.27 0.00 100 360 PEAK 2 11160.00 38.04 54.00 -15.96 45.72 38.36 18.23 64.27 0.00 100 360 AVERAGE 3 16740.00 47.86 68.20 -20.34 47.46 41.94 22.96 64.50 0.00 -- -- PEAK

Mode	31	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5727.20 61.50 68.20 -6.70 43.26 34.65 13.32 29.73 0.00 100 19 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 105.98 ------ ------ 87.88 34.60 13.10 29.60 0.00 100 19 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 97.94 ------ ------ 79.84 34.60 13.10 29.60 0.00 100 19 AVERAGE

Mode	31	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5726.32 64.78 68.20 -3.42 46.53 34.65 13.32 29.72 0.00 364 32 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 107.69 ------ ------ 89.59 34.59 13.08 29.57 0.00 364 32 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 99.32 ------ ------ 81.22 34.59 13.08 29.57 0.00 364 32 AVERAGE

Mode	31	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11400.00 46.70 74.00 -27.30 53.98 38.30 18.42 64.00 0.00 -- -- PEAK 2 17100.00 48.71 68.20 -19.49 48.28 41.69 23.09 64.35 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11400.00 46.78 74.00 -27.22 54.06 38.30 18.42 64.00 0.00 -- -- PEAK 2 17100.00 48.45 68.20 -19.75 48.02 41.68 23.09 64.34 0.00 -- -- PEAK

Mode	32	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5451.53 58.38 74.00 -15.62 40.56 34.60 12.80 29.58 0.00 100 179 PEAK 2 5469.77 64.65 68.20 -3.55 46.71 34.60 12.90 29.56 0.00 100 179 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 103.84 ------ ------ 85.65 34.61 13.08 29.50 0.00 100 179 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.98 49.86 54.00 -4.14 31.98 34.60 12.85 29.57 0.00 100 179 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 95.03 ------ ------ 76.88 34.60 13.06 29.51 0.00 100 179 AVERAGE

Mode	32	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5744.48 57.25 68.20 -10.95 38.91 34.69 13.47 29.82 0.00 100 179 PEAK	Blank

Mode	32	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5460.00 58.29 74.00 -15.71 40.41 34.60 12.85 29.57 0.00 100 236 PEAK 2 5469.93 63.01 68.20 -5.19 45.06 34.60 12.91 29.56 0.00 100 236 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 102.81 ------ ------ 84.66 34.60 13.06 29.51 0.00 100 236 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.92 49.80 54.00 -4.20 31.92 34.60 12.85 29.57 0.00 100 236 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5510.00 93.65 ------ ------ 75.43 34.64 13.07 29.49 0.00 100 236 AVERAGE

Mode	32	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.04 57.15 68.20 -11.05 38.80 34.69 13.48 29.82 0.00 100 236 PEAK	Blank

Mode	32	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11020.00 45.70 74.00 -28.30 53.79 38.22 18.12 64.43 0.00 -- -- PEAK 2 16530.00 49.91 68.20 -18.29 49.98 41.57 22.88 64.52 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11020.00 46.63 74.00 -27.37 54.72 38.22 18.12 64.43 0.00 -- -- PEAK 2 16530.00 47.65 68.20 -20.55 47.74 41.55 22.88 64.52 0.00 -- -- PEAK

Mode	33	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5450.51 57.94 74.00 -16.06 40.14 34.60 12.79 29.59 0.00 218 0 PEAK 2 5461.51 59.09 68.20 -9.11 41.20 34.60 12.86 29.57 0.00 218 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5550.00 107.53 ------ ------ 89.19 34.76 13.03 29.45 0.00 218 0 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5451.24 48.27 54.00 -5.73 30.45 34.60 12.80 29.58 0.00 218 0 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5550.00 97.77 ------ ------ 79.39 34.79 13.02 29.43 0.00 218 0 AVERAGE

Mode	33	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5753.94 57.15 68.20 -11.05 38.71 34.71 13.59 29.86 0.00 218 0 PEAK	Blank

Mode	33	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5450.91 59.10 74.00 -14.90 41.29 34.60 12.80 29.59 0.00 210 291 PEAK 2 5469.91 61.13 68.20 -7.07 43.18 34.60 12.91 29.56 0.00 210 291 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5550.00 106.26 ------ ------ 87.88 34.79 13.02 29.43 0.00 210 291 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.69 48.89 54.00 -5.11 31.01 34.60 12.85 29.57 0.00 210 291 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5550.00 97.30 ------ ------ 78.92 34.76 13.04 29.42 0.00 210 291 AVERAGE

Mode	33	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5730.07 56.82 68.20 -11.38 38.55 34.66 13.35 29.74 0.00 210 291 PEAK	Blank

Mode	33	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11100.00 47.16 74.00 -26.84 55.04 38.30 18.16 64.34 0.00 -- -- PEAK 2 16650.00 49.47 68.20 -18.73 49.33 41.77 22.88 64.51 0.00 -- -- PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11100.00 47.03 74.00 -26.97 54.91 38.30 18.16 64.34 0.00 -- -- PEAK 2 16650.00 48.78 68.20 -19.42 48.63 41.78 22.88 64.51 0.00 -- -- PEAK

Mode	34	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5445.77 56.34 74.00 -17.66 38.52 34.60 12.81 29.59 0.00 300 168 PEAK 2 5463.85 56.33 68.20 -11.87 38.42 34.60 12.87 29.56 0.00 300 168 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 105.66 ------ ------ 87.54 34.55 13.05 29.48 0.00 300 168 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.10 45.46 54.00 -8.54 27.59 34.60 12.84 29.57 0.00 300 168 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 96.50 ------ ------ 78.35 34.52 13.02 29.39 0.00 300 168 AVERAGE

Mode	34	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5731.60 62.18 68.20 -6.02 43.91 34.66 13.36 29.75 0.00 300 168 PEAK	Blank

Mode	34	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5399.85 57.32 74.00 -16.68 39.35 34.60 13.03 29.66 0.00 115 171 PEAK 2 5468.97 56.73 68.20 -11.47 38.79 34.60 12.90 29.56 0.00 115 171 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 104.61 ------ ------ 86.49 34.55 13.05 29.48 0.00 115 171 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.81 45.43 54.00 -8.57 27.55 34.60 12.85 29.57 0.00 115 171 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5670.00 95.31 ------ ------ 77.16 34.52 13.02 29.39 0.00 115 171 AVERAGE

Mode	34	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5742.16 63.45 68.20 -4.75 45.12 34.68 13.45 29.80 0.00 115 171 PEAK	Blank

Mode	34	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full RU_5670MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11340.00 46.88 74.00 -27.12 54.24 38.36 18.34 64.06 0.00 -- -- PEAK 2 17010.00 48.67 68.20 -19.53 48.50 41.89 22.75 64.47 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11340.00 46.15 74.00 -27.85 53.51 38.36 18.34 64.06 0.00 -- -- PEAK 2 17010.00 48.66 68.20 -19.54 48.22 41.85 23.04 64.45 0.00 -- -- PEAK

Mode	35	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5452.33 61.91 74.00 -12.09 44.09 34.60 12.80 29.58 0.00 231 360 PEAK 2 5461.13 60.69 68.20 -7.51 42.81 34.60 12.85 29.57 0.00 231 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 99.31 ------ ------ 81.16 34.60 13.06 29.51 0.00 231 360 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5452.25 50.58 54.00 -3.42 32.76 34.60 12.80 29.58 0.00 231 360 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 89.19 ------ ------ 70.97 34.64 13.07 29.49 0.00 231 360 AVERAGE

Mode	35	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5747.52 57.11 68.20 -11.09 38.74 34.70 13.50 29.83 0.00 231 360 PEAK	Blank

Mode	35	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5452.49 57.92 74.00 -16.08 40.10 34.60 12.80 29.58 0.00 387 285 PEAK 2 5460.49 58.94 68.20 -9.26 41.06 34.60 12.85 29.57 0.00 387 285 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 97.81 ------ ------ 79.59 34.64 13.07 29.49 0.00 387 285 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5460.00 48.25 54.00 -5.75 30.37 34.60 12.85 29.57 0.00 387 285 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5530.00 88.75 ------ ------ 70.50 34.67 13.06 29.48 0.00 387 285 AVERAGE

Mode	35	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5760.00 56.82 68.20 -11.38 38.30 34.72 13.69 29.89 0.00 387 285 PEAK	Blank

Mode	35	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH106_Full RU_5530MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 8848.00 50.98 68.20 -17.22 64.49 36.29 16.63 66.43 0.00 -- -- Peak 2 11060.00 46.16 74.00 -27.84 54.11 38.26 18.18 64.39 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 8848.00 51.46 68.20 -16.74 64.97 36.29 16.63 66.43 0.00 -- -- Peak 2 11060.00 46.48 74.00 -27.52 54.43 38.26 18.18 64.39 0.00 -- -- PEAK

Mode	36	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5445.29 57.64 74.00 -16.36 39.82 34.60 12.81 29.59 0.00 270 179 PEAK 2 5462.73 57.00 68.20 -11.20 39.11 34.60 12.86 29.57 0.00 270 179 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 103.64 ------ ------ 85.34 34.50 13.15 29.35 0.00 270 179 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.98 46.82 54.00 -7.18 28.94 34.60 12.85 29.57 0.00 270 179 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 93.48 ------ ------ 75.19 34.50 13.12 29.33 0.00 270 179 AVERAGE

Mode	36	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5730.72 59.82 68.20 -8.38 41.56 34.66 13.35 29.75 0.00 270 179 PEAK	Blank

Mode	36	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5450.89 56.48 74.00 -17.52 38.67 34.60 12.80 29.59 0.00 394 293 PEAK 2 5464.65 57.00 68.20 -11.20 39.09 34.60 12.87 29.56 0.00 394 293 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 101.20 ------ ------ 82.91 34.50 13.12 29.33 0.00 394 293 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.96 46.32 54.00 -7.68 28.44 34.60 12.85 29.57 0.00 394 293 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.00 92.73 ------ ------ 74.46 34.50 13.10 29.33 0.00 394 293 AVERAGE

Mode	36	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5732.24 58.42 68.20 -9.78 40.14 34.66 13.37 29.75 0.00 394 293 PEAK	Blank

Mode	36	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH122_Full RU_5610MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11220.00 46.05 74.00 -27.95 53.56 38.40 18.29 64.20 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11220.00 47.36 74.00 -26.64 54.87 38.40 18.29 64.20 0.00 -- -- PEAK

Mode	37	
	Band Edge - L	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5410.62 61.17 74.00 -12.83 43.24 34.60 12.98 29.65 0.00 233 0 PEAK 2 5461.00 58.58 68.20 -9.62 40.70 34.60 12.85 29.57 0.00 233 0 PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5570.00 95.43 ------ ------ 77.32 34.60 13.03 29.52 0.00 233 0 PEAK
Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5401.33 50.18 54.00 -3.82 32.22 34.60 13.02 29.66 0.00 233 0 AVERAGE	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5570.00 85.76 ------ ------ 67.47 34.71 13.05 29.47 0.00 233 0 AVERAGE

Mode	37	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5744.04 59.25 68.20 -8.95 40.90 34.69 13.47 29.81 0.00 233 0 PEAK	Blank

Mode	37
	Band Edge - L
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz
ANT	CDD 7+5

Pol. — Vertical

Peak



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5401.60	61.03	74.00	-12.97	43.07	34.60	13.02	29.66	0.00	348	277	PEAK
2	5468.92	56.63	68.20	-11.57	38.69	34.60	12.90	29.56	0.00	348	277	PEAK

Fundamental



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5570.00	95.07	------	------	76.83	34.66	13.06	29.48	0.00	348	277	PEAK

Avg



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5400.01	50.08	54.00	-3.92	32.11	34.60	13.03	29.66	0.00	348	277	AVERAGE



	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5570.00	85.33	------	------	67.11	34.64	13.07	29.49	0.00	348	277	AVERAGE

Mode	37	
	Band Edge - R	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5742.48 57.75 68.20 -10.45 39.42 34.68 13.46 29.81 0.00 348 277 PEAK	Blank

Mode	37	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full RU_5570MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11140.00 46.11 74.00 -27.89 53.88 38.34 18.19 64.30 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11140.00 46.79 74.00 -27.21 54.56 38.34 18.19 64.30 0.00 -- -- PEAK

Mode	38	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_26/0RU _5500MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5435.21 56.32 74.00 -17.68 38.47 34.60 12.86 29.61 0.00 121 0 PEAK 2 5466.09 56.18 68.20 -12.02 38.26 34.60 12.88 29.56 0.00 121 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 107.34 ------ ------ 89.23 34.60 13.03 29.52 0.00 121 0 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.72 45.61 54.00 -8.39 27.74 34.60 12.84 29.57 0.00 121 0 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 99.96 ------ ------ 81.85 34.60 13.03 29.52 0.00 121 0 AVERAGE

Mode	38	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_26/0RU _5500MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5436.33 56.86 74.00 -17.14 39.01 34.60 12.86 29.61 0.00 352 288 PEAK 2 5467.53 56.08 68.20 -12.12 38.15 34.60 12.89 29.56 0.00 352 288 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 108.90 ------ ------ 90.79 34.60 13.03 29.52 0.00 352 288 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.04 45.59 54.00 -8.41 27.72 34.60 12.84 29.57 0.00 352 288 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 100.78 ------ ------ 82.67 34.60 13.03 29.52 0.00 352 288 AVERAGE

Mode	39	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_26/8RU _5700MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5736.40 57.46 68.20 -10.74 39.16 34.67 13.40 29.77 0.00 200 169 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 106.46 ------ ------ 88.33 34.61 13.15 29.63 0.00 200 169 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 98.54 ------ ------ 80.41 34.61 13.15 29.63 0.00 200 169 AVERAGE

Mode	39	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_26/8RU _5700MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5746.24 57.15 68.20 -11.05 38.79 34.69 13.49 29.82 0.00 320 233 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 105.00 ------ ------ 86.87 34.61 13.15 29.63 0.00 320 233 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 97.56 ------ ------ 79.43 34.61 13.15 29.63 0.00 320 233 AVERAGE

Mode	40	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_52/37RU _5500MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos Remark TPos MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5423.69 56.42 74.00 -17.58 38.53 34.60 12.92 29.63 0.00 186 0 PEAK 2 5469.61 55.53 68.20 -12.67 37.59 34.60 12.90 29.56 0.00 186 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos Remark TPos MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 107.52 ------ ------ 89.41 34.60 13.03 29.52 0.00 186 0 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos Remark TPos MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.35 45.60 54.00 -8.40 27.73 34.60 12.84 29.57 0.00 186 0 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos Remark TPos MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 99.96 ------ ------ 81.85 34.60 13.03 29.52 0.00 186 0 AVERAGE

Mode	40	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_52/37RU _5500MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5450.25 58.39 74.00 -15.61 40.59 34.60 12.79 29.59 0.00 352 289 PEAK 2 5463.05 56.69 68.20 -11.51 38.79 34.60 12.87 29.57 0.00 352 289 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 108.80 ------ ------ 90.69 34.60 13.03 29.52 0.00 352 289 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.63 45.60 54.00 -8.40 27.73 34.60 12.84 29.57 0.00 352 289 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 100.66 ------ ------ 82.55 34.60 13.03 29.52 0.00 352 289 AVERAGE

Mode	41	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_52/40RU _5700MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5741.68 57.31 68.20 -10.89 38.98 34.68 13.45 29.80 0.00 100 237 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 105.36 ------ ------ 87.23 34.61 13.15 29.63 0.00 100 237 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 97.29 ------ ------ 79.19 34.60 13.10 29.60 0.00 100 237 AVERAGE

Mode	41	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_52/40RU _5700MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5727.36 59.13 68.20 -9.07 40.88 34.65 13.33 29.73 0.00 387 163 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 107.15 ------ ------ 89.02 34.61 13.15 29.63 0.00 387 163 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 98.41 ------ ------ 80.28 34.61 13.15 29.63 0.00 387 163 AVERAGE

Mode	42	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_106/53RU _5500MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5434.57 56.97 74.00 -17.03 39.12 34.60 12.86 29.61 0.00 241 339 PEAK 2 5468.49 58.33 68.20 -9.87 40.39 34.60 12.90 29.56 0.00 241 339 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 108.74 ------ ------ 90.63 34.60 13.03 29.52 0.00 241 339 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5458.82 45.61 54.00 -8.39 27.74 34.60 12.84 29.57 0.00 241 339 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 100.76 ------ ------ 82.65 34.60 13.03 29.52 0.00 241 339 AVERAGE

Mode	42	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_106/53RU _5500MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos Remark TPos MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5448.97 57.30 74.00 -16.70 39.50 34.60 12.79 29.59 0.00 388 270 PEAK 2 5461.77 56.24 68.20 -11.96 38.35 34.60 12.86 29.57 0.00 388 270 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos Remark TPos MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 108.68 ------ ------ 90.57 34.60 13.03 29.52 0.00 388 270 PEAK
Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos Remark TPos MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5459.82 45.61 54.00 -8.39 27.73 34.60 12.85 29.57 0.00 388 270 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos Remark TPos MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5500.00 100.37 ------ ------ 82.26 34.60 13.03 29.52 0.00 388 270 AVERAGE

Mode	43	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_106/54RU _5700MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5726.40 62.91 68.20 -5.29 44.66 34.65 13.32 29.72 0.00 234 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 109.05 ------ ------ 90.95 34.60 13.10 29.60 0.00 234 0 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 99.97 ------ ------ 81.87 34.60 13.10 29.60 0.00 234 0 AVERAGE

Mode	43	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_106/54RU _5700MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5726.00 61.65 68.20 -6.55 43.41 34.65 13.31 29.72 0.00 109 172 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 107.10 ------ ------ 89.00 34.60 13.10 29.60 0.00 109 172 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 99.67 ------ ------ 81.57 34.60 13.10 29.60 0.00 109 172 AVERAGE

Mode	44	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 47.47 74.00 -26.53 54.53 38.30 18.59 63.95 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 46.12 74.00 -27.88 53.18 38.30 18.59 63.95 0.00 -- -- PEAK

Mode	45	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 46.46 74.00 -27.54 53.52 38.30 18.59 63.95 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11440.00 46.31 74.00 -27.69 53.37 38.30 18.59 63.95 0.00 -- -- PEAK

Mode	46	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH142_Full RU_5710MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11420.00 46.89 74.00 -27.11 54.06 38.30 18.50 63.97 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11420.00 47.16 74.00 -26.84 54.33 38.30 18.50 63.97 0.00 -- -- PEAK

Mode	47	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ax HE80_CH138_Full RU_5690MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11380.00 46.57 74.00 -27.43 53.88 38.32 18.39 64.02 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11380.00 46.22 74.00 -27.78 53.53 38.32 18.39 64.02 0.00 -- -- PEAK

Mode	48	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5610.40 57.06 68.20 -11.14 38.78 34.50 13.12 29.34 0.00 239 360 PEAK 2 5651.60 56.62 69.39 -12.77 38.46 34.50 13.01 29.35 0.00 239 360 PEAK 3 5715.60 65.97 109.67 -43.70 47.79 34.63 13.22 29.67 0.00 239 360 PEAK 4 5724.40 75.11 120.93 -45.82 56.87 34.65 13.30 29.71 0.00 239 360 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 108.84 ------ ------ 90.48 34.69 13.49 29.82 0.00 239 360 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 101.36 ------ ------ 83.04 34.68 13.43 29.79 0.00 239 360 AVERAGE

Mode	48	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5640.80 57.52 68.20 -10.68 39.27 34.50 13.04 29.29 0.00 103 194 PEAK 2 5650.00 54.71 68.20 -13.49 36.54 34.50 13.01 29.34 0.00 103 194 PEAK 3 5713.20 66.96 109.00 -42.04 48.79 34.63 13.20 29.66 0.00 103 194 PEAK 4 5720.40 69.12 111.81 -42.69 50.90 34.64 13.27 29.69 0.00 103 194 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 110.40 ------ ------ 92.08 34.68 13.43 29.79 0.00 103 194 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 101.77 ------ ------ 83.41 34.69 13.49 29.82 0.00 103 194 AVERAGE

Mode	48	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 47.38 74.00 -26.62 54.23 38.30 18.74 63.89 0.00 300 0 PEAK 2 11490.00 36.84 54.00 -17.16 43.69 38.30 18.74 63.89 0.00 300 0 AVERAGE	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 46.94 74.00 -27.06 53.79 38.30 18.74 63.89 0.00 -- -- PEAK

Mode	49
	Band Edge - L
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz
ANT	CDD 7+5

Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5601.81 57.16 68.20 -11.04 38.87 34.50 13.14 29.35 0.00 289 167 PEAK 2 5651.81 55.14 69.55 -14.41 36.98 34.50 13.01 29.35 0.00 289 167 PEAK 3 5702.21 54.92 105.92 -51.00 36.81 34.60 13.11 29.60 0.00 289 167 PEAK 4 5720.00 53.23 110.90 -57.67 35.02 34.64 13.26 29.69 0.00 289 167 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5785.00 107.52 ------ ------ 88.65 34.77 14.12 30.02 0.00 289 167 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5785.00 100.31 ------ ------ 81.52 34.76 14.02 29.99 0.00 289 167 AVERAGE

Mode	49	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.99 54.22 110.93 -56.71 35.79 34.92 13.88 30.37 0.00 289 167 PEAK 2 5872.61 57.32 105.97 -48.65 38.86 34.99 13.85 30.38 0.00 289 167 PEAK 3 5924.99 55.46 68.21 -12.75 36.99 35.15 13.73 30.41 0.00 289 167 PEAK 4 5994.61 56.84 68.20 -11.36 38.43 35.29 13.56 30.44 0.00 289 167 PEAK	Blank

Mode	49
	Band Edge - L
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz
ANT	CDD 7+5

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5607.01 56.68 68.20 -11.52 38.39 34.50 13.13 29.34 0.00 144 173 PEAK 2 5651.01 54.80 68.96 -14.16 36.64 34.50 13.01 29.35 0.00 144 173 PEAK 3 5703.41 55.31 106.26 -50.95 37.19 34.61 13.12 29.61 0.00 144 173 PEAK 4 5720.00 54.01 110.90 -56.89 35.80 34.64 13.26 29.69 0.00 144 173 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5785.00 107.11 ------ ------ 88.24 34.77 14.12 30.02 0.00 144 173 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5785.00 100.28 ------ ------ 81.49 34.76 14.02 29.99 0.00 144 173 AVERAGE

Mode	49	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.21 54.58 112.69 -58.11 36.15 34.92 13.88 30.37 0.00 144 173 PEAK 2 5873.81 56.62 105.63 -49.01 38.15 35.00 13.85 30.38 0.00 144 173 PEAK 3 5924.21 54.04 68.78 -14.74 35.56 35.15 13.73 30.40 0.00 144 173 PEAK 4 5964.21 57.70 68.20 -10.50 39.27 35.23 13.62 30.42 0.00 144 173 PEAK	Blank

Mode	49	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 46.63 74.00 -27.37 53.62 38.44 18.63 64.06 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 46.30 74.00 -27.70 53.29 38.44 18.63 64.06 0.00 -- -- PEAK

Mode	50	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.80 61.12 111.36 -50.24 42.69 34.92 13.88 30.37 0.00 241 171 PEAK 2 5855.20 62.11 110.84 -48.73 43.68 34.92 13.88 30.37 0.00 241 171 PEAK 3 5924.40 57.00 68.64 -11.64 38.52 35.15 13.73 30.40 0.00 241 171 PEAK 4 5932.40 57.32 68.20 -10.88 38.87 35.16 13.70 30.41 0.00 241 171 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 108.10 ------ ------ 89.33 34.85 14.14 30.22 0.00 241 171 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 101.19 ------ ------ 82.42 34.85 14.14 30.22 0.00 241 171 AVERAGE

Mode	50	
	Band Edge	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.80 64.50 111.36 -46.86 46.07 34.92 13.88 30.37 0.00 140 186 PEAK 2 5856.00 65.42 110.62 -45.20 46.99 34.92 13.88 30.37 0.00 140 186 PEAK 3 5924.00 55.70 68.94 -13.24 37.22 35.15 13.73 30.40 0.00 140 186 PEAK 4 5970.40 58.34 68.20 -9.86 39.92 35.24 13.61 30.43 0.00 140 186 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 109.82 ------ ------ 91.05 34.85 14.14 30.22 0.00 140 186 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 102.34 ------ ------ 83.57 34.85 14.14 30.22 0.00 140 186 AVERAGE

Mode	50	
	Harmonic	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 46.76 74.00 -27.24 53.86 38.50 18.67 64.27 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 46.81 74.00 -27.19 53.91 38.50 18.67 64.27 0.00 -- -- PEAK

Mode	51	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5631.20 57.25 68.20 -10.95 38.99 34.50 13.06 29.30 0.00 224 0 PEAK 2 5650.40 56.16 68.50 -12.34 37.99 34.50 13.01 29.34 0.00 224 0 PEAK 3 5715.20 70.79 109.56 -38.77 52.61 34.63 13.22 29.67 0.00 224 0 PEAK 4 5720.40 72.19 111.81 -39.62 53.97 34.64 13.27 29.69 0.00 224 0 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 108.96 ------ ------ 90.60 34.69 13.49 29.82 0.00 224 0 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 100.20 ------ ------ 81.84 34.69 13.49 29.82 0.00 224 0 AVERAGE

Mode	51	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5636.80 56.85 68.20 -11.35 38.59 34.50 13.05 29.29 0.00 100 192 PEAK 2 5650.80 54.83 68.80 -13.97 36.66 34.50 13.01 29.34 0.00 100 192 PEAK 3 5714.40 69.40 109.33 -39.93 51.22 34.63 13.21 29.66 0.00 100 192 PEAK 4 5721.60 74.45 114.55 -40.10 56.23 34.64 13.28 29.70 0.00 100 192 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 109.35 ------ ------ 90.99 34.69 13.49 29.82 0.00 100 192 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5745.00 100.60 ------ ------ 82.24 34.69 13.49 29.82 0.00 100 192 AVERAGE

Mode	51	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full RU_5745MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 46.93 74.00 -27.07 53.78 38.30 18.74 63.89 0.00 -- -- PEAK	 Limit Read Ant Cable Preamp Aux APos TPos Freq Level Line Margin Level Factor Loss Factor Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11490.00 47.19 74.00 -26.81 54.04 38.30 18.74 63.89 0.00 -- -- PEAK

Mode	52	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5645.60 57.39 68.20 -10.81 39.19 34.50 13.02 29.32 0.00 230 170 PEAK 2 5650.00 54.39 68.20 -13.81 36.22 34.50 13.01 29.34 0.00 230 170 PEAK 3 5704.40 56.29 106.53 -50.24 38.16 34.61 13.13 29.61 0.00 230 170 PEAK 4 5720.00 54.64 110.90 -56.26 36.43 34.64 13.26 29.69 0.00 230 170 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5785.00 108.80 ------ ------ 89.88 34.78 14.17 30.03 0.00 230 170 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5785.00 99.90 ------ ------ 80.98 34.78 14.17 30.03 0.00 230 170 AVERAGE

Mode	52	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.80 54.78 111.36 -56.58 36.35 34.92 13.88 30.37 0.00 230 170 PEAK 2 5874.80 54.86 105.36 -50.50 36.39 35.00 13.85 30.38 0.00 230 170 PEAK 3 5922.80 57.02 69.83 -12.81 38.54 35.15 13.73 30.40 0.00 230 170 PEAK 4 5950.80 58.81 68.20 -9.39 40.38 35.20 13.65 30.42 0.00 230 170 PEAK	Blank

Mode	52	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5617.60 56.78 68.20 -11.42 38.50 34.50 13.10 29.32 0.00 143 185 PEAK 2 5651.20 54.59 69.09 -14.50 36.43 34.50 13.01 29.35 0.00 143 185 PEAK 3 5701.20 54.17 105.64 -51.47 36.07 34.60 13.10 29.60 0.00 143 185 PEAK 4 5720.00 55.94 110.90 -54.96 37.73 34.64 13.26 29.69 0.00 143 185 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5785.00 110.90 ------ ------ 92.08 34.76 14.06 30.00 0.00 143 185 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5785.00 100.16 ------ ------ 81.24 34.78 14.17 30.03 0.00 143 185 AVERAGE

Mode	52	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.40 54.43 112.27 -57.84 36.00 34.92 13.88 30.37 0.00 143 185 PEAK 2 5873.60 56.26 105.69 -49.43 37.80 34.99 13.85 30.38 0.00 143 185 PEAK 3 5924.80 55.44 68.35 -12.91 36.97 35.15 13.73 30.41 0.00 143 185 PEAK 4 5995.20 56.87 68.20 -11.33 38.46 35.29 13.56 30.44 0.00 143 185 PEAK	Blank

Mode	52	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full RU_5785MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 46.52 74.00 -27.48 53.51 38.44 18.63 64.06 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11570.00 47.09 74.00 -26.91 54.08 38.44 18.63 64.06 0.00 -- -- PEAK

Mode	53	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5852.80 70.15 115.92 -45.77 51.72 34.91 13.88 30.36 0.00 240 173 PEAK 2 5856.00 68.13 110.62 -42.49 49.70 34.92 13.88 30.37 0.00 240 173 PEAK 3 5924.00 54.27 68.94 -14.67 35.79 35.15 13.73 30.40 0.00 240 173 PEAK 4 5938.80 57.70 68.20 -10.50 39.25 35.18 13.68 30.41 0.00 240 173 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 108.42 ------ ------ 89.56 34.84 14.20 30.18 0.00 240 173 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 100.55 ------ ------ 81.78 34.85 14.14 30.22 0.00 240 173 AVERAGE

Mode	53	
	Band Edge	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.40 65.24 112.27 -47.03 46.81 34.92 13.88 30.37 0.00 100 186 PEAK 2 5856.80 67.17 110.40 -43.23 48.73 34.93 13.88 30.37 0.00 100 186 PEAK 3 5923.60 55.05 69.23 -14.18 36.57 35.15 13.73 30.40 0.00 100 186 PEAK 4 5972.40 57.26 68.20 -10.94 38.84 35.24 13.61 30.43 0.00 100 186 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 109.96 ------ ------ 91.27 34.86 14.08 30.25 0.00 100 186 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5825.00 101.36 ------ ------ 82.67 34.86 14.08 30.25 0.00 100 186 AVERAGE

Mode	53	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full RU_5825MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 47.23 74.00 -26.77 54.33 38.50 18.67 64.27 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11650.00 46.51 74.00 -27.49 53.61 38.50 18.67 64.27 0.00 -- -- PEAK

Mode	54	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5608.06 58.46 68.20 -9.74 40.17 34.50 13.13 29.34 0.00 260 171 PEAK 2 5650.69 56.50 68.71 -12.21 38.33 34.50 13.01 29.34 0.00 260 171 PEAK 3 5719.04 78.28 110.63 -32.35 60.08 34.64 13.25 29.69 0.00 260 171 PEAK 4 5724.47 83.99 121.08 -37.09 65.75 34.65 13.30 29.71 0.00 260 171 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.00 106.77 ------ ------ 88.41 34.69 13.49 29.82 0.00 260 171 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.00 98.28 ------ ------ 79.78 34.72 13.66 29.88 0.00 260 171 AVERAGE

Mode	54	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.84 55.82 111.26 -55.44 37.39 34.92 13.88 30.37 0.00 260 171 PEAK 2 5874.54 56.19 105.43 -49.24 37.72 35.00 13.85 30.38 0.00 260 171 PEAK 3 5924.85 54.67 68.31 -13.64 36.20 35.15 13.73 30.41 0.00 260 171 PEAK 4 5936.55 58.65 68.20 -9.55 40.20 35.17 13.69 30.41 0.00 260 171 PEAK	Blank

Mode	54	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5646.04 58.63 68.20 -9.57 40.43 34.50 13.02 29.32 0.00 159 184 PEAK 2 5651.00 56.34 68.94 -12.60 38.18 34.50 13.01 29.35 0.00 159 184 PEAK 3 5715.32 77.19 109.59 -32.40 59.01 34.63 13.22 29.67 0.00 159 184 PEAK 4 5720.75 76.19 112.60 -36.41 57.98 34.64 13.27 29.70 0.00 159 184 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.00 106.83 ------ ------ 88.33 34.72 13.66 29.88 0.00 159 184 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5755.00 97.66 ------ ------ 79.16 34.72 13.66 29.88 0.00 159 184 AVERAGE

Mode	54	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.84 56.72 111.26 -54.54 38.29 34.92 13.88 30.37 0.00 159 184 PEAK 2 5867.71 57.41 107.34 -49.93 38.96 34.97 13.86 30.38 0.00 159 184 PEAK 3 5924.46 56.47 68.60 -12.13 37.99 35.15 13.73 30.40 0.00 159 184 PEAK 4 5945.52 56.72 68.20 -11.48 38.29 35.19 13.66 30.42 0.00 159 184 PEAK	Blank

Mode	54	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 9207.33 49.98 68.20 -18.22 63.14 36.41 16.75 66.32 0.00 -- -- Peak 2 11510.00 46.62 74.00 -27.38 53.46 38.32 18.75 63.91 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 9207.33 53.74 68.20 -14.46 66.90 36.41 16.75 66.32 0.00 -- -- Peak 2 11510.00 47.38 74.00 -26.62 54.22 38.32 18.75 63.91 0.00 -- -- PEAK

Mode	55	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5602.80 58.29 68.20 -9.91 40.00 34.50 13.14 29.35 0.00 228 175 PEAK 2 5650.40 56.34 68.50 -12.16 38.17 34.50 13.01 29.34 0.00 228 175 PEAK 3 5716.00 64.09 109.78 -45.69 45.90 34.63 13.23 29.67 0.00 228 175 PEAK 4 5720.00 59.50 110.90 -51.40 41.29 34.64 13.26 29.69 0.00 228 175 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.00 104.64 ------ ------ 85.64 34.81 14.31 30.12 0.00 228 175 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.00 97.55 ------ ------ 78.55 34.81 14.31 30.12 0.00 228 175 AVERAGE

Mode	55	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.40 61.22 112.27 -51.05 42.79 34.92 13.88 30.37 0.00 228 175 PEAK 2 5874.40 57.17 105.47 -48.30 38.70 35.00 13.85 30.38 0.00 228 175 PEAK 3 5924.80 54.39 68.35 -13.96 35.92 35.15 13.73 30.41 0.00 228 175 PEAK 4 5959.20 57.14 68.20 -11.06 38.71 35.22 13.63 30.42 0.00 228 175 PEAK	Blank

Mode	55
	Band Edge - L
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz
ANT	CDD 7+5

Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5621.60 56.98 68.20 -11.22 38.71 34.50 13.09 29.32 0.00 100 172 PEAK 2 5651.20 56.57 69.09 -12.52 38.41 34.50 13.01 29.35 0.00 100 172 PEAK 3 5709.60 60.68 107.99 -47.31 42.53 34.62 13.17 29.64 0.00 100 172 PEAK 4 5720.00 63.01 110.90 -47.89 44.80 34.64 13.26 29.69 0.00 100 172 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.00 106.16 ------ ------ 87.16 34.81 14.31 30.12 0.00 100 172 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5795.00 97.93 ------ ------ 78.93 34.81 14.31 30.12 0.00 100 172 AVERAGE

Mode	55	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.80 66.20 111.36 -45.16 47.77 34.92 13.88 30.37 0.00 100 172 PEAK 2 5864.40 64.66 108.27 -43.61 46.21 34.96 13.86 30.37 0.00 100 172 PEAK 3 5920.80 56.85 71.30 -14.45 38.37 35.14 13.74 30.40 0.00 100 172 PEAK 4 5983.20 56.96 68.20 -11.24 38.54 35.27 13.58 30.43 0.00 100 172 PEAK	Blank

Mode	55	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11590.00 46.47 74.00 -27.53 53.52 38.48 18.58 64.11 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11590.00 46.31 74.00 -27.69 53.36 38.48 18.58 64.11 0.00 -- -- PEAK

Mode	56	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5646.40 61.17 68.20 -7.03 42.97 34.50 13.02 29.32 0.00 258 175 PEAK 2 5653.20 63.29 70.58 -7.29 45.12 34.51 13.02 29.36 0.00 258 175 PEAK 3 5704.80 74.06 106.65 -32.59 55.94 34.61 13.13 29.62 0.00 258 175 PEAK 4 5720.00 71.55 110.90 -39.35 53.34 34.64 13.26 29.69 0.00 258 175 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5775.00 102.45 ------ ------ 83.95 34.72 13.66 29.88 0.00 258 175 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5775.00 95.04 ------ ------ 76.46 34.73 13.76 29.91 0.00 258 175 AVERAGE

Mode	56	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5854.80 64.95 111.36 -46.41 46.52 34.92 13.88 30.37 0.00 258 175 PEAK 2 5860.80 65.96 109.27 -43.31 47.52 34.94 13.87 30.37 0.00 258 175 PEAK 3 5924.80 57.61 68.35 -10.74 39.14 35.15 13.73 30.41 0.00 258 175 PEAK 4 5946.40 58.54 68.20 -9.66 40.11 35.19 13.66 30.42 0.00 258 175 PEAK	Blank

Mode	56	
	Band Edge - L	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5645.60 61.51 68.20 -6.69 43.31 34.50 13.02 29.32 0.00 100 193 PEAK 2 5656.80 64.94 73.26 -8.32 46.78 34.51 13.02 29.37 0.00 100 193 PEAK 3 5704.00 72.14 106.42 -34.28 54.02 34.61 13.12 29.61 0.00 100 193 PEAK 4 5720.00 73.01 110.90 -37.89 54.80 34.64 13.26 29.69 0.00 100 193 PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5775.00 103.18 ------ ------ 84.26 34.78 14.17 30.03 0.00 100 193 PEAK
Avg	Blank	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5775.00 94.51 ------ ------ 75.43 34.80 14.37 30.09 0.00 100 193 AVERAGE

Mode	56	
	Band Edge - R	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz	
ANT	CDD 7+5	
Pol.	Vertical	Fundamental
Peak		Blank

	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5854.80	65.38	111.36	-45.98	46.95	34.92	13.88	30.37	0.00	100	193	PEAK
2	5868.40	65.38	107.15	-41.77	46.93	34.97	13.86	30.38	0.00	100	193	PEAK
3	5924.80	58.57	68.35	-9.78	40.10	35.15	13.73	30.41	0.00	100	193	PEAK
4	5932.40	58.55	68.20	-9.65	40.10	35.16	13.70	30.41	0.00	100	193	PEAK

Mode	56	
	Harmonic	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz	
ANT	CDD 7+5	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11550.00 46.42 74.00 -27.58 53.36 38.40 18.67 64.01 0.00 -- -- PEAK	 Freq Level Limit Line Margin Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 11550.00 46.93 74.00 -27.07 53.87 38.40 18.67 64.01 0.00 -- -- PEAK
Peak Avg