

		135	138	/	22.65	/	24.00
		270	0	/	25.84	/	26.50
	DFT-s-OFDM 16QAM	1	1	/	25.18	/	26.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	24.67	/	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
80MHz	DFT-s-OFDM QPSK	1	1	/	25.91	/	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	26.00	/	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	26.13	26.08	26.09	27.50

N78 PC2 30kHz ECI4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	22.95	/	24.50
		1	137	/	22.89	/	24.50
		1	271	/	22.75	/	24.50
		135	0	/	19.69	/	21.00
		135	69	/	22.77	/	24.50
		135	138	/	19.65	/	21.00
		270	0	/	22.89	/	23.50
	DFT-s-OFDM 16QAM	1	1	/	22.25	/	23.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	21.71	/	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
80MHz	DFT-s-OFDM QPSK	1	1	/	22.85	/	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	22.88	/	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	22.93	23.08	23.14	24.50

N78 PC2 30kHz ECI7				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	19.03	/	20.50
		1	137	/	18.87	/	20.50
		1	271	/	18.68	/	20.50
		135	0	/	15.63	/	17.00
		135	69	/	18.85	/	20.50
		135	138	/	15.68	/	17.00
		270	0	/	18.86	/	19.50
	DFT-s-OFDM 16QAM	1	1	/	18.10	/	19.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	17.63	/	19.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	



80MHz	DFT-s-OFDM QPSK	1	1	/	19.03	/	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	19.01	/	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	18.89	18.96	19.04	20.50

5 Conducted Power of NR NSA

5.1 Conducted Power of NR NSA(Ant0)

N77 PC3 30kHz ECI2				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	3500.01	/	24.50
		1	137	/	23.48	/	24.50
		1	271	/	23.61	/	24.50
		135	0	/	23.75	/	24.50
		135	69	/	22.77	/	23.50
		135	138	/	23.58	/	24.50
		270	0	/	22.78	/	23.50
	DFT-s-OFDM 16QAM	1	1	/	22.58	/	23.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
100MHz	CP-OFDM QPSK	1	1	/	633334	/	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
40MHz	DFT-s-OFDM QPSK	1	1	/	633334	/	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	630668	633334	636000	24.50
				23.37	23.47	23.34	

N77 PC3 30kHz ECI4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	3500.01	/	18.50
		1	137	/	17.43	/	18.50
		1	271	/	17.60	/	18.50
		135	0	/	17.66	/	18.50
		135	69	/	16.83	/	17.50
		135	138	/	17.68	/	18.50
		270	0	/	16.89	/	17.50
	DFT-s-OFDM 16QAM	1	1	/	16.54	/	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
100MHz	CP-OFDM QPSK	1	1	/	633334	/	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
40MHz	DFT-s-OFDM QPSK	1	1	/	633334	/	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	630668	633334	636000	18.50
				17.39	17.56	17.52	

N77 PC3 30kHz ECI7				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	3500.01	/	14.50
		1	137	/	13.56	/	14.50
		1	271	/	13.53	/	14.50
		135	0	/	13.81	/	14.50
		135	69	/	12.79	/	13.50
		135	138	/	13.58	/	14.50
		270	0	/	12.79	/	13.50
	DFT-s-OFDM 16QAM	1	1	/	12.58	/	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up

				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	12.30	/	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	13.61	/	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	13.60	13.55	13.67	14.50

N77 PC2 30kHz ECI2				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	26.01	/	27.50
		1	137	/	26.16	/	27.50
		1	271	/	26.35	/	27.50
		135	0	/	23.55	/	24.00
		135	69	/	26.24	/	27.50
		135	138	/	23.53	/	24.00
		270	0	/	25.17	/	26.50
	DFT-s-OFDM 16QAM	1	1	/	26.00	/	26.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	25.46	/	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	25.98	/	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	25.90	26.05	25.97	27.50

N77 PC2 30kHz ECI4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	20.24	/	21.50
		1	137	/	20.43	/	21.50
		1	271	/	20.51	/	21.50
		135	0	/	17.72	/	18.00
		135	69	/	20.49	/	21.50
		135	138	/	17.71	/	18.00
		270	0	/	19.35	/	20.50
	DFT-s-OFDM 16QAM	1	1	/	20.31	/	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	19.51	/	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	20.18	/	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	19.88	20.00	20.02	21.50

N77 PC2 30kHz ECI7				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	16.02	/	17.50
		1	137	/	16.20	/	17.50

		1	271	/	16.29	/	17.50
		135	0	/	13.57	/	14.00
		135	69	/	16.24	/	17.50
		135	138	/	13.57	/	14.00
		270	0	/	15.19	/	16.50
	DFT-s-OFDM 16QAM	1	1	/	15.98	/	16.50
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
100MHz	CP-OFDM QPSK	1	1	/	15.55	/	16.00
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
40MHz	DFT-s-OFDM QPSK	1	1	/	16.03	/	17.50
Bandwidth	Modulation	RB size	RB offset	Channel 630668	Channel 633334	Channel 636000	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	15.86	15.97	15.99	17.50

N77 PC3 30kHz ECI2				Conducted Power(dBm)						
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				/	/	654800	657200	/	/	
				/	/	3822.00	3858.00	/	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	/	23.22	23.07	/	/	24.50
		1	137	/	/	23.08	23.18	/	/	24.50
		1	271	/	/	23.12	23.14	/	/	24.50
		135	0	/	/	22.12	22.06	/	/	23.50
		135	69	/	/	23.08	23.09	/	/	24.50
		135	138	/	/	22.07	22.09	/	/	23.50
	270	0	/	/	22.09	22.05	/	/	23.50	
	DFT-s-OFDM 16QAM	1	1	/	/	22.11	22.11	/	/	23.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	654800	657200	Channel	Channel	Tune up
				/	/	3822.00	3858.00	/	/	
100MHz	CP-OFDM QPSK	1	1	/	/	21.59	21.64	/	/	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648000	651200	654400	657600	660800	664000	
40MHz	DFT-s-OFDM QPSK	1	1	23.23	23.14	23.21	23.07	23.15	23.06	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647332	650800	654264	657732	661200	664668	
20MHz	DFT-s-OFDM QPSK	1	1	23.27	23.12	23.26	23.03	23.07	23.00	24.50

N77 PC3_30kHz ECI4				Conducted Power(dBm)						
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				/	/	654800	657200	/	/	
				/	/	3822.00	3858.00	/	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	/	17.33	17.05	/	/	18.50
		1	137	/	/	17.11	17.17	/	/	18.50
		1	271	/	/	17.12	17.21	/	/	18.50
		135	0	/	/	16.12	16.04	/	/	17.50
		135	69	/	/	17.06	17.09	/	/	18.50
		135	138	/	/	16.15	16.08	/	/	17.50
	270	0	/	/	16.16	16.12	/	/	17.50	
	DFT-s-OFDM 16QAM	1	1	/	/	16.13	16.10	/	/	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	654800	657200	Channel	Channel	Tune up
				/	/	3822.00	3858.00	/	/	
100MHz	CP-OFDM QPSK	1	1	/	/	15.72	15.55	/	/	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648000	651200	654400	657600	660800	664000	
40MHz	DFT-s-	1	1	17.26	17.11	17.21	17.20	17.12	17.12	18.50

	OFDM QPSK									
Bandwidth	Modulation	RB size	RB offset	Channel 647332	Channel 650800	Channel 654264	Channel 657732	Channel 661200	Channel 664668	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	17.23	17.23	17.12	17.14	17.07	17.02	18.50

N77 PC3 30kHz ECI7				Conducted Power(dBm)						
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				/	/	654800	657200	/	/	
				/	/	3822.00	3858.00	/	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	/	13.24	13.08	/	/	14.50
		1	137	/	/	13.19	13.15	/	/	14.50
		1	271	/	/	13.23	13.27	/	/	14.50
		135	0	/	/	12.00	12.09	/	/	13.50
		135	69	/	/	13.15	13.22	/	/	14.50
		135	138	/	/	12.05	12.03	/	/	13.50
		270	0	/	/	12.03	12.09	/	/	13.50
	DFT-s-OFDM 16QAM	1	1	/	/	12.07	11.96	/	/	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	654800	657200	Channel	Channel	Tune up
				/	/	3822.00	3858.00	/	/	
100MHz	CP-OFDM QPSK	1	1	/	/	11.57	11.58	/	/	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648000	651200	654400	657600	660800	664000	
40MHz	DFT-s-OFDM QPSK	1	1	13.29	13.26	13.22	13.11	13.00	13.13	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647332	650800	654264	657732	661200	664668	
20MHz	DFT-s-OFDM QPSK	1	1	13.15	13.27	13.38	13.14	13.07	13.02	14.50

N77 PC2 30kHz ECI2				Conducted Power(dBm)						
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				/	/	654800	657200	/	/	
				/	/	3822.00	3858.00	/	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	/	26.19	25.84	/	/	27.50
		1	137	/	/	26.06	25.86	/	/	27.50
		1	271	/	/	25.96	25.91	/	/	27.50
		135	0	/	/	23.39	23.51	/	/	24.00
		135	69	/	/	26.01	26.04	/	/	27.50
		135	138	/	/	23.39	23.46	/	/	24.00
		270	0	/	/	24.99	24.95	/	/	26.50
	DFT-s-OFDM 16QAM	1	1	/	/	25.94	25.92	/	/	26.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	654800	657200	Channel	Channel	Tune up
				/	/	3822.00	3858.00	/	/	
100MHz	CP-OFDM QPSK	1	1	/	/	25.41	25.47	/	/	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				648000	651200	654400	657600	660800	664000	
40MHz	DFT-s-OFDM QPSK	1	1	26.18	26.10	26.15	25.77	25.82	25.86	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel	Tune up
				647332	650800	654264	657732	661200	664668	
20MHz	DFT-s-OFDM QPSK	1	1	26.13	26.25	26.26	25.84	25.94	25.84	27.50

N77 PC2 30kHz ECI4				Conducted Power(dBm)					
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel
				/	/	654800	657200	/	/
				/	/	3822.00	3858.00	/	/
100MHz	DFT-s-OFDM QPSK	1	1	/	/	20.70	20.15	/	/
		1	137	/	/	20.32	20.12	/	/
		1	271	/	/	20.27	20.25	/	/
		135	0	/	/	17.67	17.67	/	/
		135	69	/	/	20.23	20.30	/	/
		135	138	/	/	17.64	17.72	/	/
		270	0	/	/	19.22	19.19	/	/
	DFT-s-OFDM 16QAM	1	1	/	/	19.98	20.02	/	/
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	654800	657200	Channel	Channel
				/	/	3822.00	3858.00	/	/
100MHz	CP-OFDM QPSK	1	1	/	/	19.52	19.60	/	/
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel
				648000	651200	654400	657600	660800	664000
40MHz	DFT-s-OFDM QPSK	1	1	20.13	20.25	20.12	20.01	19.78	19.79
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel
				647332	650800	654264	657732	661200	664668
20MHz	DFT-s-OFDM QPSK	1	1	20.11	20.27	20.22	19.91	19.83	19.82

N77 PC2 30kHz ECI7				Conducted Power(dBm)					
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel
				/	/	654800	657200	/	/
				/	/	3822.00	3858.00	/	/
100MHz	DFT-s-OFDM QPSK	1	1	/	/	16.13	15.94	/	/
		1	137	/	/	16.05	15.85	/	/
		1	271	/	/	15.99	15.91	/	/
		135	0	/	/	13.57	13.33	/	/
		135	69	/	/	15.96	16.01	/	/
		135	138	/	/	13.53	13.50	/	/
		270	0	/	/	14.97	14.92	/	/
	DFT-s-OFDM 16QAM	1	1	/	/	16.05	16.00	/	/
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	654800	657200	Channel	Channel
				/	/	3822.00	3858.00	/	/
100MHz	CP-OFDM QPSK	1	1	/	/	15.48	15.54	/	/
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel
				648000	651200	654400	657600	660800	664000
40MHz	DFT-s-OFDM QPSK	1	1	16.10	16.13	16.33	15.80	15.79	15.82
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Channel
				647332	650800	654264	657732	661200	664668
20MHz	DFT-s-OFDM QPSK	1	1	16.27	16.18	16.12	15.82	15.94	15.88

N78 PC3 30kHz ECI2				Conducted Power(dBm)		
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel
				/	633334	/
				/	3500.01	/
100MHz	DFT-s-OFDM QPSK	1	1	/	23.07	/
		1	137	/	23.27	/
		1	271	/	23.55	/
		135	0	/	22.58	/
		135	69	/	23.42	/
		135	138	/	22.49	/
		270	0	/	22.34	/

	DFT-s-OFDM 16QAM	1	1	/	22.59	/	23.50
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
100MHz	CP-OFDM QPSK	1	1	/	22.11	/	23.00
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
80MHz	DFT-s-OFDM QPSK	1	1	/	23.18	/	24.50
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
40MHz	DFT-s-OFDM QPSK	1	1	/	23.22	/	24.50
Bandwidth	Modulation	RB size	RB offset	Channel 630668	Channel 633334	Channel 636000	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	23.04	23.20	23.09	24.50

N78 PC3 30kHz ECI4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
100MHz	DFT-s-OFDM QPSK	1	1	/	17.06	/	18.50
		1	137	/	17.34	/	18.50
		1	271	/	17.64	/	18.50
		135	0	/	16.47	/	17.50
		135	69	/	17.42	/	18.50
		135	138	/	16.62	/	17.50
		270	0	/	16.37	/	17.50
	DFT-s-OFDM 16QAM	1	1	/	16.54	/	17.50
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
100MHz	CP-OFDM QPSK	1	1	/	16.12	/	17.00
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
80MHz	DFT-s-OFDM QPSK	1	1	/	17.17	/	18.50
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
40MHz	DFT-s-OFDM QPSK	1	1	/	17.11	/	18.50
Bandwidth	Modulation	RB size	RB offset	Channel 630668	Channel 633334	Channel 636000	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	17.28	17.17	17.06	18.50

N78 PC3 30kHz ECI7				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
100MHz	DFT-s-OFDM QPSK	1	1	/	13.05	/	14.50
		1	137	/	13.29	/	14.50
		1	271	/	13.57	/	14.50
		135	0	/	12.58	/	13.50
		135	69	/	13.41	/	14.50
		135	138	/	12.58	/	13.50
		270	0	/	12.32	/	13.50
	DFT-s-OFDM 16QAM	1	1	/	12.50	/	13.50
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
100MHz	CP-OFDM QPSK	1	1	/	12.06	/	13.00
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 633334	Channel /	Tune up
80MHz	DFT-s-OFDM QPSK	1	1	/	13.19	/	14.50

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	13.01	/	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	13.20	13.01	13.16	14.50

N78 PC2 30kHz ECI2				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	25.87	/	27.50
		1	137	/	26.19	/	27.50
		1	271	/	26.28	/	27.50
		135	0	/	23.23	/	24.00
		135	69	/	26.28	/	27.50
		135	138	/	23.27	/	24.00
		270	0	/	26.16	/	26.50
	DFT-s-OFDM 16QAM	1	1	/	25.83	/	26.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	25.34	/	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
80MHz	DFT-s-OFDM QPSK	1	1	/	25.85	/	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	25.95	/	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	25.88	25.72	25.73	27.50

N78 PC2 30kHz ECI4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	19.92	/	21.50
		1	137	/	20.18	/	21.50
		1	271	/	20.25	/	21.50
		135	0	/	17.26	/	18.00
		135	69	/	20.30	/	21.50
		135	138	/	17.27	/	18.00
		270	0	/	20.19	/	20.50
	DFT-s-OFDM 16QAM	1	1	/	19.70	/	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	19.34	/	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
80MHz	DFT-s-OFDM QPSK	1	1	/	20.00	/	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	19.98	/	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	19.97	19.82	19.93	21.50

N78 PC2 30kHz ECI7				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500.01	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	15.97	/	17.50
		1	137	/	16.24	/	17.50
		1	271	/	16.25	/	17.50
		135	0	/	13.28	/	14.00
		135	69	/	16.32	/	17.50
		135	138	/	13.39	/	14.00
		270	0	/	16.18	/	16.50
	DFT-s-OFDM 16QAM	1	1	/	15.88	/	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	15.28	/	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
80MHz	DFT-s-OFDM QPSK	1	1	/	15.78	/	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	16.00	/	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	15.95	15.98	15.76	17.50

N78 PC3 30kHz ECI2				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	23.51	/	24.50
		1	137	/	23.40	/	24.50
		1	271	/	23.36	/	24.50
		135	0	/	22.39	/	23.50
		135	69	/	23.34	/	24.50
		135	138	/	22.32	/	23.50
		270	0	/	23.43	/	23.50
	DFT-s-OFDM 16QAM	1	1	/	22.33	/	23.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	21.79	/	23.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
80MHz	DFT-s-OFDM QPSK	1	1	/	23.38	/	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	23.43	/	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	23.40	23.38	23.42	24.50

N78 PC3 30kHz ECI4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	17.45	/	18.50
		1	137	/	17.50	/	18.50
		1	271	/	17.41	/	18.50
		135	0	/	16.41	/	17.50
		135	69	/	17.32	/	18.50
		135	138	/	16.39	/	17.50
		270	0	/	17.43	/	17.50
	DFT-s-OFDM 16QAM	1	1	/	16.37	/	17.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	15.90	/	17.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
80MHz	DFT-s-OFDM QPSK	1	1	/	17.45	/	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	17.38	/	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	17.50	17.54	17.51	18.50

N78 PC3 30kHz ECI7				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	13.54	/	14.50
		1	137	/	13.44	/	14.50
		1	271	/	13.44	/	14.50
		135	0	/	12.35	/	13.50
		135	69	/	13.41	/	14.50
		135	138	/	12.42	/	13.50
		270	0	/	13.47	/	13.50
	DFT-s-OFDM 16QAM	1	1	/	12.40	/	13.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	11.93	/	13.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
80MHz	DFT-s-OFDM QPSK	1	1	/	13.69	/	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	13.55	/	14.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	13.73	13.45	13.51	14.50

N78 PC2 30kHz ECI2				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	25.99	/	27.50
		1	137	/	25.85	/	27.50
		1	271	/	25.72	/	27.50
		135	0	/	22.66	/	24.00
		135	69	/	25.78	/	27.50

		135	138	/	22.65	/	24.00
		270	0	/	25.84	/	26.50
	DFT-s-OFDM 16QAM	1	1	/	25.18	/	26.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	24.67	/	26.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
80MHz	DFT-s-OFDM QPSK	1	1	/	25.91	/	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	26.00	/	27.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	26.13	26.08	26.09	27.50

N78 PC2 30kHz ECI4				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	19.96	/	21.50
		1	137	/	19.89	/	21.50
		1	271	/	19.75	/	21.50
		135	0	/	16.74	/	18.00
		135	69	/	19.75	/	21.50
		135	138	/	16.71	/	18.00
		270	0	/	19.95	/	20.50
	DFT-s-OFDM 16QAM	1	1	/	19.29	/	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	18.78	/	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
80MHz	DFT-s-OFDM QPSK	1	1	/	19.84	/	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
40MHz	DFT-s-OFDM QPSK	1	1	/	19.90	/	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	650000	652668	
20MHz	DFT-s-OFDM QPSK	1	1	19.91	20.13	20.16	21.50

N78 PC2 30kHz ECI7				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM QPSK	1	1	/	16.05	/	17.50
		1	137	/	15.88	/	17.50
		1	271	/	15.75	/	17.50
		135	0	/	12.65	/	14.00
		135	69	/	15.90	/	17.50
		135	138	/	12.71	/	14.00
		270	0	/	15.85	/	16.50
	DFT-s-OFDM 16QAM	1	1	/	15.09	/	16.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
100MHz	CP-OFDM QPSK	1	1	/	14.66	/	16.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	



80MHz	DFT-s-OFDM QPSK	1	1	/	16.05	/	17.50
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 650000	Channel /	Tune up
40MHz	DFT-s-OFDM QPSK	1	1	/	16.05	/	17.50
Bandwidth	Modulation	RB size	RB offset	Channel 647334	Channel 650000	Channel 652668	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	15.95	16.00	16.11	17.50

6 Conducted Power of WIFI and Bluetooth

6.1 Conducted Power of 2.4G WIFI

WIFI 2.4G Ant 6 Head&Body worn Standalone					
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11b	1	2412	1	17.85	19.50
	6	2437		18.28	20.00
	11	2462		18.11	19.50
802.11g	1	2412	6	17.44	19.00
	6	2437		17.73	19.00
	11	2462		17.59	19.00
802.11n HT20	1	2412	6.5	15.01	16.50
	6	2437		17.84	19.50
	11	2462		17.49	19.00
802.11n HT40	3	2422	13.5	14.59	16.00
	6	2437		14.07	15.50
	9	2452		12.11	13.50

WIFI 2.4G Ant 6 Head&Body worn Simultaneous transmission					
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11b	1	2412	1	12.95	14.50
	6	2437		13.42	15.00
	11	2462		13.24	14.50
802.11g	1	2412	6	12.51	14.00
	6	2437		12.87	14.00
	11	2462		12.75	14.00
802.11n HT20	1	2412	6.5	10.10	11.50
	6	2437		12.95	14.50
	11	2462		12.57	14.00
802.11n HT40	3	2422	13.5	9.74	11.00
	6	2437		9.17	10.50
	9	2452		7.22	8.50

WIFI 2.4G Ant 6 Hotspot Standalone					
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11b	1	2412	1	13.37	15.00
	6	2437		13.80	15.50
	11	2462		13.63	15.00
802.11g	1	2412	6	12.96	14.50
	6	2437		13.25	14.50
	11	2462		13.11	14.50
802.11n HT20	1	2412	6.5	10.53	12.00
	6	2437		13.36	15.00
	11	2462		13.01	14.50
802.11n HT40	3	2422	13.5	10.11	11.50
	6	2437		9.59	11.00
	9	2452		7.63	9.00



WIFI 2.4G Ant 6 Hotspot Simultaneous transmission					
Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11b	1	2412	1	12.08	13.00
	6	2437		12.60	13.50
	11	2462		12.09	13.00
802.11g	1	2412	6	11.55	12.50
	6	2437		11.63	12.50
	11	2462		11.55	12.50
802.11n HT20	1	2412	6.5	9.11	10.00
	6	2437		12.11	13.00
	11	2462		11.60	12.50
802.11n HT40	3	2422	13.5	8.54	9.50
	6	2437		8.11	9.00
	9	2452		6.03	7.00

6.2 Conducted Power of 5G WIFI

WIFI 5G Ant 8 Head Standalone					
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz U-NII-1	802.11a	36	5180	15.31	17.00
		40	5200	17.76	19.50
		44	5220	17.62	19.50
		48	5240	17.90	19.50
	802.11n HT20	36	5180	14.81	16.50
		40	5200	17.59	19.50
		44	5220	17.42	19.00
		48	5240	17.63	19.50
	802.11n HT40	38	5190	14.68	16.50
		46	5230	16.63	18.50
	802.11ac VHT20	36	5180	14.88	16.50
		40	5200	17.54	19.50
		44	5220	17.44	19.00
		48	5240	17.61	19.50
	802.11ac VHT40	38	5190	14.71	16.50
		46	5230	16.65	18.50
	802.11ac VHT80	42	5210	13.59	15.50
5GHz U-NII-2A	802.11a	52	5260	17.84	19.50
		56	5280	17.58	19.50
		60	5300	17.66	19.50
		64	5320	14.89	16.50
	802.11n HT20	52	5260	17.62	19.50
		56	5280	17.46	19.00
		60	5300	17.58	19.50
		64	5320	14.51	16.50
	802.11n HT40	54	5270	16.77	18.50
		62	5310	14.78	16.50
	802.11ac VHT20	52	5260	17.57	19.50
		56	5280	17.39	19.00
		60	5300	17.41	19.00
		64	5320	14.47	16.00
	802.11ac VHT40	54	5270	16.69	18.50
		62	5310	14.83	16.50
	802.11ac VHT80	58	5290	13.11	15.00
5GHz UNII-2C	802.11a	100	5500	15.59	17.50
		104	5520	15.42	17.00
		108	5540	15.56	17.50
		112	5560	15.55	17.50
		116	5580	18.04	20.00
		120	5600	17.96	19.50
		124	5620	17.78	19.50
		128	5640	17.79	19.50
		132	5660	17.90	19.50
		136	5680	17.74	19.50
		140	5700	14.38	16.00
		144	5720	18.11	20.00
	802.11n HT20	100	5500	15.89	17.50
		104	5520	15.85	17.50
		108	5540	15.82	17.50
		112	5560	15.69	17.50
		116	5580	17.79	19.50
		120	5600	17.70	19.50
		124	5620	17.53	19.50
		128	5640	17.66	19.50
		132	5660	17.50	19.50
		136	5680	17.70	19.50
		140	5700	14.11	16.00
		144	5720	17.98	19.50
	802.11n HT40	102	5510	15.02	17.00
		110	5550	17.09	19.00
		118	5590	16.98	18.50
		126	5630	17.01	19.00
		134	5670	15.17	17.00

	802.11ac VHT20	142	5710	17.03	19.00
		100	5500	15.92	17.50
		104	5520	15.83	17.50
		108	5540	15.87	17.50
		112	5560	15.90	17.50
		116	5580	17.89	19.50
		120	5600	17.76	19.50
		124	5620	17.73	19.50
		128	5640	17.72	19.50
		132	5660	17.83	19.50
		136	5680	17.86	19.50
		140	5700	14.21	16.00
		144	5720	18.01	20.00
	802.11ac VHT40	102	5510	15.11	17.00
		110	5550	17.04	19.00
		118	5590	16.86	18.50
		126	5630	16.94	18.50
		134	5670	15.19	17.00
	802.11ac VHT80	142	5710	17.09	19.00
		106	5530	13.07	15.00
		122	5610	16.01	18.00
		138	5690	16.06	18.00
		149	5745	15.85	17.50
5GHz UNII-3	802.11a	153	5765	15.82	17.50
		157	5785	15.94	17.50
		161	5805	15.89	17.50
		165	5825	15.81	17.50
		149	5745	15.68	17.50
	802.11n HT20	153	5765	15.60	17.00
		157	5785	15.68	17.50
		161	5805	15.56	17.00
		165	5825	15.62	17.00
		151	5755	14.51	16.00
	802.11n HT40	159	5795	14.77	16.50
		149	5745	15.61	17.00
		153	5765	15.57	17.00
		157	5785	15.61	17.00
		161	5805	15.60	17.00
	802.11ac VHT20	165	5825	15.56	17.00
		151	5755	14.67	16.50
		159	5795	14.67	16.50
		155	5775	13.83	15.50
		149	5745	15.61	17.00
	802.11ac VHT40	153	5765	15.57	17.00
		157	5785	15.61	17.00
		161	5805	15.60	17.00
		165	5825	15.56	17.00
		151	5755	14.67	16.50
	802.11ac VHT80	159	5795	14.67	16.50
		155	5775	13.83	15.50

WIFI 5G Ant 8 Head Simultaneous transmission					
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz U-NII-1	802.11a	36	5180	14.38	16.00
		40	5200	16.78	18.50
		44	5220	16.71	18.50
		48	5240	16.93	18.50
	802.11n HT20	36	5180	13.81	15.50
		40	5200	16.60	18.50
		44	5220	16.44	18.00
		48	5240	16.69	18.50
	802.11n HT40	38	5190	13.74	15.50
		46	5230	15.70	17.50
	802.11ac VHT20	36	5180	13.97	15.50
		40	5200	16.60	18.50
		44	5220	16.49	18.00
		48	5240	16.71	18.50
	802.11ac VHT40	38	5190	13.76	15.50
		46	5230	15.65	17.50
	802.11ac VHT80	42	5210	12.66	14.50
5GHz U-NII-2A	802.11a	52	5260	16.89	18.50
		56	5280	16.60	18.50
		60	5300	16.68	18.50
		64	5320	13.90	15.50
	802.11n	52	5260	16.72	18.50

	HT20	56	5280	16.54	18.00
		60	5300	16.67	18.50
		64	5320	13.58	15.50
	802.11n HT40	54	5270	15.78	17.50
		62	5310	13.78	15.50
	802.11ac VHT20	52	5260	16.59	18.50
		56	5280	16.41	18.00
		60	5300	16.42	18.00
	802.11ac VHT40	64	5320	13.51	15.00
		54	5270	15.77	17.50
		62	5310	13.87	15.50
	802.11ac VHT80	58	5290	12.20	14.00
5GHz UNII-2C	802.11a	100	5500	14.69	16.50
		104	5520	14.48	16.00
		108	5540	14.65	16.50
		112	5560	14.60	16.50
		116	5580	17.04	19.00
		120	5600	16.98	18.50
		124	5620	16.84	18.50
		128	5640	16.79	18.50
		132	5660	16.96	18.50
		136	5680	16.82	18.50
		140	5700	13.38	15.00
		144	5720	17.19	19.00
	802.11n HT20	100	5500	14.93	16.50
		104	5520	14.90	16.50
		108	5540	14.89	16.50
		112	5560	14.79	16.50
		116	5580	16.86	18.50
		120	5600	16.74	18.50
		124	5620	16.57	18.50
		128	5640	16.72	18.50
		132	5660	16.55	18.50
		136	5680	16.75	18.50
		140	5700	13.16	15.00
		144	5720	16.98	18.50
	802.11n HT40	102	5510	14.11	16.00
		110	5550	16.09	18.00
		118	5590	16.01	17.50
		126	5630	16.11	18.00
		134	5670	14.21	16.00
	802.11ac VHT20	142	5710	16.03	18.00
		100	5500	14.97	16.50
		104	5520	14.83	16.50
		108	5540	14.91	16.50
		112	5560	14.91	16.50
		116	5580	16.99	18.50
		120	5600	16.86	18.50
		124	5620	16.83	18.50
		128	5640	16.74	18.50
		132	5660	16.91	18.50
		136	5680	16.89	18.50
		140	5700	13.23	15.00
	802.11ac VHT40	144	5720	17.02	19.00
		102	5510	14.11	16.00
		110	5550	16.05	18.00
		118	5590	15.92	17.50
		126	5630	16.00	17.50
	802.11ac VHT80	134	5670	14.27	16.00
		142	5710	16.19	18.00
		106	5530	12.16	14.00
5GHz UNII-3	802.11a	122	5610	15.11	17.00
		138	5690	15.16	17.00
		149	5745	14.90	16.50
		153	5765	14.83	16.50
		157	5785	15.04	16.50
	802.11n	161	5805	14.90	16.50
		165	5825	14.84	16.50
	802.11n	149	5745	14.76	16.50

	HT20	153	5765	14.66	16.00
		157	5785	14.74	16.50
		161	5805	14.61	16.00
		165	5825	14.70	16.00
	802.11n HT40	151	5755	13.60	15.00
		159	5795	13.84	15.50
	802.11ac VHT20	149	5745	14.68	16.00
		153	5765	14.63	16.00
		157	5785	14.71	16.00
		161	5805	14.65	16.00
		165	5825	14.66	16.00
	802.11ac VHT40	151	5755	13.77	15.50
		159	5795	13.73	15.50
	802.11ac VHT80	155	5775	12.88	14.50

WIFI 5G Ant 8 Body worn Standalone					
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz U-NII-1	802.11a	36	5180	10.53	12.00
		40	5200	12.98	14.50
		44	5220	12.84	14.50
		48	5240	13.12	14.50
	802.11n HT20	36	5180	10.03	11.50
		40	5200	12.81	14.50
		44	5220	12.64	14.00
		48	5240	12.85	14.50
	802.11n HT40	38	5190	9.90	11.50
		46	5230	11.85	13.50
	802.11ac VHT20	36	5180	10.10	11.50
		40	5200	12.76	14.50
		44	5220	12.66	14.00
		48	5240	12.83	14.50
	802.11ac VHT40	38	5190	9.93	11.50
		46	5230	11.87	13.50
	802.11ac VHT80	42	5210	8.81	10.50
5GHz U-NII-2A	802.11a	52	5260	13.06	14.50
		56	5280	12.80	14.50
		60	5300	12.88	14.50
		64	5320	10.11	11.50
	802.11n HT20	52	5260	12.84	14.50
		56	5280	12.68	14.00
		60	5300	12.80	14.50
		64	5320	9.73	11.50
	802.11n HT40	54	5270	11.99	13.50
		62	5310	10.00	11.50
	802.11ac VHT20	52	5260	12.79	14.50
		56	5280	12.61	14.00
		60	5300	12.63	14.00
		64	5320	9.69	11.00
	802.11ac VHT40	54	5270	11.91	13.50
		62	5310	10.05	11.50
	802.11ac VHT80	58	5290	8.33	10.00
5GHz UNII-2C	802.11a	100	5500	8.33	10.00
		104	5520	8.16	9.50
		108	5540	8.30	10.00
		112	5560	8.29	10.00
		116	5580	10.78	12.50
		120	5600	10.70	12.00
		124	5620	10.52	12.00
		128	5640	10.53	12.00
		132	5660	10.64	12.00
		136	5680	10.48	12.00
		140	5700	7.12	8.50
		144	5720	10.85	12.50
	802.11n HT20	100	5500	8.51	10.00
		104	5520	8.47	10.00
		108	5540	8.44	10.00

		112	5560	8.31	10.00
		116	5580	10.41	12.00
		120	5600	10.32	12.00
		124	5620	10.15	12.00
		128	5640	10.28	12.00
		132	5660	10.12	12.00
		136	5680	10.32	12.00
		140	5700	6.73	8.50
		144	5720	10.60	12.00
	802.11n HT40	102	5510	7.64	9.50
		110	5550	9.71	11.50
		118	5590	9.60	11.00
		126	5630	9.63	11.50
		134	5670	7.79	9.50
		142	5710	9.65	11.50
	802.11ac VHT20	100	5500	8.54	10.00
		104	5520	8.45	10.00
		108	5540	8.49	10.00
		112	5560	8.52	10.00
		116	5580	10.51	12.00
		120	5600	10.38	12.00
		124	5620	10.35	12.00
		128	5640	10.34	12.00
		132	5660	10.45	12.00
		136	5680	10.48	12.00
	802.11ac VHT40	140	5700	6.83	8.50
		144	5720	10.63	12.50
		102	5510	7.73	9.50
		110	5550	9.66	11.50
		118	5590	9.48	11.00
		126	5630	9.56	11.00
	802.11ac VHT80	134	5670	7.81	9.50
		142	5710	9.71	11.50
		106	5530	5.69	7.50
5GHz UNII-3	802.11a	122	5610	8.63	10.50
		138	5690	8.68	10.50
		149	5745	9.31	10.50
		153	5765	9.28	10.50
		157	5785	9.40	10.50
		161	5805	9.58	10.50
	802.11n HT20	165	5825	9.27	10.50
		149	5745	8.91	10.50
		153	5765	8.83	10.00
		157	5785	8.91	10.50
		161	5805	8.79	10.00
		165	5825	8.85	10.00
	802.11n HT40	151	5755	7.74	9.00
		159	5795	8.00	9.50
	802.11ac VHT20	149	5745	8.84	10.00
		153	5765	8.80	10.00
		157	5785	8.84	10.00
		161	5805	8.83	10.00
		165	5825	8.79	10.00
	802.11ac VHT40	151	5755	7.90	9.50
		159	5795	7.90	9.50
	802.11ac VHT80	155	5775	7.06	8.50

WIFI 5G Ant 8 Body worn Simultaneous transmission					
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz U-NII-1	802.11a	36	5180	6.66	8.00
		40	5200	7.16	8.50
		44	5220	7.21	8.50
		48	5240	7.23	8.50
	802.11n HT20	36	5180	6.68	8.00
		40	5200	7.20	8.50
		44	5220	6.64	8.00
		48	5240	7.15	8.50
	802.11n	38	5190	6.70	8.00

5GHz U-NII-2A	HT40	46	5230	6.64	8.00
	802.11ac VHT20	36	5180	6.70	8.00
		40	5200	7.19	8.50
		44	5220	6.68	8.00
		48	5240	7.19	8.50
	802.11ac VHT40	38	5190	6.69	8.00
		46	5230	6.73	8.00
5GHz U-NII-2A	802.11a	42	5210	6.66	8.00
		52	5260	7.20	8.50
		56	5280	7.20	8.50
		60	5300	7.22	8.50
	802.11n HT20	64	5320	6.69	8.00
		52	5260	7.16	8.50
		56	5280	6.67	8.00
		60	5300	7.22	8.50
	802.11n HT40	64	5320	6.63	8.00
		54	5270	6.72	8.00
	802.11ac VHT20	62	5310	6.72	8.00
		52	5260	7.17	8.50
		56	5280	6.63	8.00
		60	5300	6.73	8.00
	802.11ac VHT40	64	5320	6.64	8.00
		54	5270	6.65	8.00
5GHz UNII-2C	802.11a	62	5310	6.71	8.00
		58	5290	6.69	8.00
		100	5500	4.66	6.00
		104	5520	4.67	6.00
		108	5540	4.69	6.00
		112	5560	4.65	6.00
		116	5580	5.15	6.50
		120	5600	4.66	6.00
		124	5620	4.67	6.00
		128	5640	4.72	6.00
		132	5660	4.66	6.00
		136	5680	4.72	6.00
	802.11n HT20	140	5700	4.73	6.00
		144	5720	5.17	6.50
		100	5500	4.71	6.00
		104	5520	4.70	6.00
		108	5540	4.63	6.00
		112	5560	4.64	6.00
		116	5580	4.63	6.00
		120	5600	4.66	6.00
		124	5620	4.66	6.00
		128	5640	4.64	6.00
		132	5660	4.70	6.00
		136	5680	4.69	6.00
	802.11n HT40	140	5700	4.66	6.00
		144	5720	4.63	6.00
		102	5510	4.68	6.00
		110	5550	4.63	6.00
		118	5590	4.63	6.00
		126	5630	4.71	6.00
	802.11ac VHT20	134	5670	4.66	6.00
		142	5710	4.70	6.00
		100	5500	4.68	6.00
		104	5520	4.72	6.00
		108	5540	4.65	6.00
		112	5560	4.70	6.00
		116	5580	4.70	6.00
		120	5600	4.71	6.00
		124	5620	4.70	6.00
		128	5640	4.73	6.00
		132	5660	4.69	6.00
		136	5680	4.67	6.00
	802.11ac	140	5700	4.66	6.00
		144	5720	5.15	6.50
	802.11ac	102	5510	4.70	6.00

	VHT40	110	5550	4.71	6.00
		118	5590	4.69	6.00
		126	5630	4.64	6.00
		134	5670	4.68	6.00
		142	5710	4.65	6.00
	802.11ac VHT80	106	5530	4.71	6.00
		122	5610	4.67	6.00
		138	5690	4.73	6.00
5GHz UNII-3	802.11a	149	5745	5.72	7.00
		153	5765	5.73	7.00
		157	5785	5.65	7.00
		161	5805	5.68	7.00
		165	5825	5.71	7.00
	802.11n HT20	149	5745	5.73	7.00
		153	5765	5.18	6.50
		157	5785	5.69	7.00
		161	5805	5.23	6.50
		165	5825	5.21	6.50
	802.11n HT40	151	5755	5.19	6.50
		159	5795	5.13	6.50
	802.11ac VHT20	149	5745	5.23	6.50
		153	5765	5.13	6.50
		157	5785	5.19	6.50
		161	5805	5.23	6.50
		165	5825	5.15	6.50
	802.11ac VHT40	151	5755	5.14	6.50
		159	5795	5.23	6.50
	802.11ac VHT80	155	5775	5.20	6.50

WIFI 5G Ant 8 Hotspot Standalone					
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz U-NII-1	802.11a	36	5180	7.53	9.00
		40	5200	9.98	11.50
		44	5220	9.84	11.50
		48	5240	10.12	11.50
	802.11n HT20	36	5180	7.03	8.50
		40	5200	9.81	11.50
		44	5220	9.64	11.00
		48	5240	9.85	11.50
	802.11n HT40	38	5190	6.90	8.50
		46	5230	8.85	10.50
	802.11ac VHT20	36	5180	7.10	8.50
		40	5200	9.76	11.50
		44	5220	9.66	11.00
	802.11ac VHT40	48	5240	9.83	11.50
		38	5190	6.93	8.50
	802.11ac VHT80	46	5230	8.87	10.50
		42	5210	5.81	7.50
5GHz U-NII-2A	802.11a	52	5260	10.06	11.50
		56	5280	9.80	11.50
		60	5300	9.88	11.50
		64	5320	7.11	8.50
	802.11n HT20	52	5260	9.84	11.50
		56	5280	9.68	11.00
		60	5300	9.80	11.50
		64	5320	6.73	8.50
	802.11n HT40	54	5270	8.99	10.50
		62	5310	7.00	8.50
	802.11ac VHT20	52	5260	9.79	11.50
		56	5280	9.61	11.00
		60	5300	9.63	11.00
		64	5320	6.69	8.00
	802.11ac VHT40	54	5270	8.91	10.50
		62	5310	7.05	8.50
	802.11ac VHT80	58	5290	5.33	7.00
5GHz UNII-2C	802.11a	100	5500	15.59	17.50

		104	5520	15.42	17.00
		108	5540	15.56	17.50
		112	5560	15.55	17.50
		116	5580	18.04	20.00
		120	5600	17.96	19.50
		124	5620	17.78	19.50
		128	5640	17.79	19.50
		132	5660	17.90	19.50
		136	5680	17.74	19.50
		140	5700	14.38	16.00
		144	5720	18.11	20.00
	802.11n HT20	100	5500	15.89	17.50
		104	5520	15.85	17.50
		108	5540	15.82	17.50
		112	5560	15.69	17.50
		116	5580	17.79	19.50
		120	5600	17.70	19.50
		124	5620	17.53	19.50
		128	5640	17.66	19.50
		132	5660	17.50	19.50
		136	5680	17.70	19.50
		140	5700	14.11	16.00
		144	5720	17.98	19.50
	802.11n HT40	102	5510	15.02	17.00
		110	5550	17.09	19.00
		118	5590	16.98	18.50
		126	5630	17.01	19.00
		134	5670	15.17	17.00
		142	5710	17.03	19.00
		100	5500	15.92	17.50
	802.11ac VHT20	104	5520	15.83	17.50
		108	5540	15.87	17.50
		112	5560	15.90	17.50
		116	5580	17.89	19.50
		120	5600	17.76	19.50
		124	5620	17.73	19.50
		128	5640	17.72	19.50
		132	5660	17.83	19.50
		136	5680	17.86	19.50
		140	5700	14.21	16.00
		144	5720	18.01	20.00
	802.11ac VHT40	102	5510	15.11	17.00
		110	5550	17.04	19.00
		118	5590	16.86	18.50
		126	5630	16.94	18.50
		134	5670	15.19	17.00
		142	5710	17.09	19.00
	802.11ac VHT80	106	5530	13.07	15.00
		122	5610	16.01	18.00
		138	5690	16.06	18.00
	802.11a	149	5745	9.31	10.50
		153	5765	9.28	10.50
		157	5785	9.40	10.50
		161	5805	9.58	10.50
		165	5825	9.27	10.50
	802.11n HT20	149	5745	8.91	10.50
		153	5765	8.83	10.00
		157	5785	8.91	10.50
		161	5805	8.79	10.00
	802.11n HT40	165	5825	8.85	10.00
		151	5755	7.74	9.00
		159	5795	8.00	9.50
	802.11ac VHT20	149	5745	8.84	10.00
		153	5765	8.80	10.00
		157	5785	8.84	10.00
		161	5805	8.83	10.00
		165	5825	8.79	10.00
	802.11ac VHT40	151	5755	7.90	9.50
		159	5795	7.90	9.50
	802.11ac	155	5775	7.06	8.50

	VHT80				
--	-------	--	--	--	--

WIFI 5G Ant 8 Hotspot Simultaneous transmission					
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz U-NII-1	802.11a	36	5180	7.06	8.50
		40	5200	7.60	9.00
		44	5220	7.46	9.00
		48	5240	7.70	9.00
	802.11n HT20	36	5180	7.03	8.50
		40	5200	7.44	9.00
		44	5220	7.26	8.50
		48	5240	7.51	9.00
	802.11n HT40	38	5190	6.90	8.50
		46	5230	7.05	8.50
	802.11ac VHT20	36	5180	7.10	8.50
		40	5200	7.35	9.00
		44	5220	7.24	8.50
		48	5240	7.44	9.00
	802.11ac VHT40	38	5190	6.93	8.50
		46	5230	7.21	8.50
	802.11ac VHT80	42	5210	5.81	7.50
5GHz U-NII-2A	802.11a	52	5260	7.72	8.50
		56	5280	7.42	8.50
		60	5300	7.52	8.50
		64	5320	7.11	8.50
	802.11n HT20	52	5260	7.46	8.50
		56	5280	7.29	8.00
		60	5300	7.38	8.50
		64	5320	6.73	8.50
	802.11n HT40	54	5270	7.03	8.50
		62	5310	7.00	8.50
	802.11ac VHT20	52	5260	7.43	8.50
		56	5280	7.27	8.00
		60	5300	7.30	8.00
		64	5320	6.69	8.50
	802.11ac VHT40	54	5270	7.25	8.50
		62	5310	7.36	8.50
	802.11ac VHT80	58	5290	5.33	7.00
5GHz UNII-2C	802.11a	100	5500	15.59	17.50
		104	5520	15.42	17.00
		108	5540	15.56	17.50
		112	5560	15.55	17.50
		116	5580	18.04	20.00
		120	5600	17.96	19.50
		124	5620	17.78	19.50
		128	5640	17.79	19.50
		132	5660	17.90	19.50
		136	5680	17.74	19.50
		140	5700	14.38	16.00
		144	5720	18.11	20.00
	802.11n HT20	100	5500	15.89	17.50
		104	5520	15.85	17.50
		108	5540	15.82	17.50
		112	5560	15.69	17.50
		116	5580	17.79	19.50
		120	5600	17.70	19.50
		124	5620	17.53	19.50
		128	5640	17.66	19.50
		132	5660	17.50	19.50
		136	5680	17.70	19.50
		140	5700	14.11	16.00
		144	5720	17.98	19.50
	802.11n HT40	102	5510	15.02	17.00
		110	5550	17.09	19.00
		118	5590	16.98	18.50
		126	5630	17.01	19.00
		134	5670	15.17	17.00

	802.11ac VHT20	142	5710	17.03	19.00
		100	5500	15.92	17.50
		104	5520	15.83	17.50
		108	5540	15.87	17.50
		112	5560	15.90	17.50
		116	5580	17.89	19.50
		120	5600	17.76	19.50
		124	5620	17.73	19.50
		128	5640	17.72	19.50
		132	5660	17.83	19.50
		136	5680	17.86	19.50
		140	5700	14.21	16.00
		144	5720	18.01	20.00
	802.11ac VHT40	102	5510	15.11	17.00
		110	5550	17.04	19.00
		118	5590	16.86	18.50
		126	5630	16.94	18.50
		134	5670	15.19	17.00
	802.11ac VHT80	142	5710	17.09	19.00
		106	5530	13.07	15.00
		122	5610	16.01	18.00
		138	5690	16.06	18.00
5GHz UNII-3	802.11a	149	5745	6.47	7.50
		153	5765	6.44	7.50
		157	5785	6.56	7.50
		161	5805	6.74	7.50
		165	5825	6.43	7.50
	802.11n HT20	149	5745	6.07	7.50
		153	5765	5.99	7.00
		157	5785	6.07	7.50
		161	5805	5.95	7.00
		165	5825	6.01	7.00
	802.11n HT40	151	5755	6.32	7.00
		159	5795	5.16	7.00
	802.11ac VHT20	149	5745	6.00	7.00
		153	5765	5.96	7.00
		157	5785	6.00	7.00
		161	5805	5.99	7.00
		165	5825	5.95	7.00
	802.11ac VHT40	151	5755	5.06	7.00
		159	5795	5.06	7.00
	802.11ac VHT80	155	5775	5.42	7.00

WIFI 5G Ant 8 Product specific 10gSAR Standalone					
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz U-NII-1	802.11a	36	5180	14.85	16.50
		40	5200	17.30	19.00
		44	5220	17.16	19.00
		48	5240	17.44	19.00
	802.11n HT20	36	5180	14.35	16.00
		40	5200	17.13	19.00
		44	5220	16.96	18.50
		48	5240	17.17	19.00
	802.11n HT40	38	5190	14.22	16.00
		46	5230	16.17	18.00
	802.11ac VHT20	36	5180	14.42	16.00
		40	5200	17.08	19.00
		44	5220	16.98	18.50
		48	5240	17.15	19.00
	802.11ac VHT40	38	5190	14.25	16.00
		46	5230	16.19	18.00
	802.11ac VHT80	42	5210	13.13	15.00
5GHz U-NII-2A	802.11a	52	5260	17.38	19.00
		56	5280	17.12	19.00
		60	5300	17.20	19.00
		64	5320	14.43	16.00
	802.11n	52	5260	17.16	19.00

	HT20	56	5280	17.00	18.50
		60	5300	17.12	19.00
		64	5320	14.05	16.00
	802.11n HT40	54	5270	16.31	18.00
		62	5310	14.32	16.00
	802.11ac VHT20	52	5260	17.11	19.00
		56	5280	16.93	18.50
		60	5300	16.95	18.50
	802.11ac VHT40	64	5320	14.01	15.50
		54	5270	16.23	18.00
		62	5310	14.37	16.00
	802.11ac VHT80	58	5290	12.65	14.50
5GHz UNII-2C	802.11a	100	5500	13.77	15.50
		104	5520	13.60	15.00
		108	5540	13.74	15.50
		112	5560	13.73	15.50
		116	5580	16.22	18.00
		120	5600	16.14	17.50
		124	5620	15.96	17.50
		128	5640	15.97	17.50
		132	5660	16.08	17.50
		136	5680	15.92	17.50
		140	5700	12.56	14.00
		144	5720	16.29	18.00
	802.11n HT20	100	5500	14.07	15.50
		104	5520	14.03	15.50
		108	5540	14.00	15.50
		112	5560	13.87	15.50
		116	5580	15.97	17.50
		120	5600	15.88	17.50
		124	5620	15.71	17.50
		128	5640	15.84	17.50
		132	5660	15.68	17.50
		136	5680	15.88	17.50
		140	5700	12.29	14.00
		144	5720	16.16	17.50
	802.11n HT40	102	5510	13.20	15.00
		110	5550	15.27	17.00
		118	5590	15.16	16.50
		126	5630	15.19	17.00
		134	5670	13.35	15.00
	802.11ac VHT20	142	5710	15.21	17.00
		100	5500	14.10	15.50
		104	5520	14.01	15.50
		108	5540	14.05	15.50
		112	5560	14.08	15.50
		116	5580	16.07	17.50
		120	5600	15.94	17.50
		124	5620	15.91	17.50
		128	5640	15.90	17.50
		132	5660	16.01	17.50
		136	5680	16.04	17.50
		140	5700	12.39	14.00
		144	5720	16.19	18.00
	802.11ac VHT40	102	5510	13.29	15.00
		110	5550	15.22	17.00
		118	5590	15.04	16.50
		126	5630	15.12	16.50
		134	5670	13.37	15.00
	802.11ac VHT80	142	5710	15.27	17.00
		106	5530	11.25	13.00
		122	5610	14.19	16.00
5GHz UNII-3	802.11a	138	5690	14.24	16.00
		149	5745	17.71	19.50
		153	5765	17.68	19.50
		157	5785	17.80	19.50
		161	5805	17.75	19.50
	802.11n	165	5825	17.67	19.50
		149	5745	17.54	19.50

	HT20	153	5765	17.46	19.00
		157	5785	17.54	19.50
		161	5805	17.42	19.00
		165	5825	17.48	19.00
	802.11n HT40	151	5755	16.37	18.00
		159	5795	16.63	18.50
	802.11ac VHT20	149	5745	17.47	19.00
		153	5765	17.43	19.00
		157	5785	17.47	19.00
		161	5805	17.46	19.00
		165	5825	17.42	19.00
	802.11ac VHT40	151	5755	16.53	18.50
		159	5795	16.53	18.50
	802.11ac VHT80	155	5775	15.69	17.50

WIFI 5G Ant 8 Product specific 10gSAR Simultaneous transmission					
5GHz		Channel	Frequency(MHz)	Average Power (dBm)	Tune up
5GHz U-NII-1	802.11a	36	5180	10.50	12.00
		40	5200	12.94	14.50
		44	5220	12.88	14.50
		48	5240	13.13	14.50
	802.11n HT20	36	5180	10.02	11.50
		40	5200	12.82	14.50
		44	5220	12.64	14.00
		48	5240	12.90	14.50
	802.11n HT40	38	5190	9.87	11.50
		46	5230	11.83	13.50
	802.11ac VHT20	36	5180	10.15	11.50
		40	5200	12.80	14.50
		44	5220	12.71	14.00
		48	5240	12.81	14.50
	802.11ac VHT40	38	5190	9.89	11.50
		46	5230	11.89	13.50
	802.11ac VHT80	42	5210	8.86	10.50
5GHz U-NII-2A	802.11a	52	5260	13.03	14.50
		56	5280	12.77	14.50
		60	5300	12.86	14.50
		64	5320	10.10	11.50
	802.11n HT20	52	5260	12.89	14.50
		56	5280	12.73	14.00
		60	5300	12.78	14.50
		64	5320	9.77	11.50
	802.11n HT40	54	5270	11.98	13.50
		62	5310	9.96	11.50
	802.11ac VHT20	52	5260	12.77	14.50
		56	5280	12.59	14.00
		60	5300	12.63	14.00
		64	5320	9.70	11.00
	802.11ac VHT40	54	5270	11.87	13.50
		62	5310	10.01	11.50
	802.11ac VHT80	58	5290	8.33	10.00
5GHz UNII-2C	802.11a	100	5500	9.40	11.00
		104	5520	9.31	10.50
		108	5540	9.40	11.00
		112	5560	9.38	11.00
		116	5580	11.90	13.50
		120	5600	11.80	13.00
		124	5620	11.61	13.00
		128	5640	11.67	13.00
		132	5660	11.79	13.00
		136	5680	11.56	13.00
		140	5700	8.26	9.50
		144	5720	11.92	13.50
	802.11n HT20	100	5500	9.78	11.00
		104	5520	9.70	11.00
		108	5540	9.71	11.00

		112	5560	9.58	11.00
		116	5580	11.64	13.00
		120	5600	11.52	13.00
		124	5620	11.36	13.00
		128	5640	11.50	13.00
		132	5660	11.39	13.00
		136	5680	11.51	13.00
		140	5700	7.98	9.50
		144	5720	11.79	13.00
	802.11n HT40	102	5510	8.90	10.50
		110	5550	11.00	12.50
		118	5590	10.83	12.00
		126	5630	10.86	12.50
		134	5670	8.99	10.50
		142	5710	10.88	12.50
	802.11ac VHT20	100	5500	9.74	11.00
		104	5520	9.65	11.00
		108	5540	9.72	11.00
		112	5560	9.76	11.00
		116	5580	11.72	13.00
		120	5600	11.66	13.00
		124	5620	11.58	13.00
		128	5640	11.59	13.00
		132	5660	11.70	13.00
		136	5680	11.72	13.00
	802.11ac VHT40	140	5700	8.05	9.50
		144	5720	11.92	13.50
		102	5510	8.95	10.50
		110	5550	10.93	12.50
		118	5590	10.76	12.00
		126	5630	10.81	12.00
	802.11ac VHT80	134	5670	9.09	10.50
		142	5710	11.00	12.50
		106	5530	6.97	8.50
		122	5610	9.89	11.50
5GHz UNII-3	802.11a	138	5690	9.91	11.50
		149	5745	17.71	19.50
		153	5765	17.68	19.50
		157	5785	17.80	19.50
		161	5805	17.75	19.50
		165	5825	17.67	19.50
	802.11n HT20	149	5745	17.54	19.50
		153	5765	17.46	19.00
		157	5785	17.54	19.50
		161	5805	17.42	19.00
		165	5825	17.48	19.00
	802.11n HT40	151	5755	16.37	18.00
		159	5795	16.63	18.50
	802.11ac VHT20	149	5745	17.47	19.00
		153	5765	17.43	19.00
		157	5785	17.47	19.00
		161	5805	17.46	19.00
		165	5825	17.42	19.00
	802.11ac VHT40	151	5755	16.53	18.50
		159	5795	16.53	18.50
	802.11ac VHT80	155	5775	15.69	17.50

6.3 Conducted Power of Bluetooth

ANT6		Average Conducted Power(dBm)			Tune up
Band	Channel	0	39	78	
BT	GFSK	10.52	10.67	10.33	12.00
	$\pi/4$ DQPSK	8.75	8.67	8.58	10.00
	8DPSK	8.84	8.72	8.61	10.00
Band	Channel	0	19	39	Tune up
BLE 1M	GFSK	2.84	2.96	3.02	4.00
Band	Channel	1	19	38	Tune up
BLE 2M	GFSK	2.65	2.86	2.97	4.00

- End of the Appendix -