

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.50	-2.60	20.90	<=33.01	Pass
			2	23.47	-2.60	20.87	<=33.01	Pass
			5	23.46	-2.60	20.86	<=33.01	Pass
		3	0	23.49	-2.60	20.89	<=33.01	Pass
			2	23.47	-2.60	20.87	<=33.01	Pass
			3	23.45	-2.60	20.85	<=33.01	Pass
		6	0	22.51	-2.60	19.91	<=33.01	Pass
	1880	1	0	23.42	-2.60	20.82	<=33.01	Pass
			2	23.39	-2.60	20.79	<=33.01	Pass
			5	23.43	-2.60	20.83	<=33.01	Pass
		3	0	23.40	-2.60	20.80	<=33.01	Pass
			2	23.41	-2.60	20.81	<=33.01	Pass
			3	23.39	-2.60	20.79	<=33.01	Pass
		6	0	22.42	-2.60	19.82	<=33.01	Pass
	1909.3	1	0	23.38	-2.60	20.78	<=33.01	Pass
			2	23.35	-2.60	20.75	<=33.01	Pass
			5	23.39	-2.60	20.79	<=33.01	Pass
		3	0	23.41	-2.60	20.81	<=33.01	Pass
			2	23.42	-2.60	20.82	<=33.01	Pass
			3	23.42	-2.60	20.82	<=33.01	Pass
		6	0	22.38	-2.60	19.78	<=33.01	Pass
16QAM	1850.7	1	0	22.55	-2.60	19.95	<=33.01	Pass
			2	22.52	-2.60	19.92	<=33.01	Pass
			5	22.49	-2.60	19.89	<=33.01	Pass
		3	0	22.70	-2.60	20.10	<=33.01	Pass
			2	22.71	-2.60	20.11	<=33.01	Pass
			3	22.71	-2.60	20.11	<=33.01	Pass
		6	0	21.52	-2.60	18.92	<=33.01	Pass
	1880	1	0	22.59	-2.60	19.99	<=33.01	Pass
			2	22.57	-2.60	19.97	<=33.01	Pass
			5	22.58	-2.60	19.98	<=33.01	Pass
		3	0	22.41	-2.60	19.81	<=33.01	Pass
			2	22.42	-2.60	19.82	<=33.01	Pass
			3	22.40	-2.60	19.80	<=33.01	Pass
		6	0	21.44	-2.60	18.84	<=33.01	Pass
	1909.3	1	0	22.41	-2.60	19.81	<=33.01	Pass
			2	22.38	-2.60	19.78	<=33.01	Pass
			5	22.43	-2.60	19.83	<=33.01	Pass
		3	0	22.43	-2.60	19.83	<=33.01	Pass
			2	22.43	-2.60	19.83	<=33.01	Pass
			3	22.44	-2.60	19.84	<=33.01	Pass
		6	0	21.31	-2.60	18.71	<=33.01	Pass
64QAM	1850.7	1	0	21.94	-2.60	19.34	<=33.01	Pass
			2	21.97	-2.60	19.37	<=33.01	Pass
			5	21.89	-2.60	19.29	<=33.01	Pass
		3	0	21.74	-2.60	19.14	<=33.01	Pass
			2	21.70	-2.60	19.10	<=33.01	Pass
			3	21.72	-2.60	19.12	<=33.01	Pass

	1880	6	0	20.54	-2.60	17.94	<=33.01	Pass
			0	21.58	-2.60	18.98	<=33.01	Pass
			2	21.57	-2.60	18.97	<=33.01	Pass
			5	21.55	-2.60	18.95	<=33.01	Pass
		3	0	21.64	-2.60	19.04	<=33.01	Pass
			2	21.64	-2.60	19.04	<=33.01	Pass
			3	21.63	-2.60	19.03	<=33.01	Pass
			6	20.64	-2.60	18.04	<=33.01	Pass
	1909.3	1	0	21.34	-2.60	18.74	<=33.01	Pass
			2	21.26	-2.60	18.66	<=33.01	Pass
			5	21.37	-2.60	18.77	<=33.01	Pass
			6	20.49	-2.60	17.89	<=33.01	Pass
		3	0	21.36	-2.60	18.76	<=33.01	Pass
			2	21.33	-2.60	18.73	<=33.01	Pass
			3	21.38	-2.60	18.78	<=33.01	Pass
			6	20.49	-2.60	17.89	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.58	-2.60	20.98	<=33.01	Pass
			7	23.48	-2.60	20.88	<=33.01	Pass
			14	23.43	-2.60	20.83	<=33.01	Pass
		8	0	22.47	-2.60	19.87	<=33.01	Pass
			4	22.48	-2.60	19.88	<=33.01	Pass
			7	22.47	-2.60	19.87	<=33.01	Pass
		15	0	22.49	-2.60	19.89	<=33.01	Pass
		1	0	23.43	-2.60	20.83	<=33.01	Pass
			7	23.45	-2.60	20.85	<=33.01	Pass
			14	23.36	-2.60	20.76	<=33.01	Pass
		8	0	22.45	-2.60	19.85	<=33.01	Pass
			4	22.40	-2.60	19.80	<=33.01	Pass
			7	22.43	-2.60	19.83	<=33.01	Pass
		15	0	22.40	-2.60	19.80	<=33.01	Pass
	1908.5	1	0	23.38	-2.60	20.78	<=33.01	Pass
			7	23.37	-2.60	20.77	<=33.01	Pass
			14	23.41	-2.60	20.81	<=33.01	Pass
		8	0	22.43	-2.60	19.83	<=33.01	Pass
			4	22.39	-2.60	19.79	<=33.01	Pass
			7	22.40	-2.60	19.80	<=33.01	Pass
		15	0	22.40	-2.60	19.80	<=33.01	Pass
16QAM	1851.5	1	0	23.13	-2.60	20.53	<=33.01	Pass
			7	23.06	-2.60	20.46	<=33.01	Pass
			14	23.02	-2.60	20.42	<=33.01	Pass
		8	0	21.69	-2.60	19.09	<=33.01	Pass
			4	21.64	-2.60	19.04	<=33.01	Pass
			7	21.65	-2.60	19.05	<=33.01	Pass
		15	0	21.61	-2.60	19.01	<=33.01	Pass
		1	0	22.61	-2.60	20.01	<=33.01	Pass
			7	22.59	-2.60	19.99	<=33.01	Pass
			14	22.51	-2.60	19.91	<=33.01	Pass
		8	0	21.44	-2.60	18.84	<=33.01	Pass
			4	21.45	-2.60	18.85	<=33.01	Pass
			7	21.42	-2.60	18.82	<=33.01	Pass

64QAM	1908.5	15	0	21.41	-2.60	18.81	<=33.01	Pass
			0	22.43	-2.60	19.83	<=33.01	Pass
			7	22.42	-2.60	19.82	<=33.01	Pass
			14	22.43	-2.60	19.83	<=33.01	Pass
		8	0	21.53	-2.60	18.93	<=33.01	Pass
			4	21.52	-2.60	18.92	<=33.01	Pass
			7	21.50	-2.60	18.90	<=33.01	Pass
		15	0	21.48	-2.60	18.88	<=33.01	Pass
	1851.5	1	0	21.80	-2.60	19.20	<=33.01	Pass
			7	21.76	-2.60	19.16	<=33.01	Pass
			14	21.71	-2.60	19.11	<=33.01	Pass
			0	20.70	-2.60	18.10	<=33.01	Pass
		8	4	20.68	-2.60	18.08	<=33.01	Pass
			7	20.72	-2.60	18.12	<=33.01	Pass
		15	0	20.52	-2.60	17.92	<=33.01	Pass
	1880	1	0	21.54	-2.60	18.94	<=33.01	Pass
			7	21.56	-2.60	18.96	<=33.01	Pass
			14	21.51	-2.60	18.91	<=33.01	Pass
			0	20.37	-2.60	17.77	<=33.01	Pass
		8	4	20.34	-2.60	17.74	<=33.01	Pass
			7	20.31	-2.60	17.71	<=33.01	Pass
		15	0	20.57	-2.60	17.97	<=33.01	Pass
	1908.5	1	0	21.34	-2.60	18.74	<=33.01	Pass
			7	21.32	-2.60	18.72	<=33.01	Pass
			14	21.29	-2.60	18.69	<=33.01	Pass
			0	20.47	-2.60	17.87	<=33.01	Pass
		8	4	20.43	-2.60	17.83	<=33.01	Pass
			7	20.44	-2.60	17.84	<=33.01	Pass
		15	0	20.50	-2.60	17.90	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.64	-2.60	21.04	<=33.01	Pass
			13	23.55	-2.60	20.95	<=33.01	Pass
			24	23.50	-2.60	20.90	<=33.01	Pass
		12	0	22.50	-2.60	19.90	<=33.01	Pass
			6	22.44	-2.60	19.84	<=33.01	Pass
			13	22.46	-2.60	19.86	<=33.01	Pass
		25	0	22.53	-2.60	19.93	<=33.01	Pass
	1880	1	0	23.48	-2.60	20.88	<=33.01	Pass
			13	23.44	-2.60	20.84	<=33.01	Pass
			24	23.35	-2.60	20.75	<=33.01	Pass
		12	0	22.43	-2.60	19.83	<=33.01	Pass
			6	22.39	-2.60	19.79	<=33.01	Pass
			13	22.39	-2.60	19.79	<=33.01	Pass
		25	0	22.41	-2.60	19.81	<=33.01	Pass
	1907.5	1	0	23.43	-2.60	20.83	<=33.01	Pass
			13	23.45	-2.60	20.85	<=33.01	Pass
			24	23.41	-2.60	20.81	<=33.01	Pass
		12	0	22.38	-2.60	19.78	<=33.01	Pass
			6	22.38	-2.60	19.78	<=33.01	Pass
			13	22.35	-2.60	19.75	<=33.01	Pass

16QAM	1852.5	25	0	22.41	-2.60	19.81	<=33.01	Pass
		1	0	22.41	-2.60	19.81	<=33.01	Pass
			13	22.34	-2.60	19.74	<=33.01	Pass
			24	22.33	-2.60	19.73	<=33.01	Pass
		12	0	21.53	-2.60	18.93	<=33.01	Pass
			6	21.50	-2.60	18.90	<=33.01	Pass
			13	21.48	-2.60	18.88	<=33.01	Pass
		25	0	21.56	-2.60	18.96	<=33.01	Pass
	1880	1	0	22.73	-2.60	20.13	<=33.01	Pass
			13	22.69	-2.60	20.09	<=33.01	Pass
			24	22.61	-2.60	20.01	<=33.01	Pass
		12	0	21.50	-2.60	18.90	<=33.01	Pass
			6	21.45	-2.60	18.85	<=33.01	Pass
			13	21.44	-2.60	18.84	<=33.01	Pass
		25	0	21.44	-2.60	18.84	<=33.01	Pass
	1907.5	1	0	22.49	-2.60	19.89	<=33.01	Pass
			13	22.47	-2.60	19.87	<=33.01	Pass
			24	22.51	-2.60	19.91	<=33.01	Pass
		12	0	21.42	-2.60	18.82	<=33.01	Pass
			6	21.40	-2.60	18.80	<=33.01	Pass
			13	21.37	-2.60	18.77	<=33.01	Pass
		25	0	21.43	-2.60	18.83	<=33.01	Pass
64QAM	1852.5	1	0	21.56	-2.60	18.96	<=33.01	Pass
			13	21.49	-2.60	18.89	<=33.01	Pass
			24	21.45	-2.60	18.85	<=33.01	Pass
		12	0	20.49	-2.60	17.89	<=33.01	Pass
			6	20.44	-2.60	17.84	<=33.01	Pass
			13	20.42	-2.60	17.82	<=33.01	Pass
		25	0	20.52	-2.60	17.92	<=33.01	Pass
	1880	1	0	21.66	-2.60	19.06	<=33.01	Pass
			13	21.65	-2.60	19.05	<=33.01	Pass
			24	21.56	-2.60	18.96	<=33.01	Pass
		12	0	20.48	-2.60	17.88	<=33.01	Pass
			6	20.43	-2.60	17.83	<=33.01	Pass
			13	20.39	-2.60	17.79	<=33.01	Pass
		25	0	20.45	-2.60	17.85	<=33.01	Pass
	1907.5	1	0	21.59	-2.60	18.99	<=33.01	Pass
			13	21.58	-2.60	18.98	<=33.01	Pass
			24	21.55	-2.60	18.95	<=33.01	Pass
		12	0	20.55	-2.60	17.95	<=33.01	Pass
			6	20.53	-2.60	17.93	<=33.01	Pass
			13	20.53	-2.60	17.93	<=33.01	Pass
		25	0	20.40	-2.60	17.80	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.58	-2.60	20.98	<=33.01	Pass
			25	23.34	-2.60	20.74	<=33.01	Pass
			49	23.43	-2.60	20.83	<=33.01	Pass
		25	0	22.49	-2.60	19.89	<=33.01	Pass
			13	22.42	-2.60	19.82	<=33.01	Pass
			25	22.44	-2.60	19.84	<=33.01	Pass

		50	0	22.44	-2.60	19.84	<=33.01	Pass	
	1880	1	0	23.50	-2.60	20.90	<=33.01	Pass	
			25	23.35	-2.60	20.75	<=33.01	Pass	
			49	23.33	-2.60	20.73	<=33.01	Pass	
			0	22.42	-2.60	19.82	<=33.01	Pass	
		25	13	22.35	-2.60	19.75	<=33.01	Pass	
			25	22.36	-2.60	19.76	<=33.01	Pass	
			50	0	22.38	-2.60	19.78	<=33.01	Pass
	1905	1	0	23.47	-2.60	20.87	<=33.01	Pass	
			25	23.38	-2.60	20.78	<=33.01	Pass	
			49	23.48	-2.60	20.88	<=33.01	Pass	
			0	22.44	-2.60	19.84	<=33.01	Pass	
		25	13	22.44	-2.60	19.84	<=33.01	Pass	
			25	22.42	-2.60	19.82	<=33.01	Pass	
			50	0	22.43	-2.60	19.83	<=33.01	Pass
	16QAM	1855	1	0	23.15	-2.60	20.55	<=33.01	Pass
25				22.98	-2.60	20.38	<=33.01	Pass	
49				23.05	-2.60	20.45	<=33.01	Pass	
0				21.54	-2.60	18.94	<=33.01	Pass	
25			13	21.48	-2.60	18.88	<=33.01	Pass	
			25	21.50	-2.60	18.90	<=33.01	Pass	
			50	0	21.48	-2.60	18.88	<=33.01	Pass
1880		1	0	22.67	-2.60	20.07	<=33.01	Pass	
			25	22.53	-2.60	19.93	<=33.01	Pass	
			49	22.50	-2.60	19.90	<=33.01	Pass	
			0	21.46	-2.60	18.86	<=33.01	Pass	
		25	13	21.41	-2.60	18.81	<=33.01	Pass	
			25	21.41	-2.60	18.81	<=33.01	Pass	
			50	0	21.40	-2.60	18.80	<=33.01	Pass
1905		1	0	22.48	-2.60	19.88	<=33.01	Pass	
			25	22.39	-2.60	19.79	<=33.01	Pass	
			49	22.48	-2.60	19.88	<=33.01	Pass	
			0	21.54	-2.60	18.94	<=33.01	Pass	
		25	13	21.52	-2.60	18.92	<=33.01	Pass	
			25	21.52	-2.60	18.92	<=33.01	Pass	
			50	0	21.43	-2.60	18.83	<=33.01	Pass
64QAM		1855	1	0	21.81	-2.60	19.21	<=33.01	Pass
				25	21.66	-2.60	19.06	<=33.01	Pass
				49	21.69	-2.60	19.09	<=33.01	Pass
				0	20.51	-2.60	17.91	<=33.01	Pass
			25	13	20.50	-2.60	17.90	<=33.01	Pass
				25	20.48	-2.60	17.88	<=33.01	Pass
	50			0	20.50	-2.60	17.90	<=33.01	Pass
	1880	1	0	21.61	-2.60	19.01	<=33.01	Pass	
			25	21.54	-2.60	18.94	<=33.01	Pass	
			49	21.44	-2.60	18.84	<=33.01	Pass	
			0	20.52	-2.60	17.92	<=33.01	Pass	
		25	13	20.45	-2.60	17.85	<=33.01	Pass	
			25	20.46	-2.60	17.86	<=33.01	Pass	
			50	0	20.41	-2.60	17.81	<=33.01	Pass
	1905	1	0	21.37	-2.60	18.77	<=33.01	Pass	
			25	21.33	-2.60	18.73	<=33.01	Pass	
			49	21.34	-2.60	18.74	<=33.01	Pass	
			0	20.50	-2.60	17.90	<=33.01	Pass	
		25	13	20.48	-2.60	17.88	<=33.01	Pass	
			25	20.47	-2.60	17.87	<=33.01	Pass	
			50	0	20.43	-2.60	17.83	<=33.01	Pass
	Note1: EIRP=Conducted Power+Antenna Gain								

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.51	-2.60	20.91	<=33.01	Pass
			38	23.43	-2.60	20.83	<=33.01	Pass
			74	23.43	-2.60	20.83	<=33.01	Pass
		36	0	22.53	-2.60	19.93	<=33.01	Pass
			18	22.45	-2.60	19.85	<=33.01	Pass
			39	22.47	-2.60	19.87	<=33.01	Pass
		75	0	22.50	-2.60	19.90	<=33.01	Pass
	1880	1	0	23.55	-2.60	20.95	<=33.01	Pass
			38	23.49	-2.60	20.89	<=33.01	Pass
			74	23.38	-2.60	20.78	<=33.01	Pass
		36	0	22.50	-2.60	19.90	<=33.01	Pass
			18	22.46	-2.60	19.86	<=33.01	Pass
			39	22.38	-2.60	19.78	<=33.01	Pass
		75	0	22.44	-2.60	19.84	<=33.01	Pass
	1902.5	1	0	23.47	-2.60	20.87	<=33.01	Pass
			38	23.45	-2.60	20.85	<=33.01	Pass
			74	23.45	-2.60	20.85	<=33.01	Pass
		36	0	22.47	-2.60	19.87	<=33.01	Pass
			18	22.46	-2.60	19.86	<=33.01	Pass
			39	22.46	-2.60	19.86	<=33.01	Pass
		75	0	22.50	-2.60	19.90	<=33.01	Pass
16QAM	1857.5	1	0	23.12	-2.60	20.52	<=33.01	Pass
			38	23.07	-2.60	20.47	<=33.01	Pass
			74	23.06	-2.60	20.46	<=33.01	Pass
		36	0	21.59	-2.60	18.99	<=33.01	Pass
			18	21.55	-2.60	18.95	<=33.01	Pass
			39	21.53	-2.60	18.93	<=33.01	Pass
		75	0	21.53	-2.60	18.93	<=33.01	Pass
	1880	1	0	22.72	-2.60	20.12	<=33.01	Pass
			38	22.66	-2.60	20.06	<=33.01	Pass
			74	22.56	-2.60	19.96	<=33.01	Pass
		36	0	21.54	-2.60	18.94	<=33.01	Pass
			18	21.54	-2.60	18.94	<=33.01	Pass
			39	21.44	-2.60	18.84	<=33.01	Pass
		75	0	21.47	-2.60	18.87	<=33.01	Pass
	1902.5	1	0	22.90	-2.60	20.30	<=33.01	Pass
			38	22.83	-2.60	20.23	<=33.01	Pass
			74	22.84	-2.60	20.24	<=33.01	Pass
		36	0	21.49	-2.60	18.89	<=33.01	Pass
			18	21.50	-2.60	18.90	<=33.01	Pass
			39	21.48	-2.60	18.88	<=33.01	Pass
		75	0	21.48	-2.60	18.88	<=33.01	Pass
64QAM	1857.5	1	0	21.79	-2.60	19.19	<=33.01	Pass
			38	21.76	-2.60	19.16	<=33.01	Pass
			74	21.73	-2.60	19.13	<=33.01	Pass
		36	0	20.60	-2.60	18.00	<=33.01	Pass
			18	20.54	-2.60	17.94	<=33.01	Pass
			39	20.54	-2.60	17.94	<=33.01	Pass
		75	0	20.54	-2.60	17.94	<=33.01	Pass
	1880	1	0	21.67	-2.60	19.07	<=33.01	Pass

		36	38	21.65	-2.60	19.05	<=33.01	Pass
			74	21.53	-2.60	18.93	<=33.01	Pass
			0	20.57	-2.60	17.97	<=33.01	Pass
			18	20.57	-2.60	17.97	<=33.01	Pass
			39	20.50	-2.60	17.90	<=33.01	Pass
		75	0	20.47	-2.60	17.87	<=33.01	Pass
	1902.5	1	0	21.78	-2.60	19.18	<=33.01	Pass
			38	21.85	-2.60	19.25	<=33.01	Pass
			74	21.77	-2.60	19.17	<=33.01	Pass
		36	0	20.48	-2.60	17.88	<=33.01	Pass
			18	20.47	-2.60	17.87	<=33.01	Pass
			39	20.47	-2.60	17.87	<=33.01	Pass
		75	0	20.52	-2.60	17.92	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.55	-2.60	20.95	<=33.01	Pass
			50	23.51	-2.60	20.91	<=33.01	Pass
			99	23.53	-2.60	20.93	<=33.01	Pass
		50	0	22.54	-2.60	19.94	<=33.01	Pass
			25	22.52	-2.60	19.92	<=33.01	Pass
			50	22.53	-2.60	19.93	<=33.01	Pass
		100	0	22.53	-2.60	19.93	<=33.01	Pass
	1880	1	0	23.59	-2.60	20.99	<=33.01	Pass
			50	23.50	-2.60	20.90	<=33.01	Pass
			99	23.48	-2.60	20.88	<=33.01	Pass
		50	0	22.52	-2.60	19.92	<=33.01	Pass
			25	22.47	-2.60	19.87	<=33.01	Pass
			50	22.40	-2.60	19.80	<=33.01	Pass
		100	0	22.48	-2.60	19.88	<=33.01	Pass
	1900	1	0	23.46	-2.60	20.86	<=33.01	Pass
			50	23.43	-2.60	20.83	<=33.01	Pass
			99	23.48	-2.60	20.88	<=33.01	Pass
		50	0	22.52	-2.60	19.92	<=33.01	Pass
			25	22.49	-2.60	19.89	<=33.01	Pass
			50	22.47	-2.60	19.87	<=33.01	Pass
		100	0	22.48	-2.60	19.88	<=33.01	Pass
16QAM	1860	1	0	22.91	-2.60	20.31	<=33.01	Pass
			50	22.85	-2.60	20.25	<=33.01	Pass
			99	22.86	-2.60	20.26	<=33.01	Pass
		50	0	21.58	-2.60	18.98	<=33.01	Pass
			25	21.58	-2.60	18.98	<=33.01	Pass
			50	21.56	-2.60	18.96	<=33.01	Pass
		100	0	21.58	-2.60	18.98	<=33.01	Pass
	1880	1	0	22.84	-2.60	20.24	<=33.01	Pass
			50	22.77	-2.60	20.17	<=33.01	Pass
			99	22.72	-2.60	20.12	<=33.01	Pass
		50	0	21.55	-2.60	18.95	<=33.01	Pass
			25	21.52	-2.60	18.92	<=33.01	Pass
			50	21.45	-2.60	18.85	<=33.01	Pass
		100	0	21.52	-2.60	18.92	<=33.01	Pass
	1900	1	0	23.07	-2.60	20.47	<=33.01	Pass

64QAM	1860	50	50	23.04	-2.60	20.44	<=33.01	Pass
			99	23.11	-2.60	20.51	<=33.01	Pass
			0	21.52	-2.60	18.92	<=33.01	Pass
			25	21.54	-2.60	18.94	<=33.01	Pass
			50	21.50	-2.60	18.90	<=33.01	Pass
		100	0	21.53	-2.60	18.93	<=33.01	Pass
			1	21.81	-2.60	19.21	<=33.01	Pass
			50	21.79	-2.60	19.19	<=33.01	Pass
			99	21.76	-2.60	19.16	<=33.01	Pass
			0	20.61	-2.60	18.01	<=33.01	Pass
	1880	50	25	20.62	-2.60	18.02	<=33.01	Pass
			50	20.61	-2.60	18.01	<=33.01	Pass
			100	0	20.58	17.98	<=33.01	Pass
		1	0	21.93	-2.60	19.33	<=33.01	Pass
			50	21.92	-2.60	19.32	<=33.01	Pass
			99	21.80	-2.60	19.20	<=33.01	Pass
		50	0	20.55	-2.60	17.95	<=33.01	Pass
			25	20.54	-2.60	17.94	<=33.01	Pass
			50	20.48	-2.60	17.88	<=33.01	Pass
			100	0	20.51	17.91	<=33.01	Pass
	1900	1	0	21.32	-2.60	18.72	<=33.01	Pass
			50	21.37	-2.60	18.77	<=33.01	Pass
			99	21.33	-2.60	18.73	<=33.01	Pass
		50	0	20.53	-2.60	17.93	<=33.01	Pass
			25	20.54	-2.60	17.94	<=33.01	Pass
			50	20.50	-2.60	17.90	<=33.01	Pass
			100	0	20.56	17.96	<=33.01	Pass
			0	20.56	-2.60	17.96	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1880	50	0	20	3.27	-2.074	-0.0011	-2.5 to 2.5	Pass
					3.85	6.845	0.0036	-2.5 to 2.5	Pass
					4.43	2.295	0.0012	-2.5 to 2.5	Pass
				-30	3.85	-1.753	-0.0009	-2.5 to 2.5	Pass
				-20	3.85	-4.143	-0.0022	-2.5 to 2.5	Pass
				-10	3.85	8.638	0.0046	-2.5 to 2.5	Pass
				0	3.85	-2.714	-0.0014	-2.5 to 2.5	Pass
				10	3.85	1.518	0.0008	-2.5 to 2.5	Pass
				30	3.85	0.947	0.0005	-2.5 to 2.5	Pass
				40	3.85	0.392	0.0002	-2.5 to 2.5	Pass
				50	3.85	-5.334	-0.0028	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band2_OBW


Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.096	/	Pass
	16QAM	1880	6	0	1.103	/	Pass
	64QAM	1880	6	0	1.095	/	Pass
3	QPSK	1880	15	0	2.738	/	Pass
	16QAM	1880	15	0	2.739	/	Pass
	64QAM	1880	15	0	2.742	/	Pass
5	QPSK	1880	25	0	4.518	/	Pass
	16QAM	1880	25	0	4.504	/	Pass
	64QAM	1880	25	0	4.507	/	Pass
10	QPSK	1880	50	0	8.995	/	Pass
	16QAM	1880	50	0	8.972	/	Pass
	64QAM	1880	50	0	8.973	/	Pass
15	QPSK	1880	75	0	13.454	/	Pass
	16QAM	1880	75	0	13.487	/	Pass
	64QAM	1880	75	0	13.480	/	Pass
20	QPSK	1880	100	0	18.053	/	Pass
	16QAM	1880	100	0	18.023	/	Pass
	64QAM	1880	100	0	17.934	/	Pass

3.1.2 Band2_XDB


Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.294	/	Pass
	16QAM	1880	6	0	1.321	/	Pass
	64QAM	1880	6	0	1.292	/	Pass
3	QPSK	1880	15	0	3.039	/	Pass
	16QAM	1880	15	0	3.055	/	Pass
	64QAM	1880	15	0	3.024	/	Pass
5	QPSK	1880	25	0	4.972	/	Pass
	16QAM	1880	25	0	4.963	/	Pass
	64QAM	1880	25	0	4.991	/	Pass
10	QPSK	1880	50	0	9.921	/	Pass
	16QAM	1880	50	0	9.821	/	Pass
	64QAM	1880	50	0	9.801	/	Pass
15	QPSK	1880	75	0	14.535	/	Pass
	16QAM	1880	75	0	14.556	/	Pass
	64QAM	1880	75	0	14.528	/	Pass
20	QPSK	1880	100	0	19.485	/	Pass
	16QAM	1880	100	0	19.399	/	Pass
	64QAM	1880	100	0	19.274	/	Pass

3.2 Test Graph


3.2.1 Band2_OBW




Band2_1.4MHz_64QAM_MCH_1880MHz_RB_6_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15_0 NTN




Band2 3MHz 64QAM MCH 1880MHz RB 15_0 NTN




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2 5MHz 64QAM MCH 1880MHz RB 25_0 NTN




Band2 10MHz QPSK MCH 1880MHz RB 50_0 NTN




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV



Band2 20MHz 16QAM MCH 1880MHz RB 100_0 NTN




Band2 20MHz 64QAM MCH 1880MHz RB 100_0 NTN




3.2.2 Band2_XDB


Band2_1.4MHz_QPSK_MCH_1880MHz_RB_6_0_NTNV




Band2_1.4MHz_16QAM_MCH_1880MHz_RB_6_0_NTNV




Band2 1.4MHz 64QAM MCH 1880MHz RB 6 0 NTNV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15_0 NTNv




Band2 3MHz 64QAM MCH 1880MHz RB 15_0 NTNv




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2 5MHz 64QAM MCH 1880MHz RB 25_0 NTNv




Band2 10MHz QPSK MCH 1880MHz RB 50_0 NTNv




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 64QAM MCH 1880MHz RB 100 0 NTNV



4. Peak-Average Ratio


4.1 Test Result


4.1.1 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	5.72	<=13	Pass
16QAM	1880	100	0	6.52	<=13	Pass
64QAM	1880	100	0	6.80	<=13	Pass

4.2 Test Graph

4.2.1 B2_20MHz





5. Spurious Emission

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass

			49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass

5.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
		1902.5	1	0	Refer To Test Graph	
	74			Refer To Test Graph		Pass
	75		0	Refer To Test Graph		Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B2_1.4MHz



Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV




Band2 1.4MHz QPSK LCH 1850.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-28.71	-13	Pass
1849	1850	0.013	CHP	2	1849.995	-31.60	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/


Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTV



Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 5 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-29.27	-13	Pass
1911	1913	1	CHP	2	1911.500	-40.16	-13	Pass


Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.013	CHP	/	/	/	/	/
1910	1911	0.013	CHP	1	1910.005	-33.55	-13	Pass
1911	1913	1	CHP	2	1911.500	-29.51	-13	Pass


5.2.2 B2_3MHz

Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-38.71	-13	Pass
1849	1850	0.003	/	2	1849.998	-27.21	-13	Pass
1850	1853	0.003	/	/	/	/	/	/


Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV



Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-27.18	-13	Pass
1849	1850	0.03	/	2	1849.994	-30.41	-13	Pass
1850	1853	0.03	/	/	/	/	/	/


Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV



Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_14_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-29.23	-13	Pass
1911	1913	1	CHP	2	1911.500	-38.90	-13	Pass


Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.006	-32.92	-13	Pass
1911	1913	1	CHP	2	1911.500	-27.81	-13	Pass


5.2.3 B2_5MHz

Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.497	-37.55	-13	Pass
1849	1850	0.003	/	2	1849.989	-30.11	-13	Pass
1850	1855	0.003	/	/	/	/	/	/


Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV



Band2_5MHz_QPSK_LCH_1852.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-27.22	-13	Pass
1849	1850	0.05	CHP	2	1849.990	-29.02	-13	Pass
1850	1855	0.05	CHP	/	/	/	/	/


Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV



Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.012	-30.57	-13	Pass
1911	1915	1	CHP	2	1911.500	-37.85	-13	Pass


Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.05	CHP	/	/	/	/	/
1910	1911	0.05	CHP	1	1910.010	-32.17	-13	Pass
1911	1915	1	CHP	2	1911.500	-28.46	-13	Pass


5.2.4 B2_10MHz

Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.496	-39.54	-13	Pass
1849	1850	0.003	/	2	1849.987	-36.01	-13	Pass
1850	1860	0.003	/	/	/	/	/	/


Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV



Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.492	-29.31	-13	Pass
1849	1850	0.099	CHP	2	1849.992	-33.11	-13	Pass
1850	1860	0.099	CHP	/	/	/	/	/


Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV



Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.001	-35.39	-13	Pass
1911	1920	1	CHP	2	1911.501	-39.73	-13	Pass


Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.099	CHP	/	/	/	/	/
1910	1911	0.099	CHP	1	1910.008	-36.83	-13	Pass
1911	1920	1	CHP	2	1911.508	-30.94	-13	Pass


5.2.5 B2_15MHz

Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1846.796	-39.31	-13	Pass
1849	1850	0.003	/	2	1849.995	-38.14	-13	Pass
1850	1865	0.003	/	/	/	/	/	/


Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV



Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.500	-29.89	-13	Pass
1849	1850	0.145	CHP	2	1849.970	-35.27	-13	Pass
1850	1865	0.145	CHP	/	/	/	/	/


Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV



Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-39.18	-13	Pass
1911	1925	1	CHP	2	1913.162	-39.42	-13	Pass


Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.145	CHP	/	/	/	/	/
1910	1911	0.145	CHP	1	1910.030	-37.35	-13	Pass
1911	1925	1	CHP	2	1911.500	-31.94	-13	Pass


5.2.6 B2_20MHz

Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.497	-40.63	-13	Pass
1849	1850	0.003	/	2	1849.982	-42.94	-13	Pass
1850	1870	0.003	/	/	/	/	/	/


Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV



Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.480	-32.27	-13	Pass
1849	1850	0.195	CHP	2	1849.960	-36.61	-13	Pass
1850	1870	0.195	CHP	/	/	/	/	/


Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV



Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV




Band2 20MHz QPSK HCH 1900MHz RB 1 99 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.003	-42.22	-13	Pass
1911	1930	1	CHP	2	1911.500	-40.64	-13	Pass

Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.195	CHP	/	/	/	/	/
1910	1911	0.195	CHP	1	1910.040	-38.20	-13	Pass
1911	1930	1	CHP	2	1911.520	-33.56	-13	Pass

---End of Attachment---