

1.1. Test Band = GSM 850**1.1.1. Test Channel = Low**

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1442.2222	55.74	-49.93	24.40	-65.06	-13.00	52.06	Horizontal
2	1920	54.26	-49.73	26.10	-64.63	-13.00	51.63	Horizontal
3	2472.4444	77.23	-49.06	27.15	-39.94	-13.00	26.94	Horizontal
4	3251.5556	51.36	-48.63	28.30	-64.22	-13.00	51.22	Horizontal
5	4843.1111	74.69	-48.08	30.85	-37.80	-13.00	24.80	Horizontal
6	7711.5556	52.04	-45.25	36.36	-52.12	-13.00	39.12	Horizontal

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1440	55.15	-49.94	24.38	-65.67	-13.00	52.67	Vertical
2	1920	57.40	-49.73	26.10	-61.49	-13.00	48.49	Vertical
3	2472.4444	70.63	-49.06	27.15	-46.54	-13.00	33.54	Vertical
4	3520	51.27	-48.44	28.53	-63.90	-13.00	50.90	Vertical
5	4908	51.61	-48.15	31.00	-60.81	-13.00	47.81	Vertical
6	7094.2222	51.32	-46.02	35.67	-54.29	-13.00	41.29	Vertical

1.2. Test Band = GSM 850**1.2.1. Test Channel = Mid**

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1441.3333	54.38	-49.94	24.39	-66.43	-13.00	53.43	Horizontal
2	1919.5556	52.40	-49.73	26.10	-66.50	-13.00	53.50	Horizontal
3	2509.3333	71.39	-48.93	27.22	-45.58	-13.00	32.58	Horizontal
4	3536.4444	51.37	-48.45	28.56	-63.78	-13.00	50.78	Horizontal
5	5216.4444	51.37	-47.98	31.81	-60.06	-13.00	47.06	Horizontal
6	8140.8889	51.05	-44.57	36.45	-52.32	-13.00	39.32	Horizontal

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1440.8889	54.96	-49.94	24.39	-65.85	-13.00	52.85	Vertical
2	1920	57.27	-49.73	26.10	-61.62	-13.00	48.62	Vertical
3	2509.3333	69.31	-48.93	27.22	-47.66	-13.00	34.66	Vertical
4	3408.4444	51.00	-48.67	28.43	-64.50	-13.00	51.50	Vertical
5	5464.8889	52.22	-47.41	32.50	-57.95	-13.00	44.95	Vertical
6	7183.5556	51.72	-46.15	35.83	-53.86	-13.00	40.86	Vertical

1.3. Test Band = GSM 850**1.3.1. Test Channel = High**

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1437.3333	53.04	-49.94	24.36	-67.80	-13.00	54.80	Horizontal
2	2184.4444	51.54	-49.49	26.63	-66.57	-13.00	53.57	Horizontal
3	2546.2222	73.00	-49.02	27.28	-44.00	-13.00	31.00	Horizontal
4	3552.8889	51.23	-48.46	28.58	-63.90	-13.00	50.90	Horizontal
5	5462.2222	52.35	-47.41	32.49	-57.82	-13.00	44.82	Horizontal
6	6888.8889	51.54	-46.53	35.32	-54.93	-13.00	41.93	Horizontal

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1440.4444	55.49	-49.94	24.38	-65.32	-13.00	52.32	Vertical
2	1920	58.58	-49.73	26.10	-60.31	-13.00	47.31	Vertical
3	2546.2222	61.78	-49.02	27.28	-55.22	-13.00	42.22	Vertical
4	3470.2222	51.40	-48.51	28.48	-63.89	-13.00	50.89	Vertical
5	5236.8889	51.45	-47.94	31.86	-59.89	-13.00	46.89	Vertical
6	7174.2222	52.49	-46.13	35.81	-53.08	-13.00	40.08	Vertical

1.4. Test Band = GSM 1900**1.4.1. Test Channel = Low**

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3700.5	53.45	-48.51	28.82	-61.50	-13.00	48.50	Horizontal
2	5550.75	59.06	-47.66	32.62	-51.24	-13.00	38.24	Horizontal
3	7840.5	52.17	-45.13	36.33	-51.89	-13.00	38.89	Horizontal
4	10906.5	50.76	-40.05	39.43	-45.12	-13.00	32.12	Horizontal
5	14318.25	54.72	-38.45	40.27	-38.72	-13.00	25.72	Horizontal
6	17889.75	54.48	-38.15	44.14	-34.80	-13.00	21.80	Horizontal

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3700.5	51.56	-48.51	28.82	-63.39	-13.00	50.39	Vertical
2	5550.75	59.49	-47.66	32.62	-50.81	-13.00	37.81	Vertical
3	7617.75	51.19	-44.68	36.38	-52.38	-13.00	39.38	Vertical
4	10509.75	51.17	-40.71	39.16	-45.64	-13.00	32.64	Vertical
5	14295.75	54.73	-38.43	40.27	-38.69	-13.00	25.69	Vertical
6	17881.5	54.93	-38.16	44.09	-34.40	-13.00	21.40	Vertical

1.5. Test Band = GSM 1900**1.5.1. Test Channel = Mid**

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5640	57.68	-47.62	32.66	-52.54	-13.00	39.54	Horizontal
2	7806.75	51.74	-44.95	36.34	-52.13	-13.00	39.13	Horizontal
3	9450	52.77	-42.71	38.03	-47.17	-13.00	34.17	Horizontal
4	10488	51.20	-40.72	39.14	-45.64	-13.00	32.64	Horizontal
5	13702.5	53.17	-38.00	39.85	-40.23	-13.00	27.23	Horizontal
6	16896.75	56.50	-36.80	38.76	-36.81	-13.00	23.81	Horizontal

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5640	60.89	-47.62	32.66	-49.33	-13.00	36.33	Vertical
2	7763.25	51.95	-45.02	36.35	-51.98	-13.00	38.98	Vertical
3	9392.25	53.31	-43.04	37.95	-47.04	-13.00	34.04	Vertical
4	12003.75	52.29	-39.43	39.40	-43.00	-13.00	30.00	Vertical
5	14871.75	54.22	-37.22	40.21	-38.05	-13.00	25.05	Vertical
6	17863.5	54.27	-38.16	43.98	-35.17	-13.00	22.17	Vertical

1.6. Test Band = GSM 1900**1.6.1. Test Channel = High**

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5214	63.99	-47.87	31.80	-47.35	-13.00	34.35	Horizontal
2	7260	52.17	-46.18	35.97	-53.30	-13.00	40.30	Horizontal
3	9492	52.28	-42.42	38.09	-47.32	-13.00	34.32	Horizontal
4	11978.25	52.19	-39.54	39.40	-43.21	-13.00	30.21	Horizontal
5	13751.25	53.94	-38.50	39.93	-39.90	-13.00	26.90	Horizontal
6	17943	54.63	-38.47	44.46	-34.64	-13.00	21.64	Horizontal

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5729.25	59.85	-47.54	32.69	-50.26	-13.00	37.26	Vertical
2	7817.25	52.04	-45.00	36.34	-51.89	-13.00	38.89	Vertical
3	9413.25	53.10	-42.96	37.98	-47.14	-13.00	34.14	Vertical
4	11410.5	51.62	-40.08	39.46	-44.26	-13.00	31.26	Vertical
5	14319.75	55.15	-38.45	40.27	-38.29	-13.00	25.29	Vertical
6	16908	56.28	-36.92	38.76	-37.14	-13.00	24.14	Vertical

Spot check worst mode_Sample 2**1.7. Test Band = GSM 1900****1.7.1. Test Channel = Low**

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3700.5	56.56	-48.51	28.82	-58.39	-13.00	45.39	Horizontal
2	5550.75	52.25	-47.66	32.62	-58.05	-13.00	45.05	Horizontal
3	7568.25	50.25	-45.08	36.39	-53.70	-13.00	40.70	Horizontal
4	9414	52.57	-42.95	37.98	-47.67	-13.00	34.67	Horizontal
5	11981.25	51.45	-39.53	39.40	-43.94	-13.00	30.94	Horizontal
6	14965.5	54.38	-37.78	40.20	-38.46	-13.00	25.46	Horizontal

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3591.75	50.64	-48.28	28.65	-64.25	-13.00	51.25	Vertical
2	5550.75	54.65	-47.66	32.62	-55.65	-13.00	42.65	Vertical
3	7252.5	51.44	-46.18	35.95	-54.04	-13.00	41.04	Vertical
4	9435	52.53	-42.81	38.01	-47.53	-13.00	34.53	Vertical
5	12009	51.89	-39.44	39.39	-43.41	-13.00	30.41	Vertical
6	14879.25	53.59	-37.26	40.21	-38.72	-13.00	25.72	Vertical

1.8. Test Band = GSM 1900**1.8.1. Test Channel = Mid**

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3759.75	51.68	-48.31	28.92	-62.98	-13.00	49.98	Horizontal
2	5640	57.27	-47.62	32.66	-52.95	-13.00	39.95	Horizontal
3	7801.5	51.43	-44.92	36.34	-52.41	-13.00	39.41	Horizontal
4	9494.25	51.76	-42.41	38.09	-47.82	-13.00	34.82	Horizontal
5	11382.75	51.11	-40.15	39.46	-44.83	-13.00	31.83	Horizontal
6	13713	52.98	-38.11	39.87	-40.52	-13.00	27.52	Horizontal

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3777.75	49.93	-48.25	28.94	-64.64	-13.00	51.64	Vertical
2	5640	60.03	-47.62	32.66	-50.19	-13.00	37.19	Vertical
3	7600.5	51.37	-44.57	36.38	-52.08	-13.00	39.08	Vertical
4	9441	52.15	-42.77	38.02	-47.86	-13.00	34.86	Vertical
5	12025.5	51.76	-39.47	39.38	-43.59	-13.00	30.59	Vertical
6	14907	53.70	-37.41	40.21	-38.76	-13.00	25.76	Vertical

1.9. Test Band = GSM 1900**1.9.1. Test Channel = High****Data List**

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3819.75	52.50	-48.20	29.01	-61.95	-13.00	48.95	Horizontal
2	5729.25	64.05	-47.54	32.69	-46.06	-13.00	33.06	Horizontal
3	7760.25	51.59	-45.03	36.35	-52.35	-13.00	39.35	Horizontal
4	9460.5	51.95	-42.64	38.04	-47.90	-13.00	34.90	Horizontal
5	11913	51.45	-39.92	39.41	-44.32	-13.00	31.32	Horizontal
6	14778.75	52.70	-36.81	40.22	-39.15	-13.00	26.15	Horizontal

Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5729.25	60.94	-47.54	32.69	-49.17	-13.00	36.17	Vertical
2	7803	51.30	-44.93	36.34	-52.55	-13.00	39.55	Vertical
3	10810.5	51.01	-40.65	39.37	-45.53	-13.00	32.53	Vertical
4	12714	52.45	-39.27	38.97	-43.11	-13.00	30.11	Vertical
5	14927.25	54.14	-37.54	40.21	-38.45	-13.00	25.45	Vertical
6	17890.5	53.78	-38.15	44.14	-35.49	-13.00	22.49	Vertical

---End of Attachment---