

1.1. Test Band = SA Band 41_ TM1**1.1.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3953.5	50.59	-48.23	29.23	-63.68	-25.00	38.68	Horizontal
2	6721	51.81	-46.62	35.05	-55.02	-25.00	30.02	Horizontal
3	9451.5	52.42	-42.70	38.03	-47.51	-25.00	22.51	Horizontal
4	13247	52.70	-38.88	39.17	-42.27	-25.00	17.27	Horizontal
5	14713.5	53.39	-36.70	40.23	-38.34	-25.00	13.34	Horizontal
6	17890	54.36	-38.15	44.14	-34.91	-25.00	9.91	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3970.5	50.68	-48.21	29.25	-63.54	-25.00	38.54	Vertical
2	6367	51.32	-47.06	34.19	-56.80	-25.00	31.80	Vertical
3	8396.5	51.42	-44.13	36.74	-51.23	-25.00	26.23	Vertical
4	10602	51.34	-41.25	39.22	-45.94	-25.00	20.94	Vertical
5	14107.5	52.90	-38.44	40.29	-40.51	-25.00	15.51	Vertical
6	17921.5	54.15	-38.31	44.33	-35.09	-25.00	10.09	Vertical

1.2. Test Band = SA Band 41_ TM1**1.2.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3956.5	50.74	-48.23	29.23	-63.52	-25.00	38.52	Horizontal
2	5790	52.05	-47.63	32.72	-58.13	-25.00	33.13	Horizontal
3	7921.5	52.12	-45.20	36.32	-52.03	-25.00	27.03	Horizontal
4	10491.5	50.46	-40.70	39.14	-46.36	-25.00	21.36	Horizontal
5	13434	52.80	-39.18	39.45	-42.19	-25.00	17.19	Horizontal
6	17900	54.66	-38.15	44.20	-34.55	-25.00	9.55	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4073.5	49.91	-48.09	29.42	-64.02	-25.00	39.02	Vertical
2	6136.5	52.36	-47.44	33.32	-57.02	-25.00	32.02	Vertical
3	8904.5	51.73	-43.99	37.29	-50.23	-25.00	25.23	Vertical
4	12048.5	52.32	-39.52	39.37	-43.09	-25.00	18.09	Vertical
5	14754.5	53.47	-36.77	40.22	-38.34	-25.00	13.34	Vertical
6	17949	54.54	-38.52	44.49	-34.74	-25.00	9.74	Vertical

1.3. Test Band = SA Band 41_ TM1**1.3.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3892	50.85	-48.28	29.13	-63.56	-25.00	38.56	Horizontal
2	6437	51.35	-46.95	34.46	-56.40	-25.00	31.40	Horizontal
3	8834.5	52.04	-44.00	37.22	-50.01	-25.00	25.01	Horizontal
4	11395	51.89	-40.10	39.46	-44.01	-25.00	19.01	Horizontal
5	14891.5	53.91	-37.33	40.21	-38.46	-25.00	13.46	Horizontal
6	17867.5	54.33	-38.16	44.01	-35.09	-25.00	10.09	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4349	49.95	-47.94	29.86	-63.39	-25.00	38.39	Vertical
2	5884.5	52.24	-47.23	32.75	-57.49	-25.00	32.49	Vertical
3	8381	51.84	-44.19	36.72	-50.89	-25.00	25.89	Vertical
4	10891	50.81	-40.07	39.42	-45.10	-25.00	20.10	Vertical
5	13659.5	52.41	-38.41	39.79	-41.47	-25.00	16.47	Vertical
6	17909.5	54.52	-38.22	44.26	-34.70	-25.00	9.70	Vertical

1.4. Test Band = SA Band 77 3450-3550_ TM1**1.4.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7388.8542	44.70	-45.61	36.20	-59.97	-13.00	46.97	Horizontal
2	9404.7083	44.15	-42.80	37.97	-55.95	-13.00	42.95	Horizontal
3	11142.6458	39.29	-40.04	39.49	-56.53	-13.00	43.53	Horizontal
4	12002.2708	38.98	-38.58	39.40	-55.46	-13.00	42.46	Horizontal
5	13755.0625	37.08	-38.26	39.93	-56.51	-13.00	43.51	Horizontal
6	17998.0833	30.92	-36.99	44.79	-56.54	-13.00	43.54	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7184.7292	44.17	-45.55	35.83	-60.81	-13.00	47.81	Vertical
2	8788.5	43.95	-43.84	37.17	-57.98	-13.00	44.98	Vertical
3	10509.1875	39.10	-40.63	39.16	-57.63	-13.00	44.63	Vertical
4	12008.5	38.18	-38.63	39.39	-56.32	-13.00	43.32	Vertical
5	13736.375	36.07	-38.16	39.90	-57.44	-13.00	44.44	Vertical
6	18000	30.53	-36.98	44.80	-56.91	-13.00	43.91	Vertical

1.5. Test Band = SA Band 77 3700-3980_ TM1**1.5.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7157.8958	44.90	-45.73	35.78	-60.30	-13.00	47.30	Horizontal
2	8435.8333	44.41	-44.12	36.78	-58.19	-13.00	45.19	Horizontal
3	10337.1667	39.86	-41.14	39.04	-57.51	-13.00	44.51	Horizontal
4	12031.9792	38.34	-38.83	39.38	-56.37	-13.00	43.37	Horizontal
5	14332.9375	36.31	-38.76	40.27	-57.44	-13.00	44.44	Horizontal
6	17996.6458	30.13	-36.99	44.78	-57.34	-13.00	44.34	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7316.0208	44.65	-45.94	36.07	-60.48	-13.00	47.48	Vertical
2	9377.875	42.64	-42.84	37.93	-57.53	-13.00	44.53	Vertical
3	11385.5833	37.97	-39.82	39.46	-57.65	-13.00	44.65	Vertical
4	12472.8125	37.61	-38.67	39.12	-57.21	-13.00	44.21	Vertical
5	14342.5208	35.89	-38.75	40.27	-57.85	-13.00	44.85	Vertical
6	17987.5417	30.14	-37.01	44.73	-57.41	-13.00	44.41	Vertical

1.6. Test Band = SA Band 77 3700-3980_ TM1**1.6.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7346.2083	44.78	-45.80	36.12	-60.16	-13.00	47.16	Horizontal
2	9375.9583	43.37	-42.84	37.93	-56.80	-13.00	43.80	Horizontal
3	10839.8125	38.81	-40.34	39.39	-57.40	-13.00	44.40	Horizontal
4	12012.8125	38.38	-38.67	39.39	-56.16	-13.00	43.16	Horizontal
5	13752.6667	36.56	-38.25	39.93	-57.02	-13.00	44.02	Horizontal
6	18000	30.31	-36.98	44.80	-57.13	-13.00	44.13	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7186.1667	44.31	-45.54	35.84	-60.66	-13.00	47.66	Vertical
2	8451.6458	43.52	-44.01	36.80	-58.95	-13.00	45.95	Vertical
3	9415.25	42.88	-42.79	37.98	-57.18	-13.00	44.18	Vertical
4	10507.2708	38.51	-40.62	39.16	-58.21	-13.00	45.21	Vertical
5	12027.1875	38.10	-38.79	39.38	-56.56	-13.00	43.56	Vertical
6	17996.6458	30.11	-36.99	44.78	-57.36	-13.00	44.36	Vertical

1.7. Test Band = SA Band 77 3700-3980_ TM1**1.7.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7183.2917	45.12	-45.56	35.83	-59.87	-13.00	46.87	Horizontal
2	8694.1042	43.45	-43.72	37.06	-58.46	-13.00	45.46	Horizontal
3	10840.7708	39.50	-40.34	39.39	-56.71	-13.00	43.71	Horizontal
4	12002.2708	38.29	-38.58	39.40	-56.15	-13.00	43.15	Horizontal
5	13743.0833	36.32	-38.20	39.91	-57.22	-13.00	44.22	Horizontal
6	17999.0417	30.37	-36.98	44.79	-57.08	-13.00	44.08	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7355.7917	43.72	-45.76	36.14	-61.16	-13.00	48.16	Vertical
2	8451.6458	42.88	-44.01	36.80	-59.59	-13.00	46.59	Vertical
3	11391.3333	37.41	-39.77	39.46	-58.16	-13.00	45.16	Vertical
4	13764.6458	36.22	-38.32	39.95	-57.41	-13.00	44.41	Vertical
5	15758.9375	32.84	-38.04	38.83	-61.63	-13.00	48.63	Vertical
6	17996.6458	30.32	-36.99	44.78	-57.15	-13.00	44.15	Vertical

1.8. Test Band = SA Band 78 3450-3550_ TM1**1.8.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7813.875	44.29	-44.91	36.34	-59.54	-13.00	46.54	Horizontal
2	9380.2708	43.65	-42.84	37.93	-56.51	-13.00	43.51	Horizontal
3	10615.5625	39.48	-41.13	39.23	-57.68	-13.00	44.68	Horizontal
4	11994.125	38.82	-38.64	39.40	-55.68	-13.00	42.68	Horizontal
5	13732.0625	37.04	-38.13	39.90	-56.45	-13.00	43.45	Horizontal
6	17995.2083	31.58	-36.99	44.77	-55.90	-13.00	42.90	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7186.1667	44.04	-45.54	35.84	-60.93	-13.00	47.93	Vertical
2	8784.1875	43.05	-43.83	37.16	-58.88	-13.00	45.88	Vertical
3	10272.4792	39.72	-41.36	38.99	-57.90	-13.00	44.90	Vertical
4	11594.0208	36.45	-39.27	39.44	-58.64	-13.00	45.64	Vertical
5	13753.625	36.59	-38.26	39.93	-57.00	-13.00	44.00	Vertical
6	17995.2083	31.00	-36.99	44.77	-56.48	-13.00	43.48	Vertical

1.9. Test Band = SA Band 78 3700-3800_ TM1**1.9.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7682.5833	43.73	-45.09	36.36	-60.26	-13.00	47.26	Horizontal
2	9385.0625	43.76	-42.83	37.94	-56.39	-13.00	43.39	Horizontal
3	11272.5	38.92	-40.31	39.47	-57.18	-13.00	44.18	Horizontal
4	12691.3125	38.57	-39.04	38.99	-56.75	-13.00	43.75	Horizontal
5	14331.0208	36.92	-38.76	40.27	-56.83	-13.00	43.83	Horizontal
6	17915.6667	31.43	-37.22	44.29	-56.75	-13.00	43.75	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7224.9792	44.52	-45.59	35.90	-60.42	-13.00	47.42	Vertical
2	8893.9167	43.29	-43.57	37.28	-58.26	-13.00	45.26	Vertical
3	10866.6458	39.27	-40.26	39.41	-56.85	-13.00	43.85	Vertical
4	12392.7917	37.99	-38.38	39.16	-56.49	-13.00	43.49	Vertical
5	13703.7917	36.71	-37.97	39.86	-56.67	-13.00	43.67	Vertical
6	17952.0833	31.99	-37.11	44.51	-55.87	-13.00	42.87	Vertical

Spot check worst mode_Sample 2**1.10. Test Band = SA Band 41_ TM1****1.10.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4020.5	50.63	-48.16	29.33	-63.45	-25.00	38.45	Horizontal
2	5455	51.92	-47.66	32.47	-58.53	-25.00	33.53	Horizontal
3	7782	51.83	-44.96	36.34	-52.05	-25.00	27.05	Horizontal
4	10388	50.89	-41.23	39.07	-46.53	-25.00	21.53	Horizontal
5	13233	52.46	-38.83	39.15	-42.48	-25.00	17.48	Horizontal
6	16897.5	56.15	-36.80	38.76	-37.15	-25.00	12.15	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3879.5	50.86	-48.27	29.11	-63.56	-25.00	38.56	Vertical
2	5385	52.69	-47.73	32.28	-58.02	-25.00	33.02	Vertical
3	7131.5	51.95	-45.95	35.74	-53.52	-25.00	28.52	Vertical
4	9466.5	52.51	-42.60	38.05	-47.29	-25.00	22.29	Vertical
5	11336.5	51.79	-40.32	39.47	-44.32	-25.00	19.32	Vertical
6	14897.5	54.62	-37.36	40.21	-37.79	-25.00	12.79	Vertical

1.11. Test Band = SA Band 41_ TM1**1.11.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4001.5	51.20	-48.18	29.30	-62.94	-25.00	37.94	Horizontal
2	6465.5	52.14	-46.97	34.57	-55.52	-25.00	30.52	Horizontal
3	8754.5	52.39	-44.05	37.13	-49.79	-25.00	24.79	Horizontal
4	11943.5	51.63	-39.74	39.41	-43.97	-25.00	18.97	Horizontal
5	14926	54.29	-37.53	40.21	-38.30	-25.00	13.30	Horizontal
6	17908	54.58	-38.21	44.25	-34.64	-25.00	9.64	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3961	50.84	-48.22	29.24	-63.41	-25.00	38.41	Vertical
2	6356	52.29	-47.10	34.15	-55.92	-25.00	30.92	Vertical
3	7752	55.47	-45.05	36.35	-48.49	-25.00	23.49	Vertical
4	10470.5	50.91	-40.82	39.13	-46.04	-25.00	21.04	Vertical
5	14311.5	54.44	-38.44	40.27	-38.99	-25.00	13.99	Vertical
6	17908	54.28	-38.21	44.25	-34.94	-25.00	9.94	Vertical

1.12. Test Band = SA Band 41_ TM1**1.12.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3982.5	50.51	-48.20	29.27	-63.68	-25.00	38.68	Horizontal
2	5524.5	51.83	-47.63	32.61	-58.45	-25.00	33.45	Horizontal
3	8774	51.87	-44.02	37.15	-50.26	-25.00	25.26	Horizontal
4	11385	51.63	-40.14	39.46	-44.31	-25.00	19.31	Horizontal
5	13808.5	53.96	-38.99	40.01	-40.27	-25.00	15.27	Horizontal
6	17828.5	53.96	-38.18	43.77	-35.71	-25.00	10.71	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4056.5	50.19	-48.11	29.39	-63.79	-25.00	38.79	Vertical
2	5352	52.62	-47.75	32.19	-58.20	-25.00	33.20	Vertical
3	8013	55.82	-44.36	36.31	-47.49	-25.00	22.49	Vertical
4	10461	51.20	-40.88	39.12	-45.82	-25.00	20.82	Vertical
5	14191	53.83	-38.64	40.28	-39.79	-25.00	14.79	Vertical
6	17898.5	54.33	-38.15	44.19	-34.89	-25.00	9.89	Vertical

---End of Attachment---