



Report No.: SUCR260400034201

Page: 1 of 6

Appendix B.1

1.1. Test Band = GSM 850

1.1.1. Test Channel = Low

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1220	50.38	-50.21	24.73	-70.36	-13.00	57.36	Horizontal
2	2212.4444	50.89	-49.45	26.68	-67.13	-13.00	54.13	Horizontal
3	3056.8889	51.45	-48.65	28.15	-64.31	-13.00	51.31	Horizontal
4	4498.6667	50.66	-48.22	30.10	-62.72	-13.00	49.72	Horizontal
5	5804	51.64	-47.69	32.72	-58.59	-13.00	45.59	Horizontal
6	7597.7778	50.80	-44.71	36.38	-52.79	-13.00	39.79	Horizontal

1.2. Test Band = GSM 850

1.2.1. Test Channel = Low

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1255.5556	50.38	-50.17	24.61	-70.45	-13.00	57.45	Vertical
2	2260.4444	51.19	-49.27	26.77	-66.57	-13.00	53.57	Vertical
3	2965.3333	50.85	-48.46	28.04	-64.83	-13.00	51.83	Vertical
4	4506.6667	50.44	-48.21	30.11	-62.91	-13.00	49.91	Vertical
5	6390.2222	51.59	-47.27	34.28	-56.66	-13.00	43.66	Vertical
6	8394.2222	51.20	-44.02	36.73	-51.34	-13.00	38.34	Vertical



Report No.: SUCR260400034201

Page: 2 of 6

1.3. Test Band = GSM 850

1.3.1. Test Channel = Mid

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1200	50.29	-50.23	24.80	-70.40	-13.00	57.40	Horizontal
2	2086.2222	50.98	-49.49	26.46	-67.31	-13.00	54.31	Horizontal
3	3025.7778	51.53	-48.45	28.12	-64.06	-13.00	51.06	Horizontal
4	4611.5556	50.16	-48.04	30.35	-62.80	-13.00	49.80	Horizontal
5	6555.1111	50.99	-47.10	34.79	-56.58	-13.00	43.58	Horizontal
6	8396.8889	50.92	-44.00	36.74	-51.60	-13.00	38.60	Horizontal

1.4. Test Band = GSM 850

1.4.1. Test Channel = Mid

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1383.1111	50.25	-50.03	24.16	-70.88	-13.00	57.88	Vertical
2	2227.5556	50.99	-49.39	26.71	-66.95	-13.00	53.95	Vertical
3	3277.7778	51.35	-48.63	28.32	-64.22	-13.00	51.22	Vertical
4	4480.4444	50.85	-48.18	30.07	-62.53	-13.00	49.53	Vertical
5	6111.5556	51.74	-47.07	33.22	-57.36	-13.00	44.36	Vertical
6	7592.4444	50.78	-44.79	36.38	-52.89	-13.00	39.89	Vertical



Report No.: SUCR260400034201

Page: 3 of 6

1.5. Test Band = GSM 850

1.5.1. Test Channel = High

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1169.7778	50.21	-50.15	24.82	-70.38	-13.00	57.38	Horizontal
2	2212.4444	51.26	-49.45	26.68	-66.76	-13.00	53.76	Horizontal
3	3052.8889	51.68	-48.62	28.14	-64.06	-13.00	51.06	Horizontal
4	4411.1111	50.51	-48.06	29.96	-62.85	-13.00	49.85	Horizontal
5	6149.7778	51.88	-47.25	33.37	-57.26	-13.00	44.26	Horizontal
6	8391.1111	51.16	-44.04	36.73	-51.41	-13.00	38.41	Horizontal

1.6. Test Band = GSM 850

1.6.1. Test Channel = High

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1198.6667	50.17	-50.23	24.80	-70.52	-13.00	57.52	Vertical
2	2104	51.02	-49.46	26.49	-67.21	-13.00	54.21	Vertical
3	3164.4444	51.47	-48.73	28.23	-64.29	-13.00	51.29	Vertical
4	4816	50.71	-48.04	30.80	-61.80	-13.00	48.80	Vertical
5	6476.4444	51.30	-47.11	34.61	-56.46	-13.00	43.46	Vertical
6	8377.3333	51.74	-44.16	36.72	-50.96	-13.00	37.96	Vertical



Report No.: SUCR260400034201

Page: 4 of 6

1.7. Test Band = GSM 1900

1.7.1. Test Channel = Low

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3579.75	50.88	-48.28	28.63	-64.03	-13.00	51.03	Horizontal
2	5459.25	51.82	-47.65	32.49	-58.61	-13.00	45.61	Horizontal
3	7577.25	50.95	-44.93	36.38	-52.86	-13.00	39.86	Horizontal
4	10880.25	50.96	-40.15	39.42	-45.03	-13.00	32.03	Horizontal
5	13514.25	52.79	-39.17	39.57	-42.07	-13.00	29.07	Horizontal
6	17925.75	53.96	-38.34	44.35	-35.29	-13.00	22.29	Horizontal

1.8. Test Band = GSM 1900

1.8.1. Test Channel = Low

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3299.25	50.57	-48.03	28.34	-64.38	-13.00	51.38	Vertical
2	5124.75	50.96	-47.84	31.55	-60.59	-13.00	47.59	Vertical
3	7271.25	51.96	-46.17	35.99	-53.48	-13.00	40.48	Vertical
4	9447.75	52.54	-42.73	38.03	-47.42	-13.00	34.42	Vertical
5	13712.25	53.03	-38.10	39.87	-40.46	-13.00	27.46	Vertical
6	17927.25	54.51	-38.35	44.36	-34.74	-13.00	21.74	Vertical



Report No.: SUCR260400034201

Page: 5 of 6

1.9. Test Band = GSM 1900

1.9.1. Test Channel = Mid

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3159.75	51.26	-48.28	28.23	-64.06	-13.00	51.06	Horizontal
2	4548	50.58	-47.99	30.21	-62.46	-13.00	49.46	Horizontal
3	6392.25	51.43	-46.96	34.29	-56.50	-13.00	43.50	Horizontal
4	8827.5	51.99	-44.00	37.21	-50.06	-13.00	37.06	Horizontal
5	12675	52.43	-39.20	39.00	-43.04	-13.00	30.04	Horizontal
6	17824.5	53.93	-38.18	43.75	-35.76	-13.00	22.76	Horizontal

1.10. Test Band = GSM 1900

1.10.1. Test Channel = Mid

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3277.5	50.58	-48.06	28.32	-64.42	-13.00	51.42	Vertical
2	5039.25	50.72	-47.94	31.31	-61.17	-13.00	48.17	Vertical
3	7318.5	51.40	-46.16	36.07	-53.95	-13.00	40.95	Vertical
4	10287.75	50.64	-41.27	39.00	-46.89	-13.00	33.89	Vertical
5	13690.5	52.82	-38.07	39.84	-40.68	-13.00	27.68	Vertical
6	17865.75	54.61	-38.16	43.99	-34.82	-13.00	21.82	Vertical



Report No.: SUCR260400034201

Page: 6 of 6

1.11. Test Band = GSM 1900

1.11.1. Test Channel = High

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3593.25	50.36	-48.28	28.65	-64.53	-13.00	51.53	Horizontal
2	5332.5	51.89	-47.76	32.13	-59.00	-13.00	46.00	Horizontal
3	7657.5	50.82	-44.94	36.37	-53.01	-13.00	40.01	Horizontal
4	10855.5	50.76	-40.33	39.40	-45.43	-13.00	32.43	Horizontal
5	14339.25	54.47	-38.48	40.27	-39.01	-13.00	26.01	Horizontal
6	17881.5	54.04	-38.16	44.09	-35.29	-13.00	22.29	Horizontal

1.12. Test Band = GSM 1900

1.12.1. Test Channel = High

Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF [dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3596.25	51.03	-48.28	28.65	-63.86	-13.00	50.86	Vertical
2	5444.25	52.12	-47.67	32.44	-58.37	-13.00	45.37	Vertical
3	7274.25	51.93	-46.17	35.99	-53.51	-13.00	40.51	Vertical
4	10432.5	50.52	-41.05	39.10	-46.69	-13.00	33.69	Vertical
5	14361	54.87	-38.52	40.26	-38.64	-13.00	25.64	Vertical
6	17922.75	54.03	-38.32	44.34	-35.21	-13.00	22.21	Vertical

---End of Attachment---