



Report No.: SUCR260400034201

Page: 1 of 21

Appendix B.3

1.1. Test Band = LTE Band2_ TM1

1.1.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3201	50.78	-48.16	28.26	-64.38	-13.00	51.38	Horizontal
2	4436.25	50.57	-48.06	30.00	-62.75	-13.00	49.75	Horizontal
3	7048.5	51.21	-46.23	35.59	-54.69	-13.00	41.69	Horizontal
4	10311.75	50.56	-41.16	39.02	-46.84	-13.00	33.84	Horizontal
5	14331.75	53.91	-38.47	40.27	-39.55	-13.00	26.55	Horizontal
6	17984.25	54.04	-38.78	44.71	-35.30	-13.00	22.30	Horizontal

1.2. Test Band = LTE Band2_ TM1

1.2.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3272.25	50.70	-48.07	28.32	-64.31	-13.00	51.31	Vertical
2	4882.5	51.32	-48.03	30.94	-61.03	-13.00	48.03	Vertical
3	7267.5	51.41	-46.17	35.98	-54.04	-13.00	41.04	Vertical
4	9408	52.45	-43.00	37.97	-47.83	-13.00	34.83	Vertical
5	12756	52.84	-39.29	38.95	-42.76	-13.00	29.76	Vertical
6	17909.25	54.58	-38.22	44.26	-34.64	-13.00	21.64	Vertical



Report No.: SUCR260400034201

Page: 2 of 21

1.3. Test Band = LTE Band2_ TM1

1.3.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3300	50.65	-48.03	28.34	-64.30	-13.00	51.30	Horizontal
2	4748.25	50.79	-47.98	30.65	-61.81	-13.00	48.81	Horizontal
3	6378	51.48	-47.02	34.24	-56.56	-13.00	43.56	Horizontal
4	8781.75	51.71	-44.01	37.16	-50.40	-13.00	37.40	Horizontal
5	11336.25	51.20	-40.32	39.47	-44.92	-13.00	31.92	Horizontal
6	17508.75	53.78	-36.96	41.85	-36.59	-13.00	23.59	Horizontal

1.4. Test Band = LTE Band2_ TM1

1.4.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3297	50.40	-48.03	28.34	-64.56	-13.00	51.56	Vertical
2	5322	51.69	-47.77	32.10	-59.24	-13.00	46.24	Vertical
3	7242	51.81	-46.18	35.94	-53.70	-13.00	40.70	Vertical
4	9410.25	52.61	-42.98	37.97	-47.66	-13.00	34.66	Vertical
5	12009	51.80	-39.44	39.39	-43.50	-13.00	30.50	Vertical
6	16887	56.17	-36.88	38.75	-37.21	-13.00	24.21	Vertical



Report No.: SUCR260400034201

Page: 3 of 21

1.5. Test Band = LTE Band2_ TM1

1.5.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3286.5	50.56	-48.05	28.33	-64.42	-13.00	51.42	Horizontal
2	5057.25	50.75	-47.90	31.36	-61.05	-13.00	48.05	Horizontal
3	7791	51.12	-44.94	36.34	-52.74	-13.00	39.74	Horizontal
4	11248.5	51.63	-40.40	39.48	-44.55	-13.00	31.55	Horizontal
5	14304.75	53.92	-38.43	40.27	-39.50	-13.00	26.50	Horizontal
6	17937	54.63	-38.43	44.42	-34.64	-13.00	21.64	Horizontal

1.6. Test Band = LTE Band2_ TM1

1.6.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3296.25	50.45	-48.03	28.34	-64.51	-13.00	51.51	Vertical
2	4640.25	50.60	-47.98	30.41	-62.24	-13.00	49.24	Vertical
3	6774.75	51.88	-46.80	35.14	-55.04	-13.00	42.04	Vertical
4	8850.75	51.87	-44.01	37.24	-50.16	-13.00	37.16	Vertical
5	12574.5	51.98	-39.22	39.06	-43.44	-13.00	30.44	Vertical
6	17896.5	54.03	-38.15	44.18	-35.20	-13.00	22.20	Vertical



Report No.: SUCR260400034201

Page: 4 of 21

1.7. Test Band = LTE Band4_ TM1

1.7.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3405.75	45.83	-48.40	28.42	-69.41	-13.00	56.41	Horizontal
2	4365.75	46.35	-48.00	29.89	-67.02	-13.00	54.02	Horizontal
3	6222	45.85	-47.50	33.64	-63.27	-13.00	50.27	Horizontal
4	8759.25	44.85	-44.04	37.14	-57.32	-13.00	44.32	Horizontal
5	11935.5	39.12	-39.79	39.41	-56.52	-13.00	43.52	Horizontal
6	17875.5	36.29	-38.16	44.05	-53.08	-13.00	40.08	Horizontal

1.8. Test Band = LTE Band4_ TM1

1.8.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3592.125	47.71	-48.28	28.65	-67.18	-13.00	54.18	Vertical
2	5277.75	46.25	-47.80	31.98	-64.84	-13.00	51.84	Vertical
3	7576.125	44.40	-44.95	36.38	-59.43	-13.00	46.43	Vertical
4	10779	40.51	-40.78	39.35	-56.19	-13.00	43.19	Vertical
5	13725	37.86	-38.23	39.89	-55.74	-13.00	42.74	Vertical
6	17866.875	36.04	-38.16	44.00	-53.38	-13.00	40.38	Vertical



Report No.: SUCR260400034201

Page: 5 of 21

1.9. Test Band = LTE Band4_ TM1

1.9.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3598.875	47.43	-48.28	28.66	-67.45	-13.00	54.45	Horizontal
2	4738.5	45.84	-47.98	30.62	-66.77	-13.00	53.77	Horizontal
3	6220.125	45.85	-47.50	33.64	-63.28	-13.00	50.28	Horizontal
4	8558.25	44.57	-44.10	36.91	-57.88	-13.00	44.88	Horizontal
5	12026.625	39.23	-39.48	39.38	-56.12	-13.00	43.12	Horizontal
6	17925.375	36.90	-38.34	44.35	-52.35	-13.00	39.35	Horizontal

1.10. Test Band = LTE Band4_ TM1

1.10.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3447	47.41	-48.35	28.46	-67.75	-13.00	54.75	Vertical
2	5068.125	45.36	-47.88	31.39	-66.39	-13.00	53.39	Vertical
3	7588.125	44.04	-44.76	36.38	-59.60	-13.00	46.60	Vertical
4	10455	40.44	-40.92	39.12	-56.62	-13.00	43.62	Vertical
5	13719.75	37.48	-38.18	39.88	-56.08	-13.00	43.08	Vertical
6	17820.375	35.63	-38.18	43.72	-54.09	-13.00	41.09	Vertical



Report No.: SUCR260400034201

Page: 6 of 21

1.11. Test Band = LTE Band4_ TM1

1.11.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3282	45.43	-48.05	28.33	-69.56	-13.00	56.56	Horizontal
2	5368.125	46.57	-47.74	32.23	-64.20	-13.00	51.20	Horizontal
3	7321.875	45.05	-46.16	36.08	-60.29	-13.00	47.29	Horizontal
4	9417	44.59	-42.93	37.98	-55.62	-13.00	42.62	Horizontal
5	12601.125	38.48	-38.99	39.04	-56.73	-13.00	43.73	Horizontal
6	17821.125	35.59	-38.18	43.73	-54.12	-13.00	41.12	Horizontal

1.12. Test Band = LTE Band4_ TM1

1.12.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3599.625	46.68	-48.28	28.66	-68.20	-13.00	55.20	Vertical
2	5573.25	46.91	-47.68	32.63	-63.40	-13.00	50.40	Vertical
3	7809.375	44.43	-44.96	36.34	-59.45	-13.00	46.45	Vertical
4	10863.75	39.32	-40.27	39.40	-56.80	-13.00	43.80	Vertical
5	13726.5	37.88	-38.25	39.89	-55.74	-13.00	42.74	Vertical
6	17874	35.84	-38.16	44.04	-53.54	-13.00	40.54	Vertical



Report No.: SUCR260400034201

Page: 7 of 21

1.13. Test Band = LTE Band5_ TM1

1.13.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1375.1111	50.21	-50.04	24.19	-70.90	-13.00	57.90	Horizontal
2	2069.3333	51.24	-49.52	26.42	-67.12	-13.00	54.12	Horizontal
3	2813.7778	51.16	-48.69	27.76	-65.03	-13.00	52.03	Horizontal
4	4392	50.26	-48.04	29.93	-63.11	-13.00	50.11	Horizontal
5	5916.8889	51.95	-47.12	32.77	-57.66	-13.00	44.66	Horizontal
6	8397.7778	51.27	-43.99	36.74	-51.24	-13.00	38.24	Horizontal

1.14. Test Band = LTE Band5_ TM1

1.14.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1200.8889	50.01	-50.23	24.80	-70.68	-13.00	57.68	Vertical
2	2086.2222	51.47	-49.49	26.46	-66.82	-13.00	53.82	Vertical
3	3026.2222	51.47	-48.46	28.12	-64.12	-13.00	51.12	Vertical
4	4345.7778	50.59	-48.03	29.85	-62.85	-13.00	49.85	Vertical
5	6620	51.20	-47.04	34.89	-56.21	-13.00	43.21	Vertical
6	8381.7778	51.46	-44.12	36.72	-51.20	-13.00	38.20	Vertical



Report No.: SUCR260400034201

Page: 8 of 21

1.15. Test Band = LTE Band5_ TM1

1.15.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1154.6667	50.12	-50.10	24.82	-70.42	-13.00	57.42	Horizontal
2	1828.4444	50.47	-49.81	25.87	-68.73	-13.00	55.73	Horizontal
3	2695.1111	51.76	-49.01	27.55	-64.96	-13.00	51.96	Horizontal
4	3938.2222	50.46	-48.40	29.20	-64.00	-13.00	51.00	Horizontal
5	5893.7778	51.69	-47.06	32.76	-57.88	-13.00	44.88	Horizontal
6	8302.2222	50.88	-44.77	36.63	-52.52	-13.00	39.52	Horizontal

1.16. Test Band = LTE Band5_ TM1

1.16.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1201.7778	50.51	-50.23	24.79	-70.18	-13.00	57.18	Vertical
2	2214.6667	51.03	-49.44	26.69	-66.98	-13.00	53.98	Vertical
3	3528.4444	51.23	-48.44	28.55	-63.93	-13.00	50.93	Vertical
4	4962.2222	51.18	-48.04	31.12	-61.00	-13.00	48.00	Vertical
5	6568.8889	50.93	-47.11	34.81	-56.63	-13.00	43.63	Vertical
6	8983.5556	50.70	-43.11	37.38	-50.29	-13.00	37.29	Vertical



Report No.: SUCR260400034201

Page: 9 of 21

1.17. Test Band = LTE Band5_ TM1

1.17.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1176	50.09	-50.16	24.81	-70.52	-13.00	57.52	Horizontal
2	1817.7778	50.15	-49.82	25.84	-69.09	-13.00	56.09	Horizontal
3	2456	52.35	-49.16	27.12	-64.94	-13.00	51.94	Horizontal
4	3211.1111	51.61	-48.62	28.27	-64.00	-13.00	51.00	Horizontal
5	4802.6667	51.52	-48.02	30.77	-61.00	-13.00	48.00	Horizontal
6	7602.6667	50.43	-44.69	36.38	-53.14	-13.00	40.14	Horizontal

1.18. Test Band = LTE Band5_ TM1

1.18.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1319.5556	50.37	-50.11	24.38	-70.61	-13.00	57.61	Vertical
2	2172.8889	51.10	-49.48	26.61	-67.03	-13.00	54.03	Vertical
3	3045.7778	51.76	-48.58	28.14	-63.94	-13.00	50.94	Vertical
4	4846.2222	50.54	-48.09	30.86	-61.95	-13.00	48.95	Vertical
5	6699.1111	51.25	-46.70	35.02	-55.70	-13.00	42.70	Vertical
6	8833.7778	51.58	-44.05	37.22	-50.52	-13.00	37.52	Vertical



Report No.: SUCR260400034201

Page: 10 of 21

1.19. Test Band = LTE Band12_ TM1

1.19.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1308	50.10	-50.12	24.42	-70.86	-13.00	57.86	Horizontal
2	1856.5	49.96	-49.79	25.94	-69.15	-13.00	56.15	Horizontal
3	2525.5	51.50	-48.97	27.25	-65.48	-13.00	52.48	Horizontal
4	3835	49.99	-48.42	29.04	-64.65	-13.00	51.65	Horizontal
5	5422.5	51.84	-47.43	32.38	-58.47	-13.00	45.47	Horizontal
6	7593.5	50.72	-44.78	36.38	-52.93	-13.00	39.93	Horizontal

1.20. Test Band = LTE Band12_ TM1

1.20.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1283	50.40	-50.15	24.51	-70.50	-13.00	57.50	Vertical
2	2137	50.74	-49.47	26.55	-67.44	-13.00	54.44	Vertical
3	3008	51.06	-48.34	28.11	-64.43	-13.00	51.43	Vertical
4	4360.5	49.78	-48.04	29.88	-63.64	-13.00	50.64	Vertical
5	6173	51.84	-47.36	33.46	-57.32	-13.00	44.32	Vertical
6	8396	51.00	-44.00	36.74	-51.53	-13.00	38.53	Vertical



Report No.: SUCR260400034201

Page: 11 of 21

1.21. Test Band = LTE Band12_ TM1

1.21.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1122.5	49.90	-50.01	24.84	-70.53	-13.00	57.53	Horizontal
2	1711.5	49.81	-49.73	25.67	-69.52	-13.00	56.52	Horizontal
3	2291.5	51.00	-49.16	26.82	-66.60	-13.00	53.60	Horizontal
4	3292	51.44	-48.63	28.33	-64.12	-13.00	51.12	Horizontal
5	4814.5	50.46	-48.04	30.79	-62.05	-13.00	49.05	Horizontal
6	7967.5	50.78	-44.77	36.31	-52.94	-13.00	39.94	Horizontal

1.22. Test Band = LTE Band12_ TM1

1.22.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1168	49.92	-50.14	24.82	-70.66	-13.00	57.66	Vertical
2	2123	50.74	-49.47	26.52	-67.47	-13.00	54.47	Vertical
3	3177.5	51.55	-48.69	28.24	-64.16	-13.00	51.16	Vertical
4	4430.5	50.16	-48.09	29.99	-63.21	-13.00	50.21	Vertical
5	6097	52.14	-47.03	33.17	-56.98	-13.00	43.98	Vertical
6	8601	50.93	-43.83	36.96	-51.20	-13.00	38.20	Vertical



Report No.: SUCR260400034201

Page: 12 of 21

1.23. Test Band = LTE Band12_ TM1

1.23.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1165	49.82	-50.13	24.82	-70.75	-13.00	57.75	Horizontal
2	2032	50.64	-49.60	26.36	-67.87	-13.00	54.87	Horizontal
3	2661.5	51.76	-49.07	27.49	-65.07	-13.00	52.07	Horizontal
4	3576.5	51.24	-48.47	28.62	-63.87	-13.00	50.87	Horizontal
5	5384	51.74	-47.50	32.28	-58.75	-13.00	45.75	Horizontal
6	8184.5	50.46	-44.32	36.50	-52.62	-13.00	39.62	Horizontal

1.24. Test Band = LTE Band12_ TM1

1.24.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1221.5	49.88	-50.21	24.72	-70.86	-13.00	57.86	Vertical
2	2046	50.46	-49.57	26.38	-67.99	-13.00	54.99	Vertical
3	2688.5	51.75	-49.02	27.54	-64.99	-13.00	51.99	Vertical
4	3906.5	50.51	-48.42	29.15	-64.02	-13.00	51.02	Vertical
5	5483	51.62	-47.40	32.55	-58.49	-13.00	45.49	Vertical
6	7859	51.67	-45.32	36.33	-52.58	-13.00	39.58	Vertical



Report No.: SUCR260400034201

Page: 13 of 21

1.25. Test Band = LTE Band38_ TM1

1.25.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3286.5	51.16	-48.05	28.33	-63.82	-25.00	38.82	Horizontal
2	5299.5	53.38	-47.78	32.04	-57.62	-25.00	32.62	Horizontal
3	7653	51.54	-44.91	36.37	-52.26	-25.00	27.26	Horizontal
4	10857	51.43	-40.32	39.40	-44.75	-25.00	19.75	Horizontal
5	13751	53.48	-38.50	39.93	-40.35	-25.00	15.35	Horizontal
6	17986.5	54.96	-38.80	44.72	-34.38	-25.00	9.38	Horizontal

1.26. Test Band = LTE Band38_ TM1

1.26.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3551	50.62	-48.28	28.58	-64.34	-25.00	39.34	Vertical
2	5410	52.37	-47.71	32.35	-58.25	-25.00	33.25	Vertical
3	7619.5	51.01	-44.69	36.38	-52.57	-25.00	27.57	Vertical
4	10870	51.00	-40.22	39.41	-45.07	-25.00	20.07	Vertical
5	14657	53.32	-37.23	40.23	-38.93	-25.00	13.93	Vertical
6	17910	54.54	-38.23	44.26	-34.69	-25.00	9.69	Vertical



Report No.: SUCR260400034201

Page: 14 of 21

1.27. Test Band = LTE Band38_ TM1

1.27.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3167.5	51.43	-48.26	28.23	-63.86	-25.00	38.86	Horizontal
2	4498	50.95	-47.98	30.10	-62.20	-25.00	37.20	Horizontal
3	6716.5	51.73	-46.61	35.05	-55.09	-25.00	30.09	Horizontal
4	9457	52.85	-42.66	38.04	-47.03	-25.00	22.03	Horizontal
5	13588	52.99	-39.07	39.68	-41.65	-25.00	16.65	Horizontal
6	17906.5	54.60	-38.20	44.24	-34.62	-25.00	9.62	Horizontal

1.28. Test Band = LTE Band38_ TM1

1.28.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3170	51.53	-48.25	28.24	-63.75	-25.00	38.75	Vertical
2	4891.5	51.49	-48.03	30.96	-60.84	-25.00	35.84	Vertical
3	7095.5	51.48	-45.86	35.67	-53.97	-25.00	28.97	Vertical
4	10098.5	51.24	-41.87	38.87	-47.02	-25.00	22.02	Vertical
5	14287.5	55.04	-38.45	40.27	-38.40	-25.00	13.40	Vertical
6	17939.5	55.14	-38.45	44.44	-34.13	-25.00	9.13	Vertical



Report No.: SUCR260400034201

Page: 15 of 21

1.29. Test Band = LTE Band38_ TM1

1.29.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3165	51.44	-48.27	28.23	-63.86	-25.00	38.86	Horizontal
2	4450.5	51.14	-48.04	30.02	-62.14	-25.00	37.14	Horizontal
3	6430	51.86	-46.95	34.43	-55.91	-25.00	30.91	Horizontal
4	8686	52.02	-44.10	37.05	-50.28	-25.00	25.28	Horizontal
5	11834.5	52.03	-39.91	39.42	-43.72	-25.00	18.72	Horizontal
6	16900	56.21	-36.78	38.76	-37.07	-25.00	12.07	Horizontal

1.30. Test Band = LTE Band38_ TM1

1.30.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3298.5	51.08	-48.03	28.34	-63.87	-25.00	38.87	Vertical
2	4958	51.46	-48.02	31.11	-60.71	-25.00	35.71	Vertical
3	7272	52.26	-46.17	35.99	-53.18	-25.00	28.18	Vertical
4	9977	51.20	-41.79	38.77	-47.09	-25.00	22.09	Vertical
5	12592	52.79	-39.06	39.04	-42.49	-25.00	17.49	Vertical
6	16888	56.29	-36.87	38.76	-37.09	-25.00	12.09	Vertical



Report No.: SUCR260400034201

Page: 16 of 21

1.31. Test Band = LTE Band41_ TM1

1.31.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3287	51.25	-48.05	28.33	-63.73	-25.00	38.73	Horizontal
2	4869.5	51.64	-48.02	30.91	-60.73	-25.00	35.73	Horizontal
3	6819	52.71	-46.86	35.21	-54.20	-25.00	29.20	Horizontal
4	10443	51.32	-40.99	39.11	-45.82	-25.00	20.82	Horizontal
5	13713	53.73	-38.11	39.87	-39.77	-25.00	14.77	Horizontal
6	17541	54.33	-37.43	42.05	-36.31	-25.00	11.31	Horizontal

1.32. Test Band = LTE Band41_ TM1

1.32.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3313	51.51	-48.08	28.35	-63.48	-25.00	38.48	Vertical
2	5568.5	52.08	-47.67	32.63	-58.22	-25.00	33.22	Vertical
3	7746	51.82	-45.07	36.35	-52.16	-25.00	27.16	Vertical
4	10881	51.03	-40.14	39.42	-44.96	-25.00	19.96	Vertical
5	14295	54.68	-38.43	40.27	-38.74	-25.00	13.74	Vertical
6	17955	55.03	-38.56	44.53	-34.26	-25.00	9.26	Vertical



Report No.: SUCR260400034201

Page: 17 of 21

1.33. Test Band = LTE Band41_ TM1

1.33.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3272.5	50.71	-48.07	28.32	-64.30	-25.00	39.30	Horizontal
2	4380	50.69	-48.04	29.91	-62.71	-25.00	37.71	Horizontal
3	5895.5	52.18	-47.17	32.76	-57.49	-25.00	32.49	Horizontal
4	8841.5	52.91	-44.01	37.23	-49.13	-25.00	24.13	Horizontal
5	12615	52.47	-39.03	39.03	-42.79	-25.00	17.79	Horizontal
6	17764	54.62	-38.34	43.38	-35.60	-25.00	10.60	Horizontal

1.34. Test Band = LTE Band41_ TM1

1.34.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3584	51.05	-48.28	28.63	-63.86	-25.00	38.86	Vertical
2	5405	52.16	-47.71	32.33	-58.48	-25.00	33.48	Vertical
3	7838	52.32	-45.12	36.33	-51.72	-25.00	26.72	Vertical
4	10899.5	51.08	-40.01	39.43	-44.76	-25.00	19.76	Vertical
5	14318	55.23	-38.45	40.27	-38.21	-25.00	13.21	Vertical
6	17937	54.80	-38.43	44.42	-34.47	-25.00	9.47	Vertical



Report No.: SUCR260400034201

Page: 18 of 21

1.35. Test Band = LTE Band41_ TM1

1.35.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3574	51.07	-48.28	28.62	-63.85	-25.00	38.85	Horizontal
2	5466.5	52.32	-47.65	32.51	-58.08	-25.00	33.08	Horizontal
3	7606	50.94	-44.61	36.38	-52.55	-25.00	27.55	Horizontal
4	11375.5	52.17	-40.17	39.46	-43.80	-25.00	18.80	Horizontal
5	14703	53.54	-36.69	40.23	-38.18	-25.00	13.18	Horizontal
6	17864.5	54.79	-38.16	43.99	-34.65	-25.00	9.65	Horizontal

1.36. Test Band = LTE Band41_ TM1

1.36.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3592	51.00	-48.28	28.65	-63.89	-25.00	38.89	Vertical
2	5095	51.24	-47.83	31.47	-60.38	-25.00	35.38	Vertical
3	7189.5	52.16	-46.16	35.84	-53.42	-25.00	28.42	Vertical
4	9386	53.45	-43.03	37.94	-46.90	-25.00	21.90	Vertical
5	12768	53.20	-39.29	38.94	-42.41	-25.00	17.41	Vertical
6	17981.5	55.16	-38.76	44.69	-34.17	-25.00	9.17	Vertical



Report No.: SUCR260400034201

Page: 19 of 21

1.37. Test Band = LTE Band42_ TM1

1.37.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7313.1458	44.73	-45.95	36.06	-60.42	-13.00	47.42	Horizontal
2	8780.8333	43.92	-43.83	37.16	-58.01	-13.00	45.01	Horizontal
3	10890.6042	39.04	-40.20	39.42	-56.99	-13.00	43.99	Horizontal
4	12794.8125	38.61	-39.27	38.92	-56.99	-13.00	43.99	Horizontal
5	14947.7083	36.76	-38.16	40.21	-56.45	-13.00	43.45	Horizontal
6	17984.6667	35.01	-37.02	44.71	-52.56	-13.00	39.56	Horizontal

1.38. Test Band = LTE Band42_ TM1

1.38.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6714.1875	45.46	-46.29	35.04	-61.05	-13.00	48.05	Vertical
2	7955.7083	44.00	-44.58	36.31	-59.53	-13.00	46.53	Vertical
3	9441.125	43.17	-42.74	38.02	-56.82	-13.00	43.82	Vertical
4	11386.0625	38.93	-39.81	39.46	-56.68	-13.00	43.68	Vertical
5	13714.3333	37.11	-38.03	39.87	-56.31	-13.00	43.31	Vertical
6	17432.1875	34.36	-36.86	41.39	-56.37	-13.00	43.37	Vertical



Report No.: SUCR260400034201

Page: 20 of 21

1.39. Test Band = LTE Band42_ TM1

1.39.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7158.375	44.89	-45.72	35.79	-60.31	-13.00	47.31	Horizontal
2	8810.0625	44.10	-43.83	37.19	-57.80	-13.00	44.80	Horizontal
3	10528.8333	39.17	-40.75	39.17	-57.67	-13.00	44.67	Horizontal
4	12449.8125	38.11	-38.56	39.13	-56.58	-13.00	43.58	Horizontal
5	14358.3333	37.37	-38.74	40.26	-56.37	-13.00	43.37	Horizontal
6	17638.7083	35.71	-37.16	42.63	-54.07	-13.00	41.07	Horizontal

1.40. Test Band = LTE Band42_ TM1

1.40.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7185.2083	44.59	-45.55	35.83	-60.38	-13.00	47.38	Vertical
2	8691.7083	43.83	-43.73	37.06	-58.10	-13.00	45.10	Vertical
3	10858.9792	38.87	-40.28	39.40	-57.27	-13.00	44.27	Vertical
4	12828.3542	38.46	-39.03	38.90	-56.93	-13.00	43.93	Vertical
5	14983.1667	36.80	-37.98	40.20	-56.23	-13.00	43.23	Vertical
6	17949.2083	35.36	-37.12	44.50	-52.53	-13.00	39.53	Vertical



Report No.: SUCR260400034201

Page: 21 of 21

1.41. Test Band = LTE Band42_ TM1

1.41.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7213.9583	44.41	-45.53	35.89	-60.49	-13.00	47.49	Horizontal
2	8818.6875	43.59	-43.80	37.20	-58.27	-13.00	45.27	Horizontal
3	10797.1667	39.20	-40.46	39.36	-57.16	-13.00	44.16	Horizontal
4	12459.3958	37.79	-38.61	39.12	-56.95	-13.00	43.95	Horizontal
5	14871.0417	36.79	-38.15	40.21	-56.41	-13.00	43.41	Horizontal
6	17970.2917	35.02	-37.06	44.62	-52.68	-13.00	39.68	Horizontal

1.42. Test Band = LTE Band42_ TM1

1.42.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7173.7083	44.91	-45.62	35.81	-60.16	-13.00	47.16	Vertical
2	8853.1875	43.57	-43.70	37.24	-58.15	-13.00	45.15	Vertical
3	10913.125	39.12	-40.22	39.44	-56.92	-13.00	43.92	Vertical
4	12791.4583	38.96	-39.26	38.93	-56.63	-13.00	43.63	Vertical
5	14910.3333	37.20	-38.35	40.21	-56.20	-13.00	43.20	Vertical
6	17998.0833	34.70	-36.99	44.79	-52.76	-13.00	39.76	Vertical

---End of Attachment---