



Report No.: SUCR260400034202

Page: 1 of 9

Appendix B.5

1.1. Test Band = SA Band41_ TM1

1.1.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3881	51.19	-48.27	29.11	-63.23	-25.00	38.23	Horizontal
2	5461	52.03	-47.65	32.49	-58.39	-25.00	33.39	Horizontal
3	7605	51.26	-44.60	36.38	-52.22	-25.00	27.22	Horizontal
4	10728.5	51.05	-40.93	39.31	-45.83	-25.00	20.83	Horizontal
5	14309.5	54.73	-38.44	40.27	-38.70	-25.00	13.70	Horizontal
6	17889.5	54.75	-38.15	44.14	-34.53	-25.00	9.53	Horizontal

1.2. Test Band = SA Band41_ TM1

1.2.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3590	51.27	-48.28	28.64	-63.63	-25.00	38.63	Vertical
2	5364	52.99	-47.74	32.22	-57.79	-25.00	32.79	Vertical
3	7615.5	51.69	-44.67	36.38	-51.86	-25.00	26.86	Vertical
4	10055	51.27	-41.79	38.84	-46.95	-25.00	21.95	Vertical
5	13738	53.63	-38.37	39.91	-40.09	-25.00	15.09	Vertical
6	17888	54.59	-38.15	44.13	-34.70	-25.00	9.70	Vertical



Report No.: SUCR260400034202

Page: 2 of 9

1.3. Test Band = SA Band41_ TM1

1.3.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3885	51.59	-48.27	29.12	-62.83	-25.00	37.83	Horizontal
2	5493	52.07	-47.62	32.58	-58.23	-25.00	33.23	Horizontal
3	7804	52.15	-44.93	36.34	-51.70	-25.00	26.70	Horizontal
4	10306	51.39	-41.16	39.01	-46.01	-25.00	21.01	Horizontal
5	13686	53.62	-38.12	39.83	-39.93	-25.00	14.93	Horizontal
6	17936.5	54.64	-38.42	44.42	-34.62	-25.00	9.62	Horizontal

1.4. Test Band = SA Band41_ TM1

1.4.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3596.5	51.29	-48.28	28.65	-63.60	-25.00	38.60	Vertical
2	5375.5	52.47	-47.73	32.25	-58.27	-25.00	33.27	Vertical
3	7934	51.98	-45.06	36.31	-52.03	-25.00	27.03	Vertical
4	10103.5	51.38	-41.88	38.87	-46.89	-25.00	21.89	Vertical
5	13819	54.83	-38.96	40.03	-39.36	-25.00	14.36	Vertical
6	17948.5	54.62	-38.51	44.49	-34.66	-25.00	9.66	Vertical



Report No.: SUCR260400034202

Page: 3 of 9

1.5. Test Band = SA Band41_ TM1

1.5.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3251.5	51.04	-48.09	28.30	-64.01	-25.00	39.01	Horizontal
2	4698.5	50.58	-47.96	30.54	-62.10	-25.00	37.10	Horizontal
3	6770.5	52.14	-46.79	35.13	-54.78	-25.00	29.78	Horizontal
4	9477	52.68	-42.53	38.07	-47.04	-25.00	22.04	Horizontal
5	12638	52.70	-39.10	39.02	-42.64	-25.00	17.64	Horizontal
6	17900	54.50	-38.15	44.20	-34.71	-25.00	9.71	Horizontal

1.6. Test Band = SA Band41_ TM1

1.6.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4752.5	50.80	-47.99	30.66	-61.79	-25.00	36.79	Vertical
2	6287	52.24	-47.35	33.89	-56.48	-25.00	31.48	Vertical
3	8803	52.80	-43.99	37.18	-49.27	-25.00	24.27	Vertical
4	12652	52.80	-39.14	39.01	-42.59	-25.00	17.59	Vertical
5	14867.5	53.90	-37.20	40.21	-38.35	-25.00	13.35	Vertical
6	17952.5	54.82	-38.54	44.52	-34.47	-25.00	9.47	Vertical



Report No.: SUCR260400034202

Page: 4 of 9

1.7. Test Band = SA Band77 3450-3550_ TM1

1.7.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7007.4375	44.08	-45.92	35.51	-61.59	-13.00	48.59	Horizontal
2	8498.125	43.44	-43.69	36.85	-58.66	-13.00	45.66	Horizontal
3	10067.875	40.46	-41.67	38.85	-57.62	-13.00	44.62	Horizontal
4	12463.2292	37.78	-38.63	39.12	-56.98	-13.00	43.98	Horizontal
5	15200.7083	35.06	-37.61	39.84	-57.98	-13.00	44.98	Horizontal
6	17957.8333	35.01	-37.10	44.55	-52.80	-13.00	39.80	Horizontal

1.8. Test Band = SA Band77 3450-3550_ TM1

1.8.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6833.5	45.08	-46.45	35.23	-61.39	-13.00	48.39	Vertical
2	8039.0833	43.57	-44.33	36.34	-59.68	-13.00	46.68	Vertical
3	10055.4167	40.45	-41.68	38.84	-57.65	-13.00	44.65	Vertical
4	12459.3958	37.86	-38.61	39.12	-56.88	-13.00	43.88	Vertical
5	14511.6667	37.26	-38.32	40.25	-56.07	-13.00	43.07	Vertical
6	17916.1458	34.50	-37.21	44.30	-53.68	-13.00	40.68	Vertical



Report No.: SUCR260400034202

Page: 5 of 9

1.9. Test Band = SA Band77 3700-3980_ TM1

1.9.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7185.2083	44.77	-45.55	35.83	-60.20	-13.00	47.20	Horizontal
2	8509.625	43.42	-43.72	36.86	-58.70	-13.00	45.70	Horizontal
3	10050.1458	40.42	-41.68	38.84	-57.69	-13.00	44.69	Horizontal
4	12480.9583	38.17	-38.71	39.11	-56.69	-13.00	43.69	Horizontal
5	14328.625	37.93	-38.76	40.27	-55.82	-13.00	42.82	Horizontal
6	17969.8125	34.78	-37.06	44.62	-52.93	-13.00	39.93	Horizontal

1.10. Test Band = SA Band77 3700-3980_ TM1

1.10.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6956.1667	44.57	-46.01	35.43	-61.27	-13.00	48.27	Vertical
2	8627.0208	43.67	-44.01	36.99	-58.61	-13.00	45.61	Vertical
3	10714.75	39.22	-40.76	39.30	-57.50	-13.00	44.50	Vertical
4	12853.2708	38.27	-38.82	38.89	-56.92	-13.00	43.92	Vertical
5	14938.6042	36.85	-38.20	40.21	-56.41	-13.00	43.41	Vertical
6	17965.0208	34.96	-37.08	44.59	-52.79	-13.00	39.79	Vertical



Report No.: SUCR260400034202

Page: 6 of 9

1.11. Test Band = SA Band77 3700-3980_ TM1

1.11.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7082.1875	44.58	-46.07	35.65	-61.11	-13.00	48.11	Horizontal
2	8810.5417	44.12	-43.83	37.19	-57.78	-13.00	44.78	Horizontal
3	10847.4792	38.90	-40.32	39.39	-57.28	-13.00	44.28	Horizontal
4	12955.8125	38.27	-38.66	38.83	-56.82	-13.00	43.82	Horizontal
5	15292.7083	35.58	-38.11	39.67	-58.12	-13.00	45.12	Horizontal
6	17965.5	34.97	-37.08	44.59	-52.77	-13.00	39.77	Horizontal

1.12. Test Band = SA Band77 3700-3980_ TM1

1.12.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6928.8542	44.67	-46.07	35.39	-61.28	-13.00	48.28	Vertical
2	8499.5625	43.32	-43.68	36.85	-58.77	-13.00	45.77	Vertical
3	10058.7708	40.60	-41.68	38.84	-57.49	-13.00	44.49	Vertical
4	12017.6042	38.25	-38.71	39.39	-56.33	-13.00	43.33	Vertical
5	14950.1042	37.05	-38.14	40.20	-56.15	-13.00	43.15	Vertical
6	17953.0417	35.01	-37.11	44.52	-52.84	-13.00	39.84	Vertical



Report No.: SUCR260400034202

Page: 7 of 9

1.13. Test Band = SA Band77 3700-3980_ TM1

1.13.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7178.9792	44.43	-45.59	35.82	-60.60	-13.00	47.60	Horizontal
2	8500.5208	43.08	-43.68	36.85	-59.01	-13.00	46.01	Horizontal
3	10110.5208	40.36	-41.68	38.88	-57.70	-13.00	44.70	Horizontal
4	12032.9375	38.23	-38.84	39.38	-56.49	-13.00	43.49	Horizontal
5	14438.3542	37.11	-38.57	40.26	-56.46	-13.00	43.46	Horizontal
6	17957.3542	35.18	-37.10	44.54	-52.64	-13.00	39.64	Horizontal

1.14. Test Band = SA Band77 3700-3980_ TM1

1.14.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7220.1875	45.01	-45.56	35.90	-59.92	-13.00	46.92	Vertical
2	8737.7083	43.58	-43.75	37.11	-58.32	-13.00	45.32	Vertical
3	10036.25	40.43	-41.70	38.83	-57.70	-13.00	44.70	Vertical
4	11999.3958	38.33	-38.57	39.40	-56.10	-13.00	43.10	Vertical
5	14355.4583	37.30	-38.74	40.26	-56.44	-13.00	43.44	Vertical
6	17966.9375	34.73	-37.07	44.60	-53.00	-13.00	40.00	Vertical



Report No.: SUCR260400034202

Page: 8 of 9

1.15. Test Band = SA Band78 3450-3550_ TM1

1.15.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6923.1042	44.46	-46.09	35.38	-61.51	-13.00	48.51	Horizontal
2	8501.9583	43.08	-43.69	36.85	-59.02	-13.00	46.02	Horizontal
3	10293.0833	39.59	-41.15	39.01	-57.81	-13.00	44.81	Horizontal
4	12079.8958	38.10	-39.23	39.35	-57.04	-13.00	44.04	Horizontal
5	14312.3333	37.16	-38.77	40.27	-56.60	-13.00	43.60	Horizontal
6	17964.0625	35.23	-37.08	44.58	-52.53	-13.00	39.53	Horizontal

1.16. Test Band = SA Band78 3450-3550_ TM1

1.16.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6902.0208	44.35	-46.14	35.34	-61.70	-13.00	48.70	Vertical
2	8603.5417	43.61	-44.11	36.96	-58.80	-13.00	45.80	Vertical
3	10640.4792	39.48	-41.04	39.25	-57.57	-13.00	44.57	Vertical
4	12426.3333	37.56	-38.44	39.14	-57.00	-13.00	44.00	Vertical
5	14932.375	36.54	-38.23	40.21	-56.75	-13.00	43.75	Vertical
6	17961.1875	35.07	-37.09	44.57	-52.71	-13.00	39.71	Vertical



Report No.: SUCR260400034202

Page: 9 of 9

1.17. Test Band = SA Band78 3700-3800_ TM1

1.17.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7187.6042	44.40	-45.53	35.84	-60.55	-13.00	47.55	Horizontal
2	8747.2917	43.74	-43.77	37.12	-58.17	-13.00	45.17	Horizontal
3	10078.8958	40.37	-41.65	38.86	-57.69	-13.00	44.69	Horizontal
4	12003.2292	38.06	-38.59	39.40	-56.39	-13.00	43.39	Horizontal
5	14345.875	37.58	-38.75	40.27	-56.16	-13.00	43.16	Horizontal
6	17989.9375	34.63	-37.01	44.74	-52.90	-13.00	39.90	Horizontal

1.18. Test Band = SA Band78 3700-3800_ TM1

1.18.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7185.2083	45.08	-45.55	35.83	-59.89	-13.00	46.89	Vertical
2	8812.4583	44.19	-43.82	37.19	-57.70	-13.00	44.70	Vertical
3	10938.0417	38.90	-40.30	39.46	-57.21	-13.00	44.21	Vertical
4	12787.625	38.49	-39.25	38.93	-57.09	-13.00	44.09	Vertical
5	14934.2917	37.00	-38.23	40.21	-56.28	-13.00	43.28	Vertical
6	17958.7917	34.67	-37.10	44.55	-53.13	-13.00	40.13	Vertical

---End of Attachment---