



Report No.: SUCR260400034202

Page: 1 of 6

Appendix B.4

1.1. Test Band = DC_41A_N77A 3450-3550_ TM1

1.1.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6983.9583	44.42	-45.95	35.47	-61.31	-13.00	48.31	Horizontal
2	8855.5833	44.26	-43.69	37.24	-57.45	-13.00	44.45	Horizontal
3	10777.0417	38.73	-40.53	39.34	-57.72	-13.00	44.72	Horizontal
4	12806.3125	38.80	-39.23	38.92	-56.77	-13.00	43.77	Horizontal
5	14993.2292	36.69	-37.92	40.20	-56.29	-13.00	43.29	Horizontal
6	17947.2917	35.11	-37.13	44.48	-52.79	-13.00	39.79	Horizontal

1.2. Test Band = DC_41A_N77A 3450-3550_ TM1

1.2.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7320.3333	45.13	-45.92	36.08	-59.97	-13.00	46.97	Vertical
2	8748.7292	43.76	-43.77	37.12	-58.15	-13.00	45.15	Vertical
3	10764.1042	39.15	-40.58	39.33	-57.35	-13.00	44.35	Vertical
4	12458.9167	37.97	-38.60	39.12	-56.77	-13.00	43.77	Vertical
5	14869.125	36.65	-38.13	40.21	-56.53	-13.00	43.53	Vertical
6	17953.0417	34.98	-37.11	44.52	-52.87	-13.00	39.87	Vertical



Report No.: SUCR260400034202

Page: 2 of 6

1.3. Test Band = DC_41A_N77A 3700-3980_ TM1

1.3.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7153.5833	44.56	-45.76	35.78	-60.68	-13.00	47.68	Horizontal
2	8490.9375	43.65	-43.74	36.84	-58.51	-13.00	45.51	Horizontal
3	10037.6875	40.50	-41.70	38.83	-57.63	-13.00	44.63	Horizontal
4	11393.25	39.34	-39.76	39.46	-56.22	-13.00	43.22	Horizontal
5	13570.1042	37.89	-38.48	39.66	-56.20	-13.00	43.20	Horizontal
6	17997.6042	34.67	-36.99	44.79	-52.79	-13.00	39.79	Horizontal

1.4. Test Band = DC_41A_N77A 3700-3980_ TM1

1.4.1. Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6990.6667	44.44	-45.93	35.49	-61.27	-13.00	48.27	Vertical
2	8451.1667	43.51	-44.01	36.80	-58.97	-13.00	45.97	Vertical
3	10042.9583	40.46	-41.69	38.83	-57.66	-13.00	44.66	Vertical
4	12006.5833	37.99	-38.62	39.40	-56.49	-13.00	43.49	Vertical
5	14352.5833	38.42	-38.74	40.26	-55.32	-13.00	42.32	Vertical
6	17951.6042	35.48	-37.12	44.51	-52.39	-13.00	39.39	Vertical



Report No.: SUCR260400034202

Page: 3 of 6

1.5. Test Band = DC_41A_N77A 3700-3980_ TM1

1.5.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7178.5	45.25	-45.59	35.82	-59.78	-13.00	46.78	Horizontal
2	8802.3958	44.21	-43.85	37.18	-57.72	-13.00	44.72	Horizontal
3	10729.6042	39.10	-40.70	39.31	-57.55	-13.00	44.55	Horizontal
4	12815.4167	38.54	-39.15	38.91	-56.96	-13.00	43.96	Horizontal
5	15069.4167	35.52	-38.16	40.08	-57.83	-13.00	44.83	Horizontal
6	17971.7292	34.76	-37.06	44.63	-52.93	-13.00	39.93	Horizontal

1.6. Test Band = DC_41A_N77A 3700-3980_ TM1

1.6.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7176.1042	45.13	-45.61	35.82	-59.92	-13.00	46.92	Vertical
2	8757.8333	44.24	-43.79	37.13	-57.67	-13.00	44.67	Vertical
3	10457.9167	39.35	-40.86	39.12	-57.65	-13.00	44.65	Vertical
4	12036.2917	38.31	-38.86	39.38	-56.44	-13.00	43.44	Vertical
5	14357.375	37.29	-38.74	40.26	-56.45	-13.00	43.45	Vertical
6	17954.4792	34.87	-37.11	44.53	-52.97	-13.00	39.97	Vertical



Report No.: SUCR260400034202

Page: 4 of 6

1.7. Test Band = DC_41A_N77A 3700-3980_ TM1

1.7.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7353.875	44.60	-45.77	36.14	-60.29	-13.00	47.29	Horizontal
2	8826.8333	44.16	-43.78	37.21	-57.67	-13.00	44.67	Horizontal
3	10769.375	39.43	-40.56	39.34	-57.05	-13.00	44.05	Horizontal
4	12882.5	38.08	-38.56	38.87	-56.87	-13.00	43.87	Horizontal
5	14938.6042	37.14	-38.20	40.21	-56.12	-13.00	43.12	Horizontal
6	17961.1875	35.39	-37.09	44.57	-52.39	-13.00	39.39	Horizontal

1.8. Test Band = DC_41A_N77A 3700-3980_ TM1

1.8.1. Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7349.0833	44.77	-45.79	36.13	-60.15	-13.00	47.15	Vertical
2	8768.8542	44.20	-43.81	37.15	-57.72	-13.00	44.72	Vertical
3	10444.9792	40.03	-40.94	39.11	-57.06	-13.00	44.06	Vertical
4	11988.375	38.36	-38.72	39.40	-56.22	-13.00	43.22	Vertical
5	14327.6667	37.72	-38.76	40.27	-56.03	-13.00	43.03	Vertical
6	17954	35.86	-37.11	44.52	-51.98	-13.00	38.98	Vertical



Report No.: SUCR260400034202

Page: 5 of 6

1.9. Test Band = DC_41A_N78A 3450-3550_ TM1

1.9.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7216.8333	44.41	-45.54	35.89	-60.50	-13.00	47.50	Horizontal
2	8754	44.16	-43.78	37.13	-57.75	-13.00	44.75	Horizontal
3	10444.9792	39.54	-40.94	39.11	-57.55	-13.00	44.55	Horizontal
4	12455.5625	38.22	-38.59	39.13	-56.50	-13.00	43.50	Horizontal
5	14367.9167	37.80	-38.73	40.26	-55.93	-13.00	42.93	Horizontal
6	17906.0833	34.86	-37.24	44.24	-53.41	-13.00	40.41	Horizontal

1.10. Test Band = DC_41A_N78A 3450-3550_ TM1

1.10.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7203.4167	44.59	-45.47	35.87	-60.27	-13.00	47.27	Vertical
2	8857.9792	43.92	-43.68	37.24	-57.78	-13.00	44.78	Vertical
3	10760.75	39.61	-40.59	39.33	-56.91	-13.00	43.91	Vertical
4	12455.5625	38.11	-38.59	39.13	-56.61	-13.00	43.61	Vertical
5	14880.625	37.17	-38.23	40.21	-56.11	-13.00	43.11	Vertical
6	17914.2292	35.23	-37.22	44.29	-52.96	-13.00	39.96	Vertical



Report No.: SUCR260400034202

Page: 6 of 6

1.11. Test Band = DC_41A_N78A 3700-3800_ TM1

1.11.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7178.9792	45.02	-45.59	35.82	-60.01	-13.00	47.01	Horizontal
2	8799.5208	44.40	-43.86	37.18	-57.54	-13.00	44.54	Horizontal
3	10784.7083	39.68	-40.51	39.35	-56.74	-13.00	43.74	Horizontal
4	12433.5208	37.78	-38.48	39.14	-56.82	-13.00	43.82	Horizontal
5	14325.2708	37.67	-38.76	40.27	-56.08	-13.00	43.08	Horizontal
6	17955.4375	35.70	-37.10	44.53	-52.13	-13.00	39.13	Horizontal

1.12. Test Band = DC_41A_N78A 3700-3800_ TM1

1.12.1. Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7199.5833	44.85	-45.45	35.86	-60.00	-13.00	47.00	Vertical
2	8694.1042	43.79	-43.72	37.06	-58.12	-13.00	45.12	Vertical
3	10444.0208	39.59	-40.95	39.11	-57.51	-13.00	44.51	Vertical
4	12457.4792	38.70	-38.60	39.13	-56.03	-13.00	43.03	Vertical
5	14351.625	37.82	-38.74	40.26	-55.92	-13.00	42.92	Vertical
6	17996.1667	35.18	-36.99	44.78	-52.29	-13.00	39.29	Vertical

---End of Attachment---