






Date: 22.NUG.2025 14:08:20




Date: 22.NUG.2025 14:08:28

11AX20SISO-Ant1-2412-0~Reference-PASS




Date: 22.NUG.2025 14:08:46

11AX20SISO-Ant1-2412-30~1000-PASS




Date: 22.NUG.2025 14:51:23

11AX20SISO-Ant1-2412-1000~26500-PASS



Date: 22.NUG.2025 14:51:30


11AX20SISO-Ant1-2437-0~Reference-PASS




Date: 22.NUG.2025 14:51:48

11AX20SISO-Ant1-2437-30~1000-PASS

11AX20SISO-Ant1-2437-1000~26500-PASS




Date: 22.NUG.2025 14:54:44




Date: 22.NUG.2025 14:54:52

11AX20SISO-Ant1-2462-0~Reference-PASS

11AX20SISO-Ant1-2462-30~1000-PASS




Date: 22.NUG.2025 14:55:09




Date: 22.NUG.2025 15:00:59

11AX20SISO-Ant1-2462-1000~26500-PASS

11AX40SISO-Ant1-2422-0~Reference-PASS




Date: 22.NUG.2025 15:01:07




Date: 22.NUG.2025 15:01:25

11AX40SISO-Ant1-2422-30~1000-PASS

11AX40SISO-Ant1-2422-1000~26500-PASS




Date: 22.NOV.2025 15:07:24




Date: 22.NOV.2025 15:07:32

11AX40SISO-Ant1-2437-0~Reference-PASS

11AX40SISO-Ant1-2437-30~1000-PASS




Date: 22.NOV.2025 15:07:49




Date: 22.NOV.2025 15:12:35

11AX40SISO-Ant1-2437-1000~26500-PASS

11AX40SISO-Ant1-2452-0~Reference-PASS



Date: 22.NOV.2025 15:12:43



Date: 22.NOV.2025 15:13:00

11AX40SISO-Ant1-2452-30~1000-PASS

11AX40SISO-Ant1-2452-1000~26500-PASS

7: Duty Cycle

7.1 Test Result


TestMode	Antenna	Frequency [MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	DC Factor	1/T [kHz]
11B	Ant1	2412	12.24	13.39	91.41	0.39	0.08
11B	Ant1	2437	12.22	13.34	91.60	0.38	0.08
11B	Ant1	2462	12.24	13.35	91.69	0.38	0.08
11G	Ant1	2412	2.04	3.15	64.76	1.89	0.49
11G	Ant1	2437	2.03	3.15	64.44	1.91	0.49
11G	Ant1	2462	2.03	3.14	64.65	1.89	0.49
11N20SISO	Ant1	2412	1.90	3.01	63.12	2.00	0.53
11N20SISO	Ant1	2437	1.89	3.00	63.00	2.01	0.53
11N20SISO	Ant1	2462	1.89	3.00	63.00	2.01	0.53
11N40SISO	Ant1	2422	0.93	2.30	40.43	3.93	1.08
11N40SISO	Ant1	2437	0.93	2.05	45.37	3.43	1.08
11N40SISO	Ant1	2452	0.94	2.05	45.85	3.39	1.06
11AX20SISO	Ant1	2412	1.46	2.58	56.59	2.47	0.68
11AX20SISO	Ant1	2437	1.45	2.57	56.42	2.49	0.69
11AX20SISO	Ant1	2462	1.46	2.57	56.81	2.46	0.68
11AX40SISO	Ant1	2422	0.76	1.87	40.64	3.91	1.32
11AX40SISO	Ant1	2437	0.77	1.88	40.96	3.88	1.30
11AX40SISO	Ant1	2452	0.76	1.88	40.43	3.93	1.32



Note: 1, Duty Cycle= Transmission Duration/ Transmission Period

2, DC Factor= $10 \cdot \log_{10}(1/\text{Duty Cycle})$



3, $1/T=1/\text{Transmission Duration}$

7.2 Test Graphs







NTNV-11N20SISO-Ant1-2412





NTNV-11N20SISO-Ant1-2462

NTNV-11N40SISO-Ant1-2422





NTNV-11N40SISO-Ant1-2437



NTNV-11N40SISO-Ant1-2452



NTNV-11AX20SISO-Ant1-2412



NTNV-11AX20SISO-Ant1-2462



NTNV-11AX40SISO-Ant1-2437

NTNV-11AX40SISO-Ant1-2452

8: Emissions in Restricted Bands

8.1 Test Result



TestMode	Ant.	ChName	Freq. [MHz]	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11B	Ant1	Low	2412	Peak	2390.000	-35.41	≤-21.20	59.79	≤74	PASS
11B	Ant1	Low	2412	Peak	2310.000	-34.28	≤-21.20	60.92	≤74	PASS
11B	Ant1	Low	2412	Peak	2348.797	-30.76	≤-21.20	64.44	≤74	PASS
11B	Ant1	Low	2412	AV	2390.000	-59.63	≤-41.20	35.57	≤54	PASS
11B	Ant1	Low	2412	AV	2310.000	-61.32	≤-41.20	33.88	≤54	PASS
11B	Ant1	Low	2412	AV	2385.913	-55.5	≤-41.20	39.70	≤54	PASS
11B	Ant1	High	2462	Peak	2483.500	-33.47	≤-21.20	61.73	≤74	PASS
11B	Ant1	High	2462	Peak	2500.000	-34.68	≤-21.20	60.52	≤74	PASS
11B	Ant1	High	2462	Peak	2485.754	-32.66	≤-21.20	62.54	≤74	PASS
11B	Ant1	High	2462	AV	2483.500	-58.72	≤-41.20	36.48	≤54	PASS
11B	Ant1	High	2462	AV	2500.000	-59.44	≤-41.20	35.76	≤54	PASS
11B	Ant1	High	2462	AV	2488.145	-54.96	≤-41.20	40.24	≤54	PASS
11G	Ant1	Low	2412	Peak	2390.000	-34.78	≤-21.20	60.42	≤74	PASS
11G	Ant1	Low	2412	Peak	2310.000	-35.74	≤-21.20	59.46	≤74	PASS
11G	Ant1	Low	2412	Peak	2326.565	-31.87	≤-21.20	63.33	≤74	PASS
11G	Ant1	Low	2412	AV	2390.000	-57.01	≤-41.20	38.19	≤54	PASS
11G	Ant1	Low	2412	AV	2310.000	-61.27	≤-41.20	33.93	≤54	PASS
11G	Ant1	Low	2412	AV	2389.870	-56.99	≤-41.20	38.21	≤54	PASS
11G	Ant1	High	2462	Peak	2483.500	-32.19	≤-21.20	63.01	≤74	PASS
11G	Ant1	High	2462	Peak	2500.000	-35.5	≤-21.20	59.70	≤74	PASS
11G	Ant1	High	2462	Peak	2483.522	-32.19	≤-21.20	63.01	≤74	PASS
11G	Ant1	High	2462	AV	2483.500	-56.69	≤-41.20	38.51	≤54	PASS
11G	Ant1	High	2462	AV	2500.000	-60.54	≤-41.20	34.66	≤54	PASS
11G	Ant1	High	2462	AV	2490.536	-55.85	≤-41.20	39.35	≤54	PASS
11N20SISO	Ant1	Low	2412	Peak	2390.000	-35.32	≤-21.20	59.88	≤74	PASS
11N20SISO	Ant1	Low	2412	Peak	2310.000	-34.78	≤-21.20	60.42	≤74	PASS
11N20SISO	Ant1	Low	2412	Peak	2343.522	-30.05	≤-21.20	65.15	≤74	PASS
11N20SISO	Ant1	Low	2412	AV	2390.000	-57.16	≤-41.20	38.04	≤54	PASS
11N20SISO	Ant1	Low	2412	AV	2310.000	-61.21	≤-41.20	33.99	≤54	PASS
11N20SISO	Ant1	Low	2412	AV	2379.884	-56.27	≤-41.20	38.93	≤54	PASS
11N20SISO	Ant1	High	2462	Peak	2483.500	-33.85	≤-21.20	61.35	≤74	PASS
11N20SISO	Ant1	High	2462	Peak	2500.000	-34.73	≤-21.20	60.47	≤74	PASS
11N20SISO	Ant1	High	2462	Peak	2486.391	-33.01	≤-21.20	62.19	≤74	PASS
11N20SISO	Ant1	High	2462	AV	2483.500	-56.72	≤-41.20	38.48	≤54	PASS
11N20SISO	Ant1	High	2462	AV	2500.000	-58.6	≤-41.20	36.60	≤54	PASS
11N20SISO	Ant1	High	2462	AV	2484.797	-55.78	≤-41.20	39.42	≤54	PASS
11N40SISO	Ant1	Low	2422	Peak	2390.000	-35.29	≤-21.20	59.91	≤74	PASS
11N40SISO	Ant1	Low	2422	Peak	2310.000	-35.62	≤-21.20	59.58	≤74	PASS
11N40SISO	Ant1	Low	2422	Peak	2388.478	-31.68	≤-21.20	63.52	≤74	PASS
11N40SISO	Ant1	Low	2422	AV	2390.000	-43.54	≤-41.20	51.66	≤54	PASS

11N40SISO	Ant1	Low	2422	AV	2310.000	-60.7	≤-41.20	34.50	≤54	PASS
11N40SISO	Ant1	Low	2422	AV	2389.783	-43.81	≤-41.20	51.39	≤54	PASS
11N40SISO	Ant1	High	2452	Peak	2483.500	-32.46	≤-21.20	62.74	≤74	PASS
11N40SISO	Ant1	High	2452	Peak	2500.000	-35.09	≤-21.20	60.11	≤74	PASS
11N40SISO	Ant1	High	2452	Peak	2485.870	-31.08	≤-21.20	64.12	≤74	PASS
11N40SISO	Ant1	High	2452	AV	2483.500	-46.91	≤-41.20	48.29	≤54	PASS
11N40SISO	Ant1	High	2452	AV	2500.000	-58.63	≤-41.20	36.57	≤54	PASS
11N40SISO	Ant1	High	2452	AV	2483.514	-46.91	≤-41.20	48.29	≤54	PASS
11AX20SISO	Ant1	Low	2412	Peak	2390.000	-36	≤-21.20	59.20	≤74	PASS
11AX20SISO	Ant1	Low	2412	Peak	2310.000	-37.15	≤-21.20	58.05	≤74	PASS
11AX20SISO	Ant1	Low	2412	Peak	2345.971	-31.42	≤-21.20	63.78	≤74	PASS
11AX20SISO	Ant1	Low	2412	AV	2390.000	-55.5	≤-41.20	39.70	≤54	PASS
11AX20SISO	Ant1	Low	2412	AV	2310.000	-61.07	≤-41.20	34.13	≤54	PASS
11AX20SISO	Ant1	Low	2412	AV	2388.739	-55.09	≤-41.20	40.11	≤54	PASS
11AX20SISO	Ant1	High	2462	Peak	2483.500	-35.36	≤-21.20	59.84	≤74	PASS
11AX20SISO	Ant1	High	2462	Peak	2500.000	-34.17	≤-21.20	61.03	≤74	PASS
11AX20SISO	Ant1	High	2462	Peak	2492.130	-31.33	≤-21.20	63.87	≤74	PASS
11AX20SISO	Ant1	High	2462	AV	2483.500	-55.82	≤-41.20	39.38	≤54	PASS
11AX20SISO	Ant1	High	2462	AV	2500.000	-60.45	≤-41.20	34.75	≤54	PASS
11AX20SISO	Ant1	High	2462	AV	2483.522	-55.82	≤-41.20	39.38	≤54	PASS
11AX40SISO	Ant1	Low	2422	Peak	2390.000	-36.01	≤-21.20	59.19	≤74	PASS
11AX40SISO	Ant1	Low	2422	Peak	2310.000	-35.01	≤-21.20	60.19	≤74	PASS
11AX40SISO	Ant1	Low	2422	Peak	2350.000	-33.3	≤-21.20	61.90	≤74	PASS
11AX40SISO	Ant1	Low	2422	AV	2390.000	-49.45	≤-41.20	45.75	≤54	PASS
11AX40SISO	Ant1	Low	2422	AV	2310.000	-61.61	≤-41.20	33.59	≤54	PASS
11AX40SISO	Ant1	Low	2422	AV	2389.783	-49.59	≤-41.20	45.61	≤54	PASS
11AX40SISO	Ant1	High	2452	Peak	2483.500	-31.74	≤-21.20	63.46	≤74	PASS
11AX40SISO	Ant1	High	2452	Peak	2500.000	-33.88	≤-21.20	61.32	≤74	PASS
11AX40SISO	Ant1	High	2452	Peak	2484.964	-30.57	≤-21.20	64.63	≤74	PASS
11AX40SISO	Ant1	High	2452	AV	2483.500	-56.2	≤-41.20	39.00	≤54	PASS
11AX40SISO	Ant1	High	2452	AV	2500.000	-60.28	≤-41.20	34.92	≤54	PASS
11AX40SISO	Ant1	High	2452	AV	2484.783	-55.92	≤-41.20	39.28	≤54	PASS

Note:



1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a), The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.
3. The Duty Cycle Factor is compensated in the graph.

8.2 Test Graphs





11B-Ant1-2412-PASS

11B-Ant1-2412-PASS





11B-Ant1-2462-PASS

11B-Ant1-2462-PASS





11G-Ant1-2412-PASS

11G-Ant1-2412-PASS





11G-Ant1-2462-PASS

11G-Ant1-2462-PASS





11N20SISO-Ant1-2412-PASS

11N20SISO-Ant1-2412-PASS





11N20SISO-Ant1-2462-PASS

11N20SISO-Ant1-2462-PASS





11N40SISO-Ant1-2422-PASS

11N40SISO-Ant1-2422-PASS





11N40SISO-Ant1-2452-PASS

11N40SISO-Ant1-2452-PASS





11AX20SISO-Ant1-2412-PASS

11AX20SISO-Ant1-2412-PASS





11AX20SISO-Ant1-2462-PASS

11AX20SISO-Ant1-2462-PASS



11AX40SISO-Ant1-2422-PASS

11AX40SISO-Ant1-2422-PASS



11AX40SISO-Ant1-2452-PASS

11AX40SISO-Ant1-2452-PASS

-----END OF THE REPORT-----