













Min emission bandwidth


Test Result B4


TestMode	Antenna	Freq(MHz)	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	16.40	5736.73	5753.13	0.5	PASS
		5785	16.32	5776.79	5793.11	0.5	PASS
		5825	16.34	5816.79	5833.13	0.5	PASS
11AX20SISO	Ant1	5745	18.88	5735.61	5754.49	0.5	PASS
		5785	18.76	5775.57	5794.33	0.5	PASS
		5825	18.99	5815.46	5834.45	0.5	PASS
11AX40SISO	Ant1	5755	38.02	5735.91	5773.93	0.5	PASS
		5795	37.98	5775.91	5813.90	0.5	PASS




Test Graphs B4









Maximum power spectral density

Test Result


TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	7.48	≤11.00	PASS
		5220	7.38	≤11.00	PASS
		5240	7.24	≤11.00	PASS
		5260	7.38	≤11.00	PASS
		5300	7.49	≤11.00	PASS
		5320	6.85	≤11.00	PASS
		5500	6.49	≤11.00	PASS
		5580	6.35	≤11.00	PASS
		5700	5.94	≤11.00	PASS
		5720 UNII-2C	5.44	≤11.00	PASS
		5720 UNII-3	2.28	≤30.00	PASS
		5745	3.62	≤30.00	PASS
		5785	2.67	≤30.00	PASS
		5825	1.81	≤30.00	PASS
11AX20SISO	Ant1	5180	6.73	≤11.00	PASS
		5220	6.64	≤11.00	PASS
		5240	6.36	≤11.00	PASS
		5260	6.74	≤11.00	PASS
		5300	6.77	≤11.00	PASS
		5320	6.16	≤11.00	PASS
		5500	5.95	≤11.00	PASS
		5580	5.75	≤11.00	PASS
		5700	5.38	≤11.00	PASS
		5720 UNII-2C	4.75	≤11.00	PASS
		5720 UNII-3	1.7	≤30.00	PASS
		5745	2.94	≤30.00	PASS
		5785	2.09	≤30.00	PASS
		5825	1.27	≤30.00	PASS
11AX40SISO	Ant1	5190	3.67	≤11.00	PASS
		5230	3.52	≤11.00	PASS
		5270	3.83	≤11.00	PASS
		5310	3.44	≤11.00	PASS
		5510	3.03	≤11.00	PASS
		5550	2.82	≤11.00	PASS
		5670	2.85	≤11.00	PASS
		5710 UNII-2C	2.15	≤11.00	PASS
		5710 UNII-3	-1.34	≤30.00	PASS
		5755	0.08	≤30.00	PASS
		5795	-0.83	≤30.00	PASS



Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.



2.The Duty Cycle Factor and is compensated in the graph.







Test Graphs









































































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	24.2~25.6°C
		Relative Humidity :	37~39%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS

Condition : 15E RSS247-QP LISN-100334-L 2025 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1 *	0.154	43.32	-22.46	65.78	23.30	9.55	10.47	QP
2	0.154	26.62	-29.16	55.78	6.60	9.55	10.47	Average
3	0.205	38.24	-25.16	63.40	18.20	9.56	10.48	QP
4	0.205	26.64	-26.76	53.40	6.60	9.56	10.48	Average
5	0.555	28.60	-27.40	56.00	8.50	9.59	10.51	QP
6	0.555	18.90	-27.10	46.00	-1.20	9.59	10.51	Average
7	0.686	31.59	-24.41	56.00	11.50	9.58	10.51	QP
8	0.686	22.29	-23.71	46.00	2.20	9.58	10.51	Average
9	15.066	30.94	-29.06	60.00	10.50	9.86	10.58	QP
10	15.066	21.64	-28.36	50.00	1.20	9.86	10.58	Average
11	17.475	29.60	-30.40	60.00	9.19	9.87	10.54	QP
12	17.475	21.60	-28.40	50.00	1.19	9.87	10.54	Average



Test Engineer :	Amos	Temperature :	24.2~25.6°C
		Relative Humidity :	37~39%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS

Condition : 15E RSS247-QP LISN-100334-N 2025 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1 *	0.152	41.53	-24.34	65.87	21.50	9.56	10.47	QP
2	0.152	25.23	-30.64	55.87	5.20	9.56	10.47	Average
3	0.176	39.63	-25.05	64.68	19.60	9.55	10.48	QP
4	0.176	24.53	-30.15	54.68	4.50	9.55	10.48	Average
5	0.211	37.30	-25.88	63.18	17.21	9.61	10.48	QP
6	0.211	26.40	-26.78	53.18	6.31	9.61	10.48	Average
7	0.267	32.33	-28.87	61.20	12.21	9.64	10.48	QP
8	0.267	23.03	-28.17	51.20	2.91	9.64	10.48	Average
9	0.690	27.82	-28.18	56.00	7.50	9.81	10.51	QP
10	0.690	21.62	-24.38	46.00	1.30	9.81	10.51	Average
11	15.470	28.52	-31.48	60.00	8.20	9.75	10.57	QP
12	15.470	21.82	-28.18	50.00	1.50	9.75	10.57	Average

Note:

1. $\text{Level(dB}\mu\text{V)} = \text{Read Level(dB}\mu\text{V)} + \text{LISN Factor(dB)} + \text{Cable Loss(dB)}$
2. $\text{Over Limit(dB)} = \text{Level(dB}\mu\text{V)} - \text{Limit Line(dB}\mu\text{V)}$



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	41~ 42 %
		Temperature :	22~23°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	1	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	1	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	1	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	1	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	1	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	1	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	1	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.85	1	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.85	1	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	1	802.11ax HE20	36	5180	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	1	802.11ax HE20	44	5220	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	1	802.11ax HE20	48	5240	MCS0	Full	-
Mode 13	U-NII-2A	5.25-5.35	1	802.11ax HE20	52	5260	MCS0	Full	-
Mode 14	U-NII-2A	5.25-5.35	1	802.11ax HE20	60	5300	MCS0	Full	-
Mode 15	U-NII-2A	5.25-5.35	1	802.11ax HE20	64	5320	MCS0	Full	-
Mode 16	U-NII-2C	5.47-5.725	1	802.11ax HE20	100	5500	MCS0	Full	-
Mode 17	U-NII-2C	5.47-5.725	1	802.11ax HE20	116	5580	MCS0	Full	-
Mode 18	U-NII-2C	5.47-5.725	1	802.11ax HE20	140	5700	MCS0	Full	-
Mode 19	U-NII-1	5.15-5.25	1	802.11ax HE40	38	5190	MCS0	Full	-
Mode 20	U-NII-1	5.15-5.25	1	802.11ax HE40	46	5230	MCS0	Full	-
Mode 21	U-NII-2A	5.25-5.35	1	802.11ax HE40	54	5270	MCS0	Full	-
Mode 22	U-NII-2A	5.25-5.35	1	802.11ax HE40	62	5310	MCS0	Full	-
Mode 23	U-NII-2C	5.47-5.725	1	802.11ax HE40	102	5510	MCS0	Full	-
Mode 24	U-NII-2C	5.47-5.725	1	802.11ax HE40	110	5550	MCS0	Full	-
Mode 25	U-NII-2C	5.47-5.725	1	802.11ax HE40	134	5670	MCS0	Full	-
Mode 26	U-NII-3	5.725-5.85	1	802.11a	149	5745	6Mbps	-	-
Mode 27	U-NII-3	5.725-5.85	1	802.11a	157	5785	6Mbps	-	-
Mode 28	U-NII-3	5.725-5.85	1	802.11a	165	5825	6Mbps	-	-
Mode 29	U-NII-3	5.725-5.85	1	802.11ax HE20	149	5745	MCS0	Full	-
Mode 30	U-NII-3	5.725-5.85	1	802.11ax HE20	157	5785	MCS0	Full	-
Mode 31	U-NII-3	5.725-5.85	1	802.11ax HE20	165	5825	MCS0	Full	-
Mode 32	U-NII-3	5.725-5.85	1	802.11ax HE40	151	5755	MCS0	Full	-
Mode 33	U-NII-3	5.725-5.85	1	802.11ax HE40	159	5795	MCS0	Full	-
Mode 34	U-NII-2C	5.47-5.85	1	802.11a	144	5720	6Mbps	-	-
Mode 35	U-NII-2C	5.47-5.85	1	802.11ax HE20	144	5720	MCS0	Full	-
Mode 36	U-NII-2C	5.47-5.85	1	802.11ax HE40	142	5710	MCS0	Full	-







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.80	48.63	54.00	-5.37	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	44.59	68.20	-23.61	V	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	44.47	68.20	-23.73	V	PEAK	Pass	Harmonic
3	802.11a	48	5382.34	43.24	54.00	-10.76	V	AVERAGE	Pass	Band Edge
3	802.11a	48	10480.00	44.15	68.20	-24.05	H	PEAK	Pass	Harmonic
4	802.11a	52	5104.48	44.45	54.00	-9.55	V	AVERAGE	Pass	Band Edge
4	802.11a	52	6180.00	59.82	68.20	-8.38	H	Peak	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	44.01	54.00	-9.99	V	Average	Pass	Harmonic
6	802.11a	64	5350.70	50.40	54.00	-3.60	V	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	40.32	54.00	-13.68	V	AVERAGE	Pass	Harmonic
7	802.11a	100	5468.56	59.29	68.20	-8.91	V	PEAK	Pass	Band Edge
7	802.11a	100	11000.00	41.09	54.00	-12.91	V	AVERAGE	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	11160.00	45.23	74.00	-28.77	V	PEAK	Pass	Harmonic
9	802.11a	140	5727.48	63.56	68.20	-4.64	H	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	43.90	74.00	-30.10	V	PEAK	Pass	Harmonic
10	802.11ax HE20	36	5149.90	47.71	54.00	-6.29	V	AVERAGE	Pass	Band Edge
10	802.11ax HE20	36	10360.50	49.85	68.20	-18.35	V	Peak	Pass	Harmonic
11	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE20	44	10440.00	44.43	68.20	-23.77	H	PEAK	Pass	Harmonic
12	802.11ax HE20	48	5457.80	42.99	54.00	-11.01	V	AVERAGE	Pass	Band Edge
12	802.11ax HE20	48	10480.00	45.41	68.20	-22.79	H	PEAK	Pass	Harmonic
13	802.11ax HE20	52	5101.44	44.29	54.00	-9.71	H	AVERAGE	Pass	Band Edge
13	802.11ax HE20	52	10520.00	43.74	68.20	-24.46	V	PEAK	Pass	Harmonic
14	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	60	10600.00	44.13	74.00	-29.87	H	PEAK	Pass	Harmonic
15	802.11ax HE20	64	5350.20	50.16	54.00	-3.84	V	AVERAGE	Pass	Band Edge
15	802.11ax HE20	64	10640.00	44.91	74.00	-29.09	H	PEAK	Pass	Harmonic
16	802.11ax HE20	100	5468.88	61.73	68.20	-6.47	V	PEAK	Pass	Band Edge
16	802.11ax HE20	100	11000.70	43.05	54.00	-10.95	V	Average	Pass	Harmonic
17	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	116	11160.00	44.69	74.00	-29.31	H	PEAK	Pass	Harmonic
18	802.11ax HE20	140	5725.96	57.08	68.20	-11.12	H	PEAK	Pass	Band Edge
18	802.11ax HE20	140	11400.00	44.13	74.00	-29.87	V	PEAK	Pass	Harmonic
19	802.11ax HE40	38	5148.96	49.72	54.00	-4.28	V	AVERAGE	Pass	Band Edge
19	802.11ax HE40	38	10380.00	44.85	68.20	-23.35	H	PEAK	Pass	Harmonic
20	802.11ax HE40	46	5149.12	44.65	54.00	-9.35	V	AVERAGE	Pass	Band Edge
20	802.11ax HE40	46	10460.00	44.50	68.20	-23.70	V	PEAK	Pass	Harmonic
21	802.11ax HE40	54	5350.37	45.42	54.00	-8.58	V	AVERAGE	Pass	Band Edge
21	802.11ax HE40	54	10540.00	43.61	68.20	-24.59	V	PEAK	Pass	Harmonic
22	802.11ax HE40	62	5350.00	50.69	54.00	-3.31	V	AVERAGE	Pass	Band Edge
22	802.11ax HE40	62	10620.00	44.20	74.00	-29.80	V	PEAK	Pass	Harmonic







23	802.11ax HE40	102	5469.84	64.69	68.20	-3.51	H	PEAK	Pass	Band Edge
23	802.11ax HE40	102	11020.00	44.48	74.00	-29.52	H	PEAK	Pass	Harmonic
24	802.11ax HE40	110	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE40	110	11100.00	44.16	74.00	-29.84	V	PEAK	Pass	Harmonic
25	802.11ax HE40	134	5726.44	63.97	68.20	-4.23	V	PEAK	Pass	Band Edge
25	802.11ax HE40	134	11340.00	45.77	74.00	-28.23	V	PEAK	Pass	Harmonic
26	802.11a	149	5628.80	55.09	68.20	-13.11	H	PEAK	Pass	Band Edge
26	802.11a	149	11490.00	37.37	54.00	-16.63	V	AVERAGE	Pass	Harmonic
27	802.11a	157	-	-	-	-	-	-	-	Band Edge
27	802.11a	157	11570.00	45.79	74.00	-28.21	V	PEAK	Pass	Harmonic
28	802.11a	165	5973.60	56.34	68.20	-11.86	H	PEAK	Pass	Band Edge
28	802.11a	165	11650.00	39.55	54.00	-14.45	V	AVERAGE	Pass	Harmonic
29	802.11ax HE20	149	5600.40	53.95	68.20	-14.25	V	PEAK	Pass	Band Edge
29	802.11ax HE20	149	11490.00	44.84	74.00	-29.16	V	PEAK	Pass	Harmonic
30	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE20	157	11570.00	44.97	74.00	-29.03	V	PEAK	Pass	Harmonic
31	802.11ax HE20	165	5954.80	55.49	68.20	-12.71	V	PEAK	Pass	Band Edge
31	802.11ax HE20	165	11650.00	46.02	74.00	-27.98	V	PEAK	Pass	Harmonic
32	802.11ax HE40	151	5930.31	56.68	68.20	-11.52	V	PEAK	Pass	Band Edge
32	802.11ax HE40	151	11510.00	45.16	74.00	-28.84	V	PEAK	Pass	Harmonic
33	802.11ax HE40	159	5926.80	56.49	68.20	-11.71	H	PEAK	Pass	Band Edge
33	802.11ax HE40	159	11590.00	45.11	74.00	-28.89	V	PEAK	Pass	Harmonic
34	802.11a	144	-	-	-	-	-	-	-	Band Edge
34	802.11a	144	11440.00	45.40	74.00	-28.60	V	PEAK	Pass	Harmonic
35	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE20	144	11440.00	45.10	74.00	-28.90	H	PEAK	Pass	Harmonic
36	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE40	142	11420.00	44.96	74.00	-29.04	H	PEAK	Pass	Harmonic



Mode	1																																																																																																								
	Band Edge																																																																																																								
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																								
ANT	1																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																		
Peak																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.00</td><td>63.93</td><td>74.00</td><td>-10.07</td><td>51.50</td><td>34.60</td><td>9.95</td><td>32.12</td><td>0.00</td><td>101</td><td>102</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.00	63.93	74.00	-10.07	51.50	34.60	9.95	32.12	0.00	101	102	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>102.09</td><td>-----</td><td>-----</td><td>89.48</td><td>34.73</td><td>9.99</td><td>32.11</td><td>0.00</td><td>101</td><td>102</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	102.09	-----	-----	89.48	34.73	9.99	32.11	0.00	101	102
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5148.00	63.93	74.00	-10.07	51.50	34.60	9.95	32.12	0.00	101	102	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5180.00	102.09	-----	-----	89.48	34.73	9.99	32.11	0.00	101	102	PEAK																																																																																													
Avg																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.00</td><td>48.63</td><td>54.00</td><td>-5.37</td><td>36.20</td><td>34.60</td><td>9.95</td><td>32.12</td><td>0.00</td><td>101</td><td>102</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.00	48.63	54.00	-5.37	36.20	34.60	9.95	32.12	0.00	101	102	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>93.62</td><td>-----</td><td>-----</td><td>81.05</td><td>34.70</td><td>9.98</td><td>32.11</td><td>0.00</td><td>101</td><td>102</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	93.62	-----	-----	81.05	34.70	9.98	32.11	0.00	101	102
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5149.00	48.63	54.00	-5.37	36.20	34.60	9.95	32.12	0.00	101	102	AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5180.00	93.62	-----	-----	81.05	34.70	9.98	32.11	0.00	101	102	AVERAGE																																																																																													





Mode	1																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5149.60</td><td>66.81</td><td>74.00</td><td>-7.19</td><td>54.38</td><td>34.60</td><td>9.95</td><td>32.12</td><td>0.00</td><td>312</td><td>159 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5149.60	66.81	74.00	-7.19	54.38	34.60	9.95	32.12	0.00	312	159 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5180.00</td><td>103.76</td><td>-----</td><td>-----</td><td>91.19</td><td>34.70</td><td>9.98</td><td>32.11</td><td>0.00</td><td>312</td><td>159 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5180.00	103.76	-----	-----	91.19	34.70	9.98	32.11	0.00	312
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	5149.60	66.81	74.00	-7.19	54.38	34.60	9.95	32.12	0.00	312	159 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	5180.00	103.76	-----	-----	91.19	34.70	9.98	32.11	0.00	312	159 PEAK																																																																																																												
Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5148.90</td><td>47.96</td><td>54.00</td><td>-6.04</td><td>35.53</td><td>34.60</td><td>9.95</td><td>32.12</td><td>0.00</td><td>312</td><td>159 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5148.90	47.96	54.00	-6.04	35.53	34.60	9.95	32.12	0.00	312	159 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5180.00</td><td>94.17</td><td>-----</td><td>-----</td><td>81.56</td><td>34.73</td><td>9.99</td><td>32.11</td><td>0.00</td><td>312</td><td>159 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5180.00	94.17	-----	-----	81.56	34.73	9.99	32.11	0.00	312
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	5148.90	47.96	54.00	-6.04	35.53	34.60	9.95	32.12	0.00	312	159 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	5180.00	94.17	-----	-----	81.56	34.73	9.99	32.11	0.00	312	159 AVERAGE																																																																																																												







Mode	1																																																										
	Harmonic																																																										
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																										
ANT	1																																																										
Pol.	Horizontal											Vertical																																															
Peak Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.06</td><td>68.20</td><td>-24.14</td><td>58.79</td><td>37.80</td><td>14.24</td><td>66.77</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.06	68.20	-24.14	58.79	37.80	14.24	66.77	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	10360.00	44.06	68.20	-24.14	58.79	37.80	14.24	66.77	0.00	---	---	PEAK																																															
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>44.59</td><td>68.20</td><td>-23.61</td><td>59.33</td><td>37.80</td><td>14.24</td><td>66.78</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10360.00	44.59	68.20	-23.61	59.33	37.80	14.24	66.78	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	10360.00	44.59	68.20	-23.61	59.33	37.80	14.24	66.78	0.00	---	---	PEAK																																															







Mode	2																																																																																																																														
	Harmonic																																																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6958.26</td><td>41.70</td><td>68.20</td><td>-26.50</td><td>60.15</td><td>36.20</td><td>11.59</td><td>66.24</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10440.00</td><td>44.45</td><td>68.20</td><td>-23.75</td><td>59.15</td><td>37.83</td><td>14.28</td><td>66.81</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6958.26	41.70	68.20	-26.50	60.15	36.20	11.59	66.24	0.00	---	PEAK	2	10440.00	44.45	68.20	-23.75	59.15	37.83	14.28	66.81	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6958.26</td><td>42.38</td><td>68.20</td><td>-25.82</td><td>60.81</td><td>36.22</td><td>11.60</td><td>66.25</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10440.00</td><td>44.47</td><td>68.20</td><td>-23.73</td><td>59.17</td><td>37.83</td><td>14.28</td><td>66.81</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6958.26	42.38	68.20	-25.82	60.81	36.22	11.60	66.25	0.00	---	PEAK	2	10440.00	44.47	68.20	-23.73	59.17	37.83	14.28	66.81	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	6958.26	41.70	68.20	-26.50	60.15	36.20	11.59	66.24	0.00	---	PEAK																																																																																																																				
2	10440.00	44.45	68.20	-23.75	59.15	37.83	14.28	66.81	0.00	---	PEAK																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	6958.26	42.38	68.20	-25.82	60.81	36.22	11.60	66.25	0.00	---	PEAK																																																																																																																				
2	10440.00	44.47	68.20	-23.73	59.17	37.83	14.28	66.81	0.00	---	PEAK																																																																																																																				





Mode	3																																																																																																						
	Band Edge																																																																																																						
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5447.02</td><td>53.48</td><td>74.00</td><td>-20.52</td><td>40.36</td><td>34.99</td><td>10.24</td><td>32.11</td><td>0.00</td><td>109</td><td>100</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.02	53.48	74.00	-20.52	40.36	34.99	10.24	32.11	0.00	109	100	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5240.00</td><td>104.03</td><td>-----</td><td>-----</td><td>91.22</td><td>34.80</td><td>10.05</td><td>32.04</td><td>0.00</td><td>109</td><td>100</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	104.03	-----	-----	91.22	34.80	10.05	32.04	0.00	109	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5447.02	53.48	74.00	-20.52	40.36	34.99	10.24	32.11	0.00	109	100	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5240.00	104.03	-----	-----	91.22	34.80	10.05	32.04	0.00	109	100	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5448.56</td><td>43.03</td><td>54.00</td><td>-10.97</td><td>29.90</td><td>35.00</td><td>10.24</td><td>32.11</td><td>0.00</td><td>109</td><td>100</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.56	43.03	54.00	-10.97	29.90	35.00	10.24	32.11	0.00	109	100	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5240.00</td><td>95.01</td><td>-----</td><td>-----</td><td>82.20</td><td>34.80</td><td>10.05</td><td>32.04</td><td>0.00</td><td>109</td><td>100</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	95.01	-----	-----	82.20	34.80	10.05	32.04	0.00	109	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5448.56	43.03	54.00	-10.97	29.90	35.00	10.24	32.11	0.00	109	100	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5240.00	95.01	-----	-----	82.20	34.80	10.05	32.04	0.00	109	100	AVERAGE																																																																																											







Mode	3																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																						
ANT	1																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5362.32</td><td>53.53</td><td>74.00</td><td>-20.47</td><td>40.58</td><td>34.82</td><td>10.16</td><td>32.03</td><td>0.00</td><td>326 158 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5362.32	53.53	74.00	-20.47	40.58	34.82	10.16	32.03	0.00	326 158 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5362.32	53.53	74.00	-20.47	40.58	34.82	10.16	32.03	0.00	326 158 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>104.45</td><td>-----</td><td>-----</td><td>91.64</td><td>34.80</td><td>10.05</td><td>32.04</td><td>0.00</td><td>326 158 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	104.45	-----	-----	91.64	34.80	10.05	32.04	0.00	326 158 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5240.00	104.45	-----	-----	91.64	34.80	10.05	32.04	0.00	326 158 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5382.34</td><td>43.24</td><td>54.00</td><td>-10.76</td><td>30.26</td><td>34.86</td><td>10.18</td><td>32.06</td><td>0.00</td><td>326 158 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5382.34	43.24	54.00	-10.76	30.26	34.86	10.18	32.06	0.00	326 158 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5382.34	43.24	54.00	-10.76	30.26	34.86	10.18	32.06	0.00	326 158 AVERAGE																																													
AVERAGE																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>95.28</td><td>-----</td><td>-----</td><td>82.47</td><td>34.80</td><td>10.05</td><td>32.04</td><td>0.00</td><td>326 158 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	95.28	-----	-----	82.47	34.80	10.05	32.04	0.00	326 158 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5240.00	95.28	-----	-----	82.47	34.80	10.05	32.04	0.00	326 158 AVERAGE																																													





Mode	3																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6984.92</td><td>42.03</td><td>68.20</td><td>-26.17</td><td>60.40</td><td>36.28</td><td>11.63</td><td>66.28</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>10480.00</td><td>44.15</td><td>68.20</td><td>-24.05</td><td>58.79</td><td>37.88</td><td>14.31</td><td>66.83</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6984.92	42.03	68.20	-26.17	60.40	36.28	11.63	66.28	0.00	--- PEAK	2	10480.00	44.15	68.20	-24.05	58.79	37.88	14.31	66.83	0.00	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6984.92</td><td>41.90</td><td>68.20</td><td>-26.30</td><td>60.26</td><td>36.29</td><td>11.63</td><td>66.28</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>10480.00</td><td>43.87</td><td>68.20</td><td>-24.33</td><td>58.53</td><td>37.87</td><td>14.30</td><td>66.83</td><td>0.00</td><td>--- PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	6984.92	41.90	68.20	-26.30	60.26	36.29	11.63	66.28	0.00	--- PEAK	2	10480.00	43.87	68.20	-24.33	58.53	37.87	14.30	66.83	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	6984.92	42.03	68.20	-26.17	60.40	36.28	11.63	66.28	0.00	--- PEAK																																																																																																															
2	10480.00	44.15	68.20	-24.05	58.79	37.88	14.31	66.83	0.00	--- PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	6984.92	41.90	68.20	-26.30	60.26	36.29	11.63	66.28	0.00	--- PEAK																																																																																																															
2	10480.00	43.87	68.20	-24.33	58.53	37.87	14.30	66.83	0.00	--- PEAK																																																																																																															







Mode	4																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5102.72</td><td>55.26</td><td>74.00</td><td>-18.74</td><td>42.88</td><td>34.60</td><td>9.90</td><td>32.12</td><td>0.00</td><td>100</td><td>99 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.72	55.26	74.00	-18.74	42.88	34.60	9.90	32.12	0.00	100	99 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>103.68</td><td>-----</td><td>-----</td><td>90.84</td><td>34.78</td><td>10.07</td><td>32.01</td><td>0.00</td><td>100</td><td>99 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	103.68	-----	-----	90.84	34.78	10.07	32.01	0.00	100	99 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5102.72	55.26	74.00	-18.74	42.88	34.60	9.90	32.12	0.00	100	99 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5260.00	103.68	-----	-----	90.84	34.78	10.07	32.01	0.00	100	99 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5100.00</td><td>44.42</td><td>54.00</td><td>-9.58</td><td>32.04</td><td>34.60</td><td>9.90</td><td>32.12</td><td>0.00</td><td>100</td><td>99 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.00	44.42	54.00	-9.58	32.04	34.60	9.90	32.12	0.00	100	99 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>94.86</td><td>-----</td><td>-----</td><td>82.02</td><td>34.78</td><td>10.07</td><td>32.01</td><td>0.00</td><td>100</td><td>99 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	94.86	-----	-----	82.02	34.78	10.07	32.01	0.00	100	99 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5100.00	44.42	54.00	-9.58	32.04	34.60	9.90	32.12	0.00	100	99 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5260.00	94.86	-----	-----	82.02	34.78	10.07	32.01	0.00	100	99 AVERAGE																																																																																										



Mode	4																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																					
ANT	1																																																					
Pol.	Horizontal										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5373.00</td><td>54.54</td><td>74.00</td><td>-19.46</td><td>41.55</td><td>34.88</td><td>10.19</td><td>32.08</td><td>0.00</td><td>100</td><td>99 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.00	54.54	74.00	-19.46	41.55	34.88	10.19	32.08	0.00	100	99 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5373.00	54.54	74.00	-19.46	41.55	34.88	10.19	32.08	0.00	100	99 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5373.00</td><td>43.03</td><td>54.00</td><td>-10.97</td><td>30.06</td><td>34.85</td><td>10.17</td><td>32.05</td><td>0.00</td><td>100</td><td>99 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.00	43.03	54.00	-10.97	30.06	34.85	10.17	32.05	0.00	100	99 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5373.00	43.03	54.00	-10.97	30.06	34.85	10.17	32.05	0.00	100	99 AVERAGE																																											





Mode	4																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5140.64</td><td>55.99</td><td>74.00</td><td>-18.01</td><td>43.57</td><td>34.60</td><td>9.94</td><td>32.12</td><td>0.00</td><td>300 155 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5140.64	55.99	74.00	-18.01	43.57	34.60	9.94	32.12	0.00	300 155 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>103.30</td><td>-----</td><td>-----</td><td>90.46</td><td>34.78</td><td>10.07</td><td>32.01</td><td>0.00</td><td>300 155 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	103.30	-----	-----	90.46	34.78	10.07	32.01	0.00	300 155 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5140.64	55.99	74.00	-18.01	43.57	34.60	9.94	32.12	0.00	300 155 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5260.00	103.30	-----	-----	90.46	34.78	10.07	32.01	0.00	300 155 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5104.48</td><td>44.45</td><td>54.00</td><td>-9.55</td><td>32.07</td><td>34.60</td><td>9.90</td><td>32.12</td><td>0.00</td><td>300 155 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5104.48	44.45	54.00	-9.55	32.07	34.60	9.90	32.12	0.00	300 155 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>94.63</td><td>-----</td><td>-----</td><td>81.79</td><td>34.78</td><td>10.07</td><td>32.01</td><td>0.00</td><td>300 155 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	94.63	-----	-----	81.79	34.78	10.07	32.01	0.00	300 155 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5104.48	44.45	54.00	-9.55	32.07	34.60	9.90	32.12	0.00	300 155 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5260.00	94.63	-----	-----	81.79	34.78	10.07	32.01	0.00	300 155 AVERAGE																																																																																									





Mode	4										
	Band Edge - R										
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz										
ANT	1										
Pol.	Vertical										
Peak	Level (dBuV/m)										







Mode	4																																																																																																																																																																																																																																																																
	Harmonic																																																																																																																																																																																																																																																																
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																																																																																																																																																																
ANT	1																																																																																																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																																																																																																										
Peak Avg																																																																																																																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6180.00</td><td>59.82</td><td>68.20</td><td>-8.38</td><td>79.15</td><td>35.82</td><td>10.92</td><td>66.07</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>6312.00</td><td>52.89</td><td>68.20</td><td>-15.31</td><td>71.83</td><td>35.98</td><td>11.04</td><td>65.96</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>6454.80</td><td>57.19</td><td>68.20</td><td>-11.01</td><td>75.97</td><td>35.90</td><td>11.17</td><td>65.85</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>6580.80</td><td>45.94</td><td>68.20</td><td>-22.26</td><td>64.49</td><td>36.06</td><td>11.28</td><td>65.89</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>6717.60</td><td>49.18</td><td>68.20</td><td>-19.02</td><td>67.82</td><td>36.00</td><td>11.38</td><td>66.02</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>7096.80</td><td>48.33</td><td>68.20</td><td>-19.87</td><td>66.49</td><td>36.39</td><td>11.75</td><td>66.30</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>7</td><td>7230.00</td><td>44.91</td><td>68.20</td><td>-23.29</td><td>62.88</td><td>36.46</td><td>11.88</td><td>66.31</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>8</td><td>10520.00</td><td>44.58</td><td>68.20</td><td>-23.62</td><td>59.20</td><td>37.88</td><td>14.33</td><td>66.83</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6180.00	59.82	68.20	-8.38	79.15	35.82	10.92	66.07	0.00	---	Peak	2	6312.00	52.89	68.20	-15.31	71.83	35.98	11.04	65.96	0.00	---	Peak	3	6454.80	57.19	68.20	-11.01	75.97	35.90	11.17	65.85	0.00	---	Peak	4	6580.80	45.94	68.20	-22.26	64.49	36.06	11.28	65.89	0.00	---	Peak	5	6717.60	49.18	68.20	-19.02	67.82	36.00	11.38	66.02	0.00	---	Peak	6	7096.80	48.33	68.20	-19.87	66.49	36.39	11.75	66.30	0.00	---	Peak	7	7230.00	44.91	68.20	-23.29	62.88	36.46	11.88	66.31	0.00	---	Peak	8	10520.00	44.58	68.20	-23.62	59.20	37.88	14.33	66.83	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6178.80</td><td>53.77</td><td>68.20</td><td>-14.43</td><td>73.10</td><td>35.82</td><td>10.92</td><td>66.07</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>6313.20</td><td>53.47</td><td>68.20</td><td>-14.73</td><td>72.42</td><td>35.97</td><td>11.04</td><td>65.96</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>6445.20</td><td>53.68</td><td>68.20</td><td>-14.52</td><td>72.47</td><td>35.90</td><td>11.16</td><td>65.85</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>6576.00</td><td>47.13</td><td>68.20</td><td>-21.07</td><td>65.68</td><td>36.05</td><td>11.28</td><td>65.88</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>7098.00</td><td>51.09</td><td>68.20</td><td>-17.11</td><td>69.25</td><td>36.39</td><td>11.75</td><td>66.30</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>7233.60</td><td>46.18</td><td>68.20</td><td>-22.02</td><td>64.13</td><td>36.47</td><td>11.89</td><td>66.31</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>7</td><td>10518.00</td><td>50.13</td><td>68.20</td><td>-18.07</td><td>64.75</td><td>37.88</td><td>14.33</td><td>66.83</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	6178.80	53.77	68.20	-14.43	73.10	35.82	10.92	66.07	0.00	---	Peak	2	6313.20	53.47	68.20	-14.73	72.42	35.97	11.04	65.96	0.00	---	Peak	3	6445.20	53.68	68.20	-14.52	72.47	35.90	11.16	65.85	0.00	---	Peak	4	6576.00	47.13	68.20	-21.07	65.68	36.05	11.28	65.88	0.00	---	Peak	5	7098.00	51.09	68.20	-17.11	69.25	36.39	11.75	66.30	0.00	---	Peak	6	7233.60	46.18	68.20	-22.02	64.13	36.47	11.89	66.31	0.00	---	Peak	7	10518.00	50.13	68.20	-18.07	64.75	37.88	14.33	66.83	0.00	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																							
1	6180.00	59.82	68.20	-8.38	79.15	35.82	10.92	66.07	0.00	---	Peak																																																																																																																																																																																																																																																						
2	6312.00	52.89	68.20	-15.31	71.83	35.98	11.04	65.96	0.00	---	Peak																																																																																																																																																																																																																																																						
3	6454.80	57.19	68.20	-11.01	75.97	35.90	11.17	65.85	0.00	---	Peak																																																																																																																																																																																																																																																						
4	6580.80	45.94	68.20	-22.26	64.49	36.06	11.28	65.89	0.00	---	Peak																																																																																																																																																																																																																																																						
5	6717.60	49.18	68.20	-19.02	67.82	36.00	11.38	66.02	0.00	---	Peak																																																																																																																																																																																																																																																						
6	7096.80	48.33	68.20	-19.87	66.49	36.39	11.75	66.30	0.00	---	Peak																																																																																																																																																																																																																																																						
7	7230.00	44.91	68.20	-23.29	62.88	36.46	11.88	66.31	0.00	---	Peak																																																																																																																																																																																																																																																						
8	10520.00	44.58	68.20	-23.62	59.20	37.88	14.33	66.83	0.00	---	PEAK																																																																																																																																																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																																																							
1	6178.80	53.77	68.20	-14.43	73.10	35.82	10.92	66.07	0.00	---	Peak																																																																																																																																																																																																																																																						
2	6313.20	53.47	68.20	-14.73	72.42	35.97	11.04	65.96	0.00	---	Peak																																																																																																																																																																																																																																																						
3	6445.20	53.68	68.20	-14.52	72.47	35.90	11.16	65.85	0.00	---	Peak																																																																																																																																																																																																																																																						
4	6576.00	47.13	68.20	-21.07	65.68	36.05	11.28	65.88	0.00	---	Peak																																																																																																																																																																																																																																																						
5	7098.00	51.09	68.20	-17.11	69.25	36.39	11.75	66.30	0.00	---	Peak																																																																																																																																																																																																																																																						
6	7233.60	46.18	68.20	-22.02	64.13	36.47	11.89	66.31	0.00	---	Peak																																																																																																																																																																																																																																																						
7	10518.00	50.13	68.20	-18.07	64.75	37.88	14.33	66.83	0.00	---	Peak																																																																																																																																																																																																																																																						





Mode	5																																																																																																																																																									
	Harmonic																																																																																																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																																									
ANT	1																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																			
Peak Avg																																																																																																																																																										
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6217.20</td><td>43.95</td><td>68.20</td><td>-24.25</td><td>63.20</td><td>35.83</td><td>10.96</td><td>66.04</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10600.00</td><td>44.06</td><td>74.00</td><td>-29.94</td><td>58.67</td><td>37.00</td><td>14.38</td><td>66.79</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	6217.20	43.95	68.20	-24.25	63.20	35.83	10.96	66.04	0.00	---	Peak	2	10600.00	44.06	74.00	-29.94	58.67	37.00	14.38	66.79	0.00	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6220.80</td><td>44.65</td><td>68.20</td><td>-23.55</td><td>63.90</td><td>35.82</td><td>10.96</td><td>66.03</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7279.20</td><td>45.21</td><td>74.00</td><td>-28.79</td><td>63.17</td><td>36.44</td><td>11.92</td><td>66.32</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>10600.00</td><td>49.09</td><td>74.00</td><td>-24.91</td><td>63.70</td><td>37.81</td><td>14.37</td><td>66.79</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>4</td><td>10600.00</td><td>44.01</td><td>54.00</td><td>-9.99</td><td>58.62</td><td>37.00</td><td>14.38</td><td>66.79</td><td>0.00</td><td>120</td><td>100 Average</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	6220.80	44.65	68.20	-23.55	63.90	35.82	10.96	66.03	0.00	---	Peak	2	7279.20	45.21	74.00	-28.79	63.17	36.44	11.92	66.32	0.00	---	Peak	3	10600.00	49.09	74.00	-24.91	63.70	37.81	14.37	66.79	0.00	---	PEAK	4	10600.00	44.01	54.00	-9.99	58.62	37.00	14.38	66.79	0.00	120	100 Average
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	6217.20	43.95	68.20	-24.25	63.20	35.83	10.96	66.04	0.00	---	Peak																																																																																																																																															
2	10600.00	44.06	74.00	-29.94	58.67	37.00	14.38	66.79	0.00	---	PEAK																																																																																																																																															
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																															
1	6220.80	44.65	68.20	-23.55	63.90	35.82	10.96	66.03	0.00	---	Peak																																																																																																																																															
2	7279.20	45.21	74.00	-28.79	63.17	36.44	11.92	66.32	0.00	---	Peak																																																																																																																																															
3	10600.00	49.09	74.00	-24.91	63.70	37.81	14.37	66.79	0.00	---	PEAK																																																																																																																																															
4	10600.00	44.01	54.00	-9.99	58.62	37.00	14.38	66.79	0.00	120	100 Average																																																																																																																																															





Mode	6																																																																																																					
	Band Edge																																																																																																					
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5358.60</td><td>63.19</td><td>74.00</td><td>-10.81</td><td>50.24</td><td>34.82</td><td>10.16</td><td>32.03</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.60	63.19	74.00	-10.81	50.24	34.82	10.16	32.03	0.00	100	105	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>103.02</td><td>-----</td><td>-----</td><td>90.13</td><td>34.74</td><td>10.12</td><td>31.97</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	103.02	-----	-----	90.13	34.74	10.12	31.97	0.00	100	105
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5358.60	63.19	74.00	-10.81	50.24	34.82	10.16	32.03	0.00	100	105	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5320.00	103.02	-----	-----	90.13	34.74	10.12	31.97	0.00	100	105	PEAK																																																																																										
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>48.47</td><td>54.00</td><td>-5.53</td><td>35.53</td><td>34.00</td><td>10.15</td><td>32.01</td><td>0.00</td><td>100</td><td>105</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	48.47	54.00	-5.53	35.53	34.00	10.15	32.01	0.00	100	105	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>94.54</td><td>-----</td><td>-----</td><td>81.65</td><td>34.74</td><td>10.12</td><td>31.97</td><td>0.00</td><td>100</td><td>105</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	94.54	-----	-----	81.65	34.74	10.12	31.97	0.00	100	105
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5350.00	48.47	54.00	-5.53	35.53	34.00	10.15	32.01	0.00	100	105	AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5320.00	94.54	-----	-----	81.65	34.74	10.12	31.97	0.00	100	105	AVERAGE																																																																																										







Mode	6																																																						
	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																						
ANT	1																																																						
Pol.	Vertical																																																						
Peak	Fundamental																																																						
																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.70</td><td>63.09</td><td>74.00</td><td>-10.91</td><td>50.14</td><td>34.82</td><td>10.16</td><td>32.03</td><td>0.00</td><td>300 156 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.70	63.09	74.00	-10.91	50.14	34.82	10.16	32.03	0.00	300 156 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5358.70	63.09	74.00	-10.91	50.14	34.82	10.16	32.03	0.00	300 156 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.70</td><td>50.40</td><td>54.00</td><td>-3.60</td><td>37.47</td><td>34.00</td><td>10.15</td><td>32.02</td><td>0.00</td><td>300 156 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.70	50.40	54.00	-3.60	37.47	34.00	10.15	32.02	0.00	300 156 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.70	50.40	54.00	-3.60	37.47	34.00	10.15	32.02	0.00	300 156 AVERAGE																																													







Mode	6																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																	
ANT	1																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>48.06</td><td>74.00</td><td>-25.94</td><td>62.55</td><td>37.88</td><td>14.40</td><td>66.77</td><td>0.00</td><td>100</td><td>237</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>36.75</td><td>54.00</td><td>-17.25</td><td>51.24</td><td>37.88</td><td>14.40</td><td>66.77</td><td>0.00</td><td>100</td><td>237</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	48.06	74.00	-25.94	62.55	37.88	14.40	66.77	0.00	100	237	PEAK	2	10640.00	36.75	54.00	-17.25	51.24	37.88	14.40	66.77	0.00	100	237	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>67.57</td><td>37.88</td><td>14.40</td><td>66.77</td><td>0.00</td><td>206</td><td>78</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>40.32</td><td>54.00</td><td>-13.68</td><td>54.81</td><td>37.88</td><td>14.40</td><td>66.77</td><td>0.00</td><td>206</td><td>78</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	53.08	74.00	-20.92	67.57	37.88	14.40	66.77	0.00	206	78	PEAK	2	10640.00	40.32	54.00	-13.68	54.81	37.88	14.40	66.77	0.00	206	78	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	10640.00	48.06	74.00	-25.94	62.55	37.88	14.40	66.77	0.00	100	237	PEAK																																																																																																																						
2	10640.00	36.75	54.00	-17.25	51.24	37.88	14.40	66.77	0.00	100	237	AVERAGE																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	10640.00	53.08	74.00	-20.92	67.57	37.88	14.40	66.77	0.00	206	78	PEAK																																																																																																																						
2	10640.00	40.32	54.00	-13.68	54.81	37.88	14.40	66.77	0.00	206	78	AVERAGE																																																																																																																						





Mode	7																																																																																																																				
	Band Edge																																																																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																				
ANT	1																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.80</td><td>53.67</td><td>74.00</td><td>-20.33</td><td>40.55</td><td>34.99</td><td>10.24</td><td>32.11</td><td>0.00</td><td>334</td><td>242</td><td>PEAK</td></tr><tr><td>2</td><td>5468.72</td><td>54.77</td><td>68.20</td><td>-13.43</td><td>41.67</td><td>34.96</td><td>10.26</td><td>32.12</td><td>0.00</td><td>334</td><td>242</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.80	53.67	74.00	-20.33	40.55	34.99	10.24	32.11	0.00	334	242	PEAK	2	5468.72	54.77	68.20	-13.43	41.67	34.96	10.26	32.12	0.00	334	242	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>103.92</td><td>-----</td><td>-----</td><td>90.86</td><td>34.90</td><td>10.30</td><td>32.14</td><td>0.00</td><td>334</td><td>242</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.92	-----	-----	90.86	34.90	10.30	32.14	0.00	334	242	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5446.80	53.67	74.00	-20.33	40.55	34.99	10.24	32.11	0.00	334	242	PEAK																																																																																																									
2	5468.72	54.77	68.20	-13.43	41.67	34.96	10.26	32.12	0.00	334	242	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5500.00	103.92	-----	-----	90.86	34.90	10.30	32.14	0.00	334	242	PEAK																																																																																																									
Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.28</td><td>43.42</td><td>54.00</td><td>-10.58</td><td>30.29</td><td>35.00</td><td>10.25</td><td>32.12</td><td>0.00</td><td>334</td><td>242</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.28	43.42	54.00	-10.58	30.29	35.00	10.25	32.12	0.00	334	242	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>95.14</td><td>-----</td><td>-----</td><td>82.08</td><td>34.90</td><td>10.30</td><td>32.14</td><td>0.00</td><td>334</td><td>242</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.14	-----	-----	82.08	34.90	10.30	32.14	0.00	334	242	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5451.28	43.42	54.00	-10.58	30.29	35.00	10.25	32.12	0.00	334	242	AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5500.00	95.14	-----	-----	82.08	34.90	10.30	32.14	0.00	334	242	AVERAGE																																																																																																									





Mode	7																																																																																																																				
	Band Edge																																																																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																				
ANT	1																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5372.56</td><td>53.56</td><td>74.00</td><td>-20.44</td><td>40.59</td><td>34.85</td><td>10.17</td><td>32.05</td><td>0.00</td><td>104</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>5468.56</td><td>59.29</td><td>68.20</td><td>-8.91</td><td>46.19</td><td>34.96</td><td>10.26</td><td>32.12</td><td>0.00</td><td>104</td><td>100</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5372.56	53.56	74.00	-20.44	40.59	34.85	10.17	32.05	0.00	104	100	PEAK	2	5468.56	59.29	68.20	-8.91	46.19	34.96	10.26	32.12	0.00	104	100	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>103.81</td><td>-----</td><td>-----</td><td>90.76</td><td>34.90</td><td>10.29</td><td>32.14</td><td>0.00</td><td>104</td><td>100</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.81	-----	-----	90.76	34.90	10.29	32.14	0.00	104	100	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5372.56	53.56	74.00	-20.44	40.59	34.85	10.17	32.05	0.00	104	100	PEAK																																																																																																									
2	5468.56	59.29	68.20	-8.91	46.19	34.96	10.26	32.12	0.00	104	100	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5500.00	103.81	-----	-----	90.76	34.90	10.29	32.14	0.00	104	100	PEAK																																																																																																									
Avg																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.32</td><td>43.79</td><td>54.00</td><td>-10.21</td><td>30.68</td><td>34.90</td><td>10.25</td><td>32.12</td><td>0.00</td><td>104</td><td>100</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.32	43.79	54.00	-10.21	30.68	34.90	10.25	32.12	0.00	104	100	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>95.97</td><td>-----</td><td>-----</td><td>82.92</td><td>34.90</td><td>10.29</td><td>32.14</td><td>0.00</td><td>104</td><td>100</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.97	-----	-----	82.92	34.90	10.29	32.14	0.00	104	100	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5458.32	43.79	54.00	-10.21	30.68	34.90	10.25	32.12	0.00	104	100	AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5500.00	95.97	-----	-----	82.92	34.90	10.29	32.14	0.00	104	100	AVERAGE																																																																																																									






Mode	7																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>47.30</td><td>74.00</td><td>-26.70</td><td>61.09</td><td>38.20</td><td>14.60</td><td>66.59</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>37.11</td><td>54.00</td><td>-16.89</td><td>50.90</td><td>38.20</td><td>14.60</td><td>66.59</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	47.30	74.00	-26.70	61.09	38.20	14.60	66.59	0.00	300	360	PEAK	2	11000.00	37.11	54.00	-16.89	50.90	38.20	14.60	66.59	0.00	300	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>51.50</td><td>74.00</td><td>-22.50</td><td>65.29</td><td>38.20</td><td>14.60</td><td>66.59</td><td>0.00</td><td>300</td><td>221</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>41.09</td><td>54.00</td><td>-12.91</td><td>54.88</td><td>38.20</td><td>14.60</td><td>66.59</td><td>0.00</td><td>300</td><td>221</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	51.50	74.00	-22.50	65.29	38.20	14.60	66.59	0.00	300	221	PEAK	2	11000.00	41.09	54.00	-12.91	54.88	38.20	14.60	66.59	0.00	300	221	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	11000.00	47.30	74.00	-26.70	61.09	38.20	14.60	66.59	0.00	300	360	PEAK																																																																																																																								
2	11000.00	37.11	54.00	-16.89	50.90	38.20	14.60	66.59	0.00	300	360	AVERAGE																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	11000.00	51.50	74.00	-22.50	65.29	38.20	14.60	66.59	0.00	300	221	PEAK																																																																																																																								
2	11000.00	41.09	54.00	-12.91	54.88	38.20	14.60	66.59	0.00	300	221	AVERAGE																																																																																																																								






Mode	8																																																																																																					
	Harmonic																																																																																																					
	U-NII-2C_5.47-5.85_802.11a_CH116_5580MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 11160.00</td><td>44.33</td><td>74.00</td><td>-29.67</td><td>57.93</td><td>38.14</td><td>14.74</td><td>66.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11160.00	44.33	74.00	-29.67	57.93	38.14	14.74	66.48	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 11160.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>58.83</td><td>38.14</td><td>14.74</td><td>66.48</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11160.00	45.23	74.00	-28.77	58.83	38.14	14.74	66.48	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 11160.00	44.33	74.00	-29.67	57.93	38.14	14.74	66.48	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 11160.00	45.23	74.00	-28.77	58.83	38.14	14.74	66.48	0.00	---	---	PEAK																																																																																											





Mode	9																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.85_802.11a_CH140_5700MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5727.48</td><td>63.56</td><td>68.20</td><td>-4.64</td><td>50.29</td><td>34.95</td><td>10.49</td><td>32.17</td><td>0.00</td><td>309</td><td>288 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5727.48	63.56	68.20	-4.64	50.29	34.95	10.49	32.17	0.00	309	288 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>104.55</td><td>-----</td><td>-----</td><td>91.31</td><td>34.91</td><td>10.47</td><td>32.14</td><td>0.00</td><td>309</td><td>288 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	104.55	-----	-----	91.31	34.91	10.47	32.14	0.00	309	288 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1 5727.48	63.56	68.20	-4.64	50.29	34.95	10.49	32.17	0.00	309	288 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1 5700.00	104.55	-----	-----	91.31	34.91	10.47	32.14	0.00	309	288 PEAK																																																																																										
Avg	Blank																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>95.26</td><td>-----</td><td>-----</td><td>82.02</td><td>34.90</td><td>10.47</td><td>32.13</td><td>0.00</td><td>309</td><td>288 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	95.26	-----	-----	82.02	34.90	10.47	32.13	0.00	309	288 AVERAGE																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1 5700.00	95.26	-----	-----	82.02	34.90	10.47	32.13	0.00	309	288 AVERAGE																																																																																										







Mode	9																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.85_802.11a_CH140_5700MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5735.64</td><td>58.63</td><td>68.20</td><td>-9.57</td><td>45.35</td><td>34.97</td><td>10.50</td><td>32.19</td><td>0.00</td><td>300</td><td>152 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5735.64	58.63	68.20	-9.57	45.35	34.97	10.50	32.19	0.00	300	152 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.51</td><td>-----</td><td>-----</td><td>88.28</td><td>34.90</td><td>10.46</td><td>32.13</td><td>0.00</td><td>300</td><td>152 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.51	-----	-----	88.28	34.90	10.46	32.13	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5735.64	58.63	68.20	-9.57	45.35	34.97	10.50	32.19	0.00	300	152 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	101.51	-----	-----	88.28	34.90	10.46	32.13	0.00	300	152 PEAK																																																																																										
Avg	Blank																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>92.52</td><td>-----</td><td>-----</td><td>79.29</td><td>34.90</td><td>10.46</td><td>32.13</td><td>0.00</td><td>300</td><td>152 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	92.52	-----	-----	79.29	34.90	10.46	32.13	0.00	300	152 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	92.52	-----	-----	79.29	34.90	10.46	32.13	0.00	300	152 AVERAGE																																																																																										







Mode	9																																																																																																							
	Harmonic																																																																																																							
	U-NII-2C_5.47-5.85_802.11a_CH140_5700MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>43.67</td><td>74.00</td><td>-30.33</td><td>56.82</td><td>38.20</td><td>14.96</td><td>66.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	43.67	74.00	-30.33	56.82	38.20	14.96	66.31	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>43.90</td><td>74.00</td><td>-30.10</td><td>57.05</td><td>38.20</td><td>14.96</td><td>66.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	43.90	74.00	-30.10	57.05	38.20	14.96	66.31	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	11400.00	43.67	74.00	-30.33	56.82	38.20	14.96	66.31	0.00	---	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	11400.00	43.90	74.00	-30.10	57.05	38.20	14.96	66.31	0.00	---	---	PEAK																																																																																												





Mode	10																																																																																																						
	Band Edge																																																																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.60</td><td>61.14</td><td>74.00</td><td>-12.86</td><td>48.71</td><td>34.60</td><td>9.95</td><td>32.12</td><td>0.00</td><td>100</td><td>103</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.60	61.14	74.00	-12.86	48.71	34.60	9.95	32.12	0.00	100	103	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.53</td><td>-----</td><td>-----</td><td>87.92</td><td>34.73</td><td>9.99</td><td>32.11</td><td>0.00</td><td>100</td><td>103</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.53	-----	-----	87.92	34.73	9.99	32.11	0.00	100	103
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5144.60	61.14	74.00	-12.86	48.71	34.60	9.95	32.12	0.00	100	103	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5180.00	100.53	-----	-----	87.92	34.73	9.99	32.11	0.00	100	103	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.10</td><td>47.53</td><td>54.00</td><td>-6.47</td><td>35.10</td><td>34.60</td><td>9.95</td><td>32.12</td><td>0.00</td><td>100</td><td>103</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.10	47.53	54.00	-6.47	35.10	34.60	9.95	32.12	0.00	100	103	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>91.93</td><td>-----</td><td>-----</td><td>79.32</td><td>34.73</td><td>9.99</td><td>32.11</td><td>0.00</td><td>100</td><td>103</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	91.93	-----	-----	79.32	34.73	9.99	32.11	0.00	100	103
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5149.10	47.53	54.00	-6.47	35.10	34.60	9.95	32.12	0.00	100	103	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5180.00	91.93	-----	-----	79.32	34.73	9.99	32.11	0.00	100	103	AVERAGE																																																																																											





Mode	10																																																																																																
	Band Edge																																																																																																
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical					Fundamental																																																																																											
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5145.60</td><td>64.51</td><td>74.00</td><td>-9.49</td><td>52.08</td><td>34.60</td><td>9.95</td><td>32.12</td><td>0.00</td><td>331 160 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.60	64.51	74.00	-9.49	52.08	34.60	9.95	32.12	0.00	331 160 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>103.74</td><td>-----</td><td>-----</td><td>91.10</td><td>34.75</td><td>10.00</td><td>32.11</td><td>0.00</td><td>331 160 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	103.74	-----	-----	91.10	34.75	10.00	32.11	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5145.60	64.51	74.00	-9.49	52.08	34.60	9.95	32.12	0.00	331 160 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5180.00	103.74	-----	-----	91.10	34.75	10.00	32.11	0.00	331 160 PEAK																																																																																							
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.90</td><td>47.71</td><td>54.00</td><td>-6.29</td><td>35.28</td><td>34.60</td><td>9.95</td><td>32.12</td><td>0.00</td><td>331 160 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.90	47.71	54.00	-6.29	35.28	34.60	9.95	32.12	0.00	331 160 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>93.42</td><td>-----</td><td>-----</td><td>80.81</td><td>34.73</td><td>9.99</td><td>32.11</td><td>0.00</td><td>331 160 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	93.42	-----	-----	80.81	34.73	9.99	32.11	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5149.90	47.71	54.00	-6.29	35.28	34.60	9.95	32.12	0.00	331 160 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5180.00	93.42	-----	-----	80.81	34.73	9.99	32.11	0.00	331 160 AVERAGE																																																																																							







Mode	10																																																																																																																																																							
	Harmonic																																																																																																																																																							
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Full_5180MHz																																																																																																																																																							
ANT	1																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																	
Peak Avg																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7113.30</td><td>45.19</td><td>68.20</td><td>-23.01</td><td>63.33</td><td>36.40</td><td>11.76</td><td>66.30</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7398.20</td><td>43.87</td><td>74.00</td><td>-30.13</td><td>61.98</td><td>36.21</td><td>12.01</td><td>66.33</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>10360.00</td><td>43.55</td><td>68.20</td><td>-24.65</td><td>58.29</td><td>37.00</td><td>14.24</td><td>66.78</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7113.30	45.19	68.20	-23.01	63.33	36.40	11.76	66.30	0.00	---	Peak	2	7398.20	43.87	74.00	-30.13	61.98	36.21	12.01	66.33	0.00	---	Peak	3	10360.00	43.55	68.20	-24.65	58.29	37.00	14.24	66.78	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.50</td><td>46.98</td><td>68.20</td><td>-21.22</td><td>65.11</td><td>36.40</td><td>11.77</td><td>66.30</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>7253.00</td><td>47.74</td><td>74.00</td><td>-26.26</td><td>65.67</td><td>36.49</td><td>11.90</td><td>66.32</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>10360.50</td><td>49.85</td><td>68.20</td><td>-18.35</td><td>64.59</td><td>37.80</td><td>14.24</td><td>66.78</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7115.50	46.98	68.20	-21.22	65.11	36.40	11.77	66.30	0.00	---	Peak	2	7253.00	47.74	74.00	-26.26	65.67	36.49	11.90	66.32	0.00	---	Peak	3	10360.50	49.85	68.20	-18.35	64.59	37.80	14.24	66.78	0.00	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	7113.30	45.19	68.20	-23.01	63.33	36.40	11.76	66.30	0.00	---	Peak																																																																																																																																													
2	7398.20	43.87	74.00	-30.13	61.98	36.21	12.01	66.33	0.00	---	Peak																																																																																																																																													
3	10360.00	43.55	68.20	-24.65	58.29	37.00	14.24	66.78	0.00	---	PEAK																																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	7115.50	46.98	68.20	-21.22	65.11	36.40	11.77	66.30	0.00	---	Peak																																																																																																																																													
2	7253.00	47.74	74.00	-26.26	65.67	36.49	11.90	66.32	0.00	---	Peak																																																																																																																																													
3	10360.50	49.85	68.20	-18.35	64.59	37.80	14.24	66.78	0.00	---	Peak																																																																																																																																													







Mode	11																																																									
	Harmonic																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_Full_5220MHz																																																									
ANT	1																																																									
Pol.	Horizontal						Vertical																																																			
Peak Avg																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>44.43</td><td>68.20</td><td>-23.77</td><td>59.11</td><td>37.84</td><td>14.29</td><td>66.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	44.43	68.20	-23.77	59.11	37.84	14.29	66.81	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	10440.00	44.43	68.20	-23.77	59.11	37.84	14.29	66.81	0.00	---	---	PEAK																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>44.25</td><td>68.20</td><td>-23.95</td><td>58.95</td><td>37.83</td><td>14.28</td><td>66.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	44.25	68.20	-23.95	58.95	37.83	14.28	66.81	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	10440.00	44.25	68.20	-23.95	58.95	37.83	14.28	66.81	0.00	---	---	PEAK																																														





Mode	12																																																																																																				
	Band Edge																																																																																																				
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full_5240MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5449.22</td><td>54.58</td><td>74.00</td><td>-19.42</td><td>41.45</td><td>35.00</td><td>10.24</td><td>32.11</td><td>0.00</td><td>292</td><td>89 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.22	54.58	74.00	-19.42	41.45	35.00	10.24	32.11	0.00	292	89 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>104.69</td><td>-----</td><td>-----</td><td>91.88</td><td>34.80</td><td>10.05</td><td>32.04</td><td>0.00</td><td>292</td><td>89 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	104.69	-----	-----	91.88	34.80	10.05	32.04	0.00	292	89 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5449.22	54.58	74.00	-19.42	41.45	35.00	10.24	32.11	0.00	292	89 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5240.00	104.69	-----	-----	91.88	34.80	10.05	32.04	0.00	292	89 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.06</td><td>42.86</td><td>54.00</td><td>-11.14</td><td>29.91</td><td>34.81</td><td>10.16</td><td>32.02</td><td>0.00</td><td>292</td><td>89 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.06	42.86	54.00	-11.14	29.91	34.81	10.16	32.02	0.00	292	89 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>94.76</td><td>-----</td><td>-----</td><td>81.95</td><td>34.80</td><td>10.05</td><td>32.04</td><td>0.00</td><td>292</td><td>89 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	94.76	-----	-----	81.95	34.80	10.05	32.04	0.00	292	89 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5355.06	42.86	54.00	-11.14	29.91	34.81	10.16	32.02	0.00	292	89 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5240.00	94.76	-----	-----	81.95	34.80	10.05	32.04	0.00	292	89 AVERAGE																																																																																										







Mode	12																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full_5240MHz																																																						
ANT	1																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5392.90</td><td>54.81</td><td>74.00</td><td>-19.19</td><td>41.81</td><td>34.89</td><td>10.19</td><td>32.08</td><td>0.00</td><td>300 135 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5392.90	54.81	74.00	-19.19	41.81	34.89	10.19	32.08	0.00	300 135 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5392.90	54.81	74.00	-19.19	41.81	34.89	10.19	32.08	0.00	300 135 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>104.89</td><td>-----</td><td>-----</td><td>92.08</td><td>34.80</td><td>10.05</td><td>32.04</td><td>0.00</td><td>300 135 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	104.89	-----	-----	92.08	34.80	10.05	32.04	0.00	300 135 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5240.00	104.89	-----	-----	92.08	34.80	10.05	32.04	0.00	300 135 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.00</td><td>42.99</td><td>54.00</td><td>-11.01</td><td>29.88</td><td>34.98</td><td>10.25</td><td>32.12</td><td>0.00</td><td>300 135 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.00	42.99	54.00	-11.01	29.88	34.98	10.25	32.12	0.00	300 135 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5457.00	42.99	54.00	-11.01	29.88	34.98	10.25	32.12	0.00	300 135 AVERAGE																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>95.52</td><td>-----</td><td>-----</td><td>82.71</td><td>34.80</td><td>10.05</td><td>32.04</td><td>0.00</td><td>300 135 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	95.52	-----	-----	82.71	34.80	10.05	32.04	0.00	300 135 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5240.00	95.52	-----	-----	82.71	34.80	10.05	32.04	0.00	300 135 AVERAGE																																													





Mode	12																																																																																																		
	Harmonic																																																																																																		
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_Full_5240MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10480.00</td><td>45.41</td><td>68.20</td><td>-22.79</td><td>60.05</td><td>37.88</td><td>14.31</td><td>66.83</td><td>0.00</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	45.41	68.20	-22.79	60.05	37.88	14.31	66.83	0.00	--- PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10480.00</td><td>43.61</td><td>68.20</td><td>-24.59</td><td>58.27</td><td>37.87</td><td>14.30</td><td>66.83</td><td>0.00</td><td>--- PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	43.61	68.20	-24.59	58.27	37.87	14.30	66.83	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10480.00	45.41	68.20	-22.79	60.05	37.88	14.31	66.83	0.00	--- PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	10480.00	43.61	68.20	-24.59	58.27	37.87	14.30	66.83	0.00	--- PEAK																																																																																									







Mode	13																																																							
	Band Edge - L																																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full_5260MHz																																																							
ANT	1																																																							
Pol.	Horizontal																																																							
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5116.96</td><td>55.18</td><td>74.00</td><td>-18.82</td><td>42.78</td><td>34.60</td><td>9.92</td><td>32.12</td><td>0.00</td><td>100</td><td>98 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5116.96	55.18	74.00	-18.82	42.78	34.60	9.92	32.12	0.00	100	98 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5116.96	55.18	74.00	-18.82	42.78	34.60	9.92	32.12	0.00	100	98 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>105.39</td><td>-----</td><td>-----</td><td>92.55</td><td>34.78</td><td>10.07</td><td>32.01</td><td>0.00</td><td>100</td><td>98 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	105.39	-----	-----	92.55	34.78	10.07	32.01	0.00	100	98 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5260.00	105.39	-----	-----	92.55	34.78	10.07	32.01	0.00	100	98 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5101.44</td><td>44.29</td><td>54.00</td><td>-9.71</td><td>31.91</td><td>34.60</td><td>9.90</td><td>32.12</td><td>0.00</td><td>100</td><td>98 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5101.44	44.29	54.00	-9.71	31.91	34.60	9.90	32.12	0.00	100	98 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5101.44	44.29	54.00	-9.71	31.91	34.60	9.90	32.12	0.00	100	98 AVERAGE																																													
AVERAGE																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>93.42</td><td>-----</td><td>-----</td><td>80.58</td><td>34.78</td><td>10.07</td><td>32.01</td><td>0.00</td><td>100</td><td>98 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	93.42	-----	-----	80.58	34.78	10.07	32.01	0.00	100	98 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5260.00	93.42	-----	-----	80.58	34.78	10.07	32.01	0.00	100	98 AVERAGE																																													



Mode	13																																																								
	Band Edge - R																																																								
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full_5260MHz																																																								
ANT	1																																																								
Pol.	Horizontal										Fundamental																																														
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5420.00</td><td>53.51</td><td>74.00</td><td>-20.49</td><td>40.45</td><td>34.94</td><td>10.22</td><td>32.10</td><td>0.00</td><td>100</td><td>98 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5420.00	53.51	74.00	-20.49	40.45	34.94	10.22	32.10	0.00	100	98 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5420.00	53.51	74.00	-20.49	40.45	34.94	10.22	32.10	0.00	100	98 PEAK																																														
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.00</td><td>42.88</td><td>54.00</td><td>-11.12</td><td>29.93</td><td>34.81</td><td>10.16</td><td>32.02</td><td>0.00</td><td>100</td><td>98 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5353.00	42.88	54.00	-11.12	29.93	34.81	10.16	32.02	0.00	100	98 AVERAGE	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5353.00	42.88	54.00	-11.12	29.93	34.81	10.16	32.02	0.00	100	98 AVERAGE																																														



Mode	13																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_Full_5260MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5135.68</td><td>54.55</td><td>74.00</td><td>-19.45</td><td>42.13</td><td>34.60</td><td>9.94</td><td>32.12</td><td>0.00</td><td>300</td><td>156 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5135.68	54.55	74.00	-19.45	42.13	34.60	9.94	32.12	0.00	300	156 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>103.83</td><td>-----</td><td>-----</td><td>90.99</td><td>34.78</td><td>10.07</td><td>32.01</td><td>0.00</td><td>300</td><td>156 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	103.83	-----	-----	90.99	34.78	10.07	32.01	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5135.68	54.55	74.00	-19.45	42.13	34.60	9.94	32.12	0.00	300	156 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5260.00	103.83	-----	-----	90.99	34.78	10.07	32.01	0.00	300	156 PEAK																																																																																									
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5101.92</td><td>44.21</td><td>54.00</td><td>-9.79</td><td>31.83</td><td>34.60</td><td>9.90</td><td>32.12</td><td>0.00</td><td>300</td><td>156 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5101.92	44.21	54.00	-9.79	31.83	34.60	9.90	32.12	0.00	300	156 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>94.21</td><td>-----</td><td>-----</td><td>81.37</td><td>34.78</td><td>10.07</td><td>32.01</td><td>0.00</td><td>300</td><td>156 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	94.21	-----	-----	81.37	34.78	10.07	32.01	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5101.92	44.21	54.00	-9.79	31.83	34.60	9.90	32.12	0.00	300	156 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5260.00	94.21	-----	-----	81.37	34.78	10.07	32.01	0.00	300	156 AVERAGE																																																																																									