













Mode	21																																																																																																						
	Band Edge - R																																																																																																						
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5421.62</td><td>53.60</td><td>74.00</td><td>-20.40</td><td>40.73</td><td>34.66</td><td>10.31</td><td>32.10</td><td>0.00</td><td>300</td><td>37 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5421.62	53.60	74.00	-20.40	40.73	34.66	10.31	32.10	0.00	300	37 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>109.23</td><td>-----</td><td>-----</td><td>96.71</td><td>34.46</td><td>10.06</td><td>32.00</td><td>0.00</td><td>300</td><td>37 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5270.00	109.23	-----	-----	96.71	34.46	10.06	32.00	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5421.62	53.60	74.00	-20.40	40.73	34.66	10.31	32.10	0.00	300	37 PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5270.00	109.23	-----	-----	96.71	34.46	10.06	32.00	0.00	300	37 PEAK																																																																																												
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.27</td><td>43.49</td><td>54.00</td><td>-10.51</td><td>30.71</td><td>34.60</td><td>10.20</td><td>32.02</td><td>0.00</td><td>300</td><td>37 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5352.27	43.49	54.00	-10.51	30.71	34.60	10.20	32.02	0.00	300	37 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>98.95</td><td>-----</td><td>-----</td><td>86.34</td><td>34.51</td><td>10.08</td><td>31.98</td><td>0.00</td><td>300</td><td>37 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5270.00	98.95	-----	-----	86.34	34.51	10.08	31.98	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5352.27	43.49	54.00	-10.51	30.71	34.60	10.20	32.02	0.00	300	37 AVERAGE																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5270.00	98.95	-----	-----	86.34	34.51	10.08	31.98	0.00	300	37 AVERAGE																																																																																												







Mode	21																																																																																																				
	Harmonic																																																																																																				
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_Full_5270MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>44.56</td><td>68.20</td><td>-23.64</td><td>59.06</td><td>37.79</td><td>14.53</td><td>66.82</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10540.00	44.56	68.20	-23.64	59.06	37.79	14.53	66.82	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>45.46</td><td>68.20</td><td>-22.74</td><td>59.91</td><td>37.82</td><td>14.54</td><td>66.81</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10540.00	45.46	68.20	-22.74	59.91	37.82	14.54	66.81	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	10540.00	44.56	68.20	-23.64	59.06	37.79	14.53	66.82	0.00	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	10540.00	45.46	68.20	-22.74	59.91	37.82	14.54	66.81	0.00	---	PEAK																																																																																										







Mode	22																																																						
	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																						
ANT	1																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5125.44</td><td>54.72</td><td>74.00</td><td>-19.28</td><td>42.63</td><td>34.30</td><td>9.91</td><td>32.12</td><td>0.00</td><td>332 60 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5125.44	54.72	74.00	-19.28	42.63	34.30	9.91	32.12	0.00	332 60 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5125.44	54.72	74.00	-19.28	42.63	34.30	9.91	32.12	0.00	332 60 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>104.64</td><td>-----</td><td>-----</td><td>91.86</td><td>34.60</td><td>10.13</td><td>31.95</td><td>0.00</td><td>332 60 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	104.64	-----	-----	91.86	34.60	10.13	31.95	0.00	332 60 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5310.00	104.64	-----	-----	91.86	34.60	10.13	31.95	0.00	332 60 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5102.72</td><td>43.61</td><td>54.00</td><td>-10.39</td><td>31.53</td><td>34.30</td><td>9.90</td><td>32.12</td><td>0.00</td><td>332 60 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.72	43.61	54.00	-10.39	31.53	34.30	9.90	32.12	0.00	332 60 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5102.72	43.61	54.00	-10.39	31.53	34.30	9.90	32.12	0.00	332 60 AVERAGE																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>94.21</td><td>-----</td><td>-----</td><td>81.43</td><td>34.60</td><td>10.13</td><td>31.95</td><td>0.00</td><td>332 60 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	94.21	-----	-----	81.43	34.60	10.13	31.95	0.00	332 60 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5310.00	94.21	-----	-----	81.43	34.60	10.13	31.95	0.00	332 60 AVERAGE																																													







Mode	22																																																																																																																																																	
	Band Edge - R																																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																																																																																	
ANT	1																																																																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																																																																
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5357.50</td><td>58.25</td><td>74.00</td><td>-15.75</td><td>45.45</td><td>34.62</td><td>10.21</td><td>32.03</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>332</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>60</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5357.50	58.25	74.00	-15.75	45.45	34.62	10.21	32.03									0.00									332									60									PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>104.64</td><td>-----</td><td>-----</td><td>91.86</td><td>34.60</td><td>10.13</td><td>31.95</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>332</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>60</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5310.00	104.64	-----	-----	91.86	34.60	10.13	31.95									0.00									332									60									PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																										
1	5357.50	58.25	74.00	-15.75	45.45	34.62	10.21	32.03																																																																																																																																										
								0.00																																																																																																																																										
								332																																																																																																																																										
								60																																																																																																																																										
								PEAK																																																																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																										
1	5310.00	104.64	-----	-----	91.86	34.60	10.13	31.95																																																																																																																																										
								0.00																																																																																																																																										
								332																																																																																																																																										
								60																																																																																																																																										
								PEAK																																																																																																																																										
Avg	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5352.20</td><td>46.87</td><td>54.00</td><td>-7.13</td><td>34.09</td><td>34.60</td><td>10.20</td><td>32.02</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>332</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>60</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></tbody></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5352.20	46.87	54.00	-7.13	34.09	34.60	10.20	32.02									0.00									332									60									AVERAGE	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>94.21</td><td>-----</td><td>-----</td><td>81.43</td><td>34.60</td><td>10.13</td><td>31.95</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>332</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>60</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>AVERAGE</td></tr></tbody></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5310.00	94.21	-----	-----	81.43	34.60	10.13	31.95									0.00									332									60									AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																										
1	5352.20	46.87	54.00	-7.13	34.09	34.60	10.20	32.02																																																																																																																																										
								0.00																																																																																																																																										
								332																																																																																																																																										
								60																																																																																																																																										
								AVERAGE																																																																																																																																										
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																										
1	5310.00	94.21	-----	-----	81.43	34.60	10.13	31.95																																																																																																																																										
								0.00																																																																																																																																										
								332																																																																																																																																										
								60																																																																																																																																										
								AVERAGE																																																																																																																																										





Mode	22																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5125.12</td><td>54.50</td><td>74.00</td><td>-19.50</td><td>42.41</td><td>34.30</td><td>9.91</td><td>32.12</td><td>0.00</td><td>300</td><td>36</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5125.12	54.50	74.00	-19.50	42.41	34.30	9.91	32.12	0.00	300	36	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>108.38</td><td>-----</td><td>-----</td><td>95.60</td><td>34.60</td><td>10.13</td><td>31.95</td><td>0.00</td><td>300</td><td>36</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	108.38	-----	-----	95.60	34.60	10.13	31.95	0.00	300	36
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5125.12	54.50	74.00	-19.50	42.41	34.30	9.91	32.12	0.00	300	36	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5310.00	108.38	-----	-----	95.60	34.60	10.13	31.95	0.00	300	36	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5140.00</td><td>43.81</td><td>54.00</td><td>-10.19</td><td>31.71</td><td>34.30</td><td>9.92</td><td>32.12</td><td>0.00</td><td>300</td><td>36</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5140.00	43.81	54.00	-10.19	31.71	34.30	9.92	32.12	0.00	300	36	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>98.65</td><td>-----</td><td>-----</td><td>85.87</td><td>34.60</td><td>10.16</td><td>31.98</td><td>0.00</td><td>300</td><td>36</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	98.65	-----	-----	85.87	34.60	10.16	31.98	0.00	300	36
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5140.00	43.81	54.00	-10.19	31.71	34.30	9.92	32.12	0.00	300	36	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5310.00	98.65	-----	-----	85.87	34.60	10.16	31.98	0.00	300	36	AVERAGE																																																																																											







		22																																																																																										
Mode		Band Edge - R																																																																																										
		U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																										
ANT		1																																																																																										
Pol.		Vertical					Fundamental																																																																																					
Peak																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.70	60.97	74.00	-13.03	48.19	34.60	10.20	32.02	0.00	300 36 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>108.38</td><td>-----</td><td>-----</td><td>95.60</td><td>34.60</td><td>10.13</td><td>31.95</td><td>0.00</td><td>300 36 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	108.38	-----	-----	95.60	34.60	10.13	31.95	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5351.70	60.97	74.00	-13.03	48.19	34.60	10.20	32.02	0.00	300 36 PEAK																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5310.00	108.38	-----	-----	95.60	34.60	10.13	31.95	0.00	300 36 PEAK																																																																																		
Avg																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.10	50.80	54.00	-3.20	38.02	34.60	10.20	32.02	0.00	300 36 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>98.65</td><td>-----</td><td>-----</td><td>85.87</td><td>34.60</td><td>10.16</td><td>31.98</td><td>0.00</td><td>300 36 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	98.65	-----	-----	85.87	34.60	10.16	31.98	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5352.10	50.80	54.00	-3.20	38.02	34.60	10.20	32.02	0.00	300 36 AVERAGE																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5310.00	98.65	-----	-----	85.87	34.60	10.16	31.98	0.00	300 36 AVERAGE																																																																																		





Mode	22																																																																																																																								
	Harmonic																																																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10620.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>59.52</td><td>37.90</td><td>14.59</td><td>66.78</td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	45.23	74.00	-28.77	59.52	37.90	14.59	66.78	0.00	---											PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10620.00</td><td>45.33</td><td>74.00</td><td>-28.67</td><td>59.62</td><td>37.90</td><td>14.59</td><td>66.78</td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	45.33	74.00	-28.67	59.62	37.90	14.59	66.78	0.00	---											PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	10620.00	45.23	74.00	-28.77	59.52	37.90	14.59	66.78	0.00	---																																																																																																															
										PEAK																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	10620.00	45.33	74.00	-28.67	59.62	37.90	14.59	66.78	0.00	---																																																																																																															
										PEAK																																																																																																															



		23																																																																																																				
Mode		Band Edge - L																																																																																																				
		U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																				
ANT		1																																																																																																				
Pol.		Horizontal					Fundamental																																																																																															
Peak																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.28	54.17	74.00	-19.83	41.33	34.61	10.34	32.11	0.00	307	52 PEAK	2	5468.88	53.96	68.20	-14.24	41.11	34.60	10.37	32.12	0.00	307	52 PEAK		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	99.52	-----	-----	86.64	34.61	10.41	32.14	0.00	307	52 PEAK				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5447.28	54.17	74.00	-19.83	41.33	34.61	10.34	32.11	0.00	307	52 PEAK																																																																																											
2	5468.88	53.96	68.20	-14.24	41.11	34.60	10.37	32.12	0.00	307	52 PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5510.00	99.52	-----	-----	86.64	34.61	10.41	32.14	0.00	307	52 PEAK																																																																																											
Avg																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	44.30	54.00	-9.70	31.47	34.60	10.35	32.12	0.00	307	52 AVERAGE		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	90.93	-----	-----	77.98	34.66	10.44	32.15	0.00	307	52 AVERAGE																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5459.92	44.30	54.00	-9.70	31.47	34.60	10.35	32.12	0.00	307	52 AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5510.00	90.93	-----	-----	77.98	34.66	10.44	32.15	0.00	307	52 AVERAGE																																																																																											





Mode	23																																																																																																							
	Band Edge - R																																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																	
Peak																																																																																																								
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>5753.08</td><td>55.37</td><td>68.20</td><td>-12.83</td><td>42.29</td><td>34.71</td><td>10.58</td><td>32.21</td><td>0.00</td><td>307</td><td>52 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5753.08	55.37	68.20	-12.83	42.29	34.71	10.58	32.21	0.00	307	52 PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>5510.00</td><td>99.52</td><td>-----</td><td>-----</td><td>86.64</td><td>34.61</td><td>10.41</td><td>32.14</td><td>0.00</td><td>307</td><td>52 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5510.00	99.52	-----	-----	86.64	34.61	10.41	32.14	0.00	307	52 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5753.08	55.37	68.20	-12.83	42.29	34.71	10.58	32.21	0.00	307	52 PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5510.00	99.52	-----	-----	86.64	34.61	10.41	32.14	0.00	307	52 PEAK																																																																																													




Mode	23																																																																	
	Band Edge - L																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																	
ANT	1																																																																	
Pol.	Vertical																																																																	
Peak																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.72</td><td>54.93</td><td>74.00</td><td>-19.07</td><td>42.10</td><td>34.60</td><td>10.35</td><td>32.12</td><td>0.00</td><td>308 27 PEAK</td></tr><tr><td>2</td><td>5466.00</td><td>56.40</td><td>68.20</td><td>-11.80</td><td>43.56</td><td>34.60</td><td>10.36</td><td>32.12</td><td>0.00</td><td>308 27 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.72	54.93	74.00	-19.07	42.10	34.60	10.35	32.12	0.00	308 27 PEAK	2	5466.00	56.40	68.20	-11.80	43.56	34.60	10.36	32.12	0.00	308 27 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5452.72	54.93	74.00	-19.07	42.10	34.60	10.35	32.12	0.00	308 27 PEAK																																																								
2	5466.00	56.40	68.20	-11.80	43.56	34.60	10.36	32.12	0.00	308 27 PEAK																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>104.14</td><td>-----</td><td>-----</td><td>91.26</td><td>34.61</td><td>10.41</td><td>32.14</td><td>0.00</td><td>308 27 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	104.14	-----	-----	91.26	34.61	10.41	32.14	0.00	308 27 PEAK											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	104.14	-----	-----	91.26	34.61	10.41	32.14	0.00	308 27 PEAK																																																								
Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.44</td><td>45.94</td><td>54.00</td><td>-8.06</td><td>33.11</td><td>34.60</td><td>10.35</td><td>32.12</td><td>0.00</td><td>308 27 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.44	45.94	54.00	-8.06	33.11	34.60	10.35	32.12	0.00	308 27 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5455.44	45.94	54.00	-8.06	33.11	34.60	10.35	32.12	0.00	308 27 AVERAGE																																																								
Fundamental																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>94.15</td><td>-----</td><td>-----</td><td>81.21</td><td>34.65</td><td>10.44</td><td>32.15</td><td>0.00</td><td>308 27 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	94.15	-----	-----	81.21	34.65	10.44	32.15	0.00	308 27 AVERAGE											
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	5510.00	94.15	-----	-----	81.21	34.65	10.44	32.15	0.00	308 27 AVERAGE																																																								





Mode	23																																																																																																		
	Band Edge - R																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5761.64</td><td>56.29</td><td>68.20</td><td>-11.91</td><td>43.21</td><td>34.72</td><td>10.59</td><td>32.23</td><td>0.00</td><td>308</td><td>27</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5761.64	56.29	68.20	-11.91	43.21	34.72	10.59	32.23	0.00	308	27	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>104.14</td><td>-----</td><td>-----</td><td>91.26</td><td>34.61</td><td>10.41</td><td>32.14</td><td>0.00</td><td>308</td><td>27</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	104.14	-----	-----	91.26	34.61	10.41	32.14	0.00	308	27	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5761.64	56.29	68.20	-11.91	43.21	34.72	10.59	32.23	0.00	308	27	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5510.00	104.14	-----	-----	91.26	34.61	10.41	32.14	0.00	308	27	PEAK																																																																																							







Mode	23																																																																							
	Harmonic																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full_5510MHz																																																																							
ANT	1																																																																							
Pol.	Horizontal						Vertical																																																																	
Peak Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>44.67</td><td>74.00</td><td>-29.33</td><td>58.35</td><td>38.02</td><td>14.88</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>16530.00</td><td>47.79</td><td>68.20</td><td>-20.41</td><td>53.60</td><td>41.33</td><td>18.30</td><td>65.44</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11020.00	44.67	74.00	-29.33	58.35	38.02	14.88	66.58	0.00	---	---	PEAK	2	16530.00	47.79	68.20	-20.41	53.60	41.33	18.30	65.44	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	11020.00	44.67	74.00	-29.33	58.35	38.02	14.88	66.58	0.00	---	---	PEAK																																																												
2	16530.00	47.79	68.20	-20.41	53.60	41.33	18.30	65.44	0.00	---	---	PEAK																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>45.12</td><td>74.00</td><td>-28.88</td><td>58.80</td><td>38.02</td><td>14.88</td><td>66.58</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>16530.00</td><td>48.14</td><td>68.20</td><td>-20.06</td><td>53.96</td><td>41.33</td><td>18.30</td><td>65.45</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11020.00	45.12	74.00	-28.88	58.80	38.02	14.88	66.58	0.00	---	---	PEAK	2	16530.00	48.14	68.20	-20.06	53.96	41.33	18.30	65.45	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	11020.00	45.12	74.00	-28.88	58.80	38.02	14.88	66.58	0.00	---	---	PEAK																																																												
2	16530.00	48.14	68.20	-20.06	53.96	41.33	18.30	65.45	0.00	---	---	PEAK																																																												





Mode	24																																																																																																																																							
	Harmonic																																																																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full_5550MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																	
Peak Avg																																																																																																																																								
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11100.00</td><td>44.93</td><td>74.00</td><td>-29.07</td><td>58.42</td><td>38.10</td><td>14.93</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>16650.00</td><td>47.97</td><td>68.20</td><td>-20.23</td><td>53.35</td><td>41.47</td><td>18.38</td><td>65.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11100.00	44.93	74.00	-29.07	58.42	38.10	14.93	66.52	0.00	---	---	PEAK	2	16650.00	47.97	68.20	-20.23	53.35	41.47	18.38	65.23	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11100.00</td><td>44.83</td><td>74.00</td><td>-29.17</td><td>58.32</td><td>38.10</td><td>14.93</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>16650.00</td><td>47.82</td><td>68.20</td><td>-20.38</td><td>53.07</td><td>41.53</td><td>18.40</td><td>65.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11100.00	44.83	74.00	-29.17	58.32	38.10	14.93	66.52	0.00	---	---	PEAK	2	16650.00	47.82	68.20	-20.38	53.07	41.53	18.40	65.18	0.00	---	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																													
1	11100.00	44.93	74.00	-29.07	58.42	38.10	14.93	66.52	0.00	---	---	PEAK																																																																																																																												
2	16650.00	47.97	68.20	-20.23	53.35	41.47	18.38	65.23	0.00	---	---	PEAK																																																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																													
1	11100.00	44.83	74.00	-29.17	58.32	38.10	14.93	66.52	0.00	---	---	PEAK																																																																																																																												
2	16650.00	47.82	68.20	-20.38	53.07	41.53	18.40	65.18	0.00	---	---	PEAK																																																																																																																												
Avg	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11100.00</td><td>44.93</td><td>74.00</td><td>-29.07</td><td>58.42</td><td>38.10</td><td>14.93</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>16650.00</td><td>47.97</td><td>68.20</td><td>-20.23</td><td>53.35</td><td>41.47</td><td>18.38</td><td>65.23</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11100.00	44.93	74.00	-29.07	58.42	38.10	14.93	66.52	0.00	---	---	PEAK	2	16650.00	47.97	68.20	-20.23	53.35	41.47	18.38	65.23	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11100.00</td><td>44.83</td><td>74.00</td><td>-29.17</td><td>58.32</td><td>38.10</td><td>14.93</td><td>66.52</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>16650.00</td><td>47.82</td><td>68.20</td><td>-20.38</td><td>53.07</td><td>41.53</td><td>18.40</td><td>65.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	11100.00	44.83	74.00	-29.17	58.32	38.10	14.93	66.52	0.00	---	---	PEAK	2	16650.00	47.82	68.20	-20.38	53.07	41.53	18.40	65.18	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																													
1	11100.00	44.93	74.00	-29.07	58.42	38.10	14.93	66.52	0.00	---	---	PEAK																																																																																																																												
2	16650.00	47.97	68.20	-20.23	53.35	41.47	18.38	65.23	0.00	---	---	PEAK																																																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																													
1	11100.00	44.83	74.00	-29.17	58.32	38.10	14.93	66.52	0.00	---	---	PEAK																																																																																																																												
2	16650.00	47.82	68.20	-20.38	53.07	41.53	18.40	65.18	0.00	---	---	PEAK																																																																																																																												



Mode	25																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5405.04</td><td>53.54</td><td>74.00</td><td>-20.46</td><td>40.65</td><td>34.69</td><td>10.29</td><td>32.09</td><td>0.00</td><td>305</td><td>60 PEAK</td></tr><tr><td>2</td><td>5463.12</td><td>52.94</td><td>68.20</td><td>-15.26</td><td>40.10</td><td>34.60</td><td>10.36</td><td>32.12</td><td>0.00</td><td>305</td><td>60 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5405.04	53.54	74.00	-20.46	40.65	34.69	10.29	32.09	0.00	305	60 PEAK	2	5463.12	52.94	68.20	-15.26	40.10	34.60	10.36	32.12	0.00	305	60 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>103.23</td><td>-----</td><td>-----</td><td>90.17</td><td>34.66</td><td>10.55</td><td>32.15</td><td>0.00</td><td>305</td><td>60 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	103.23	-----	-----	90.17	34.66	10.55	32.15	0.00	305	60 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5405.04	53.54	74.00	-20.46	40.65	34.69	10.29	32.09	0.00	305	60 PEAK																																																																																																						
2	5463.12	52.94	68.20	-15.26	40.10	34.60	10.36	32.12	0.00	305	60 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	103.23	-----	-----	90.17	34.66	10.55	32.15	0.00	305	60 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5412.00</td><td>42.30</td><td>54.00</td><td>-11.62</td><td>29.50</td><td>34.68</td><td>10.30</td><td>32.10</td><td>0.00</td><td>305</td><td>60 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5412.00	42.30	54.00	-11.62	29.50	34.68	10.30	32.10	0.00	305	60 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>93.50</td><td>-----</td><td>-----</td><td>80.45</td><td>34.63</td><td>10.56</td><td>32.14</td><td>0.00</td><td>305</td><td>60 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	93.50	-----	-----	80.45	34.63	10.56	32.14	0.00	305	60 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5412.00	42.30	54.00	-11.62	29.50	34.68	10.30	32.10	0.00	305	60 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	93.50	-----	-----	80.45	34.63	10.56	32.14	0.00	305	60 AVERAGE																																																																																																						





Mode	25																																																																																																			
	Band Edge - R																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.12</td><td>56.87</td><td>68.20</td><td>-11.33</td><td>43.81</td><td>34.68</td><td>10.58</td><td>32.20</td><td>0.00</td><td>305</td><td>60</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5742.12	56.87	68.20	-11.33	43.81	34.68	10.58	32.20	0.00	305	60	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>103.23</td><td>-----</td><td>-----</td><td>90.17</td><td>34.66</td><td>10.55</td><td>32.15</td><td>0.00</td><td>305</td><td>60</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	103.23	-----	-----	90.17	34.66	10.55	32.15	0.00	305	60	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5742.12	56.87	68.20	-11.33	43.81	34.68	10.58	32.20	0.00	305	60	PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5670.00	103.23	-----	-----	90.17	34.66	10.55	32.15	0.00	305	60	PEAK																																																																																								






Mode	25																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5403.28</td><td>54.19</td><td>74.00</td><td>-19.81</td><td>41.31</td><td>34.69</td><td>10.28</td><td>32.09</td><td>0.00</td><td>292</td><td>316 PEAK</td></tr><tr><td>2</td><td>5460.72</td><td>52.33</td><td>68.20</td><td>-15.87</td><td>39.49</td><td>34.60</td><td>10.36</td><td>32.12</td><td>0.00</td><td>292</td><td>316 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5403.28	54.19	74.00	-19.81	41.31	34.69	10.28	32.09	0.00	292	316 PEAK	2	5460.72	52.33	68.20	-15.87	39.49	34.60	10.36	32.12	0.00	292	316 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>106.29</td><td>-----</td><td>-----</td><td>93.23</td><td>34.66</td><td>10.55</td><td>32.15</td><td>0.00</td><td>292</td><td>316 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	106.29	-----	-----	93.23	34.66	10.55	32.15	0.00	292	316 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5403.28	54.19	74.00	-19.81	41.31	34.69	10.28	32.09	0.00	292	316 PEAK																																																																																																						
2	5460.72	52.33	68.20	-15.87	39.49	34.60	10.36	32.12	0.00	292	316 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	106.29	-----	-----	93.23	34.66	10.55	32.15	0.00	292	316 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5412.88</td><td>42.54</td><td>54.00</td><td>-11.46</td><td>29.67</td><td>34.67</td><td>10.30</td><td>32.10</td><td>0.00</td><td>292</td><td>316 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5412.88	42.54	54.00	-11.46	29.67	34.67	10.30	32.10	0.00	292	316 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>96.16</td><td>-----</td><td>-----</td><td>83.09</td><td>34.65</td><td>10.56</td><td>32.14</td><td>0.00</td><td>292</td><td>316 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	96.16	-----	-----	83.09	34.65	10.56	32.14	0.00	292	316 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5412.88	42.54	54.00	-11.46	29.67	34.67	10.30	32.10	0.00	292	316 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	96.16	-----	-----	83.09	34.65	10.56	32.14	0.00	292	316 AVERAGE																																																																																																						





Mode	25																																																																																																							
	Band Edge - R																																																																																																							
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Vertical						Fundamental																																																																																																	
Peak																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.92</td><td>58.03</td><td>68.20</td><td>-10.17</td><td>44.98</td><td>34.65</td><td>10.57</td><td>32.17</td><td>0.00</td><td>292</td><td>316 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5726.92	58.03	68.20	-10.17	44.98	34.65	10.57	32.17	0.00	292	316 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>106.29</td><td>-----</td><td>-----</td><td>93.23</td><td>34.66</td><td>10.55</td><td>32.15</td><td>0.00</td><td>292</td><td>316 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	106.29	-----	-----	93.23	34.66	10.55	32.15	0.00	292	316 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5726.92	58.03	68.20	-10.17	44.98	34.65	10.57	32.17	0.00	292	316 PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5670.00	106.29	-----	-----	93.23	34.66	10.55	32.15	0.00	292	316 PEAK																																																																																													





Mode	25																																																																																																																																																											
	Harmonic																																																																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE40_CH134_Full_5670MHz																																																																																																																																																											
ANT	1																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>47.17</td><td>74.00</td><td>-26.83</td><td>60.25</td><td>38.20</td><td>15.07</td><td>66.35</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>37.86</td><td>54.00</td><td>-16.14</td><td>50.94</td><td>38.20</td><td>15.07</td><td>66.35</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>3</td><td>17010.00</td><td>49.99</td><td>68.20</td><td>-18.21</td><td>54.48</td><td>41.39</td><td>18.65</td><td>64.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	47.17	74.00	-26.83	60.25	38.20	15.07	66.35	0.00	300	360	PEAK	2	11340.00	37.86	54.00	-16.14	50.94	38.20	15.07	66.35	0.00	300	360	AVERAGE	3	17010.00	49.99	68.20	-18.21	54.48	41.39	18.65	64.53	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>48.96</td><td>74.00</td><td>-25.04</td><td>62.04</td><td>38.20</td><td>15.07</td><td>66.35</td><td>0.00</td><td>100</td><td>150</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>40.56</td><td>54.00</td><td>-13.44</td><td>53.64</td><td>38.20</td><td>15.07</td><td>66.35</td><td>0.00</td><td>100</td><td>150</td><td>AVERAGE</td></tr><tr><td>3</td><td>17010.00</td><td>49.48</td><td>68.20</td><td>-18.72</td><td>53.98</td><td>41.38</td><td>18.65</td><td>64.53</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	48.96	74.00	-25.04	62.04	38.20	15.07	66.35	0.00	100	150	PEAK	2	11340.00	40.56	54.00	-13.44	53.64	38.20	15.07	66.35	0.00	100	150	AVERAGE	3	17010.00	49.48	68.20	-18.72	53.98	41.38	18.65	64.53	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																		
1	11340.00	47.17	74.00	-26.83	60.25	38.20	15.07	66.35	0.00	300	360	PEAK																																																																																																																																																
2	11340.00	37.86	54.00	-16.14	50.94	38.20	15.07	66.35	0.00	300	360	AVERAGE																																																																																																																																																
3	17010.00	49.99	68.20	-18.21	54.48	41.39	18.65	64.53	0.00	---	---	PEAK																																																																																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																		
1	11340.00	48.96	74.00	-25.04	62.04	38.20	15.07	66.35	0.00	100	150	PEAK																																																																																																																																																
2	11340.00	40.56	54.00	-13.44	53.64	38.20	15.07	66.35	0.00	100	150	AVERAGE																																																																																																																																																
3	17010.00	49.48	68.20	-18.72	53.98	41.38	18.65	64.53	0.00	---	---	PEAK																																																																																																																																																







Mode	22																																																																																																													
	30M-1G																																																																																																													
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full_5310MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal																																																																																																													
Peak																																																																																																														
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>92.08</td><td>19.56</td><td>43.50</td><td>-23.94</td><td>35.21</td><td>14.87</td><td>1.56</td><td>32.08</td><td>0.00</td><td>--- --- Peak</td></tr><tr><td>2</td><td>164.83</td><td>30.64</td><td>43.50</td><td>-12.86</td><td>44.64</td><td>16.05</td><td>2.01</td><td>32.06</td><td>0.00</td><td>--- --- Peak</td></tr><tr><td>3</td><td>266.68</td><td>20.43</td><td>46.00</td><td>-25.57</td><td>30.22</td><td>19.77</td><td>2.52</td><td>32.08</td><td>0.00</td><td>--- --- Peak</td></tr><tr><td>4</td><td>573.20</td><td>25.07</td><td>46.00</td><td>-20.93</td><td>27.79</td><td>25.96</td><td>3.60</td><td>32.28</td><td>0.00</td><td>--- --- Peak</td></tr><tr><td>5</td><td>817.64</td><td>28.41</td><td>46.00</td><td>-17.59</td><td>27.92</td><td>28.01</td><td>4.30</td><td>31.82</td><td>0.00</td><td>--- --- Peak</td></tr><tr><td>6</td><td>925.31</td><td>28.94</td><td>46.00</td><td>-17.06</td><td>25.94</td><td>29.51</td><td>4.60</td><td>31.11</td><td>0.00</td><td>--- --- Peak</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	92.08	19.56	43.50	-23.94	35.21	14.87	1.56	32.08	0.00	--- --- Peak	2	164.83	30.64	43.50	-12.86	44.64	16.05	2.01	32.06	0.00	--- --- Peak	3	266.68	20.43	46.00	-25.57	30.22	19.77	2.52	32.08	0.00	--- --- Peak	4	573.20	25.07	46.00	-20.93	27.79	25.96	3.60	32.28	0.00	--- --- Peak	5	817.64	28.41	46.00	-17.59	27.92	28.01	4.30	31.82	0.00	--- --- Peak	6	925.31	28.94	46.00	-17.06	25.94	29.51	4.60	31.11	0.00	--- --- Peak
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																			
	1	92.08	19.56	43.50	-23.94	35.21	14.87	1.56	32.08	0.00	--- --- Peak																																																																																																			
	2	164.83	30.64	43.50	-12.86	44.64	16.05	2.01	32.06	0.00	--- --- Peak																																																																																																			
	3	266.68	20.43	46.00	-25.57	30.22	19.77	2.52	32.08	0.00	--- --- Peak																																																																																																			
	4	573.20	25.07	46.00	-20.93	27.79	25.96	3.60	32.28	0.00	--- --- Peak																																																																																																			
	5	817.64	28.41	46.00	-17.59	27.92	28.01	4.30	31.82	0.00	--- --- Peak																																																																																																			
6	925.31	28.94	46.00	-17.06	25.94	29.51	4.60	31.11	0.00	--- --- Peak																																																																																																				
Vertical																																																																																																														
																																																																																																														
<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>91.11</td><td>36.88</td><td>43.50</td><td>-6.62</td><td>52.65</td><td>14.76</td><td>1.55</td><td>32.08</td><td>0.00</td><td>--- --- Peak</td></tr><tr><td>2</td><td>162.89</td><td>26.99</td><td>43.50</td><td>-16.51</td><td>40.85</td><td>16.21</td><td>1.99</td><td>32.06</td><td>0.00</td><td>--- --- Peak</td></tr><tr><td>3</td><td>281.23</td><td>25.41</td><td>46.00</td><td>-20.59</td><td>36.09</td><td>18.00</td><td>2.59</td><td>32.07</td><td>0.00</td><td>--- --- Peak</td></tr><tr><td>4</td><td>556.71</td><td>24.14</td><td>46.00</td><td>-21.86</td><td>26.97</td><td>25.86</td><td>3.55</td><td>32.24</td><td>0.00</td><td>--- --- Peak</td></tr><tr><td>5</td><td>706.09</td><td>31.55</td><td>46.00</td><td>-14.45</td><td>33.32</td><td>26.47</td><td>4.00</td><td>32.24</td><td>0.00</td><td>--- --- Peak</td></tr><tr><td>6</td><td>734.22</td><td>27.05</td><td>46.00</td><td>-18.95</td><td>27.57</td><td>27.56</td><td>4.08</td><td>32.16</td><td>0.00</td><td>--- --- Peak</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	91.11	36.88	43.50	-6.62	52.65	14.76	1.55	32.08	0.00	--- --- Peak	2	162.89	26.99	43.50	-16.51	40.85	16.21	1.99	32.06	0.00	--- --- Peak	3	281.23	25.41	46.00	-20.59	36.09	18.00	2.59	32.07	0.00	--- --- Peak	4	556.71	24.14	46.00	-21.86	26.97	25.86	3.55	32.24	0.00	--- --- Peak	5	706.09	31.55	46.00	-14.45	33.32	26.47	4.00	32.24	0.00	--- --- Peak	6	734.22	27.05	46.00	-18.95	27.57	27.56	4.08	32.16	0.00	--- --- Peak	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	91.11	36.88	43.50	-6.62	52.65	14.76	1.55	32.08	0.00	--- --- Peak																																																																																																				
2	162.89	26.99	43.50	-16.51	40.85	16.21	1.99	32.06	0.00	--- --- Peak																																																																																																				
3	281.23	25.41	46.00	-20.59	36.09	18.00	2.59	32.07	0.00	--- --- Peak																																																																																																				
4	556.71	24.14	46.00	-21.86	26.97	25.86	3.55	32.24	0.00	--- --- Peak																																																																																																				
5	706.09	31.55	46.00	-14.45	33.32	26.47	4.00	32.24	0.00	--- --- Peak																																																																																																				
6	734.22	27.05	46.00	-18.95	27.57	27.56	4.08	32.16	0.00	--- --- Peak																																																																																																				





Mode	26																																																																																						
	Band Edge																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																						
ANT	1																																																																																						
Pol.	Horizontal																																																																																						
Peak	Fundamental																																																																																						
																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5641.60</td><td>54.58</td><td>68.20</td><td>-13.62</td><td>41.50</td><td>34.70</td><td>10.54</td><td>32.16</td><td>0.00</td><td>300</td><td>48 PEAK</td></tr><tr><td>2 5650.00</td><td>51.37</td><td>68.20</td><td>-16.83</td><td>38.27</td><td>34.70</td><td>10.55</td><td>32.15</td><td>0.00</td><td>300</td><td>48 PEAK</td></tr><tr><td>3 5700.40</td><td>62.28</td><td>105.41</td><td>-43.13</td><td>49.24</td><td>34.60</td><td>10.57</td><td>32.13</td><td>0.00</td><td>300</td><td>48 PEAK</td></tr><tr><td>4 5720.00</td><td>62.77</td><td>110.90</td><td>-48.13</td><td>49.72</td><td>34.64</td><td>10.57</td><td>32.16</td><td>0.00</td><td>300</td><td>48 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5641.60	54.58	68.20	-13.62	41.50	34.70	10.54	32.16	0.00	300	48 PEAK	2 5650.00	51.37	68.20	-16.83	38.27	34.70	10.55	32.15	0.00	300	48 PEAK	3 5700.40	62.28	105.41	-43.13	49.24	34.60	10.57	32.13	0.00	300	48 PEAK	4 5720.00	62.77	110.90	-48.13	49.72	34.64	10.57	32.16	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5641.60	54.58	68.20	-13.62	41.50	34.70	10.54	32.16	0.00	300	48 PEAK																																																																													
2 5650.00	51.37	68.20	-16.83	38.27	34.70	10.55	32.15	0.00	300	48 PEAK																																																																													
3 5700.40	62.28	105.41	-43.13	49.24	34.60	10.57	32.13	0.00	300	48 PEAK																																																																													
4 5720.00	62.77	110.90	-48.13	49.72	34.64	10.57	32.16	0.00	300	48 PEAK																																																																													
Avg	Blank																																																																																						
																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>99.81</td><td>-----</td><td>-----</td><td>86.74</td><td>34.69</td><td>10.58</td><td>32.20</td><td>0.00</td><td>300</td><td>48 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	99.81	-----	-----	86.74	34.69	10.58	32.20	0.00	300	48 AVERAGE																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5745.00	99.81	-----	-----	86.74	34.69	10.58	32.20	0.00	300	48 AVERAGE																																																																													





Mode	26																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5682.00</td><td>53.79</td><td>68.20</td><td>-14.41</td><td>40.74</td><td>34.70</td><td>10.53</td><td>32.18</td><td>0.00</td><td>300</td><td>322 PEAK</td></tr><tr><td>2 5652.00</td><td>53.51</td><td>69.69</td><td>-16.18</td><td>40.41</td><td>34.70</td><td>10.55</td><td>32.15</td><td>0.00</td><td>300</td><td>322 PEAK</td></tr><tr><td>3 5711.20</td><td>67.33</td><td>108.44</td><td>-41.11</td><td>54.29</td><td>34.62</td><td>10.57</td><td>32.15</td><td>0.00</td><td>300</td><td>322 PEAK</td></tr><tr><td>4 5720.00</td><td>66.22</td><td>110.90</td><td>-44.68</td><td>53.17</td><td>34.64</td><td>10.57</td><td>32.16</td><td>0.00</td><td>300</td><td>322 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5682.00	53.79	68.20	-14.41	40.74	34.70	10.53	32.18	0.00	300	322 PEAK	2 5652.00	53.51	69.69	-16.18	40.41	34.70	10.55	32.15	0.00	300	322 PEAK	3 5711.20	67.33	108.44	-41.11	54.29	34.62	10.57	32.15	0.00	300	322 PEAK	4 5720.00	66.22	110.90	-44.68	53.17	34.64	10.57	32.16	0.00	300	322 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5682.00	53.79	68.20	-14.41	40.74	34.70	10.53	32.18	0.00	300	322 PEAK																																																																														
2 5652.00	53.51	69.69	-16.18	40.41	34.70	10.55	32.15	0.00	300	322 PEAK																																																																														
3 5711.20	67.33	108.44	-41.11	54.29	34.62	10.57	32.15	0.00	300	322 PEAK																																																																														
4 5720.00	66.22	110.90	-44.68	53.17	34.64	10.57	32.16	0.00	300	322 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5745.00</td><td>110.90</td><td>-----</td><td>-----</td><td>97.83</td><td>34.70</td><td>10.58</td><td>32.21</td><td>0.00</td><td>300</td><td>322 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	110.90	-----	-----	97.83	34.70	10.58	32.21	0.00	300	322 PEAK																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5745.00	110.90	-----	-----	97.83	34.70	10.58	32.21	0.00	300	322 PEAK																																																																														



Mode	26																																																																																																																																															
	Harmonic																																																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																															
ANT	1																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11490.00</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>65.80</td><td>38.38</td><td>15.15</td><td>66.25</td><td>0.00</td><td>280</td><td>198 PEAK</td></tr><tr><td>2 11490.00</td><td>44.89</td><td>54.00</td><td>-9.11</td><td>57.61</td><td>38.38</td><td>15.15</td><td>66.25</td><td>0.00</td><td>280</td><td>198 AVERAGE</td></tr><tr><td>3 17235.00</td><td>54.38</td><td>68.20</td><td>-13.82</td><td>59.22</td><td>41.07</td><td>18.75</td><td>64.66</td><td>0.00</td><td>180</td><td>131 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	53.08	74.00	-20.92	65.80	38.38	15.15	66.25	0.00	280	198 PEAK	2 11490.00	44.89	54.00	-9.11	57.61	38.38	15.15	66.25	0.00	280	198 AVERAGE	3 17235.00	54.38	68.20	-13.82	59.22	41.07	18.75	64.66	0.00	180	131 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 11490.00</td><td>52.61</td><td>74.00</td><td>-21.39</td><td>65.33</td><td>38.38</td><td>15.15</td><td>66.25</td><td>0.00</td><td>100</td><td>155 PEAK</td></tr><tr><td>2 11490.00</td><td>45.28</td><td>54.00</td><td>-8.72</td><td>58.01</td><td>38.37</td><td>15.15</td><td>66.25</td><td>0.00</td><td>100</td><td>155 AVERAGE</td></tr><tr><td>3 17235.00</td><td>56.11</td><td>68.20</td><td>-12.09</td><td>60.95</td><td>41.07</td><td>18.75</td><td>64.66</td><td>0.00</td><td>300</td><td>31 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	52.61	74.00	-21.39	65.33	38.38	15.15	66.25	0.00	100	155 PEAK	2 11490.00	45.28	54.00	-8.72	58.01	38.37	15.15	66.25	0.00	100	155 AVERAGE	3 17235.00	56.11	68.20	-12.09	60.95	41.07	18.75	64.66	0.00	300	31 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1 11490.00	53.08	74.00	-20.92	65.80	38.38	15.15	66.25	0.00	280	198 PEAK																																																																																																																																						
2 11490.00	44.89	54.00	-9.11	57.61	38.38	15.15	66.25	0.00	280	198 AVERAGE																																																																																																																																						
3 17235.00	54.38	68.20	-13.82	59.22	41.07	18.75	64.66	0.00	180	131 PEAK																																																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1 11490.00	52.61	74.00	-21.39	65.33	38.38	15.15	66.25	0.00	100	155 PEAK																																																																																																																																						
2 11490.00	45.28	54.00	-8.72	58.01	38.37	15.15	66.25	0.00	100	155 AVERAGE																																																																																																																																						
3 17235.00	56.11	68.20	-12.09	60.95	41.07	18.75	64.66	0.00	300	31 PEAK																																																																																																																																						





Mode	27																																																																																																																																																										
	Harmonic																																																																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																																										
ANT	1																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>51.37</td><td>74.00</td><td>-22.63</td><td>63.88</td><td>38.47</td><td>15.20</td><td>66.18</td><td>0.00</td><td>253</td><td>194</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>44.32</td><td>54.00</td><td>-9.68</td><td>56.83</td><td>38.47</td><td>15.20</td><td>66.18</td><td>0.00</td><td>253</td><td>194</td><td>AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>55.03</td><td>68.20</td><td>-13.17</td><td>59.96</td><td>41.00</td><td>18.81</td><td>64.74</td><td>0.00</td><td>165</td><td>132</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	51.37	74.00	-22.63	63.88	38.47	15.20	66.18	0.00	253	194	PEAK	2	11570.00	44.32	54.00	-9.68	56.83	38.47	15.20	66.18	0.00	253	194	AVERAGE	3	17355.00	55.03	68.20	-13.17	59.96	41.00	18.81	64.74	0.00	165	132	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>51.52</td><td>74.00</td><td>-22.48</td><td>64.03</td><td>38.47</td><td>15.20</td><td>66.18</td><td>0.00</td><td>100</td><td>207</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>44.57</td><td>54.00</td><td>-9.43</td><td>57.08</td><td>38.47</td><td>15.20</td><td>66.18</td><td>0.00</td><td>100</td><td>207</td><td>AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>57.94</td><td>68.20</td><td>-10.26</td><td>62.87</td><td>41.00</td><td>18.81</td><td>64.74</td><td>0.00</td><td>300</td><td>28</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	51.52	74.00	-22.48	64.03	38.47	15.20	66.18	0.00	100	207	PEAK	2	11570.00	44.57	54.00	-9.43	57.08	38.47	15.20	66.18	0.00	100	207	AVERAGE	3	17355.00	57.94	68.20	-10.26	62.87	41.00	18.81	64.74	0.00	300	28	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	11570.00	51.37	74.00	-22.63	63.88	38.47	15.20	66.18	0.00	253	194	PEAK																																																																																																																																															
2	11570.00	44.32	54.00	-9.68	56.83	38.47	15.20	66.18	0.00	253	194	AVERAGE																																																																																																																																															
3	17355.00	55.03	68.20	-13.17	59.96	41.00	18.81	64.74	0.00	165	132	PEAK																																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	11570.00	51.52	74.00	-22.48	64.03	38.47	15.20	66.18	0.00	100	207	PEAK																																																																																																																																															
2	11570.00	44.57	54.00	-9.43	57.08	38.47	15.20	66.18	0.00	100	207	AVERAGE																																																																																																																																															
3	17355.00	57.94	68.20	-10.26	62.87	41.00	18.81	64.74	0.00	300	28	PEAK																																																																																																																																															





Mode	28										
	Band Edge										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz										
ANT	1										
Pol.	Horizontal										
Peak	</										






		28																																																																																					
Mode	Band Edge																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																						
ANT	1																																																																																						
Pol.	Vertical																																																																																						
Peak																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>67.14</td><td>111.36</td><td>-44.22</td><td>53.83</td><td>34.92</td><td>10.64</td><td>32.25</td><td>0.00</td><td>260 324 PEAK</td></tr><tr><td>2</td><td>5856.00</td><td>69.98</td><td>110.62</td><td>-40.64</td><td>56.67</td><td>34.92</td><td>10.64</td><td>32.25</td><td>0.00</td><td>260 324 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>52.94</td><td>68.35</td><td>-15.41</td><td>39.29</td><td>35.15</td><td>10.69</td><td>32.19</td><td>0.00</td><td>260 324 PEAK</td></tr><tr><td>4</td><td>5963.60</td><td>56.04</td><td>68.20</td><td>-12.16</td><td>42.25</td><td>35.23</td><td>10.71</td><td>32.15</td><td>0.00</td><td>260 324 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	67.14	111.36	-44.22	53.83	34.92	10.64	32.25	0.00	260 324 PEAK	2	5856.00	69.98	110.62	-40.64	56.67	34.92	10.64	32.25	0.00	260 324 PEAK	3	5924.00	52.94	68.35	-15.41	39.29	35.15	10.69	32.19	0.00	260 324 PEAK	4	5963.60	56.04	68.20	-12.16	42.25	35.23	10.71	32.15	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.00	67.14	111.36	-44.22	53.83	34.92	10.64	32.25	0.00	260 324 PEAK																																																																													
2	5856.00	69.98	110.62	-40.64	56.67	34.92	10.64	32.25	0.00	260 324 PEAK																																																																													
3	5924.00	52.94	68.35	-15.41	39.29	35.15	10.69	32.19	0.00	260 324 PEAK																																																																													
4	5963.60	56.04	68.20	-12.16	42.25	35.23	10.71	32.15	0.00	260 324 PEAK																																																																													
Avg	Blank																																																																																						
																																																																																							
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>111.39</td><td>-----</td><td>-----</td><td>98.18</td><td>34.86</td><td>10.62</td><td>32.27</td><td>0.00</td><td>260 324 PEAK</td></tr></tbody></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	111.39	-----	-----	98.18	34.86	10.62	32.27	0.00	260 324 PEAK																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5825.00	111.39	-----	-----	98.18	34.86	10.62	32.27	0.00	260 324 PEAK																																																																													






Mode	28																																																																	
	Harmonic																																																																	
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																	
ANT	1																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1 11650.00</td><td>50.33</td><td>74.00</td><td>-23.67</td><td>62.58</td><td>38.60</td><td>15.25</td><td>66.10</td><td>0.00</td><td>197</td><td>92 PEAK</td></tr><tr><td>2 11650.00</td><td>44.04</td><td>54.00</td><td>-9.96</td><td>56.32</td><td>38.59</td><td>15.24</td><td>66.11</td><td>0.00</td><td>197</td><td>92 AVERAGE</td></tr><tr><td>3 17475.00</td><td>54.82</td><td>68.20</td><td>-13.38</td><td>59.69</td><td>41.08</td><td>18.87</td><td>64.82</td><td>0.00</td><td>100</td><td>130 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1 11650.00	50.33	74.00	-23.67	62.58	38.60	15.25	66.10	0.00	197	92 PEAK	2 11650.00	44.04	54.00	-9.96	56.32	38.59	15.24	66.11	0.00	197	92 AVERAGE	3 17475.00	54.82	68.20	-13.38	59.69	41.08	18.87	64.82	0.00	100	130 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
1 11650.00	50.33	74.00	-23.67	62.58	38.60	15.25	66.10	0.00	197	92 PEAK																																																								
2 11650.00	44.04	54.00	-9.96	56.32	38.59	15.24	66.11	0.00	197	92 AVERAGE																																																								
3 17475.00	54.82	68.20	-13.38	59.69	41.08	18.87	64.82	0.00	100	130 PEAK																																																								
Vertical																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1 11650.00</td><td>50.22</td><td>74.00</td><td>-23.78</td><td>62.47</td><td>38.60</td><td>15.25</td><td>66.10</td><td>0.00</td><td>174</td><td>202 PEAK</td></tr><tr><td>2 11650.00</td><td>43.13</td><td>54.00</td><td>-10.87</td><td>55.41</td><td>38.59</td><td>15.24</td><td>66.11</td><td>0.00</td><td>174</td><td>202 AVERAGE</td></tr><tr><td>3 17475.00</td><td>57.61</td><td>68.20</td><td>-10.59</td><td>62.48</td><td>41.08</td><td>18.87</td><td>64.82</td><td>0.00</td><td>300</td><td>29 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1 11650.00	50.22	74.00	-23.78	62.47	38.60	15.25	66.10	0.00	174	202 PEAK	2 11650.00	43.13	54.00	-10.87	55.41	38.59	15.24	66.11	0.00	174	202 AVERAGE	3 17475.00	57.61	68.20	-10.59	62.48	41.08	18.87	64.82	0.00	300	29 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
1 11650.00	50.22	74.00	-23.78	62.47	38.60	15.25	66.10	0.00	174	202 PEAK																																																								
2 11650.00	43.13	54.00	-10.87	55.41	38.59	15.24	66.11	0.00	174	202 AVERAGE																																																								
3 17475.00	57.61	68.20	-10.59	62.48	41.08	18.87	64.82	0.00	300	29 PEAK																																																								





Mode	29																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5649.20</td><td>54.88</td><td>68.20</td><td>-13.32</td><td>41.79</td><td>34.70</td><td>10.55</td><td>32.16</td><td>0.00</td><td>315</td><td>52 PEAK</td></tr><tr><td>2 5650.00</td><td>54.36</td><td>68.20</td><td>-13.84</td><td>41.26</td><td>34.70</td><td>10.55</td><td>32.15</td><td>0.00</td><td>315</td><td>52 PEAK</td></tr><tr><td>3 5709.60</td><td>71.06</td><td>107.99</td><td>-36.93</td><td>58.02</td><td>34.62</td><td>10.57</td><td>32.15</td><td>0.00</td><td>315</td><td>52 PEAK</td></tr><tr><td>4 5720.00</td><td>69.86</td><td>110.90</td><td>-41.04</td><td>56.81</td><td>34.64</td><td>10.57</td><td>32.16</td><td>0.00</td><td>315</td><td>52 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5649.20	54.88	68.20	-13.32	41.79	34.70	10.55	32.16	0.00	315	52 PEAK	2 5650.00	54.36	68.20	-13.84	41.26	34.70	10.55	32.15	0.00	315	52 PEAK	3 5709.60	71.06	107.99	-36.93	58.02	34.62	10.57	32.15	0.00	315	52 PEAK	4 5720.00	69.86	110.90	-41.04	56.81	34.64	10.57	32.16	0.00	315	52 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>108.58</td><td>-----</td><td>-----</td><td>95.51</td><td>34.68</td><td>10.58</td><td>32.19</td><td>0.00</td><td>315</td><td>52 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	108.58	-----	-----	95.51	34.68	10.58	32.19	0.00	315
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5649.20	54.88	68.20	-13.32	41.79	34.70	10.55	32.16	0.00	315	52 PEAK																																																																																																																									
2 5650.00	54.36	68.20	-13.84	41.26	34.70	10.55	32.15	0.00	315	52 PEAK																																																																																																																									
3 5709.60	71.06	107.99	-36.93	58.02	34.62	10.57	32.15	0.00	315	52 PEAK																																																																																																																									
4 5720.00	69.86	110.90	-41.04	56.81	34.64	10.57	32.16	0.00	315	52 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	108.58	-----	-----	95.51	34.68	10.58	32.19	0.00	315	52 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>98.97</td><td>-----</td><td>-----</td><td>85.90</td><td>34.68</td><td>10.58</td><td>32.19</td><td>0.00</td><td>315</td><td>52 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	98.97	-----	-----	85.90	34.68	10.58	32.19	0.00	315	52 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5745.00	98.97	-----	-----	85.90	34.68	10.58	32.19	0.00	315	52 AVERAGE																																																																																																																									





Mode	29																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.00</td><td>55.72</td><td>68.20</td><td>-12.48</td><td>42.63</td><td>34.70</td><td>10.55</td><td>32.16</td><td>0.00</td><td>300</td><td>322</td><td>PEAK</td></tr><tr><td>2</td><td>5652.80</td><td>56.55</td><td>70.29</td><td>-13.74</td><td>43.46</td><td>34.69</td><td>10.55</td><td>32.15</td><td>0.00</td><td>300</td><td>322</td><td>PEAK</td></tr><tr><td>3</td><td>5709.20</td><td>74.00</td><td>107.88</td><td>-33.88</td><td>60.95</td><td>34.62</td><td>10.57</td><td>32.14</td><td>0.00</td><td>300</td><td>322</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>72.40</td><td>111.81</td><td>-39.41</td><td>59.35</td><td>34.64</td><td>10.57</td><td>32.16</td><td>0.00</td><td>300</td><td>322</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5644.00	55.72	68.20	-12.48	42.63	34.70	10.55	32.16	0.00	300	322	PEAK	2	5652.80	56.55	70.29	-13.74	43.46	34.69	10.55	32.15	0.00	300	322	PEAK	3	5709.20	74.00	107.88	-33.88	60.95	34.62	10.57	32.14	0.00	300	322	PEAK	4	5720.40	72.40	111.81	-39.41	59.35	34.64	10.57	32.16	0.00	300	322	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>112.56</td><td>-----</td><td>-----</td><td>99.49</td><td>34.68</td><td>10.58</td><td>32.19</td><td>0.00</td><td>300</td><td>322</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	112.56	-----	-----	99.49	34.68	10.58	32.19	0.00	300	322	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5644.00	55.72	68.20	-12.48	42.63	34.70	10.55	32.16	0.00	300	322	PEAK																																																																																																																															
2	5652.80	56.55	70.29	-13.74	43.46	34.69	10.55	32.15	0.00	300	322	PEAK																																																																																																																															
3	5709.20	74.00	107.88	-33.88	60.95	34.62	10.57	32.14	0.00	300	322	PEAK																																																																																																																															
4	5720.40	72.40	111.81	-39.41	59.35	34.64	10.57	32.16	0.00	300	322	PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	112.56	-----	-----	99.49	34.68	10.58	32.19	0.00	300	322	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.81</td><td>-----</td><td>-----</td><td>89.74</td><td>34.70</td><td>10.58</td><td>32.21</td><td>0.00</td><td>300</td><td>322</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.81	-----	-----	89.74	34.70	10.58	32.21	0.00	300	322	AVERAGE																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	102.81	-----	-----	89.74	34.70	10.58	32.21	0.00	300	322	AVERAGE																																																																																																																															






Mode	29																																																																												
	Harmonic																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																												
ANT	1																																																																												
Pol.	Horizontal																																																																												
Peak Avg																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>52.49</td><td>74.00</td><td>-21.51</td><td>65.21</td><td>38.38</td><td>15.15</td><td>66.25</td><td>0.00</td><td>256</td><td>194 PEAK</td></tr><tr><td>2 11490.00</td><td>44.48</td><td>54.00</td><td>-9.52</td><td>57.20</td><td>38.38</td><td>15.15</td><td>66.25</td><td>0.00</td><td>256</td><td>194 AVERAGE</td></tr><tr><td>3 17235.00</td><td>55.04</td><td>68.20</td><td>-13.16</td><td>59.88</td><td>41.07</td><td>18.75</td><td>64.66</td><td>0.00</td><td>173</td><td>136 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	52.49	74.00	-21.51	65.21	38.38	15.15	66.25	0.00	256	194 PEAK	2 11490.00	44.48	54.00	-9.52	57.20	38.38	15.15	66.25	0.00	256	194 AVERAGE	3 17235.00	55.04	68.20	-13.16	59.88	41.07	18.75	64.66	0.00	173	136 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 11490.00	52.49	74.00	-21.51	65.21	38.38	15.15	66.25	0.00	256	194 PEAK																																																																			
2 11490.00	44.48	54.00	-9.52	57.20	38.38	15.15	66.25	0.00	256	194 AVERAGE																																																																			
3 17235.00	55.04	68.20	-13.16	59.88	41.07	18.75	64.66	0.00	173	136 PEAK																																																																			
Vertical																																																																													
																																																																													
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11490.00</td><td>52.58</td><td>74.00</td><td>-21.42</td><td>65.30</td><td>38.38</td><td>15.15</td><td>66.25</td><td>0.00</td><td>100</td><td>155 PEAK</td></tr><tr><td>2 11490.00</td><td>44.14</td><td>54.00</td><td>-9.86</td><td>56.86</td><td>38.38</td><td>15.15</td><td>66.25</td><td>0.00</td><td>100</td><td>155 AVERAGE</td></tr><tr><td>3 17235.00</td><td>55.91</td><td>68.20</td><td>-12.29</td><td>60.76</td><td>41.06</td><td>18.76</td><td>64.67</td><td>0.00</td><td>300</td><td>26 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	52.58	74.00	-21.42	65.30	38.38	15.15	66.25	0.00	100	155 PEAK	2 11490.00	44.14	54.00	-9.86	56.86	38.38	15.15	66.25	0.00	100	155 AVERAGE	3 17235.00	55.91	68.20	-12.29	60.76	41.06	18.76	64.67	0.00	300	26 PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 11490.00	52.58	74.00	-21.42	65.30	38.38	15.15	66.25	0.00	100	155 PEAK																																																																			
2 11490.00	44.14	54.00	-9.86	56.86	38.38	15.15	66.25	0.00	100	155 AVERAGE																																																																			
3 17235.00	55.91	68.20	-12.29	60.76	41.06	18.76	64.67	0.00	300	26 PEAK																																																																			






Mode	30																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>51.48</td><td>74.00</td><td>-22.52</td><td>63.99</td><td>38.47</td><td>15.20</td><td>66.18</td><td>0.00</td><td>269</td><td>356 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>43.19</td><td>54.00</td><td>-10.81</td><td>55.70</td><td>38.47</td><td>15.20</td><td>66.18</td><td>0.00</td><td>269</td><td>356 AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>53.00</td><td>68.20</td><td>-15.20</td><td>57.93</td><td>41.00</td><td>18.81</td><td>64.74</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	11570.00	51.48	74.00	-22.52	63.99	38.47	15.20	66.18	0.00	269	356 PEAK	2	11570.00	43.19	54.00	-10.81	55.70	38.47	15.20	66.18	0.00	269	356 AVERAGE	3	17355.00	53.00	68.20	-15.20	57.93	41.00	18.81	64.74	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>50.30</td><td>74.00</td><td>-23.70</td><td>62.81</td><td>38.47</td><td>15.20</td><td>66.18</td><td>0.00</td><td>100</td><td>160 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>41.95</td><td>54.00</td><td>-12.05</td><td>54.46</td><td>38.47</td><td>15.20</td><td>66.18</td><td>0.00</td><td>100</td><td>160 AVERAGE</td></tr><tr><td>3</td><td>17355.00</td><td>56.01</td><td>68.20</td><td>-12.19</td><td>60.94</td><td>41.00</td><td>18.81</td><td>64.74</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	11570.00	50.30	74.00	-23.70	62.81	38.47	15.20	66.18	0.00	100	160 PEAK	2	11570.00	41.95	54.00	-12.05	54.46	38.47	15.20	66.18	0.00	100	160 AVERAGE	3	17355.00	56.01	68.20	-12.19	60.94	41.00	18.81	64.74	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
1	11570.00	51.48	74.00	-22.52	63.99	38.47	15.20	66.18	0.00	269	356 PEAK																																																																																																																						
2	11570.00	43.19	54.00	-10.81	55.70	38.47	15.20	66.18	0.00	269	356 AVERAGE																																																																																																																						
3	17355.00	53.00	68.20	-15.20	57.93	41.00	18.81	64.74	0.00	---	---	PEAK																																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																							
1	11570.00	50.30	74.00	-23.70	62.81	38.47	15.20	66.18	0.00	100	160 PEAK																																																																																																																						
2	11570.00	41.95	54.00	-12.05	54.46	38.47	15.20	66.18	0.00	100	160 AVERAGE																																																																																																																						
3	17355.00	56.01	68.20	-12.19	60.94	41.00	18.81	64.74	0.00	---	---	PEAK																																																																																																																					



Mode	31																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																						
ANT	1																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>69.51</td><td>111.36</td><td>-41.85</td><td>56.20</td><td>34.92</td><td>10.64</td><td>32.25</td><td>0.00</td><td>269</td><td>48</td></tr><tr><td>2</td><td>5862.40</td><td>72.67</td><td>108.83</td><td>-36.16</td><td>59.33</td><td>34.95</td><td>10.64</td><td>32.25</td><td>0.00</td><td>269</td><td>48</td></tr><tr><td>3</td><td>5921.20</td><td>56.75</td><td>71.01</td><td>-14.26</td><td>43.13</td><td>35.14</td><td>10.68</td><td>32.20</td><td>0.00</td><td>269</td><td>48</td></tr><tr><td>4</td><td>5926.00</td><td>55.51</td><td>68.20</td><td>-12.69</td><td>41.86</td><td>35.15</td><td>10.69</td><td>32.19</td><td>0.00</td><td>269</td><td>48</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5854.00	69.51	111.36	-41.85	56.20	34.92	10.64	32.25	0.00	269	48	2	5862.40	72.67	108.83	-36.16	59.33	34.95	10.64	32.25	0.00	269	48	3	5921.20	56.75	71.01	-14.26	43.13	35.14	10.68	32.20	0.00	269	48	4	5926.00	55.51	68.20	-12.69	41.86	35.15	10.69	32.19	0.00	269	48	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>108.27</td><td>-----</td><td>-----</td><td>95.06</td><td>34.86</td><td>10.62</td><td>32.27</td><td>0.00</td><td>269</td><td>48</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	108.27	-----	-----	95.06	34.86	10.62	32.27	0.00	269
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5854.00	69.51	111.36	-41.85	56.20	34.92	10.64	32.25	0.00	269	48																																																																																																												
2	5862.40	72.67	108.83	-36.16	59.33	34.95	10.64	32.25	0.00	269	48																																																																																																												
3	5921.20	56.75	71.01	-14.26	43.13	35.14	10.68	32.20	0.00	269	48																																																																																																												
4	5926.00	55.51	68.20	-12.69	41.86	35.15	10.69	32.19	0.00	269	48																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	108.27	-----	-----	95.06	34.86	10.62	32.27	0.00	269	48																																																																																																												
Avg	Blank																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.00</td><td>-----</td><td>-----</td><td>85.63</td><td>34.84</td><td>10.61</td><td>32.28</td><td>0.00</td><td>269</td><td>48</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5825.00	98.00	-----	-----	85.63	34.84	10.61	32.28	0.00	269	48																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5825.00	98.00	-----	-----	85.63	34.84	10.61	32.28	0.00	269	48																																																																																																												






Mode	31																																																																																																																																													
	Band Edge																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>73.93</td><td>113.18</td><td>-39.25</td><td>60.62</td><td>34.92</td><td>10.64</td><td>32.25</td><td>0.00</td><td>309</td><td>320</td><td>PEAK</td></tr><tr><td>2</td><td>5862.00</td><td>76.28</td><td>108.94</td><td>-32.66</td><td>62.94</td><td>34.95</td><td>10.64</td><td>32.25</td><td>0.00</td><td>309</td><td>320</td><td>PEAK</td></tr><tr><td>3</td><td>5918.40</td><td>59.48</td><td>73.08</td><td>-13.60</td><td>45.86</td><td>35.14</td><td>10.68</td><td>32.20</td><td>0.00</td><td>309</td><td>320</td><td>PEAK</td></tr><tr><td>4</td><td>5926.00</td><td>57.92</td><td>68.20</td><td>-10.28</td><td>44.27</td><td>35.15</td><td>10.69</td><td>32.19</td><td>0.00</td><td>309</td><td>320</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	73.93	113.18	-39.25	60.62	34.92	10.64	32.25	0.00	309	320	PEAK	2	5862.00	76.28	108.94	-32.66	62.94	34.95	10.64	32.25	0.00	309	320	PEAK	3	5918.40	59.48	73.08	-13.60	45.86	35.14	10.68	32.20	0.00	309	320	PEAK	4	5926.00	57.92	68.20	-10.28	44.27	35.15	10.69	32.19	0.00	309	320	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>113.12</td><td>-----</td><td>-----</td><td>99.92</td><td>34.85</td><td>10.62</td><td>32.27</td><td>0.00</td><td>309</td><td>320</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	113.12	-----	-----	99.92	34.85	10.62	32.27	0.00	309	320
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5854.00	73.93	113.18	-39.25	60.62	34.92	10.64	32.25	0.00	309	320	PEAK																																																																																																																																		
2	5862.00	76.28	108.94	-32.66	62.94	34.95	10.64	32.25	0.00	309	320	PEAK																																																																																																																																		
3	5918.40	59.48	73.08	-13.60	45.86	35.14	10.68	32.20	0.00	309	320	PEAK																																																																																																																																		
4	5926.00	57.92	68.20	-10.28	44.27	35.15	10.69	32.19	0.00	309	320	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5825.00	113.12	-----	-----	99.92	34.85	10.62	32.27	0.00	309	320	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.09</td><td>-----</td><td>-----</td><td>89.88</td><td>34.86</td><td>10.62</td><td>32.27</td><td>0.00</td><td>309</td><td>320</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	103.09	-----	-----	89.88	34.86	10.62	32.27	0.00	309	320	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5825.00	103.09	-----	-----	89.88	34.86	10.62	32.27	0.00	309	320	AVERAGE																																																																																																																																		





Mode	31																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal																																																																															
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>48.41</td><td>74.00</td><td>-25.59</td><td>60.66</td><td>38.60</td><td>15.25</td><td>66.10</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>39.47</td><td>54.00</td><td>-14.53</td><td>51.73</td><td>38.60</td><td>15.25</td><td>66.11</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr><tr><td>3</td><td>17475.00</td><td>56.37</td><td>68.20</td><td>-11.83</td><td>61.24</td><td>41.07</td><td>18.87</td><td>64.81</td><td>0.00</td><td>182</td><td>133 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	48.41	74.00	-25.59	60.66	38.60	15.25	66.10	0.00	300	0 PEAK	2	11650.00	39.47	54.00	-14.53	51.73	38.60	15.25	66.11	0.00	300	0 AVERAGE	3	17475.00	56.37	68.20	-11.83	61.24	41.07	18.87	64.81	0.00	182	133 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	11650.00	48.41	74.00	-25.59	60.66	38.60	15.25	66.10	0.00	300	0 PEAK																																																																					
2	11650.00	39.47	54.00	-14.53	51.73	38.60	15.25	66.11	0.00	300	0 AVERAGE																																																																					
3	17475.00	56.37	68.20	-11.83	61.24	41.07	18.87	64.81	0.00	182	133 PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.78</td><td>74.00</td><td>-27.22</td><td>59.04</td><td>38.60</td><td>15.25</td><td>66.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17475.00</td><td>56.59</td><td>68.20</td><td>-11.61</td><td>61.46</td><td>41.08</td><td>18.87</td><td>64.82</td><td>0.00</td><td>300</td><td>28</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.78	74.00	-27.22	59.04	38.60	15.25	66.11	0.00	---	---	PEAK	2	17475.00	56.59	68.20	-11.61	61.46	41.08	18.87	64.82	0.00	300	28	PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	11650.00	46.78	74.00	-27.22	59.04	38.60	15.25	66.11	0.00	---	---	PEAK																																																																				
2	17475.00	56.59	68.20	-11.61	61.46	41.08	18.87	64.82	0.00	300	28	PEAK																																																																				
Vertical																																																																																
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.78</td><td>74.00</td><td>-27.22</td><td>59.04</td><td>38.60</td><td>15.25</td><td>66.11</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17475.00</td><td>56.59</td><td>68.20</td><td>-11.61</td><td>61.46</td><td>41.08</td><td>18.87</td><td>64.82</td><td>0.00</td><td>300</td><td>28</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.78	74.00	-27.22	59.04	38.60	15.25	66.11	0.00	---	---	PEAK	2	17475.00	56.59	68.20	-11.61	61.46	41.08	18.87	64.82	0.00	300	28	PEAK											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	11650.00	46.78	74.00	-27.22	59.04	38.60	15.25	66.11	0.00	---	---	PEAK																																																																				
2	17475.00	56.59	68.20	-11.61	61.46	41.08	18.87	64.82	0.00	300	28	PEAK																																																																				






Mode	32																																																																																											
	Band Edge - L																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal																																																																																											
Peak																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.80</td><td>56.29</td><td>68.20</td><td>-11.91</td><td>43.20</td><td>34.70</td><td>10.55</td><td>32.16</td><td>0.00</td><td>295</td><td>51 PEAK</td></tr><tr><td>2</td><td>5651.62</td><td>55.57</td><td>69.40</td><td>-13.83</td><td>42.47</td><td>34.70</td><td>10.55</td><td>32.15</td><td>0.00</td><td>295</td><td>51 PEAK</td></tr><tr><td>3</td><td>5705.09</td><td>69.30</td><td>106.73</td><td>-37.43</td><td>56.26</td><td>34.61</td><td>10.57</td><td>32.14</td><td>0.00</td><td>295</td><td>51 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>70.25</td><td>111.19</td><td>-40.94</td><td>57.20</td><td>34.64</td><td>10.57</td><td>32.16</td><td>0.00</td><td>295</td><td>51 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5644.80	56.29	68.20	-11.91	43.20	34.70	10.55	32.16	0.00	295	51 PEAK	2	5651.62	55.57	69.40	-13.83	42.47	34.70	10.55	32.15	0.00	295	51 PEAK	3	5705.09	69.30	106.73	-37.43	56.26	34.61	10.57	32.14	0.00	295	51 PEAK	4	5720.13	70.25	111.19	-40.94	57.20	34.64	10.57	32.16	0.00	295	51 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5644.80	56.29	68.20	-11.91	43.20	34.70	10.55	32.16	0.00	295	51 PEAK																																																																																	
2	5651.62	55.57	69.40	-13.83	42.47	34.70	10.55	32.15	0.00	295	51 PEAK																																																																																	
3	5705.09	69.30	106.73	-37.43	56.26	34.61	10.57	32.14	0.00	295	51 PEAK																																																																																	
4	5720.13	70.25	111.19	-40.94	57.20	34.64	10.57	32.16	0.00	295	51 PEAK																																																																																	
Fundamental																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>105.57</td><td>-----</td><td>-----</td><td>92.50</td><td>34.70</td><td>10.58</td><td>32.21</td><td>0.00</td><td>295</td><td>51 PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	105.57	-----	-----	92.50	34.70	10.58	32.21	0.00	295	51 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5755.00	105.57	-----	-----	92.50	34.70	10.58	32.21	0.00	295	51 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>96.15</td><td>-----</td><td>-----</td><td>83.00</td><td>34.69</td><td>10.58</td><td>32.20</td><td>0.00</td><td>295</td><td>51 AVERAGE</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	96.15	-----	-----	83.00	34.69	10.58	32.20	0.00	295	51 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																		
1	5755.00	96.15	-----	-----	83.00	34.69	10.58	32.20	0.00	295	51 AVERAGE																																																																																	





Mode	32																																																																																																																																													
	Band Edge - R																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																																							
Peak																																																																																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.06</td><td>56.58</td><td>113.04</td><td>-56.46</td><td>43.27</td><td>34.92</td><td>10.64</td><td>32.25</td><td>0.00</td><td>295</td><td>51 PEAK</td></tr><tr><td>2</td><td>5873.56</td><td>55.66</td><td>105.70</td><td>-50.04</td><td>42.26</td><td>34.99</td><td>10.65</td><td>32.24</td><td>0.00</td><td>295</td><td>51 PEAK</td></tr><tr><td>3</td><td>5924.65</td><td>55.01</td><td>68.46</td><td>-13.45</td><td>41.36</td><td>35.15</td><td>10.69</td><td>32.19</td><td>0.00</td><td>295</td><td>51 PEAK</td></tr><tr><td>4</td><td>5948.83</td><td>55.33</td><td>68.20</td><td>-12.87</td><td>41.60</td><td>35.20</td><td>10.70</td><td>32.17</td><td>0.00</td><td>295</td><td>51 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.06	56.58	113.04	-56.46	43.27	34.92	10.64	32.25	0.00	295	51 PEAK	2	5873.56	55.66	105.70	-50.04	42.26	34.99	10.65	32.24	0.00	295	51 PEAK	3	5924.65	55.01	68.46	-13.45	41.36	35.15	10.69	32.19	0.00	295	51 PEAK	4	5948.83	55.33	68.20	-12.87	41.60	35.20	10.70	32.17	0.00	295	51 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>105.57</td><td>-----</td><td>-----</td><td>92.50</td><td>34.70</td><td>10.58</td><td>32.21</td><td>0.00</td><td>295</td><td>51 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	105.57	-----	-----	92.50	34.70	10.58	32.21	0.00	295	51 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5854.06	56.58	113.04	-56.46	43.27	34.92	10.64	32.25	0.00	295	51 PEAK																																																																																																																																			
2	5873.56	55.66	105.70	-50.04	42.26	34.99	10.65	32.24	0.00	295	51 PEAK																																																																																																																																			
3	5924.65	55.01	68.46	-13.45	41.36	35.15	10.69	32.19	0.00	295	51 PEAK																																																																																																																																			
4	5948.83	55.33	68.20	-12.87	41.60	35.20	10.70	32.17	0.00	295	51 PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5755.00	105.57	-----	-----	92.50	34.70	10.58	32.21	0.00	295	51 PEAK																																																																																																																																			



Mode	32																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5640.61</td><td>57.72</td><td>68.20</td><td>-10.48</td><td>44.64</td><td>34.70</td><td>10.54</td><td>32.16</td><td>0.00</td><td>281 321 PEAK</td></tr><tr><td>2</td><td>5650.38</td><td>57.97</td><td>68.48</td><td>-10.51</td><td>44.87</td><td>34.70</td><td>10.55</td><td>32.15</td><td>0.00</td><td>281 321 PEAK</td></tr><tr><td>3</td><td>5705.09</td><td>72.52</td><td>106.73</td><td>-34.21</td><td>59.48</td><td>34.61</td><td>10.57</td><td>32.14</td><td>0.00</td><td>281 321 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>73.99</td><td>111.19</td><td>-37.20</td><td>60.94</td><td>34.64</td><td>10.57</td><td>32.16</td><td>0.00</td><td>281 321 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5640.61	57.72	68.20	-10.48	44.64	34.70	10.54	32.16	0.00	281 321 PEAK	2	5650.38	57.97	68.48	-10.51	44.87	34.70	10.55	32.15	0.00	281 321 PEAK	3	5705.09	72.52	106.73	-34.21	59.48	34.61	10.57	32.14	0.00	281 321 PEAK	4	5720.13	73.99	111.19	-37.20	60.94	34.64	10.57	32.16	0.00	281 321 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>109.57</td><td>-----</td><td>-----</td><td>96.50</td><td>34.70</td><td>10.58</td><td>32.21</td><td>0.00</td><td>281 321 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	109.57	-----	-----	96.50	34.70	10.58	32.21	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5640.61	57.72	68.20	-10.48	44.64	34.70	10.54	32.16	0.00	281 321 PEAK																																																																																																																									
2	5650.38	57.97	68.48	-10.51	44.87	34.70	10.55	32.15	0.00	281 321 PEAK																																																																																																																									
3	5705.09	72.52	106.73	-34.21	59.48	34.61	10.57	32.14	0.00	281 321 PEAK																																																																																																																									
4	5720.13	73.99	111.19	-37.20	60.94	34.64	10.57	32.16	0.00	281 321 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5755.00	109.57	-----	-----	96.50	34.70	10.58	32.21	0.00	281 321 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>100.11</td><td>-----</td><td>-----</td><td>87.02</td><td>34.75</td><td>10.59</td><td>32.25</td><td>0.00</td><td>281 321 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	100.11	-----	-----	87.02	34.75	10.59	32.25	0.00	281 321 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5755.00	100.11	-----	-----	87.02	34.75	10.59	32.25	0.00	281 321 AVERAGE																																																																																																																									






Mode	32																																																																																																																		
	Band Edge - R																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5854.45</td><td>60.32</td><td>112.15</td><td>-51.83</td><td>47.01</td><td>34.92</td><td>10.64</td><td>32.25</td><td>0.00</td><td>281</td><td>321 PEAK</td></tr><tr><td>2</td><td>5873.95</td><td>56.10</td><td>105.59</td><td>-49.49</td><td>42.69</td><td>35.00</td><td>10.65</td><td>32.24</td><td>0.00</td><td>281</td><td>321 PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>55.96</td><td>68.60</td><td>-12.64</td><td>42.31</td><td>35.15</td><td>10.69</td><td>32.19</td><td>0.00</td><td>281</td><td>321 PEAK</td></tr><tr><td>4</td><td>5936.74</td><td>56.14</td><td>68.20</td><td>-12.06</td><td>42.45</td><td>35.17</td><td>10.70</td><td>32.18</td><td>0.00</td><td>281</td><td>321 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5854.45	60.32	112.15	-51.83	47.01	34.92	10.64	32.25	0.00	281	321 PEAK	2	5873.95	56.10	105.59	-49.49	42.69	35.00	10.65	32.24	0.00	281	321 PEAK	3	5924.46	55.96	68.60	-12.64	42.31	35.15	10.69	32.19	0.00	281	321 PEAK	4	5936.74	56.14	68.20	-12.06	42.45	35.17	10.70	32.18	0.00	281	321 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>109.57</td><td>-----</td><td>-----</td><td>96.50</td><td>34.70</td><td>10.58</td><td>32.21</td><td>0.00</td><td>281</td><td>321 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5755.00	109.57	-----	-----	96.50	34.70	10.58	32.21	0.00	281	321 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																								
	1	5854.45	60.32	112.15	-51.83	47.01	34.92	10.64	32.25	0.00	281	321 PEAK																																																																																																							
2	5873.95	56.10	105.59	-49.49	42.69	35.00	10.65	32.24	0.00	281	321 PEAK																																																																																																								
3	5924.46	55.96	68.60	-12.64	42.31	35.15	10.69	32.19	0.00	281	321 PEAK																																																																																																								
4	5936.74	56.14	68.20	-12.06	42.45	35.17	10.70	32.18	0.00	281	321 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5755.00	109.57	-----	-----	96.50	34.70	10.58	32.21	0.00	281	321 PEAK																																																																																																								





Mode	32																																																																													
	Harmonic																																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																													
ANT	1																																																																													
Pol.	Horizontal																																																																													
Peak Avg																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11510.00</td><td>49.32</td><td>74.00</td><td>-24.68</td><td>61.97</td><td>38.41</td><td>15.17</td><td>66.23</td><td>0.00</td><td>274</td><td>356 PEAK</td></tr><tr><td>2 11510.00</td><td>40.89</td><td>54.00</td><td>-13.11</td><td>53.55</td><td>38.41</td><td>15.16</td><td>66.23</td><td>0.00</td><td>274</td><td>356 AVERAGE</td></tr><tr><td>3 17265.00</td><td>49.40</td><td>68.20</td><td>-18.80</td><td>54.27</td><td>41.05</td><td>18.76</td><td>64.68</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11510.00	49.32	74.00	-24.68	61.97	38.41	15.17	66.23	0.00	274	356 PEAK	2 11510.00	40.89	54.00	-13.11	53.55	38.41	15.16	66.23	0.00	274	356 AVERAGE	3 17265.00	49.40	68.20	-18.80	54.27	41.05	18.76	64.68	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11510.00	49.32	74.00	-24.68	61.97	38.41	15.17	66.23	0.00	274	356 PEAK																																																																				
2 11510.00	40.89	54.00	-13.11	53.55	38.41	15.16	66.23	0.00	274	356 AVERAGE																																																																				
3 17265.00	49.40	68.20	-18.80	54.27	41.05	18.76	64.68	0.00	---	---	PEAK																																																																			
Vertical																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11510.00</td><td>50.06</td><td>74.00</td><td>-23.94</td><td>62.71</td><td>38.41</td><td>15.17</td><td>66.23</td><td>0.00</td><td>100</td><td>159 PEAK</td></tr><tr><td>2 11510.00</td><td>41.17</td><td>54.00</td><td>-12.83</td><td>53.83</td><td>38.41</td><td>15.16</td><td>66.23</td><td>0.00</td><td>100</td><td>159 AVERAGE</td></tr><tr><td>3 17265.00</td><td>53.23</td><td>68.20</td><td>-14.97</td><td>58.12</td><td>41.03</td><td>18.77</td><td>64.69</td><td>0.00</td><td>300</td><td>29 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11510.00	50.06	74.00	-23.94	62.71	38.41	15.17	66.23	0.00	100	159 PEAK	2 11510.00	41.17	54.00	-12.83	53.83	38.41	15.16	66.23	0.00	100	159 AVERAGE	3 17265.00	53.23	68.20	-14.97	58.12	41.03	18.77	64.69	0.00	300	29 PEAK		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																				
1 11510.00	50.06	74.00	-23.94	62.71	38.41	15.17	66.23	0.00	100	159 PEAK																																																																				
2 11510.00	41.17	54.00	-12.83	53.83	38.41	15.16	66.23	0.00	100	159 AVERAGE																																																																				
3 17265.00	53.23	68.20	-14.97	58.12	41.03	18.77	64.69	0.00	300	29 PEAK																																																																				



Mode	33																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5649.60</td><td>53.93</td><td>68.20</td><td>-14.27</td><td>40.84</td><td>34.70</td><td>10.55</td><td>32.16</td><td>0.00</td><td>300</td><td>58 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>50.55</td><td>68.20</td><td>-17.65</td><td>37.45</td><td>34.70</td><td>10.55</td><td>32.15</td><td>0.00</td><td>300</td><td>58 PEAK</td></tr><tr><td>3</td><td>5707.20</td><td>61.24</td><td>107.32</td><td>-46.08</td><td>48.20</td><td>34.61</td><td>10.57</td><td>32.14</td><td>0.00</td><td>300</td><td>58 PEAK</td></tr><tr><td>4</td><td>5721.20</td><td>63.91</td><td>113.64</td><td>-49.73</td><td>50.86</td><td>34.64</td><td>10.57</td><td>32.16</td><td>0.00</td><td>300</td><td>58 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5649.60	53.93	68.20	-14.27	40.84	34.70	10.55	32.16	0.00	300	58 PEAK	2	5650.00	50.55	68.20	-17.65	37.45	34.70	10.55	32.15	0.00	300	58 PEAK	3	5707.20	61.24	107.32	-46.08	48.20	34.61	10.57	32.14	0.00	300	58 PEAK	4	5721.20	63.91	113.64	-49.73	50.86	34.64	10.57	32.16	0.00	300	58 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>105.34</td><td>-----</td><td>-----</td><td>92.23</td><td>34.79</td><td>10.60</td><td>32.28</td><td>0.00</td><td>300</td><td>58 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	105.34	-----	-----	92.23	34.79	10.60	32.28	0.00	300	58 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5649.60	53.93	68.20	-14.27	40.84	34.70	10.55	32.16	0.00	300	58 PEAK																																																																																																																														
2	5650.00	50.55	68.20	-17.65	37.45	34.70	10.55	32.15	0.00	300	58 PEAK																																																																																																																														
3	5707.20	61.24	107.32	-46.08	48.20	34.61	10.57	32.14	0.00	300	58 PEAK																																																																																																																														
4	5721.20	63.91	113.64	-49.73	50.86	34.64	10.57	32.16	0.00	300	58 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5795.00	105.34	-----	-----	92.23	34.79	10.60	32.28	0.00	300	58 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>95.58</td><td>-----</td><td>-----</td><td>82.49</td><td>34.76</td><td>10.59</td><td>32.26</td><td>0.00</td><td>300</td><td>58 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	95.58	-----	-----	82.49	34.76	10.59	32.26	0.00	300	58 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5795.00	95.58	-----	-----	82.49	34.76	10.59	32.26	0.00	300	58 AVERAGE																																																																																																																														




Mode	33																																																																																																																																								
	Band Edge - R																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.60</td><td>66.51</td><td>114.09</td><td>-47.58</td><td>53.21</td><td>34.91</td><td>10.64</td><td>32.25</td><td>0.00</td><td>300</td><td>58 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>61.89</td><td>105.58</td><td>-43.69</td><td>48.48</td><td>35.00</td><td>10.65</td><td>32.24</td><td>0.00</td><td>300</td><td>58 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>54.49</td><td>68.35</td><td>-13.86</td><td>40.84</td><td>35.15</td><td>10.69</td><td>32.19</td><td>0.00</td><td>300</td><td>58 PEAK</td></tr><tr><td>4</td><td>5998.40</td><td>56.31</td><td>68.20</td><td>-11.89</td><td>42.38</td><td>35.30</td><td>10.74</td><td>32.11</td><td>0.00</td><td>300</td><td>58 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.60	66.51	114.09	-47.58	53.21	34.91	10.64	32.25	0.00	300	58 PEAK	2	5874.00	61.89	105.58	-43.69	48.48	35.00	10.65	32.24	0.00	300	58 PEAK	3	5924.80	54.49	68.35	-13.86	40.84	35.15	10.69	32.19	0.00	300	58 PEAK	4	5998.40	56.31	68.20	-11.89	42.38	35.30	10.74	32.11	0.00	300	58 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>105.34</td><td>-----</td><td>-----</td><td>92.23</td><td>34.79</td><td>10.60</td><td>32.28</td><td>0.00</td><td>300</td><td>58 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	105.34	-----	-----	92.23	34.79	10.60	32.28	0.00	300	58 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5853.60	66.51	114.09	-47.58	53.21	34.91	10.64	32.25	0.00	300	58 PEAK																																																																																																																														
2	5874.00	61.89	105.58	-43.69	48.48	35.00	10.65	32.24	0.00	300	58 PEAK																																																																																																																														
3	5924.80	54.49	68.35	-13.86	40.84	35.15	10.69	32.19	0.00	300	58 PEAK																																																																																																																														
4	5998.40	56.31	68.20	-11.89	42.38	35.30	10.74	32.11	0.00	300	58 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5795.00	105.34	-----	-----	92.23	34.79	10.60	32.28	0.00	300	58 PEAK																																																																																																																														





Mode	33																																																																																																																																														
	Band Edge - L																																																																																																																																														
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																														
ANT	1																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5619.60</td><td>54.50</td><td>68.20</td><td>-13.70</td><td>41.43</td><td>34.70</td><td>10.54</td><td>32.17</td><td>0.00</td><td>282</td><td>323</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>53.48</td><td>68.20</td><td>-14.72</td><td>40.38</td><td>34.70</td><td>10.55</td><td>32.15</td><td>0.00</td><td>282</td><td>323</td><td>PEAK</td></tr><tr><td>3</td><td>5708.00</td><td>64.92</td><td>107.54</td><td>-42.62</td><td>51.87</td><td>34.62</td><td>10.57</td><td>32.14</td><td>0.00</td><td>282</td><td>323</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>66.09</td><td>112.72</td><td>-46.63</td><td>53.04</td><td>34.64</td><td>10.57</td><td>32.16</td><td>0.00</td><td>282</td><td>323</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5619.60	54.50	68.20	-13.70	41.43	34.70	10.54	32.17	0.00	282	323	PEAK	2	5650.00	53.48	68.20	-14.72	40.38	34.70	10.55	32.15	0.00	282	323	PEAK	3	5708.00	64.92	107.54	-42.62	51.87	34.62	10.57	32.14	0.00	282	323	PEAK	4	5720.80	66.09	112.72	-46.63	53.04	34.64	10.57	32.16	0.00	282	323	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>109.68</td><td>-----</td><td>-----</td><td>96.57</td><td>34.78</td><td>10.60</td><td>32.27</td><td>0.00</td><td>282</td><td>323</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	109.68	-----	-----	96.57	34.78	10.60	32.27	0.00	282	323	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5619.60	54.50	68.20	-13.70	41.43	34.70	10.54	32.17	0.00	282	323	PEAK																																																																																																																																			
2	5650.00	53.48	68.20	-14.72	40.38	34.70	10.55	32.15	0.00	282	323	PEAK																																																																																																																																			
3	5708.00	64.92	107.54	-42.62	51.87	34.62	10.57	32.14	0.00	282	323	PEAK																																																																																																																																			
4	5720.80	66.09	112.72	-46.63	53.04	34.64	10.57	32.16	0.00	282	323	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5795.00	109.68	-----	-----	96.57	34.78	10.60	32.27	0.00	282	323	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>99.82</td><td>-----</td><td>-----</td><td>86.73</td><td>34.76</td><td>10.59</td><td>32.26</td><td>0.00</td><td>282</td><td>323</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	99.82	-----	-----	86.73	34.76	10.59	32.26	0.00	282	323	AVERAGE																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5795.00	99.82	-----	-----	86.73	34.76	10.59	32.26	0.00	282	323	AVERAGE																																																																																																																																			





Mode	33																																																																																							
	Band Edge - R																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>68.52</td><td>111.36</td><td>-42.84</td><td>55.21</td><td>34.92</td><td>10.64</td><td>32.25</td><td>0.00</td><td>282 323 PEAK</td></tr><tr><td>2</td><td>5867.20</td><td>68.18</td><td>107.48</td><td>-39.30</td><td>54.80</td><td>34.97</td><td>10.65</td><td>32.24</td><td>0.00</td><td>282 323 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>55.45</td><td>68.35</td><td>-12.90</td><td>41.80</td><td>35.15</td><td>10.69</td><td>32.19</td><td>0.00</td><td>282 323 PEAK</td></tr><tr><td>4</td><td>5966.40</td><td>55.65</td><td>68.20</td><td>-12.55</td><td>41.85</td><td>35.23</td><td>10.72</td><td>32.15</td><td>0.00</td><td>282 323 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	68.52	111.36	-42.84	55.21	34.92	10.64	32.25	0.00	282 323 PEAK	2	5867.20	68.18	107.48	-39.30	54.80	34.97	10.65	32.24	0.00	282 323 PEAK	3	5924.80	55.45	68.35	-12.90	41.80	35.15	10.69	32.19	0.00	282 323 PEAK	4	5966.40	55.65	68.20	-12.55	41.85	35.23	10.72	32.15	0.00	282 323 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.00	68.52	111.36	-42.84	55.21	34.92	10.64	32.25	0.00	282 323 PEAK																																																																														
2	5867.20	68.18	107.48	-39.30	54.80	34.97	10.65	32.24	0.00	282 323 PEAK																																																																														
3	5924.80	55.45	68.35	-12.90	41.80	35.15	10.69	32.19	0.00	282 323 PEAK																																																																														
4	5966.40	55.65	68.20	-12.55	41.85	35.23	10.72	32.15	0.00	282 323 PEAK																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>109.68</td><td>-----</td><td>-----</td><td>96.57</td><td>34.78</td><td>10.60</td><td>32.27</td><td>0.00</td><td>282 323 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	109.68	-----	-----	96.57	34.78	10.60	32.27	0.00	282 323 PEAK																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5795.00	109.68	-----	-----	96.57	34.78	10.60	32.27	0.00	282 323 PEAK																																																																														
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>109.68</td><td>-----</td><td>-----</td><td>96.57</td><td>34.78</td><td>10.60</td><td>32.27</td><td>0.00</td><td>282 323 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	109.68	-----	-----	96.57	34.78	10.60	32.27	0.00	282 323 PEAK																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5795.00	109.68	-----	-----	96.57	34.78	10.60	32.27	0.00	282 323 PEAK																																																																														





Mode	33																																																																																																																																																		
	Harmonic																																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																																		
ANT	1																																																																																																																																																		
Pol.	Horizontal						Vertical																																																																																																																																												
Peak Avg																																																																																																																																																			
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>45.90</td><td>74.00</td><td>-28.10</td><td>58.36</td><td>38.49</td><td>15.21</td><td>66.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17385.00</td><td>54.64</td><td>68.20</td><td>-13.56</td><td>59.57</td><td>41.00</td><td>18.83</td><td>64.76</td><td>0.00</td><td>179</td><td>134</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	11590.00	45.90	74.00	-28.10	58.36	38.49	15.21	66.16	0.00	---	---	PEAK	2	17385.00	54.64	68.20	-13.56	59.57	41.00	18.83	64.76	0.00	179	134	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>47.16</td><td>74.00</td><td>-26.84</td><td>59.62</td><td>38.49</td><td>15.21</td><td>66.16</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>37.29</td><td>54.00</td><td>-16.71</td><td>49.75</td><td>38.49</td><td>15.21</td><td>66.16</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>17385.00</td><td>53.50</td><td>68.20</td><td>-14.70</td><td>58.43</td><td>41.00</td><td>18.83</td><td>64.76</td><td>0.00</td><td>300</td><td>28</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	11590.00	47.16	74.00	-26.84	59.62	38.49	15.21	66.16	0.00	300	0	PEAK	2	11590.00	37.29	54.00	-16.71	49.75	38.49	15.21	66.16	0.00	300	0	AVERAGE	3	17385.00	53.50	68.20	-14.70	58.43	41.00	18.83	64.76	0.00	300	28	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																								
1	11590.00	45.90	74.00	-28.10	58.36	38.49	15.21	66.16	0.00	---	---	PEAK																																																																																																																																							
2	17385.00	54.64	68.20	-13.56	59.57	41.00	18.83	64.76	0.00	179	134	PEAK																																																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																								
1	11590.00	47.16	74.00	-26.84	59.62	38.49	15.21	66.16	0.00	300	0	PEAK																																																																																																																																							
2	11590.00	37.29	54.00	-16.71	49.75	38.49	15.21	66.16	0.00	300	0	AVERAGE																																																																																																																																							
3	17385.00	53.50	68.20	-14.70	58.43	41.00	18.83	64.76	0.00	300	28	PEAK																																																																																																																																							





Mode	34																																																																																																																																																										
	Harmonic																																																																																																																																																										
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																																																										
ANT	1																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>52.70</td><td>74.00</td><td>-21.30</td><td>65.57</td><td>38.28</td><td>15.13</td><td>66.28</td><td>0.00</td><td>272</td><td>350</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>44.95</td><td>54.00</td><td>-9.05</td><td>57.84</td><td>38.27</td><td>15.12</td><td>66.28</td><td>0.00</td><td>272</td><td>350</td><td>AVERAGE</td></tr><tr><td>3</td><td>17160.00</td><td>50.47</td><td>68.20</td><td>-17.73</td><td>55.20</td><td>41.17</td><td>18.72</td><td>64.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	52.70	74.00	-21.30	65.57	38.28	15.13	66.28	0.00	272	350	PEAK	2	11440.00	44.95	54.00	-9.05	57.84	38.27	15.12	66.28	0.00	272	350	AVERAGE	3	17160.00	50.47	68.20	-17.73	55.20	41.17	18.72	64.62	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>53.47</td><td>74.00</td><td>-20.53</td><td>66.34</td><td>38.28</td><td>15.13</td><td>66.28</td><td>0.00</td><td>100</td><td>160</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>45.81</td><td>54.00</td><td>-8.19</td><td>58.70</td><td>38.27</td><td>15.12</td><td>66.28</td><td>0.00</td><td>100</td><td>160</td><td>AVERAGE</td></tr><tr><td>3</td><td>17160.00</td><td>53.52</td><td>68.20</td><td>-14.68</td><td>58.22</td><td>41.20</td><td>18.71</td><td>64.61</td><td>0.00</td><td>300</td><td>29</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	53.47	74.00	-20.53	66.34	38.28	15.13	66.28	0.00	100	160	PEAK	2	11440.00	45.81	54.00	-8.19	58.70	38.27	15.12	66.28	0.00	100	160	AVERAGE	3	17160.00	53.52	68.20	-14.68	58.22	41.20	18.71	64.61	0.00	300	29
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	11440.00	52.70	74.00	-21.30	65.57	38.28	15.13	66.28	0.00	272	350	PEAK																																																																																																																																															
2	11440.00	44.95	54.00	-9.05	57.84	38.27	15.12	66.28	0.00	272	350	AVERAGE																																																																																																																																															
3	17160.00	50.47	68.20	-17.73	55.20	41.17	18.72	64.62	0.00	---	---	PEAK																																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	11440.00	53.47	74.00	-20.53	66.34	38.28	15.13	66.28	0.00	100	160	PEAK																																																																																																																																															
2	11440.00	45.81	54.00	-8.19	58.70	38.27	15.12	66.28	0.00	100	160	AVERAGE																																																																																																																																															
3	17160.00	53.52	68.20	-14.68	58.22	41.20	18.71	64.61	0.00	300	29	PEAK																																																																																																																																															



Mode	35																																																																																																																																																				
	Harmonic																																																																																																																																																				
	U-NII-2C_5.47-5.85_802.11ax HE20_CH144_5720MHz																																																																																																																																																				
ANT	1																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																														
Peak Avg																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>51.47</td><td>74.00</td><td>-22.53</td><td>64.34</td><td>38.28</td><td>15.13</td><td>66.28</td><td>0.00</td><td>300</td><td>202 PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>42.77</td><td>54.00</td><td>-11.23</td><td>55.65</td><td>38.28</td><td>15.12</td><td>66.28</td><td>0.00</td><td>300</td><td>202 AVERAGE</td></tr><tr><td>3</td><td>17160.00</td><td>50.90</td><td>68.20</td><td>-17.30</td><td>55.64</td><td>41.16</td><td>18.72</td><td>64.62</td><td>0.00</td><td>100</td><td>136 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	51.47	74.00	-22.53	64.34	38.28	15.13	66.28	0.00	300	202 PEAK	2	11440.00	42.77	54.00	-11.23	55.65	38.28	15.12	66.28	0.00	300	202 AVERAGE	3	17160.00	50.90	68.20	-17.30	55.64	41.16	18.72	64.62	0.00	100	136 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>51.96</td><td>74.00</td><td>-22.04</td><td>64.83</td><td>38.28</td><td>15.13</td><td>66.28</td><td>0.00</td><td>100</td><td>150 PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>43.79</td><td>54.00</td><td>-10.21</td><td>56.67</td><td>38.28</td><td>15.12</td><td>66.28</td><td>0.00</td><td>100</td><td>150 AVERAGE</td></tr><tr><td>3</td><td>17160.00</td><td>51.92</td><td>68.20</td><td>-16.28</td><td>56.66</td><td>41.16</td><td>18.72</td><td>64.62</td><td>0.00</td><td>300</td><td>29 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	51.96	74.00	-22.04	64.83	38.28	15.13	66.28	0.00	100	150 PEAK	2	11440.00	43.79	54.00	-10.21	56.67	38.28	15.12	66.28	0.00	100	150 AVERAGE	3	17160.00	51.92	68.20	-16.28	56.66	41.16	18.72	64.62	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	11440.00	51.47	74.00	-22.53	64.34	38.28	15.13	66.28	0.00	300	202 PEAK																																																																																																																																										
2	11440.00	42.77	54.00	-11.23	55.65	38.28	15.12	66.28	0.00	300	202 AVERAGE																																																																																																																																										
3	17160.00	50.90	68.20	-17.30	55.64	41.16	18.72	64.62	0.00	100	136 PEAK																																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																											
1	11440.00	51.96	74.00	-22.04	64.83	38.28	15.13	66.28	0.00	100	150 PEAK																																																																																																																																										
2	11440.00	43.79	54.00	-10.21	56.67	38.28	15.12	66.28	0.00	100	150 AVERAGE																																																																																																																																										
3	17160.00	51.92	68.20	-16.28	56.66	41.16	18.72	64.62	0.00	300	29 PEAK																																																																																																																																										




Mode	36																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-2C_5.47-5.85_802.11ax HE40_CH142_5710MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>48.38</td><td>74.00</td><td>-25.62</td><td>61.37</td><td>38.21</td><td>15.11</td><td>66.31</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17130.00</td><td>49.88</td><td>68.20</td><td>-18.32</td><td>54.54</td><td>41.23</td><td>18.71</td><td>64.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	48.38	74.00	-25.62	61.37	38.21	15.11	66.31	0.00	---	---	PEAK	2	17130.00	49.88	68.20	-18.32	54.54	41.23	18.71	64.60	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>46.15</td><td>74.00</td><td>-27.85</td><td>59.10</td><td>38.24</td><td>15.11</td><td>66.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17130.00</td><td>50.53</td><td>68.20</td><td>-17.67</td><td>55.19</td><td>41.24</td><td>18.70</td><td>64.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11420.00	46.15	74.00	-27.85	59.10	38.24	15.11	66.30	0.00	---	---	PEAK	2	17130.00	50.53	68.20	-17.67	55.19	41.24	18.70	64.60	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	11420.00	48.38	74.00	-25.62	61.37	38.21	15.11	66.31	0.00	---	---	PEAK																																																																																																																								
2	17130.00	49.88	68.20	-18.32	54.54	41.23	18.71	64.60	0.00	---	---	PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	11420.00	46.15	74.00	-27.85	59.10	38.24	15.11	66.30	0.00	---	---	PEAK																																																																																																																								
2	17130.00	50.53	68.20	-17.67	55.19	41.24	18.70	64.60	0.00	---	---	PEAK																																																																																																																								


Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	100	-	-	10Hz
802.11ax HE20	100	-	-	10Hz
802.11ax HE40	100	-	-	10Hz

802.11a



802.11ax HE20



802.11ax HE40

