1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 15k_SISO_5MHz_NTNV_ERP

5G NR n12 SCS=15kHz SISO 5MHz NTNV										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	701.5	Outer_Full	23.17	/	/	21.22	/	/	<=34.77	Pass
		Inner_Full	23.72	/	/	21.77	/	/	<=34.77	Pass
		Inner_1RB_Left	23.77	/	/	21.82	/	/	<=34.77	Pass
		Inner_1RB_Right	23.81	/	/	21.86	/	/	<=34.77	Pass
	707.5	Outer_Full	23.32	/	/	21.37	/	/	<=34.77	Pass
		Inner_Full	23.79	/	/	21.84	/	/	<=34.77	Pass
		Inner_1RB_Left	23.70	/	/	21.75	/	/	<=34.77	Pass
		Inner_1RB_Right	23.70	/	/	21.75	/	/	<=34.77	Pass
	713.5	Outer_Full	23.33	/	/	21.38	/	/	<=34.77	Pass
		Inner_Full	23.94	/	/	21.99	/	/	<=34.77	Pass
		Inner_1RB_Left	23.70	/	/	21.75	/	/	<=34.77	Pass
		Inner_1RB_Right	23.95	/	/	22.00	/	/	<=34.77	Pass
DFT-s-OFDM QPSK	701.5	Outer_Full	22.74	/	/	20.79	/	/	<=34.77	Pass
		Inner_Full	23.79	/	/	21.84	/	/	<=34.77	Pass
		Inner_1RB_Left	23.75	/	/	21.80	/	/	<=34.77	Pass
		Inner_1RB_Right	23.85	/	/	21.90	/	/	<=34.77	Pass
	707.5	Outer_Full	22.76	/	/	20.81	/	/	<=34.77	Pass
		Inner_Full	23.84	/	/	21.89	/	/	<=34.77	Pass
		Inner_1RB_Left	23.73	/	/	21.78	/	/	<=34.77	Pass
		Inner_1RB_Right	23.82	/	/	21.87	/	/	<=34.77	Pass
	713.5	Outer_Full	22.81	/	/	20.86	/	/	<=34.77	Pass
		Inner_Full	23.93	/	/	21.98	/	/	<=34.77	Pass
		Inner_1RB_Left	23.77	/	/	21.82	/	/	<=34.77	Pass
		Inner_1RB_Right	23.92	/	/	21.97	/	/	<=34.77	Pass
DFT-s-OFDM 16 QAM	701.5	Outer_Full	21.71	/	/	19.76	/	/	<=34.77	Pass
		Inner_Full	22.84	/	/	20.89	/	/	<=34.77	Pass
		Inner_1RB_Left	22.45	/	/	20.50	/	/	<=34.77	Pass
		Inner_1RB_Right	22.57	/	/	20.62	/	/	<=34.77	Pass
	707.5	Outer_Full	21.80	/	/	19.85	/	/	<=34.77	Pass
		Inner_Full	22.83	/	/	20.88	/	/	<=34.77	Pass
		Inner_1RB_Left	22.44	/	/	20.49	/	/	<=34.77	Pass
		Inner_1RB_Right	22.58	/	/	20.63	/	/	<=34.77	Pass
	713.5	Outer_Full	21.84	/	/	19.89	/	/	<=34.77	Pass
		Inner_Full	22.97	/	/	21.02	/	/	<=34.77	Pass
		Inner_1RB_Left	22.50	/	/	20.55	/	/	<=34.77	Pass
		Inner_1RB_Right	22.74	/	/	20.79	/	/	<=34.77	Pass
DFT-s-OFDM 64 QAM	701.5	Outer_Full	21.20	/	/	19.25	/	/	<=34.77	Pass
		Inner_Full	21.21	/	/	19.26	/	/	<=34.77	Pass
		Inner_1RB_Left	21.01	/	/	19.06	/	/	<=34.77	Pass
		Inner_1RB_Right	21.11	/	/	19.16	/	/	<=34.77	Pass
	707.5	Outer_Full	21.20	/	/	19.25	/	/	<=34.77	Pass
		Inner_Full	21.25	/	/	19.30	/	/	<=34.77	Pass
		Inner_1RB_Left	21.16	/	/	19.21	/	/	<=34.77	Pass
		Inner_1RB_Right	21.18	/	/	19.23	/	/	<=34.77	Pass
	713.5	Outer_Full	21.31	/	/	19.36	/	/	<=34.77	Pass
		Inner_Full	21.35	/	/	19.40	/	/	<=34.77	Pass
		Inner_1RB_Left	21.08	/	/	19.13	/	/	<=34.77	Pass
		Inner_1RB_Right	21.22	/	/	19.27	/	/	<=34.77	Pass
DFT-s-OFDM 256	701.5	Outer_Full	19.23	/	/	17.28	/	/	<=34.77	Pass

QAM		Inner_Full	19.21	/	/	17.26	/	/	<=34.77	Pass
		Inner_1RB_Left	19.50	/	/	17.55	/	/	<=34.77	Pass
		Inner_1RB_Right	19.57	/	/	17.62	/	/	<=34.77	Pass
	707.5	Outer_Full	19.25	/	/	17.30	/	/	<=34.77	Pass
		Inner_Full	19.28	/	/	17.33	/	/	<=34.77	Pass
		Inner_1RB_Left	19.44	/	/	17.49	/	/	<=34.77	Pass
		Inner_1RB_Right	19.51	/	/	17.56	/	/	<=34.77	Pass
	713.5	Outer_Full	19.37	/	/	17.42	/	/	<=34.77	Pass
		Inner_Full	19.37	/	/	17.42	/	/	<=34.77	Pass
		Inner_1RB_Left	19.54	/	/	17.59	/	/	<=34.77	Pass
		Inner_1RB_Right	19.69	/	/	17.74	/	/	<=34.77	Pass
CP-OFDM QPSK	701.5	Outer_Full	20.70	/	/	18.75	/	/	<=34.77	Pass
		Inner_Full	22.40	/	/	20.45	/	/	<=34.77	Pass
		Inner_1RB_Left	22.06	/	/	20.11	/	/	<=34.77	Pass
		Inner_1RB_Right	22.20	/	/	20.25	/	/	<=34.77	Pass
	707.5	Outer_Full	20.73	/	/	18.78	/	/	<=34.77	Pass
		Inner_Full	22.36	/	/	20.41	/	/	<=34.77	Pass
		Inner_1RB_Left	22.12	/	/	20.17	/	/	<=34.77	Pass
		Inner_1RB_Right	22.19	/	/	20.24	/	/	<=34.77	Pass
	713.5	Outer_Full	20.87	/	/	18.92	/	/	<=34.77	Pass
		Inner_Full	22.49	/	/	20.54	/	/	<=34.77	Pass
		Inner_1RB_Left	22.17	/	/	20.22	/	/	<=34.77	Pass
		Inner_1RB_Right	22.30	/	/	20.35	/	/	<=34.77	Pass
CP-OFDM 16 QAM	701.5	Outer_Full	20.78	/	/	18.83	/	/	<=34.77	Pass
		Inner_Full	21.98	/	/	20.03	/	/	<=34.77	Pass
		Inner_1RB_Left	21.76	/	/	19.81	/	/	<=34.77	Pass
		Inner_1RB_Right	21.94	/	/	19.99	/	/	<=34.77	Pass
	707.5	Outer_Full	20.78	/	/	18.83	/	/	<=34.77	Pass
		Inner_Full	21.98	/	/	20.03	/	/	<=34.77	Pass
		Inner_1RB_Left	21.86	/	/	19.91	/	/	<=34.77	Pass
		Inner_1RB_Right	21.88	/	/	19.93	/	/	<=34.77	Pass
	713.5	Outer_Full	20.83	/	/	18.88	/	/	<=34.77	Pass
		Inner_Full	22.13	/	/	20.18	/	/	<=34.77	Pass
		Inner_1RB_Left	21.76	/	/	19.81	/	/	<=34.77	Pass
		Inner_1RB_Right	21.92	/	/	19.97	/	/	<=34.77	Pass
CP-OFDM 64 QAM	701.5	Outer_Full	20.07	/	/	18.12	/	/	<=34.77	Pass
		Inner_Full	20.34	/	/	18.39	/	/	<=34.77	Pass
		Inner_1RB_Left	20.16	/	/	18.21	/	/	<=34.77	Pass
		Inner_1RB_Right	20.44	/	/	18.49	/	/	<=34.77	Pass
	707.5	Outer_Full	20.17	/	/	18.22	/	/	<=34.77	Pass
		Inner_Full	20.37	/	/	18.42	/	/	<=34.77	Pass
		Inner_1RB_Left	20.18	/	/	18.23	/	/	<=34.77	Pass
		Inner_1RB_Right	20.28	/	/	18.33	/	/	<=34.77	Pass
	713.5	Outer_Full	20.26	/	/	18.31	/	/	<=34.77	Pass
		Inner_Full	20.55	/	/	18.60	/	/	<=34.77	Pass
		Inner_1RB_Left	20.18	/	/	18.23	/	/	<=34.77	Pass
		Inner_1RB_Right	20.35	/	/	18.40	/	/	<=34.77	Pass
CP-OFDM 256 QAM	701.5	Outer_Full	17.33	/	/	15.38	/	/	<=34.77	Pass
		Inner_Full	17.25	/	/	15.30	/	/	<=34.77	Pass
		Inner_1RB_Left	17.64	/	/	15.69	/	/	<=34.77	Pass
		Inner_1RB_Right	17.79	/	/	15.84	/	/	<=34.77	Pass
	707.5	Outer_Full	17.44	/	/	15.49	/	/	<=34.77	Pass
		Inner_Full	17.19	/	/	15.24	/	/	<=34.77	Pass
		Inner_1RB_Left	17.73	/	/	15.78	/	/	<=34.77	Pass
		Inner_1RB_Right	17.73	/	/	15.78	/	/	<=34.77	Pass
	713.5	Outer_Full	17.48	/	/	15.53	/	/	<=34.77	Pass
		Inner_Full	17.42	/	/	15.47	/	/	<=34.77	Pass
		Inner_1RB_Left	17.69	/	/	15.74	/	/	<=34.77	Pass
		Inner_1RB_Right	17.84	/	/	15.89	/	/	<=34.77	Pass

Note1: Antenna Gain: Ant1: 0.20dBi;
Note2: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 15k_SISO_10MHz_NTNV_ERP

5G NR n12 SCS=15kHz SISO 10MHz NTNV										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	704	Outer_Full	23.24	/	/	21.29	/	/	<=34.77	Pass
		Inner_Full	23.76	/	/	21.81	/	/	<=34.77	Pass
		Inner_1RB_Left	23.80	/	/	21.85	/	/	<=34.77	Pass
		Inner_1RB_Right	23.76	/	/	21.81	/	/	<=34.77	Pass
	707.5	Outer_Full	23.19	/	/	21.24	/	/	<=34.77	Pass
		Inner_Full	23.79	/	/	21.84	/	/	<=34.77	Pass
		Inner_1RB_Left	23.72	/	/	21.77	/	/	<=34.77	Pass
		Inner_1RB_Right	23.74	/	/	21.79	/	/	<=34.77	Pass
	711	Outer_Full	23.29	/	/	21.34	/	/	<=34.77	Pass
		Inner_Full	23.81	/	/	21.86	/	/	<=34.77	Pass
		Inner_1RB_Left	23.84	/	/	21.89	/	/	<=34.77	Pass
		Inner_1RB_Right	23.93	/	/	21.98	/	/	<=34.77	Pass
DFT-s-OFDM QPSK	704	Outer_Full	22.69	/	/	20.74	/	/	<=34.77	Pass
		Inner_Full	23.79	/	/	21.84	/	/	<=34.77	Pass
		Inner_1RB_Left	23.80	/	/	21.85	/	/	<=34.77	Pass
		Inner_1RB_Right	23.93	/	/	21.98	/	/	<=34.77	Pass
	707.5	Outer_Full	22.79	/	/	20.84	/	/	<=34.77	Pass
		Inner_Full	23.91	/	/	21.96	/	/	<=34.77	Pass
		Inner_1RB_Left	23.82	/	/	21.87	/	/	<=34.77	Pass
		Inner_1RB_Right	23.83	/	/	21.88	/	/	<=34.77	Pass
	711	Outer_Full	22.83	/	/	20.88	/	/	<=34.77	Pass
		Inner_Full	23.88	/	/	21.93	/	/	<=34.77	Pass
		Inner_1RB_Left	23.83	/	/	21.88	/	/	<=34.77	Pass
		Inner_1RB_Right	23.95	/	/	22.00	/	/	<=34.77	Pass
DFT-s-OFDM 16 QAM	704	Outer_Full	21.67	/	/	19.72	/	/	<=34.77	Pass
		Inner_Full	22.76	/	/	20.81	/	/	<=34.77	Pass
		Inner_1RB_Left	22.49	/	/	20.54	/	/	<=34.77	Pass
		Inner_1RB_Right	22.62	/	/	20.67	/	/	<=34.77	Pass
	707.5	Outer_Full	21.74	/	/	19.79	/	/	<=34.77	Pass
		Inner_Full	22.83	/	/	20.88	/	/	<=34.77	Pass
		Inner_1RB_Left	22.51	/	/	20.56	/	/	<=34.77	Pass
		Inner_1RB_Right	22.56	/	/	20.61	/	/	<=34.77	Pass
	711	Outer_Full	21.89	/	/	19.94	/	/	<=34.77	Pass
		Inner_Full	22.88	/	/	20.93	/	/	<=34.77	Pass
		Inner_1RB_Left	22.52	/	/	20.57	/	/	<=34.77	Pass
		Inner_1RB_Right	22.70	/	/	20.75	/	/	<=34.77	Pass
DFT-s-OFDM 64 QAM	704	Outer_Full	21.27	/	/	19.32	/	/	<=34.77	Pass
		Inner_Full	21.25	/	/	19.30	/	/	<=34.77	Pass
		Inner_1RB_Left	21.06	/	/	19.11	/	/	<=34.77	Pass
		Inner_1RB_Right	21.17	/	/	19.22	/	/	<=34.77	Pass
	707.5	Outer_Full	21.31	/	/	19.36	/	/	<=34.77	Pass
		Inner_Full	21.26	/	/	19.31	/	/	<=34.77	Pass
		Inner_1RB_Left	21.10	/	/	19.15	/	/	<=34.77	Pass
		Inner_1RB_Right	21.15	/	/	19.20	/	/	<=34.77	Pass
	711	Outer_Full	21.38	/	/	19.43	/	/	<=34.77	Pass
		Inner_Full	21.30	/	/	19.35	/	/	<=34.77	Pass
		Inner_1RB_Left	21.10	/	/	19.15	/	/	<=34.77	Pass
		Inner_1RB_Right	21.24	/	/	19.29	/	/	<=34.77	Pass
DFT-s-OFDM 256 QAM	704	Outer_Full	19.09	/	/	17.14	/	/	<=34.77	Pass
		Inner_Full	19.29	/	/	17.34	/	/	<=34.77	Pass

		Inner_1RB_Left	19.52	/	/	17.57	/	/	<=34.77	Pass
		Inner_1RB_Right	19.56	/	/	17.61	/	/	<=34.77	Pass
	707.5	Outer_Full	19.12	/	/	17.17	/	/	<=34.77	Pass
		Inner_Full	19.30	/	/	17.35	/	/	<=34.77	Pass
		Inner_1RB_Left	19.50	/	/	17.55	/	/	<=34.77	Pass
		Inner_1RB_Right	19.53	/	/	17.58	/	/	<=34.77	Pass
	711	Outer_Full	19.27	/	/	17.32	/	/	<=34.77	Pass
		Inner_Full	19.31	/	/	17.36	/	/	<=34.77	Pass
		Inner_1RB_Left	19.54	/	/	17.59	/	/	<=34.77	Pass
		Inner_1RB_Right	19.58	/	/	17.63	/	/	<=34.77	Pass
CP-OFDM QPSK	704	Outer_Full	20.75	/	/	18.80	/	/	<=34.77	Pass
		Inner_Full	22.22	/	/	20.27	/	/	<=34.77	Pass
		Inner_1RB_Left	22.12	/	/	20.17	/	/	<=34.77	Pass
		Inner_1RB_Right	22.22	/	/	20.27	/	/	<=34.77	Pass
	707.5	Outer_Full	20.71	/	/	18.76	/	/	<=34.77	Pass
		Inner_Full	22.28	/	/	20.33	/	/	<=34.77	Pass
		Inner_1RB_Left	22.16	/	/	20.21	/	/	<=34.77	Pass
		Inner_1RB_Right	22.15	/	/	20.20	/	/	<=34.77	Pass
	711	Outer_Full	20.80	/	/	18.85	/	/	<=34.77	Pass
		Inner_Full	22.37	/	/	20.42	/	/	<=34.77	Pass
		Inner_1RB_Left	22.20	/	/	20.25	/	/	<=34.77	Pass
		Inner_1RB_Right	22.35	/	/	20.40	/	/	<=34.77	Pass
CP-OFDM 16 QAM	704	Outer_Full	20.76	/	/	18.81	/	/	<=34.77	Pass
		Inner_Full	21.90	/	/	19.95	/	/	<=34.77	Pass
		Inner_1RB_Left	21.78	/	/	19.83	/	/	<=34.77	Pass
		Inner_1RB_Right	21.94	/	/	19.99	/	/	<=34.77	Pass
	707.5	Outer_Full	20.73	/	/	18.78	/	/	<=34.77	Pass
		Inner_Full	21.86	/	/	19.91	/	/	<=34.77	Pass
		Inner_1RB_Left	21.71	/	/	19.76	/	/	<=34.77	Pass
		Inner_1RB_Right	21.86	/	/	19.91	/	/	<=34.77	Pass
	711	Outer_Full	20.82	/	/	18.87	/	/	<=34.77	Pass
		Inner_Full	21.94	/	/	19.99	/	/	<=34.77	Pass
		Inner_1RB_Left	21.85	/	/	19.90	/	/	<=34.77	Pass
		Inner_1RB_Right	22.02	/	/	20.07	/	/	<=34.77	Pass
CP-OFDM 64 QAM	704	Outer_Full	20.17	/	/	18.22	/	/	<=34.77	Pass
		Inner_Full	20.27	/	/	18.32	/	/	<=34.77	Pass
		Inner_1RB_Left	20.18	/	/	18.23	/	/	<=34.77	Pass
		Inner_1RB_Right	20.34	/	/	18.39	/	/	<=34.77	Pass
	707.5	Outer_Full	20.19	/	/	18.24	/	/	<=34.77	Pass
		Inner_Full	20.30	/	/	18.35	/	/	<=34.77	Pass
		Inner_1RB_Left	20.23	/	/	18.28	/	/	<=34.77	Pass
		Inner_1RB_Right	20.32	/	/	18.37	/	/	<=34.77	Pass
	711	Outer_Full	20.20	/	/	18.25	/	/	<=34.77	Pass
		Inner_Full	20.36	/	/	18.41	/	/	<=34.77	Pass
		Inner_1RB_Left	20.45	/	/	18.50	/	/	<=34.77	Pass
		Inner_1RB_Right	20.51	/	/	18.56	/	/	<=34.77	Pass
CP-OFDM 256 QAM	704	Outer_Full	17.25	/	/	15.30	/	/	<=34.77	Pass
		Inner_Full	17.35	/	/	15.40	/	/	<=34.77	Pass
		Inner_1RB_Left	17.67	/	/	15.72	/	/	<=34.77	Pass
		Inner_1RB_Right	17.81	/	/	15.86	/	/	<=34.77	Pass
	707.5	Outer_Full	17.25	/	/	15.30	/	/	<=34.77	Pass
		Inner_Full	17.33	/	/	15.38	/	/	<=34.77	Pass
		Inner_1RB_Left	17.66	/	/	15.71	/	/	<=34.77	Pass
		Inner_1RB_Right	17.75	/	/	15.80	/	/	<=34.77	Pass
	711	Outer_Full	17.30	/	/	15.35	/	/	<=34.77	Pass
		Inner_Full	17.40	/	/	15.45	/	/	<=34.77	Pass
		Inner_1RB_Left	17.76	/	/	15.81	/	/	<=34.77	Pass
		Inner_1RB_Right	17.95	/	/	16.00	/	/	<=34.77	Pass
Note1: Antenna Gain: Ant1: 0.20dBi;										

Note2: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 15k_SISO_15MHz_NTNV_ERP

5G NR n12 SCS=15kHz SISO 15MHz NTNV										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			ERP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	706.5	Outer_Full	23.23	/	/	21.28	/	/	<=34.77	Pass
		Inner_Full	23.84	/	/	21.89	/	/	<=34.77	Pass
		Inner_1RB_Left	23.81	/	/	21.86	/	/	<=34.77	Pass
		Inner_1RB_Right	23.97	/	/	22.02	/	/	<=34.77	Pass
	707.5	Outer_Full	23.23	/	/	21.28	/	/	<=34.77	Pass
		Inner_Full	23.84	/	/	21.89	/	/	<=34.77	Pass
		Inner_1RB_Left	23.74	/	/	21.79	/	/	<=34.77	Pass
		Inner_1RB_Right	24.03	/	/	22.08	/	/	<=34.77	Pass
	708.5	Outer_Full	23.29	/	/	21.34	/	/	<=34.77	Pass
		Inner_Full	23.90	/	/	21.95	/	/	<=34.77	Pass
		Inner_1RB_Left	23.89	/	/	21.94	/	/	<=34.77	Pass
		Inner_1RB_Right	24.06	/	/	22.11	/	/	<=34.77	Pass
DFT-s-OFDM QPSK	706.5	Outer_Full	22.81	/	/	20.86	/	/	<=34.77	Pass
		Inner_Full	23.92	/	/	21.97	/	/	<=34.77	Pass
		Inner_1RB_Left	23.83	/	/	21.88	/	/	<=34.77	Pass
		Inner_1RB_Right	24.00	/	/	22.05	/	/	<=34.77	Pass
	707.5	Outer_Full	22.70	/	/	20.75	/	/	<=34.77	Pass
		Inner_Full	23.90	/	/	21.95	/	/	<=34.77	Pass
		Inner_1RB_Left	23.80	/	/	21.85	/	/	<=34.77	Pass
		Inner_1RB_Right	23.93	/	/	21.98	/	/	<=34.77	Pass
	708.5	Outer_Full	22.82	/	/	20.87	/	/	<=34.77	Pass
		Inner_Full	23.90	/	/	21.95	/	/	<=34.77	Pass
		Inner_1RB_Left	23.83	/	/	21.88	/	/	<=34.77	Pass
		Inner_1RB_Right	23.97	/	/	22.02	/	/	<=34.77	Pass
DFT-s-OFDM 16 QAM	706.5	Outer_Full	21.81	/	/	19.86	/	/	<=34.77	Pass
		Inner_Full	22.90	/	/	20.95	/	/	<=34.77	Pass
		Inner_1RB_Left	22.55	/	/	20.60	/	/	<=34.77	Pass
		Inner_1RB_Right	22.71	/	/	20.76	/	/	<=34.77	Pass
	707.5	Outer_Full	21.75	/	/	19.80	/	/	<=34.77	Pass
		Inner_Full	22.86	/	/	20.91	/	/	<=34.77	Pass
		Inner_1RB_Left	22.54	/	/	20.59	/	/	<=34.77	Pass
		Inner_1RB_Right	22.86	/	/	20.91	/	/	<=34.77	Pass
	708.5	Outer_Full	21.87	/	/	19.92	/	/	<=34.77	Pass
		Inner_Full	22.86	/	/	20.91	/	/	<=34.77	Pass
		Inner_1RB_Left	22.64	/	/	20.69	/	/	<=34.77	Pass
		Inner_1RB_Right	22.70	/	/	20.75	/	/	<=34.77	Pass
DFT-s-OFDM 64 QAM	706.5	Outer_Full	21.32	/	/	19.37	/	/	<=34.77	Pass
		Inner_Full	21.32	/	/	19.37	/	/	<=34.77	Pass
		Inner_1RB_Left	21.14	/	/	19.19	/	/	<=34.77	Pass
		Inner_1RB_Right	21.41	/	/	19.46	/	/	<=34.77	Pass
	707.5	Outer_Full	21.29	/	/	19.34	/	/	<=34.77	Pass
		Inner_Full	21.37	/	/	19.42	/	/	<=34.77	Pass
		Inner_1RB_Left	21.05	/	/	19.10	/	/	<=34.77	Pass
		Inner_1RB_Right	21.23	/	/	19.28	/	/	<=34.77	Pass
	708.5	Outer_Full	21.26	/	/	19.31	/	/	<=34.77	Pass
		Inner_Full	21.33	/	/	19.38	/	/	<=34.77	Pass
		Inner_1RB_Left	21.17	/	/	19.22	/	/	<=34.77	Pass
		Inner_1RB_Right	21.22	/	/	19.27	/	/	<=34.77	Pass
DFT-s-OFDM 256 QAM	706.5	Outer_Full	19.20	/	/	17.25	/	/	<=34.77	Pass
		Inner_Full	19.16	/	/	17.21	/	/	<=34.77	Pass

		Inner_1RB_Left	19.53	/	/	17.58	/	/	<=34.77	Pass
		Inner_1RB_Right	19.75	/	/	17.80	/	/	<=34.77	Pass
	707.5	Outer_Full	19.24	/	/	17.29	/	/	<=34.77	Pass
		Inner_Full	19.21	/	/	17.26	/	/	<=34.77	Pass
		Inner_1RB_Left	19.46	/	/	17.51	/	/	<=34.77	Pass
		Inner_1RB_Right	19.66	/	/	17.71	/	/	<=34.77	Pass
	708.5	Outer_Full	19.28	/	/	17.33	/	/	<=34.77	Pass
		Inner_Full	19.23	/	/	17.28	/	/	<=34.77	Pass
		Inner_1RB_Left	19.54	/	/	17.59	/	/	<=34.77	Pass
		Inner_1RB_Right	19.63	/	/	17.68	/	/	<=34.77	Pass
CP-OFDM QPSK	706.5	Outer_Full	20.70	/	/	18.75	/	/	<=34.77	Pass
		Inner_Full	22.32	/	/	20.37	/	/	<=34.77	Pass
		Inner_1RB_Left	22.08	/	/	20.13	/	/	<=34.77	Pass
		Inner_1RB_Right	22.36	/	/	20.41	/	/	<=34.77	Pass
	707.5	Outer_Full	20.82	/	/	18.87	/	/	<=34.77	Pass
		Inner_Full	22.32	/	/	20.37	/	/	<=34.77	Pass
		Inner_1RB_Left	22.17	/	/	20.22	/	/	<=34.77	Pass
		Inner_1RB_Right	22.40	/	/	20.45	/	/	<=34.77	Pass
	708.5	Outer_Full	20.76	/	/	18.81	/	/	<=34.77	Pass
		Inner_Full	22.31	/	/	20.36	/	/	<=34.77	Pass
		Inner_1RB_Left	22.21	/	/	20.26	/	/	<=34.77	Pass
		Inner_1RB_Right	22.40	/	/	20.45	/	/	<=34.77	Pass
CP-OFDM 16 QAM	706.5	Outer_Full	20.73	/	/	18.78	/	/	<=34.77	Pass
		Inner_Full	21.85	/	/	19.90	/	/	<=34.77	Pass
		Inner_1RB_Left	21.81	/	/	19.86	/	/	<=34.77	Pass
		Inner_1RB_Right	21.99	/	/	20.04	/	/	<=34.77	Pass
	707.5	Outer_Full	20.81	/	/	18.86	/	/	<=34.77	Pass
		Inner_Full	21.81	/	/	19.86	/	/	<=34.77	Pass
		Inner_1RB_Left	21.80	/	/	19.85	/	/	<=34.77	Pass
		Inner_1RB_Right	22.00	/	/	20.05	/	/	<=34.77	Pass
	708.5	Outer_Full	20.82	/	/	18.87	/	/	<=34.77	Pass
		Inner_Full	21.87	/	/	19.92	/	/	<=34.77	Pass
		Inner_1RB_Left	21.83	/	/	19.88	/	/	<=34.77	Pass
		Inner_1RB_Right	21.94	/	/	19.99	/	/	<=34.77	Pass
CP-OFDM 64 QAM	706.5	Outer_Full	20.17	/	/	18.22	/	/	<=34.77	Pass
		Inner_Full	20.29	/	/	18.34	/	/	<=34.77	Pass
		Inner_1RB_Left	20.20	/	/	18.25	/	/	<=34.77	Pass
		Inner_1RB_Right	20.59	/	/	18.64	/	/	<=34.77	Pass
	707.5	Outer_Full	20.20	/	/	18.25	/	/	<=34.77	Pass
		Inner_Full	20.34	/	/	18.39	/	/	<=34.77	Pass
		Inner_1RB_Left	20.23	/	/	18.28	/	/	<=34.77	Pass
		Inner_1RB_Right	20.43	/	/	18.48	/	/	<=34.77	Pass
	708.5	Outer_Full	20.22	/	/	18.27	/	/	<=34.77	Pass
		Inner_Full	20.27	/	/	18.32	/	/	<=34.77	Pass
		Inner_1RB_Left	20.24	/	/	18.29	/	/	<=34.77	Pass
		Inner_1RB_Right	20.43	/	/	18.48	/	/	<=34.77	Pass
CP-OFDM 256 QAM	706.5	Outer_Full	17.25	/	/	15.30	/	/	<=34.77	Pass
		Inner_Full	17.33	/	/	15.38	/	/	<=34.77	Pass
		Inner_1RB_Left	17.69	/	/	15.74	/	/	<=34.77	Pass
		Inner_1RB_Right	17.85	/	/	15.90	/	/	<=34.77	Pass
	707.5	Outer_Full	17.30	/	/	15.35	/	/	<=34.77	Pass
		Inner_Full	17.31	/	/	15.36	/	/	<=34.77	Pass
		Inner_1RB_Left	17.69	/	/	15.74	/	/	<=34.77	Pass
		Inner_1RB_Right	17.85	/	/	15.90	/	/	<=34.77	Pass
	708.5	Outer_Full	17.34	/	/	15.39	/	/	<=34.77	Pass
		Inner_Full	17.24	/	/	15.29	/	/	<=34.77	Pass
		Inner_1RB_Left	17.79	/	/	15.84	/	/	<=34.77	Pass
		Inner_1RB_Right	17.84	/	/	15.89	/	/	<=34.77	Pass
Note1: Antenna Gain: Ant1: 0.20dBi;										

Note2: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 15k_SISO_15MHz

5G NR n12 SCS=15kHz SISO 15MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM PI/2 BPSK	707.5	Outer_Full	20	LV	-5.10	-0.0072	>=-2.5 & <=2.5	Pass
				HV	-3.70	-0.0052	>=-2.5 & <=2.5	Pass
			-30	NV	-6.30	-0.0089	>=-2.5 & <=2.5	Pass
			-20	NV	-6.10	-0.0086	>=-2.5 & <=2.5	Pass
			-10	NV	-6.10	-0.0086	>=-2.5 & <=2.5	Pass
			0	NV	-3.80	-0.0054	>=-2.5 & <=2.5	Pass
			10	NV	-4.70	-0.0066	>=-2.5 & <=2.5	Pass
			20	NV	-5.10	-0.0072	>=-2.5 & <=2.5	Pass
			30	NV	-3.90	-0.0055	>=-2.5 & <=2.5	Pass
			40	NV	-5.30	-0.0075	>=-2.5 & <=2.5	Pass
			50	NV	-4.20	-0.0059	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	707.5	Outer_Full	20	LV	-5.80	-0.0082	>=-2.5 & <=2.5	Pass
				HV	-4.70	-0.0066	>=-2.5 & <=2.5	Pass
			-30	NV	-4.60	-0.0065	>=-2.5 & <=2.5	Pass
			-20	NV	-6.10	-0.0086	>=-2.5 & <=2.5	Pass
			-10	NV	-4.30	-0.0061	>=-2.5 & <=2.5	Pass
			0	NV	-4.40	-0.0062	>=-2.5 & <=2.5	Pass
			10	NV	-5.90	-0.0083	>=-2.5 & <=2.5	Pass
			20	NV	-7.40	-0.0105	>=-2.5 & <=2.5	Pass
			30	NV	-4.10	-0.0058	>=-2.5 & <=2.5	Pass
			40	NV	-5.60	-0.0079	>=-2.5 & <=2.5	Pass
			50	NV	-4.30	-0.0061	>=-2.5 & <=2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 15k_SISO_5MHz_NTNV

5G NR n12 SCS=15kHz SISO 5MHz NTNV						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	701.5	Outer_Full	4.51	4.92	/	Pass
	707.5	Outer_Full	4.51	4.93	/	Pass
	713.5	Outer_Full	4.53	4.96	/	Pass
DFT-s-OFDM QPSK	701.5	Outer_Full	4.48	4.88	/	Pass
	707.5	Outer_Full	4.48	4.88	/	Pass
	713.5	Outer_Full	4.47	4.89	/	Pass
DFT-s-OFDM 16 QAM	701.5	Outer_Full	4.48	4.92	/	Pass
	707.5	Outer_Full	4.47	4.90	/	Pass
	713.5	Outer_Full	4.48	4.91	/	Pass
DFT-s-OFDM 64 QAM	701.5	Outer_Full	4.50	4.92	/	Pass
	707.5	Outer_Full	4.50	4.89	/	Pass

	713.5	Outer_Full	4.50	4.93	/	Pass
DFT-s-OFDM 256 QAM	701.5	Outer_Full	4.52	4.94	/	Pass
	707.5	Outer_Full	4.51	4.90	/	Pass
	713.5	Outer_Full	4.51	4.93	/	Pass
CP-OFDM QPSK	701.5	Outer_Full	4.49	4.95	/	Pass
	707.5	Outer_Full	4.51	4.95	/	Pass
	713.5	Outer_Full	4.50	4.95	/	Pass
CP-OFDM 16 QAM	701.5	Outer_Full	4.49	4.95	/	Pass
	707.5	Outer_Full	4.48	4.92	/	Pass
	713.5	Outer_Full	4.48	4.91	/	Pass
CP-OFDM 64 QAM	701.5	Outer_Full	4.51	4.93	/	Pass
	707.5	Outer_Full	4.50	4.92	/	Pass
	713.5	Outer_Full	4.50	4.95	/	Pass
CP-OFDM 256 QAM	701.5	Outer_Full	4.50	4.93	/	Pass
	707.5	Outer_Full	4.49	4.92	/	Pass
	713.5	Outer_Full	4.50	4.92	/	Pass

3.1.2 15k_SISO_10MHz_NTNV

5G NR n12 SCS=15kHz SISO 10MHz NTNV						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	704	Outer_Full	9.02	9.58	/	Pass
	707.5	Outer_Full	9.01	9.54	/	Pass
	711	Outer_Full	9.01	9.57	/	Pass
DFT-s-OFDM QPSK	704	Outer_Full	8.97	9.52	/	Pass
	707.5	Outer_Full	8.95	9.52	/	Pass
	711	Outer_Full	8.97	9.52	/	Pass
DFT-s-OFDM 16 QAM	704	Outer_Full	9.02	9.55	/	Pass
	707.5	Outer_Full	8.99	9.57	/	Pass
	711	Outer_Full	9.00	9.59	/	Pass
DFT-s-OFDM 64 QAM	704	Outer_Full	8.98	9.54	/	Pass
	707.5	Outer_Full	8.96	9.57	/	Pass
	711	Outer_Full	8.97	9.57	/	Pass
DFT-s-OFDM 256 QAM	704	Outer_Full	9.00	9.56	/	Pass
	707.5	Outer_Full	8.99	9.54	/	Pass
	711	Outer_Full	8.97	9.56	/	Pass
CP-OFDM QPSK	704	Outer_Full	9.30	9.88	/	Pass
	707.5	Outer_Full	9.31	9.88	/	Pass
	711	Outer_Full	9.32	9.96	/	Pass
CP-OFDM 16 QAM	704	Outer_Full	9.32	9.89	/	Pass
	707.5	Outer_Full	9.30	9.88	/	Pass
	711	Outer_Full	9.34	9.91	/	Pass
CP-OFDM 64 QAM	704	Outer_Full	9.31	9.86	/	Pass
	707.5	Outer_Full	9.30	9.96	/	Pass
	711	Outer_Full	9.32	9.90	/	Pass
CP-OFDM 256 QAM	704	Outer_Full	9.32	9.93	/	Pass
	707.5	Outer_Full	9.31	9.91	/	Pass
	711	Outer_Full	9.32	9.96	/	Pass

3.1.3 15k_SISO_15MHz_NTNV

5G NR n12 SCS=15kHz SISO 15MHz NTNV						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	706.5	Outer_Full	13.43	14.24	/	Pass

	707.5	Outer_Full	13.55	14.63	/	Pass
	708.5	Outer_Full	13.56	14.64	/	Pass
DFT-s-OFDM QPSK	706.5	Outer_Full	13.47	14.26	/	Pass
	707.5	Outer_Full	13.54	14.58	/	Pass
	708.5	Outer_Full	13.53	14.57	/	Pass
DFT-s-OFDM 16 QAM	706.5	Outer_Full	13.46	14.28	/	Pass
	707.5	Outer_Full	13.59	14.58	/	Pass
	708.5	Outer_Full	13.59	14.63	/	Pass
DFT-s-OFDM 64 QAM	706.5	Outer_Full	13.41	14.21	/	Pass
	707.5	Outer_Full	13.48	14.59	/	Pass
	708.5	Outer_Full	13.53	14.60	/	Pass
DFT-s-OFDM 256 QAM	706.5	Outer_Full	13.51	14.54	/	Pass
	707.5	Outer_Full	13.50	14.55	/	Pass
	708.5	Outer_Full	13.54	14.57	/	Pass
CP-OFDM QPSK	706.5	Outer_Full	14.24	15.27	/	Pass
	707.5	Outer_Full	14.26	15.59	/	Pass
	708.5	Outer_Full	14.25	15.53	/	Pass
CP-OFDM 16 QAM	706.5	Outer_Full	14.29	15.45	/	Pass
	707.5	Outer_Full	14.27	15.83	/	Pass
	708.5	Outer_Full	14.27	16.02	/	Pass
CP-OFDM 64 QAM	706.5	Outer_Full	14.21	15.28	/	Pass
	707.5	Outer_Full	14.21	15.34	/	Pass
	708.5	Outer_Full	14.21	15.48	/	Pass
CP-OFDM 256 QAM	706.5	Outer_Full	14.22	15.28	/	Pass
	707.5	Outer_Full	14.24	15.28	/	Pass
	708.5	Outer_Full	14.20	15.27	/	Pass

3.2 Test Graph

3.2.1 15k_SISO_5MHz_NTNV

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_701.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_713.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_701.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_713.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 16 QAM_701.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 16 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 16 QAM_713.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 64 QAM_701.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 64 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 64 QAM_713.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 256 QAM_701.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 256 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 256 QAM_713.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_701.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_713.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM 16 QAM_701.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM 16 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM 16 QAM_713.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM 64 QAM_701.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM 64 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM 64 QAM_713.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM 256 QAM_701.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM 256 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM 256 QAM_713.5MHz_Outer_Full_Ant1



3.2.2 15k_SISO_10MHz_NTNV

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_704MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_711MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_704MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_711MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_704MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_711MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_704MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_711MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_704MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_711MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_704MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_711MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_704MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_711MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_704MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_711MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_704MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_711MHz_Outer_Full_Ant1



3.2.3 15k_SISO_15MHz_NTNV

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_706.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_708.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_706.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_708.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_706.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_708.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_706.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_708.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_706.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_708.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_706.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_708.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM 16 QAM_706.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM 16 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM 16 QAM_708.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM 64 QAM_706.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM 64 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM 64 QAM_708.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM 256 QAM_706.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM 256 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM 256 QAM_708.5MHz_Outer_Full_Ant1



4. Peak-Average Ratio

4.1 Test Result

4.1.1 15k_SISO_5MHz_NTNV

5G NR n12 SCS=15kHz SISO 5MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	701.5	Outer_Full	4.35	/	/	<=13	Pass
	707.5	Outer_Full	4.17	/	/	<=13	Pass
	713.5	Outer_Full	4.26	/	/	<=13	Pass
DFT-s-OFDM QPSK	701.5	Outer_Full	5.54	/	/	<=13	Pass
	707.5	Outer_Full	5.46	/	/	<=13	Pass
	713.5	Outer_Full	5.54	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	701.5	Outer_Full	6.07	/	/	<=13	Pass
	707.5	Outer_Full	5.99	/	/	<=13	Pass
	713.5	Outer_Full	6.06	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	701.5	Outer_Full	6.48	/	/	<=13	Pass
	707.5	Outer_Full	6.42	/	/	<=13	Pass
	713.5	Outer_Full	6.48	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	701.5	Outer_Full	6.67	/	/	<=13	Pass
	707.5	Outer_Full	6.51	/	/	<=13	Pass
	713.5	Outer_Full	6.68	/	/	<=13	Pass
CP-OFDM QPSK	701.5	Outer_Full	8.03	/	/	<=13	Pass
	707.5	Outer_Full	7.93	/	/	<=13	Pass
	713.5	Outer_Full	8.19	/	/	<=13	Pass
CP-OFDM 16 QAM	701.5	Outer_Full	8.15	/	/	<=13	Pass
	707.5	Outer_Full	8.10	/	/	<=13	Pass
	713.5	Outer_Full	8.32	/	/	<=13	Pass
CP-OFDM 64 QAM	701.5	Outer_Full	8.04	/	/	<=13	Pass
	707.5	Outer_Full	8.09	/	/	<=13	Pass
	713.5	Outer_Full	8.18	/	/	<=13	Pass
CP-OFDM 256 QAM	701.5	Outer_Full	8.45	/	/	<=13	Pass
	707.5	Outer_Full	8.29	/	/	<=13	Pass
	713.5	Outer_Full	8.47	/	/	<=13	Pass

4.1.2 15k_SISO_10MHz_NTNV

5G NR n12 SCS=15kHz SISO 10MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	704	Outer_Full	4.29	/	/	<=13	Pass
	707.5	Outer_Full	4.04	/	/	<=13	Pass
	711	Outer_Full	4.29	/	/	<=13	Pass
DFT-s-OFDM QPSK	704	Outer_Full	5.40	/	/	<=13	Pass
	707.5	Outer_Full	5.35	/	/	<=13	Pass
	711	Outer_Full	5.41	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	704	Outer_Full	6.19	/	/	<=13	Pass
	707.5	Outer_Full	6.11	/	/	<=13	Pass
	711	Outer_Full	6.10	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	704	Outer_Full	6.31	/	/	<=13	Pass
	707.5	Outer_Full	6.27	/	/	<=13	Pass
	711	Outer_Full	6.29	/	/	<=13	Pass

DFT-s-OFDM 256 QAM	704	Outer_Full	6.25	/	/	<=13	Pass
	707.5	Outer_Full	6.23	/	/	<=13	Pass
	711	Outer_Full	6.27	/	/	<=13	Pass
CP-OFDM QPSK	704	Outer_Full	8.00	/	/	<=13	Pass
	707.5	Outer_Full	7.96	/	/	<=13	Pass
	711	Outer_Full	7.90	/	/	<=13	Pass
CP-OFDM 16 QAM	704	Outer_Full	8.14	/	/	<=13	Pass
	707.5	Outer_Full	8.10	/	/	<=13	Pass
	711	Outer_Full	8.02	/	/	<=13	Pass
CP-OFDM 64 QAM	704	Outer_Full	7.95	/	/	<=13	Pass
	707.5	Outer_Full	7.93	/	/	<=13	Pass
	711	Outer_Full	7.90	/	/	<=13	Pass
CP-OFDM 256 QAM	704	Outer_Full	8.04	/	/	<=13	Pass
	707.5	Outer_Full	8.05	/	/	<=13	Pass
	711	Outer_Full	7.97	/	/	<=13	Pass

4.1.3 15k_SISO_15MHz_NTNV

5G NR n12 SCS=15kHz SISO 15MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	706.5	Outer_Full	4.03	/	/	<=13	Pass
	707.5	Outer_Full	3.97	/	/	<=13	Pass
	708.5	Outer_Full	3.98	/	/	<=13	Pass
DFT-s-OFDM QPSK	706.5	Outer_Full	5.20	/	/	<=13	Pass
	707.5	Outer_Full	5.24	/	/	<=13	Pass
	708.5	Outer_Full	5.29	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	706.5	Outer_Full	5.96	/	/	<=13	Pass
	707.5	Outer_Full	5.98	/	/	<=13	Pass
	708.5	Outer_Full	5.98	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	706.5	Outer_Full	6.13	/	/	<=13	Pass
	707.5	Outer_Full	6.16	/	/	<=13	Pass
	708.5	Outer_Full	6.20	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	706.5	Outer_Full	6.17	/	/	<=13	Pass
	707.5	Outer_Full	6.18	/	/	<=13	Pass
	708.5	Outer_Full	6.19	/	/	<=13	Pass
CP-OFDM QPSK	706.5	Outer_Full	7.84	/	/	<=13	Pass
	707.5	Outer_Full	7.86	/	/	<=13	Pass
	708.5	Outer_Full	7.86	/	/	<=13	Pass
CP-OFDM 16 QAM	706.5	Outer_Full	7.91	/	/	<=13	Pass
	707.5	Outer_Full	7.93	/	/	<=13	Pass
	708.5	Outer_Full	7.94	/	/	<=13	Pass
CP-OFDM 64 QAM	706.5	Outer_Full	7.94	/	/	<=13	Pass
	707.5	Outer_Full	7.96	/	/	<=13	Pass
	708.5	Outer_Full	7.97	/	/	<=13	Pass
CP-OFDM 256 QAM	706.5	Outer_Full	8.22	/	/	<=13	Pass
	707.5	Outer_Full	8.23	/	/	<=13	Pass
	708.5	Outer_Full	8.26	/	/	<=13	Pass

4.2 Test Graph

4.2.1 15k_SISO_5MHz_NTNV

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_701.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_713.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_701.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_713.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 16 QAM_701.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 16 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 16 QAM_713.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 64 QAM_701.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 64 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 64 QAM_713.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 256 QAM_701.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 256 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 256 QAM_713.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_701.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_713.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM 16 QAM_701.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM 16 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM 16 QAM_713.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM 64 QAM_701.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM 64 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM 64 QAM_713.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM 256 QAM_701.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM 256 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_5MHz_CP-OFDM 256 QAM_713.5MHz_Outer_Full_Ant1



4.2.2 15k_SISO_10MHz_NTNV

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_704MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_711MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_704MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_711MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_704MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_711MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_704MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_711MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_704MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_711MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_704MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_711MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_704MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_711MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_704MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_711MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_704MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_711MHz_Outer_Full_Ant1



4.2.3 15k_SISO_15MHz_NTNV

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_706.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_708.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_706.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_708.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_706.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_708.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_706.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_708.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_706.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_708.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_706.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_708.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM 16 QAM_706.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM 16 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM 16 QAM_708.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM 64 QAM_706.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM 64 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM 64 QAM_708.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM 256 QAM_706.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM 256 QAM_707.5MHz_Outer_Full_Ant1



n12_15kHz_SISO_NTNV_15MHz_CP-OFDM 256 QAM_708.5MHz_Outer_Full_Ant1



5. Spurious Emission

5.1 Test Result

5.1.1 15k_SISO_5MHz_NTNV

5G NR n12 SCS=15kHz SISO 5MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	701.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	707.5	Edge_1RB_Left	Refer To Test Graph				Pass
	713.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	701.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	707.5	Edge_1RB_Left	Refer To Test Graph				Pass
	713.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
CP-OFDM QPSK	701.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	707.5	Edge_1RB_Left	Refer To Test Graph				Pass
	713.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass

5.1.2 15k_SISO_10MHz_NTNV

5G NR n12 SCS=15kHz SISO 10MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	704	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	707.5	Edge_1RB_Left	Refer To Test Graph				Pass
	711	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	704	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	707.5	Edge_1RB_Left	Refer To Test Graph				Pass
	711	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
CP-OFDM QPSK	704	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	707.5	Edge_1RB_Left	Refer To Test Graph				Pass

	711	Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
		Inner_1RB_Right	Refer To Test Graph	Pass

5.1.3 15k_SISO_15MHz_NTNV

5G NR n12 SCS=15kHz SISO 15MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	706.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	707.5	Edge_1RB_Left	Refer To Test Graph				Pass
	708.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	706.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	707.5	Edge_1RB_Left	Refer To Test Graph				Pass
	708.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass
CP-OFDM QPSK	706.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Left	Refer To Test Graph				Pass
	707.5	Edge_1RB_Left	Refer To Test Graph				Pass
	708.5	Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
		Inner_1RB_Right	Refer To Test Graph				Pass

5.2 Test Graph

5.2.1 15k_SISO_5MHz_NTNV

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_701.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	698.900	-33.97	-13	Pass
698.9	699	0.03	/	2	698.990	-26.49	-13	Pass
699	704	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_701.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	692.050	-60.86	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	730.000	-56.20	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_701.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	7087.000	-51.24	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_701.5MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	698.840	-36.86	-13	Pass
698.9	699	0.03	/	2	698.990	-34.38	-13	Pass
699	704	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_701.5MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	697.050	-37.18	-13	Pass
698.9	699	0.03	/	2	698.930	-43.74	-13	Pass
699	704	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_707.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	449.050	-61.12	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	737.150	-56.22	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_707.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	1410.500	-50.44	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_713.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
711	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.010	-26.91	-13	Pass
716.1	721	0.1	CHP	2	718.070	-35.48	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_713.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	550.000	-60.75	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	744.250	-55.75	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_713.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	1431.000	-49.58	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_713.5MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
711	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.010	-36.19	-13	Pass
716.1	721	0.1	CHP	2	716.220	-37.89	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_713.5MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
711	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.020	-42.84	-13	Pass
716.1	721	0.1	CHP	2	717.890	-35.82	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_701.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	698.900	-32.63	-13	Pass
698.9	699	0.03	/	2	698.990	-25.17	-13	Pass
699	704	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_701.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	692.100	-61.08	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	729.600	-56.05	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_701.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	7063.000	-51.22	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_701.5MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	698.750	-34.13	-13	Pass
698.9	699	0.03	/	2	698.990	-36.19	-13	Pass
699	704	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_701.5MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	697.060	-36.33	-13	Pass
698.9	699	0.03	/	2	698.970	-42.58	-13	Pass
699	704	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_707.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	546.900	-60.92	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	738.200	-56.02	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_707.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	1410.500	-50.46	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_713.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
711	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.010	-27.55	-13	Pass
716.1	721	0.1	CHP	2	718.070	-36.17	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_713.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	444.800	-61.06	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	744.800	-54.99	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_713.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	1431.000	-50.50	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_713.5MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
711	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.010	-37.67	-13	Pass
716.1	721	0.1	CHP	2	716.260	-36.50	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_713.5MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
711	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.030	-41.19	-13	Pass
716.1	721	0.1	CHP	2	717.890	-36.15	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_701.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	698.840	-35.96	-13	Pass
698.9	699	0.03	/	2	698.990	-26.57	-13	Pass
699	704	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_701.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	454.100	-61.26	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	729.750	-55.72	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_701.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	7089.500	-51.27	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_701.5MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	698.830	-35.44	-13	Pass
698.9	699	0.03	/	2	698.990	-39.18	-13	Pass
699	704	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_701.5MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	697.070	-38.17	-13	Pass
698.9	699	0.03	/	2	698.990	-42.11	-13	Pass
699	704	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_707.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	551.700	-60.75	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	737.000	-55.75	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_707.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	7118.500	-51.20	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_713.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
711	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.010	-28.66	-13	Pass
716.1	721	0.1	CHP	2	718.060	-37.70	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_713.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	551.550	-61.07	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	743.800	-55.69	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_713.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	7077.000	-51.14	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_713.5MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
711	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.010	-40.52	-13	Pass
716.1	721	0.1	CHP	2	716.170	-38.02	-13	Pass

n12_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_713.5MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
711	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.010	-42.89	-13	Pass
716.1	721	0.1	CHP	2	717.890	-37.25	-13	Pass

5.2.2 15k_SISO_10MHz_NTNV

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_704MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	696.940	-36.83	-13	Pass
698.9	699	0.03	/	2	698.995	-29.64	-13	Pass
699	709	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_704MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	460.100	-61.35	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	730.050	-58.83	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_704MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	1398.500	-50.60	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_704MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	698.845	-37.43	-13	Pass
698.9	699	0.03	/	2	698.995	-41.09	-13	Pass
699	709	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_704MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	697.135	-36.49	-13	Pass
698.9	699	0.03	/	2	698.980	-44.85	-13	Pass
699	709	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_707.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	463.450	-60.76	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	721.450	-58.03	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_707.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	1405.500	-50.55	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_711MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
706	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.005	-34.17	-13	Pass
716.1	721	0.1	CHP	2	718.000	-35.36	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_711MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	460.750	-61.09	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	737.800	-58.58	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_711MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	1431.000	-49.69	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_711MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
706	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.005	-42.92	-13	Pass
716.1	721	0.1	CHP	2	716.710	-38.31	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_711MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
706	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.005	-43.65	-13	Pass
716.1	721	0.1	CHP	2	717.820	-35.37	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_704MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	696.940	-36.21	-13	Pass
698.9	699	0.03	/	2	698.995	-30.62	-13	Pass
699	709	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_704MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	692.100	-60.48	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	730.200	-58.37	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_704MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	1398.500	-50.83	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_704MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	698.665	-36.27	-13	Pass
698.9	699	0.03	/	2	698.995	-41.11	-13	Pass
699	709	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_704MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	697.120	-36.03	-13	Pass
698.9	699	0.03	/	2	698.995	-41.54	-13	Pass
699	709	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_707.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	459.900	-60.91	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	721.200	-58.16	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_707.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	1405.500	-50.71	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_711MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
706	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.005	-35.20	-13	Pass
716.1	721	0.1	CHP	2	717.985	-35.74	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_711MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	548.850	-60.90	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	736.600	-58.57	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_711MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	1431.000	-49.64	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_711MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
706	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.065	-39.59	-13	Pass
716.1	721	0.1	CHP	2	716.395	-36.11	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_711MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
706	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.005	-40.89	-13	Pass
716.1	721	0.1	CHP	2	717.805	-35.66	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_704MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	696.955	-38.55	-13	Pass
698.9	699	0.03	/	2	698.995	-33.23	-13	Pass
699	709	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_704MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	545.450	-61.06	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	729.850	-58.85	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_704MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	7102.500	-51.11	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_704MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	698.020	-37.56	-13	Pass
698.9	699	0.03	/	2	698.995	-41.31	-13	Pass
699	709	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_704MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	697.135	-37.56	-13	Pass
698.9	699	0.03	/	2	698.995	-43.04	-13	Pass
699	709	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_707.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	551.300	-61.19	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	721.300	-54.95	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_707.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	7075.500	-51.23	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_711MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
706	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.005	-36.09	-13	Pass
716.1	721	0.1	CHP	2	717.985	-37.39	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_711MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	535.950	-61.04	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	743.250	-58.25	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_711MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	7055.500	-51.00	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_711MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
706	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.020	-41.44	-13	Pass
716.1	721	0.1	CHP	2	716.185	-36.84	-13	Pass

n12_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_711MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
706	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.005	-43.21	-13	Pass
716.1	721	0.1	CHP	2	717.820	-36.50	-13	Pass

5.2.3 15k_SISO_15MHz_NTNV

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_706.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	697.031	-35.52	-13	Pass
698.9	699	0.03	/	2	698.996	-31.70	-13	Pass
699	714	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_706.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	692.750	-51.75	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	722.500	-55.80	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_706.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	2098.500	-21.86	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_706.5MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	698.711	-42.90	-13	Pass
698.9	699	0.03	/	2	698.981	-46.78	-13	Pass
699	714	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_706.5MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	697.211	-37.49	-13	Pass
698.9	699	0.03	/	2	698.921	-46.46	-13	Pass
699	714	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_707.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	693.750	-54.31	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	734.550	-61.19	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_707.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	2101.500	-36.55	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_708.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
701	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.004	-33.22	-13	Pass
716.1	721	0.1	CHP	2	717.924	-31.92	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_708.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	692.500	-51.71	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	721.400	-57.69	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_708.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	2146.500	-34.63	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_708.5MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
701	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.034	-44.93	-13	Pass
716.1	721	0.1	CHP	2	720.565	-40.71	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_708.5MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
701	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.004	-40.75	-13	Pass
716.1	721	0.1	CHP	2	717.744	-34.49	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_706.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	697.031	-35.56	-13	Pass
698.9	699	0.03	/	2	698.996	-35.63	-13	Pass
699	714	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_706.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	692.750	-55.95	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	722.500	-59.42	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_706.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	2098.500	-36.75	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_706.5MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	698.621	-42.79	-13	Pass
698.9	699	0.03	/	2	698.966	-46.33	-13	Pass
699	714	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_706.5MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	697.196	-34.92	-13	Pass
698.9	699	0.03	/	2	698.996	-42.65	-13	Pass
699	714	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_707.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	693.750	-55.07	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	734.550	-60.76	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_707.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	2101.500	-36.67	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_708.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
701	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.004	-36.12	-13	Pass
716.1	721	0.1	CHP	2	717.924	-35.04	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_708.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	692.500	-52.76	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	721.400	-57.97	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_708.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	2147.000	-35.29	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_708.5MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
701	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.034	-42.26	-13	Pass
716.1	721	0.1	CHP	2	716.154	-37.46	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_708.5MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
701	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.079	-42.06	-13	Pass
716.1	721	0.1	CHP	2	717.744	-35.07	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_706.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	697.046	-38.17	-13	Pass
698.9	699	0.03	/	2	698.996	-37.96	-13	Pass
699	714	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_706.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	692.800	-58.23	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	722.500	-60.27	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_706.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	2098.500	-40.70	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_706.5MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	698.666	-37.62	-13	Pass
698.9	699	0.03	/	2	698.996	-42.13	-13	Pass
699	714	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_706.5MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
694	698.9	0.1	CHP	1	697.211	-36.48	-13	Pass
698.9	699	0.03	/	2	698.996	-43.40	-13	Pass
699	714	0.03	/	/	/	/	/	/

n12_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_707.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	693.800	-56.71	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	734.000	-60.86	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_707.5MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	2101.500	-41.29	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_708.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
701	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.004	-36.94	-13	Pass
716.1	721	0.1	CHP	2	717.924	-36.20	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_708.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	698.9	0.1	/	1	692.500	-54.34	-13	Pass
698.9	721	0.1	/	/	/	/	/	/
721	1000	0.1	/	2	721.400	-58.56	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_708.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	7160	1	/	1	2146.500	-33.94	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_708.5MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
701	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.094	-42.48	-13	Pass
716.1	721	0.1	CHP	2	716.154	-38.25	-13	Pass

n12_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_708.5MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
701	716	0.03	/	/	/	/	/	/
716	716.1	0.03	/	1	716.019	-42.97	-13	Pass
716.1	721	0.1	CHP	2	717.744	-35.36	-13	Pass