

Field Strength of Spurious Radiation

Test Band = NSA\_DC\_5A\_n2A\_TM1  
Test Channel = LCH

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 3314.5         | 47.09             | -44.34         | 28.53    | -63.98         | -13.00         | 50.98          | Horizontal |
| 2               | 4843.5         | 47.62             | -42.67         | 30.63    | -59.68         | -13.00         | 46.68          | Horizontal |
| 3               | 7379.5         | 43.47             | -38.10         | 36.62    | -53.27         | -13.00         | 40.27          | Horizontal |
| 4               | 11334.5        | 43.18             | -35.22         | 40.17    | -47.13         | -13.00         | 34.13          | Horizontal |
| 5               | 14672          | 41.25             | -33.69         | 41.79    | -45.91         | -13.00         | 32.91          | Horizontal |
| 6               | 17985          | 40.02             | -39.76         | 47.93    | -47.07         | -13.00         | 34.07          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 3701           | 48.34             | -44.19         | 29.31    | -61.80         | -13.00         | 48.80          | Vertical |
| 2               | 4843.5         | 52.81             | -42.67         | 30.63    | -54.49         | -13.00         | 41.49          | Vertical |
| 3               | 7424.5         | 43.88             | -37.86         | 36.75    | -52.49         | -13.00         | 39.49          | Vertical |
| 4               | 11330.5        | 43.17             | -35.16         | 40.16    | -47.09         | -13.00         | 34.09          | Vertical |
| 5               | 14803          | 39.91             | -32.51         | 41.58    | -46.28         | -13.00         | 33.28          | Vertical |
| 6               | 17780.5        | 41.00             | -38.52         | 45.62    | -47.16         | -13.00         | 34.16          | Vertical |

Test Band = NSA\_DC\_5A\_n2A\_TM1

Test Channel = MCH

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 3334           | 46.99             | -44.51         | 28.57    | -64.21         | -13.00         | 51.21          | Horizontal |
| 2               | 4844           | 48.28             | -42.68         | 30.62    | -59.04         | -13.00         | 46.04          | Horizontal |
| 3               | 7456.5         | 43.15             | -37.76         | 36.81    | -53.06         | -13.00         | 40.06          | Horizontal |
| 4               | 11323.5        | 43.07             | -35.06         | 40.15    | -47.10         | -13.00         | 34.10          | Horizontal |
| 5               | 14801.5        | 39.97             | -32.49         | 41.59    | -46.19         | -13.00         | 33.19          | Horizontal |
| 6               | 17995          | 39.62             | -39.77         | 48.11    | -47.30         | -13.00         | 34.30          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 3125           | 47.04             | -44.56         | 28.80    | -63.98         | -13.00         | 50.98          | Vertical |
| 2               | 4843.5         | 52.13             | -42.67         | 30.63    | -55.17         | -13.00         | 42.17          | Vertical |
| 3               | 7436           | 43.14             | -37.79         | 36.77    | -53.14         | -13.00         | 40.14          | Vertical |
| 4               | 11296          | 43.22             | -34.79         | 40.10    | -46.73         | -13.00         | 33.73          | Vertical |
| 5               | 13953          | 41.85             | -33.33         | 41.06    | -45.68         | -13.00         | 32.68          | Vertical |
| 6               | 17998.5        | 39.94             | -39.77         | 48.17    | -46.92         | -13.00         | 33.92          | Vertical |

**Test Band = NSA\_DC\_5A\_n2A\_TM1****Test Channel = HCH**

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 3551.5         | 47.43             | -44.44         | 29.00    | -63.27         | -13.00         | 50.27          | Horizontal |
| 2               | 4843.5         | 48.18             | -42.67         | 30.63    | -59.12         | -13.00         | 46.12          | Horizontal |
| 3               | 7409           | 43.44             | -37.96         | 36.72    | -53.06         | -13.00         | 40.06          | Horizontal |
| 4               | 11292.5        | 42.94             | -34.86         | 40.11    | -47.07         | -13.00         | 34.07          | Horizontal |
| 5               | 14679.5        | 41.76             | -33.77         | 41.82    | -45.45         | -13.00         | 32.45          | Horizontal |
| 6               | 17989          | 40.11             | -39.76         | 48.00    | -46.91         | -13.00         | 33.91          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 3198           | 46.45             | -43.89         | 28.41    | -64.29         | -13.00         | 51.29          | Vertical |
| 2               | 4844           | 52.28             | -42.68         | 30.62    | -55.04         | -13.00         | 42.04          | Vertical |
| 3               | 7435           | 43.21             | -37.80         | 36.77    | -53.08         | -13.00         | 40.08          | Vertical |
| 4               | 11303          | 42.54             | -34.75         | 40.11    | -47.36         | -13.00         | 34.36          | Vertical |
| 5               | 14806.5        | 40.10             | -32.53         | 41.56    | -46.13         | -13.00         | 33.13          | Vertical |
| 6               | 17993.5        | 39.63             | -39.76         | 48.08    | -47.31         | -13.00         | 34.31          | Vertical |

Test Band = NSA\_DC\_5A\_n5A\_TM1

Test Channel = LCH

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 1151.5         | 47.65             | -47.36         | 24.50    | -70.47         | -13.00         | 57.47          | Horizontal |
| 2               | 1875           | 48.15             | -46.71         | 25.50    | -68.32         | -13.00         | 55.32          | Horizontal |
| 3               | 2772.5         | 46.55             | -45.28         | 28.19    | -65.80         | -13.00         | 52.80          | Horizontal |
| 4               | 4531.5         | 48.00             | -43.13         | 29.66    | -60.73         | -13.00         | 47.73          | Horizontal |
| 5               | 7434.5         | 42.40             | -37.85         | 36.77    | -53.94         | -13.00         | 40.94          | Horizontal |
| 6               | 9974.5         | 40.54             | -34.98         | 38.67    | -51.03         | -13.00         | 38.03          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 1097           | 47.42             | -47.17         | 24.29    | -70.72         | -13.00         | 57.72          | Vertical |
| 2               | 2031           | 51.53             | -46.30         | 26.38    | -63.65         | -13.00         | 50.65          | Vertical |
| 3               | 3096           | 46.92             | -45.11         | 28.89    | -64.56         | -13.00         | 51.56          | Vertical |
| 4               | 4844           | 50.47             | -42.79         | 30.62    | -56.96         | -13.00         | 43.96          | Vertical |
| 5               | 7463           | 42.47             | -37.81         | 36.83    | -53.77         | -13.00         | 40.77          | Vertical |
| 6               | 9913           | 40.81             | -35.02         | 38.61    | -50.86         | -13.00         | 37.86          | Vertical |

**Test Band = NSA\_DC\_5A\_n5A\_TM1****Test Channel = MCH**

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 1028.5         | 47.18             | -46.70         | 24.27    | -70.51         | -13.00         | 57.51          | Horizontal |
| 2               | 1875           | 47.97             | -46.71         | 25.50    | -68.50         | -13.00         | 55.50          | Horizontal |
| 3               | 2560           | 47.43             | -45.47         | 27.82    | -65.48         | -13.00         | 52.48          | Horizontal |
| 4               | 4531           | 47.39             | -43.13         | 29.66    | -61.34         | -13.00         | 48.34          | Horizontal |
| 5               | 7451.5         | 42.40             | -37.70         | 36.80    | -53.76         | -13.00         | 40.76          | Horizontal |
| 6               | 9908           | 40.90             | -35.04         | 38.61    | -50.79         | -13.00         | 37.79          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 1118           | 47.45             | -47.24         | 24.37    | -70.68         | -13.00         | 57.68          | Vertical |
| 2               | 2031.5         | 51.46             | -46.30         | 26.37    | -63.73         | -13.00         | 50.73          | Vertical |
| 3               | 3069.5         | 46.56             | -45.26         | 28.84    | -65.12         | -13.00         | 52.12          | Vertical |
| 4               | 4843.5         | 50.61             | -42.79         | 30.63    | -56.81         | -13.00         | 43.81          | Vertical |
| 5               | 7497           | 42.91             | -38.15         | 36.89    | -53.61         | -13.00         | 40.61          | Vertical |
| 6               | 9944           | 40.86             | -34.93         | 38.64    | -50.69         | -13.00         | 37.69          | Vertical |

**Test Band = NSA\_DC\_5A\_n5A\_TM1****Test Channel = HCH**

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 1119.5         | 47.32             | -47.25         | 24.38    | -70.81         | -13.00         | 57.81          | Horizontal |
| 2               | 1875           | 48.16             | -46.71         | 25.50    | -68.31         | -13.00         | 55.31          | Horizontal |
| 3               | 3129.5         | 46.51             | -45.03         | 28.78    | -65.00         | -13.00         | 52.00          | Horizontal |
| 4               | 4844           | 46.90             | -42.79         | 30.62    | -60.53         | -13.00         | 47.53          | Horizontal |
| 5               | 7498           | 42.64             | -38.16         | 36.90    | -53.88         | -13.00         | 40.88          | Horizontal |
| 6               | 9996.5         | 40.84             | -35.05         | 38.70    | -50.77         | -13.00         | 37.77          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 1130           | 47.40             | -47.29         | 24.42    | -70.73         | -13.00         | 57.73          | Vertical |
| 2               | 2031.5         | 51.43             | -46.30         | 26.37    | -63.76         | -13.00         | 50.76          | Vertical |
| 3               | 3095.5         | 46.88             | -45.12         | 28.89    | -64.61         | -13.00         | 51.61          | Vertical |
| 4               | 4843.5         | 50.41             | -42.79         | 30.63    | -57.01         | -13.00         | 44.01          | Vertical |
| 5               | 7428.5         | 42.67             | -37.92         | 36.76    | -53.75         | -13.00         | 40.75          | Vertical |
| 6               | 9945           | 40.93             | -34.93         | 38.65    | -50.61         | -13.00         | 37.61          | Vertical |

Test Band = NSA\_DC\_2A\_n7A\_TM1

Test Channel = LCH

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 3202           | 47.01             | -43.88         | 28.41    | -63.72         | -25.00         | 38.72          | Horizontal |
| 2               | 4844           | 48.42             | -42.68         | 30.62    | -58.90         | -25.00         | 33.90          | Horizontal |
| 3               | 7424           | 43.01             | -37.87         | 36.75    | -53.37         | -25.00         | 28.37          | Horizontal |
| 4               | 11286.5        | 42.97             | -34.99         | 40.11    | -47.17         | -25.00         | 22.17          | Horizontal |
| 5               | 14677.5        | 41.18             | -33.75         | 41.81    | -46.02         | -25.00         | 21.02          | Horizontal |
| 6               | 17972.5        | 40.09             | -39.75         | 47.71    | -47.21         | -25.00         | 22.21          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 3199           | 46.79             | -43.87         | 28.41    | -63.93         | -25.00         | 38.93          | Vertical |
| 2               | 4843.5         | 50.99             | -42.67         | 30.63    | -56.31         | -25.00         | 31.31          | Vertical |
| 3               | 7501.5         | 46.08             | -38.08         | 36.89    | -50.37         | -25.00         | 25.37          | Vertical |
| 4               | 11283          | 43.40             | -35.06         | 40.12    | -46.80         | -25.00         | 21.80          | Vertical |
| 5               | 14677          | 41.13             | -33.74         | 41.81    | -46.06         | -25.00         | 21.06          | Vertical |
| 6               | 17984          | 39.97             | -39.76         | 47.91    | -47.14         | -25.00         | 22.14          | Vertical |

Test Band = NSA\_DC\_2A\_n7A\_TM1

Test Channel = MCH

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 3208           | 46.47             | -43.94         | 28.43    | -64.30         | -25.00         | 39.30          | Horizontal |
| 2               | 4843.5         | 47.74             | -42.67         | 30.63    | -59.56         | -25.00         | 34.56          | Horizontal |
| 3               | 7451.5         | 43.15             | -37.72         | 36.80    | -53.03         | -25.00         | 28.03          | Horizontal |
| 4               | 11279          | 42.87             | -35.15         | 40.12    | -47.42         | -25.00         | 22.42          | Horizontal |
| 5               | 15273.5        | 39.87             | -30.65         | 39.85    | -46.19         | -25.00         | 21.19          | Horizontal |
| 6               | 17980          | 39.75             | -39.75         | 47.84    | -47.42         | -25.00         | 22.42          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 3272.5         | 46.96             | -44.29         | 28.56    | -64.03         | -25.00         | 39.03          | Vertical |
| 2               | 4844           | 50.71             | -42.68         | 30.62    | -56.61         | -25.00         | 31.61          | Vertical |
| 3               | 7576.5         | 47.26             | -38.07         | 36.61    | -49.46         | -25.00         | 24.46          | Vertical |
| 4               | 11763          | 43.44             | -34.55         | 39.84    | -46.53         | -25.00         | 21.53          | Vertical |
| 5               | 14810.5        | 40.12             | -32.57         | 41.54    | -46.17         | -25.00         | 21.17          | Vertical |
| 6               | 17969.5        | 40.20             | -39.75         | 47.65    | -47.16         | -25.00         | 22.16          | Vertical |

Test Band = NSA\_DC\_2A\_n7A\_TM1

Test Channel = MCH

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 3479           | 46.63             | -44.34         | 29.02    | -63.95         | -25.00         | 38.95          | Horizontal |
| 2               | 4531           | 49.23             | -43.08         | 29.66    | -59.45         | -25.00         | 34.45          | Horizontal |
| 3               | 7408.5         | 43.36             | -37.96         | 36.72    | -53.14         | -25.00         | 28.14          | Horizontal |
| 4               | 11033.5        | 42.00             | -34.14         | 40.13    | -47.27         | -25.00         | 22.27          | Horizontal |
| 5               | 14674.5        | 40.93             | -33.71         | 41.80    | -46.24         | -25.00         | 21.24          | Horizontal |
| 6               | 17974          | 39.99             | -39.75         | 47.73    | -47.29         | -25.00         | 22.29          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 3518           | 47.29             | -44.40         | 29.06    | -63.31         | -25.00         | 38.31          | Vertical |
| 2               | 4844           | 50.08             | -42.68         | 30.62    | -57.24         | -25.00         | 32.24          | Vertical |
| 3               | 7651.5         | 47.67             | -37.46         | 36.61    | -48.44         | -25.00         | 23.44          | Vertical |
| 4               | 11287          | 43.35             | -34.98         | 40.11    | -46.78         | -25.00         | 21.78          | Vertical |
| 5               | 14677.5        | 41.50             | -33.75         | 41.81    | -45.70         | -25.00         | 20.70          | Vertical |
| 6               | 17986          | 40.29             | -39.76         | 47.95    | -46.78         | -25.00         | 21.78          | Vertical |

**Test Band = NSA\_DC\_7A\_n12A\_TM1****Test Channel = LCH**

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 3682.5         | 47.74             | -44.24         | 29.30    | -62.46         | -13.00         | 49.46          | Horizontal |
| 2               | 4531           | 48.60             | -43.08         | 29.66    | -60.08         | -13.00         | 47.08          | Horizontal |
| 3               | 7445.5         | 42.95             | -37.74         | 36.79    | -53.26         | -13.00         | 40.26          | Horizontal |
| 4               | 11257          | 43.78             | -35.62         | 40.14    | -46.96         | -13.00         | 33.96          | Horizontal |
| 5               | 13887          | 41.63             | -33.59         | 40.85    | -46.37         | -13.00         | 33.37          | Horizontal |
| 6               | 17990          | 39.59             | -39.76         | 48.02    | -47.41         | -13.00         | 34.41          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 3205           | 47.18             | -43.91         | 28.42    | -63.57         | -13.00         | 50.57          | Vertical |
| 2               | 4843.5         | 51.08             | -42.67         | 30.63    | -56.22         | -13.00         | 43.22          | Vertical |
| 3               | 7598.5         | 51.10             | -38.08         | 36.79    | -45.45         | -13.00         | 32.45          | Vertical |
| 4               | 11295          | 42.82             | -34.81         | 40.11    | -47.14         | -13.00         | 34.14          | Vertical |
| 5               | 14805          | 40.18             | -32.52         | 41.57    | -46.03         | -13.00         | 33.03          | Vertical |
| 6               | 17982          | 39.68             | -39.76         | 47.88    | -47.46         | -13.00         | 34.46          | Vertical |

Test Band = NSA\_DC\_7A\_n12A\_TM1

Test Channel = MCH

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 3207.5         | 46.73             | -43.93         | 28.43    | -64.03         | -13.00         | 51.03          | Horizontal |
| 2               | 4844           | 48.19             | -42.68         | 30.62    | -59.13         | -13.00         | 46.13          | Horizontal |
| 3               | 7422.5         | 43.19             | -37.88         | 36.75    | -53.20         | -13.00         | 40.20          | Horizontal |
| 4               | 11304.5        | 42.85             | -34.77         | 40.11    | -47.07         | -13.00         | 34.07          | Horizontal |
| 5               | 14799          | 40.00             | -32.53         | 41.60    | -46.19         | -13.00         | 33.19          | Horizontal |
| 6               | 17986.5        | 40.12             | -39.76         | 47.96    | -46.94         | -13.00         | 33.94          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 3552.5         | 46.74             | -44.43         | 29.00    | -63.95         | -13.00         | 50.95          | Vertical |
| 2               | 4844           | 50.24             | -42.68         | 30.62    | -57.08         | -13.00         | 44.08          | Vertical |
| 3               | 7598.5         | 50.17             | -38.08         | 36.79    | -46.38         | -13.00         | 33.38          | Vertical |
| 4               | 11267.5        | 44.14             | -35.40         | 40.13    | -46.39         | -13.00         | 33.39          | Vertical |
| 5               | 15303.5        | 40.43             | -30.71         | 39.88    | -45.66         | -13.00         | 32.66          | Vertical |
| 6               | 17994          | 39.85             | -39.77         | 48.09    | -47.09         | -13.00         | 34.09          | Vertical |

**Test Band = NSA\_DC\_7A\_n12A\_TM1****Test Channel = HCH**

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 3260.5         | 47.12             | -44.31         | 28.58    | -63.87         | -13.00         | 50.87          | Horizontal |
| 2               | 4844           | 47.57             | -42.68         | 30.62    | -59.75         | -13.00         | 46.75          | Horizontal |
| 3               | 7437.5         | 43.19             | -37.79         | 36.78    | -53.08         | -13.00         | 40.08          | Horizontal |
| 4               | 11318.5        | 43.20             | -34.98         | 40.14    | -46.90         | -13.00         | 33.90          | Horizontal |
| 5               | 14803          | 40.16             | -32.51         | 41.58    | -46.03         | -13.00         | 33.03          | Horizontal |
| 6               | 17991.5        | 39.75             | -39.76         | 48.05    | -47.22         | -13.00         | 34.22          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 3387           | 46.89             | -44.38         | 28.60    | -64.15         | -13.00         | 51.15          | Vertical |
| 2               | 4843.5         | 50.07             | -42.67         | 30.63    | -57.23         | -13.00         | 44.23          | Vertical |
| 3               | 7599           | 45.84             | -38.08         | 36.79    | -50.71         | -13.00         | 37.71          | Vertical |
| 4               | 11302.5        | 42.93             | -34.74         | 40.11    | -46.96         | -13.00         | 33.96          | Vertical |
| 5               | 15310.5        | 39.82             | -30.64         | 39.83    | -46.25         | -13.00         | 33.25          | Vertical |
| 6               | 17991          | 39.82             | -39.76         | 48.04    | -47.16         | -13.00         | 34.16          | Vertical |

**Test Band = NSA\_DC\_66A\_n25A\_TM1****Test Channel = LCH**

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 3192.5         | 46.43             | -43.96         | 28.45    | -64.34         | -13.00         | 51.34          | Horizontal |
| 2               | 4531           | 48.80             | -43.08         | 29.66    | -59.88         | -13.00         | 46.88          | Horizontal |
| 3               | 7462           | 43.18             | -37.80         | 36.82    | -53.06         | -13.00         | 40.06          | Horizontal |
| 4               | 11143          | 42.75             | -34.85         | 40.20    | -47.16         | -13.00         | 34.16          | Horizontal |
| 5               | 14677          | 41.08             | -33.74         | 41.81    | -46.11         | -13.00         | 33.11          | Horizontal |
| 6               | 17887.5        | 41.04             | -39.39         | 46.33    | -47.28         | -13.00         | 34.28          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 3701.5         | 51.37             | -44.19         | 29.31    | -58.77         | -13.00         | 45.77          | Vertical |
| 2               | 4844           | 50.28             | -42.68         | 30.62    | -57.04         | -13.00         | 44.04          | Vertical |
| 3               | 7480           | 43.84             | -37.93         | 36.86    | -52.49         | -13.00         | 39.49          | Vertical |
| 4               | 11281.5        | 43.35             | -35.10         | 40.12    | -46.89         | -13.00         | 33.89          | Vertical |
| 5               | 14805          | 40.15             | -32.52         | 41.57    | -46.06         | -13.00         | 33.06          | Vertical |
| 6               | 17991          | 40.26             | -39.76         | 48.04    | -46.72         | -13.00         | 33.72          | Vertical |

**Test Band = NSA\_DC\_66A\_n25A\_TM1****Test Channel = MCH**

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 3199.5         | 46.92             | -43.87         | 28.40    | -63.81         | -13.00         | 50.81          | Horizontal |
| 2               | 4531           | 48.68             | -43.08         | 29.66    | -60.00         | -13.00         | 47.00          | Horizontal |
| 3               | 7417.5         | 43.21             | -37.91         | 36.74    | -53.22         | -13.00         | 40.22          | Horizontal |
| 4               | 11290.5        | 43.20             | -34.90         | 40.11    | -46.85         | -13.00         | 33.85          | Horizontal |
| 5               | 14621.5        | 41.36             | -33.83         | 41.59    | -46.14         | -13.00         | 33.14          | Horizontal |
| 6               | 17993          | 39.99             | -39.76         | 48.07    | -46.96         | -13.00         | 33.96          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 3200.5         | 47.07             | -43.86         | 28.40    | -63.65         | -13.00         | 50.65          | Vertical |
| 2               | 4844           | 50.55             | -42.68         | 30.62    | -56.77         | -13.00         | 43.77          | Vertical |
| 3               | 7415.5         | 43.24             | -37.92         | 36.73    | -53.21         | -13.00         | 40.21          | Vertical |
| 4               | 11304.5        | 43.29             | -34.77         | 40.11    | -46.63         | -13.00         | 33.63          | Vertical |
| 5               | 14807          | 40.35             | -32.54         | 41.56    | -45.89         | -13.00         | 32.89          | Vertical |
| 6               | 17990.5        | 40.45             | -39.76         | 48.03    | -46.54         | -13.00         | 33.54          | Vertical |

**Test Band = NSA\_DC\_66A\_n25A\_TM1****Test Channel = HCH**

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 3197.5         | 47.14             | -43.89         | 28.42    | -63.59         | -13.00         | 50.59          | Horizontal |
| 2               | 4531.5         | 49.22             | -43.08         | 29.66    | -59.46         | -13.00         | 46.46          | Horizontal |
| 3               | 7434           | 43.16             | -37.81         | 36.77    | -53.14         | -13.00         | 40.14          | Horizontal |
| 4               | 11293.5        | 43.07             | -34.84         | 40.11    | -46.92         | -13.00         | 33.92          | Horizontal |
| 5               | 14671.5        | 40.95             | -33.68         | 41.79    | -46.20         | -13.00         | 33.20          | Horizontal |
| 6               | 17993          | 40.13             | -39.76         | 48.07    | -46.82         | -13.00         | 33.82          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 3751.5         | 50.62             | -43.86         | 29.61    | -58.89         | -13.00         | 45.89          | Vertical |
| 2               | 4843.5         | 50.33             | -42.67         | 30.63    | -56.97         | -13.00         | 43.97          | Vertical |
| 3               | 7508.5         | 43.05             | -38.07         | 36.82    | -53.46         | -13.00         | 40.46          | Vertical |
| 4               | 11256.5        | 43.58             | -35.63         | 40.14    | -47.17         | -13.00         | 34.17          | Vertical |
| 5               | 14679          | 41.49             | -33.76         | 41.82    | -45.71         | -13.00         | 32.71          | Vertical |
| 6               | 17998.5        | 39.63             | -39.77         | 48.17    | -47.23         | -13.00         | 34.23          | Vertical |

**Test Band = NSA\_DC\_66A\_n30A\_TM1****Test Channel = MCH**

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 3505.5         | 46.98             | -44.39         | 29.09    | -63.58         | -13.00         | 50.58          | Horizontal |
| 2               | 4611           | 48.10             | -42.90         | 30.12    | -59.94         | -13.00         | 46.94          | Horizontal |
| 3               | 7459.5         | 42.85             | -37.78         | 36.82    | -53.37         | -13.00         | 40.37          | Horizontal |
| 4               | 11312          | 43.19             | -34.88         | 40.12    | -46.83         | -13.00         | 33.83          | Horizontal |
| 5               | 14684          | 41.57             | -33.82         | 41.84    | -45.67         | -13.00         | 32.67          | Horizontal |
| 6               | 17986.5        | 40.24             | -39.76         | 47.96    | -46.82         | -13.00         | 33.82          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 3505.5         | 48.28             | -44.39         | 29.09    | -62.28         | -13.00         | 49.28          | Vertical |
| 2               | 4611           | 53.73             | -42.90         | 30.12    | -54.31         | -13.00         | 41.31          | Vertical |
| 3               | 7435           | 43.05             | -37.80         | 36.77    | -53.24         | -13.00         | 40.24          | Vertical |
| 4               | 11307.5        | 43.08             | -34.81         | 40.12    | -46.87         | -13.00         | 33.87          | Vertical |
| 5               | 14679          | 41.27             | -33.76         | 41.82    | -45.93         | -13.00         | 32.93          | Vertical |
| 6               | 17999.5        | 39.93             | -39.77         | 48.19    | -46.91         | -13.00         | 33.91          | Vertical |

**Test Band = NSA\_DC\_4A\_n38A\_TM1****Test Channel = LCH**

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 3082           | 46.71             | -44.53         | 28.86    | -64.22         | -25.00         | 39.22          | Horizontal |
| 2               | 5142.5         | 48.72             | -42.22         | 31.76    | -57.00         | -25.00         | 32.00          | Horizontal |
| 3               | 7431           | 43.26             | -37.82         | 36.76    | -53.06         | -25.00         | 28.06          | Horizontal |
| 4               | 11284.5        | 43.00             | -35.03         | 40.12    | -47.17         | -25.00         | 22.17          | Horizontal |
| 5               | 14670          | 40.98             | -33.67         | 41.78    | -46.17         | -25.00         | 21.17          | Horizontal |
| 6               | 17986.5        | 39.87             | -39.76         | 47.96    | -47.19         | -25.00         | 22.19          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 3137.5         | 47.51             | -44.54         | 28.75    | -63.54         | -25.00         | 38.54          | Vertical |
| 2               | 5142           | 59.80             | -42.22         | 31.75    | -45.93         | -25.00         | 20.93          | Vertical |
| 3               | 7451.5         | 42.97             | -37.72         | 36.80    | -53.21         | -25.00         | 28.21          | Vertical |
| 4               | 11029          | 42.21             | -34.09         | 40.13    | -47.01         | -25.00         | 22.01          | Vertical |
| 5               | 14677.5        | 41.16             | -33.75         | 41.81    | -46.04         | -25.00         | 21.04          | Vertical |
| 6               | 17980.5        | 39.94             | -39.75         | 47.85    | -47.22         | -25.00         | 22.22          | Vertical |

**Test Band = NSA\_DC\_4A\_n38A\_TM1****Test Channel = MCH**

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 3113           | 46.83             | -44.58         | 28.85    | -64.16         | -25.00         | 39.16          | Horizontal |
| 2               | 5152           | 47.61             | -42.18         | 31.80    | -58.03         | -25.00         | 33.03          | Horizontal |
| 3               | 7435           | 43.32             | -37.80         | 36.77    | -52.97         | -25.00         | 27.97          | Horizontal |
| 4               | 11787          | 42.55             | -34.06         | 39.81    | -46.96         | -25.00         | 21.96          | Horizontal |
| 5               | 15284.5        | 40.31             | -30.69         | 39.87    | -45.77         | -25.00         | 20.77          | Horizontal |
| 6               | 17997          | 39.58             | -39.77         | 48.15    | -47.30         | -25.00         | 22.30          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 3164.5         | 47.26             | -44.32         | 28.61    | -63.71         | -25.00         | 38.71          | Vertical |
| 2               | 5152           | 60.60             | -42.18         | 31.80    | -45.04         | -25.00         | 20.04          | Vertical |
| 3               | 7385           | 43.47             | -38.07         | 36.64    | -53.22         | -25.00         | 28.22          | Vertical |
| 4               | 11788          | 42.42             | -34.04         | 39.81    | -47.07         | -25.00         | 22.07          | Vertical |
| 5               | 14799          | 40.20             | -32.53         | 41.60    | -45.99         | -25.00         | 20.99          | Vertical |
| 6               | 17856          | 40.83             | -39.27         | 46.14    | -47.56         | -25.00         | 22.56          | Vertical |

Test Band = NSA\_DC\_4A\_n38A\_TM1

Test Channel = HCH

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 3254.5         | 47.16             | -44.33         | 28.59    | -63.84         | -25.00         | 38.84          | Horizontal |
| 2               | 5162           | 49.16             | -42.14         | 31.82    | -56.42         | -25.00         | 31.42          | Horizontal |
| 3               | 7434           | 43.23             | -37.81         | 36.77    | -53.07         | -25.00         | 28.07          | Horizontal |
| 4               | 11335          | 43.28             | -35.23         | 40.17    | -47.04         | -25.00         | 22.04          | Horizontal |
| 5               | 15033          | 41.42             | -32.62         | 40.57    | -45.89         | -25.00         | 20.89          | Horizontal |
| 6               | 17993          | 39.89             | -39.76         | 48.07    | -47.06         | -25.00         | 22.06          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 3255.5         | 46.84             | -44.33         | 28.59    | -64.16         | -25.00         | 39.16          | Vertical |
| 2               | 5162           | 51.39             | -42.14         | 31.82    | -54.19         | -25.00         | 29.19          | Vertical |
| 3               | 7418.5         | 43.23             | -37.90         | 36.74    | -53.19         | -25.00         | 28.19          | Vertical |
| 4               | 11838          | 43.31             | -34.75         | 39.84    | -46.86         | -25.00         | 21.86          | Vertical |
| 5               | 15291.5        | 40.40             | -30.71         | 39.88    | -45.69         | -25.00         | 20.69          | Vertical |
| 6               | 17986          | 39.95             | -39.76         | 47.95    | -47.12         | -25.00         | 22.12          | Vertical |

Test Band = NSA\_DC\_2A\_n41A\_TM1  
Test Channel = LCH

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 3209           | 47.01             | -43.95         | 28.44    | -63.76         | -25.00         | 38.76          | Horizontal |
| 2               | 4994           | 50.70             | -42.44         | 31.18    | -55.82         | -25.00         | 30.82          | Horizontal |
| 3               | 7462           | 43.37             | -37.80         | 36.82    | -52.87         | -25.00         | 27.87          | Horizontal |
| 4               | 11287.5        | 43.13             | -34.97         | 40.11    | -46.99         | -25.00         | 21.99          | Horizontal |
| 5               | 14621.5        | 41.39             | -33.83         | 41.59    | -46.11         | -25.00         | 21.11          | Horizontal |
| 6               | 17998.5        | 40.08             | -39.77         | 48.17    | -46.78         | -25.00         | 21.78          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 3203           | 46.81             | -43.89         | 28.41    | -63.93         | -25.00         | 38.93          | Vertical |
| 2               | 4994           | 56.84             | -42.44         | 31.18    | -49.68         | -25.00         | 24.68          | Vertical |
| 3               | 7491.5         | 43.67             | -38.02         | 36.88    | -52.73         | -25.00         | 27.73          | Vertical |
| 4               | 11281.5        | 42.92             | -35.10         | 40.12    | -47.32         | -25.00         | 22.32          | Vertical |
| 5               | 14611.5        | 41.40             | -33.96         | 41.55    | -46.27         | -25.00         | 21.27          | Vertical |
| 6               | 17991.5        | 40.14             | -39.76         | 48.05    | -46.83         | -25.00         | 21.83          | Vertical |

Test Band = NSA\_DC\_2A\_n41A\_TM1

Test Channel = MCH

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 3121           | 47.13             | -44.57         | 28.82    | -63.88         | -25.00         | 38.88          | Horizontal |
| 2               | 5088           | 51.84             | -42.38         | 31.52    | -54.28         | -25.00         | 29.28          | Horizontal |
| 3               | 7430           | 43.39             | -37.83         | 36.76    | -52.94         | -25.00         | 27.94          | Horizontal |
| 4               | 11096          | 42.66             | -34.73         | 40.20    | -47.13         | -25.00         | 22.13          | Horizontal |
| 5               | 14648          | 41.15             | -33.48         | 41.69    | -45.90         | -25.00         | 20.90          | Horizontal |
| 6               | 17994          | 39.82             | -39.77         | 48.09    | -47.12         | -25.00         | 22.12          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 3207           | 46.71             | -43.93         | 28.43    | -64.05         | -25.00         | 39.05          | Vertical |
| 2               | 5088           | 56.81             | -42.38         | 31.52    | -49.31         | -25.00         | 24.31          | Vertical |
| 3               | 7432.5         | 43.08             | -37.82         | 36.77    | -53.23         | -25.00         | 28.23          | Vertical |
| 4               | 11337.5        | 43.16             | -35.27         | 40.18    | -47.19         | -25.00         | 22.19          | Vertical |
| 5               | 14676          | 41.57             | -33.73         | 41.80    | -45.62         | -25.00         | 20.62          | Vertical |
| 6               | 17985          | 40.06             | -39.76         | 47.93    | -47.03         | -25.00         | 22.03          | Vertical |

**Test Band = NSA\_DC\_2A\_n41A\_TM1****Test Channel = HCH**

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 3200.5         | 46.86             | -43.86         | 28.40    | -63.86         | -25.00         | 38.86          | Horizontal |
| 2               | 5182           | 47.25             | -42.06         | 31.86    | -58.21         | -25.00         | 33.21          | Horizontal |
| 3               | 7447           | 42.91             | -37.73         | 36.79    | -53.29         | -25.00         | 28.29          | Horizontal |
| 4               | 11298.5        | 42.94             | -34.73         | 40.10    | -46.95         | -25.00         | 21.95          | Horizontal |
| 5               | 13938          | 41.78             | -33.23         | 41.01    | -45.70         | -25.00         | 20.70          | Horizontal |
| 6               | 17984.5        | 40.14             | -39.76         | 47.92    | -46.96         | -25.00         | 21.96          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 3129.5         | 47.24             | -44.55         | 28.78    | -63.79         | -25.00         | 38.79          | Vertical |
| 2               | 5182           | 60.50             | -42.06         | 31.86    | -44.96         | -25.00         | 19.96          | Vertical |
| 3               | 7435           | 43.18             | -37.80         | 36.77    | -53.11         | -25.00         | 28.11          | Vertical |
| 4               | 11299.5        | 43.49             | -34.71         | 40.10    | -46.38         | -25.00         | 21.38          | Vertical |
| 5               | 14809          | 40.29             | -32.56         | 41.55    | -45.98         | -25.00         | 20.98          | Vertical |
| 6               | 17997          | 39.82             | -39.77         | 48.15    | -47.06         | -25.00         | 22.06          | Vertical |

**Test Band = NSA\_DC\_5A\_n48A\_TM1****Test Channel = LCH**

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 7484.4492      | 42.91             | -38.44         | 36.87    | -53.92         | -40.00         | 13.92          | Horizontal |
| 2               | 9560.878       | 41.23             | -35.93         | 37.80    | -52.16         | -40.00         | 12.16          | Horizontal |
| 3               | 11238.8119     | 42.96             | -35.81         | 40.16    | -47.95         | -40.00         | 7.95           | Horizontal |
| 4               | 14722.9111     | 40.25             | -31.13         | 41.83    | -44.31         | -40.00         | 4.31           | Horizontal |
| 5               | 16432.4716     | 39.95             | -28.42         | 38.96    | -44.77         | -40.00         | 4.77           | Horizontal |
| 6               | 17974.1237     | 39.77             | -39.75         | 47.73    | -47.51         | -40.00         | 7.51           | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 7968.6234      | 43.36             | -37.49         | 36.40    | -52.99         | -40.00         | 12.99          | Vertical |
| 2               | 10048.5024     | 41.13             | -34.97         | 38.75    | -50.35         | -40.00         | 10.35          | Vertical |
| 3               | 11297.4649     | 42.59             | -35.28         | 40.10    | -47.85         | -40.00         | 7.85           | Vertical |
| 4               | 14225.5113     | 40.72             | -32.14         | 41.82    | -44.86         | -40.00         | 4.86           | Vertical |
| 5               | 16384.1692     | 40.48             | -28.85         | 38.75    | -44.88         | -40.00         | 4.88           | Vertical |
| 6               | 17968.9484     | 40.09             | -39.75         | 47.64    | -47.28         | -40.00         | 7.28           | Vertical |

Test Band = NSA\_DC\_5A\_n48A\_TM1  
Test Channel = MCH

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 7511.4756      | 43.34             | -38.52         | 36.79    | -53.65         | -40.00         | 13.65          | Horizontal |
| 2               | 9561.4531      | 41.43             | -35.93         | 37.80    | -51.96         | -40.00         | 11.96          | Horizontal |
| 3               | 11266.4133     | 42.96             | -35.65         | 40.13    | -47.82         | -40.00         | 7.82           | Horizontal |
| 4               | 14761.4381     | 39.41             | -30.37         | 41.72    | -44.50         | -40.00         | 4.50           | Horizontal |
| 5               | 16395.6698     | 40.56             | -28.82         | 38.79    | -44.73         | -40.00         | 4.73           | Horizontal |
| 6               | 17966.6483     | 39.62             | -39.74         | 47.60    | -47.78         | -40.00         | 7.78           | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 7968.6234      | 44.16             | -37.49         | 36.40    | -52.19         | -40.00         | 12.19          | Vertical |
| 2               | 10017.4509     | 41.27             | -35.19         | 38.72    | -50.46         | -40.00         | 10.46          | Vertical |
| 3               | 11335.4168     | 42.74             | -35.54         | 40.17    | -47.89         | -40.00         | 7.89           | Vertical |
| 4               | 14644.1322     | 40.71             | -31.39         | 41.68    | -44.26         | -40.00         | 4.26           | Vertical |
| 5               | 16353.1177     | 40.53             | -28.92         | 38.66    | -44.99         | -40.00         | 4.99           | Vertical |
| 6               | 17970.0985     | 39.47             | -39.75         | 47.66    | -47.88         | -40.00         | 7.88           | Vertical |

**Test Band = NSA\_DC\_5A\_n48A\_TM1****Test Channel = HCH**

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 7445.9223      | 42.64             | -38.27         | 36.79    | -54.10         | -40.00         | 14.10          | Horizontal |
| 2               | 10036.4268     | 41.28             | -35.06         | 38.74    | -50.30         | -40.00         | 10.30          | Horizontal |
| 3               | 11809.2405     | 42.20             | -34.77         | 39.81    | -48.02         | -40.00         | 8.02           | Horizontal |
| 4               | 14042.0771     | 41.28             | -32.26         | 41.45    | -44.79         | -40.00         | 4.79           | Horizontal |
| 5               | 16383.0192     | 40.31             | -28.85         | 38.75    | -45.05         | -40.00         | 5.05           | Horizontal |
| 6               | 17979.874      | 39.42             | -39.75         | 47.84    | -47.75         | -40.00         | 7.75           | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 7968.6234      | 43.64             | -37.49         | 36.40    | -52.71         | -40.00         | 12.71          | Vertical |
| 2               | 10034.7017     | 41.31             | -35.07         | 38.73    | -50.29         | -40.00         | 10.29          | Vertical |
| 3               | 11777.6139     | 42.25             | -35.01         | 39.82    | -48.20         | -40.00         | 8.20           | Vertical |
| 4               | 14751.6626     | 39.41             | -30.16         | 41.75    | -44.26         | -40.00         | 4.26           | Vertical |
| 5               | 16445.1223     | 39.44             | -28.27         | 39.03    | -45.06         | -40.00         | 5.06           | Vertical |
| 6               | 17986.1993     | 39.62             | -39.76         | 47.95    | -47.45         | -40.00         | 7.45           | Vertical |

Test Band = NSA\_DC\_2A\_n66A\_TM1  
Test Channel = LCH

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 3089           | 47.11             | -44.56         | 28.88    | -63.83         | -13.00         | 50.83          | Horizontal |
| 2               | 4531           | 48.65             | -43.08         | 29.66    | -60.03         | -13.00         | 47.03          | Horizontal |
| 3               | 7443.5         | 42.94             | -37.75         | 36.79    | -53.28         | -13.00         | 40.28          | Horizontal |
| 4               | 11308.5        | 43.01             | -34.83         | 40.12    | -46.96         | -13.00         | 33.96          | Horizontal |
| 5               | 14612          | 41.82             | -33.95         | 41.55    | -45.84         | -13.00         | 32.84          | Horizontal |
| 6               | 17992.5        | 39.80             | -39.76         | 48.07    | -47.15         | -13.00         | 34.15          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 3421.5         | 47.64             | -44.29         | 28.73    | -63.18         | -13.00         | 50.18          | Vertical |
| 2               | 4843.5         | 50.14             | -42.67         | 30.63    | -57.16         | -13.00         | 44.16          | Vertical |
| 3               | 7431.5         | 43.14             | -37.82         | 36.76    | -53.18         | -13.00         | 40.18          | Vertical |
| 4               | 11286          | 43.28             | -35.00         | 40.11    | -46.87         | -13.00         | 33.87          | Vertical |
| 5               | 14576.5        | 42.07             | -33.78         | 41.52    | -45.45         | -13.00         | 32.45          | Vertical |
| 6               | 17970          | 40.12             | -39.75         | 47.66    | -47.23         | -13.00         | 34.23          | Vertical |

**Test Band = NSA\_DC\_2A\_n66A\_TM1****Test Channel = MCH**

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 3391.5         | 47.17             | -44.35         | 28.60    | -63.84         | -13.00         | 50.84          | Horizontal |
| 2               | 4531.5         | 48.21             | -43.08         | 29.66    | -60.47         | -13.00         | 47.47          | Horizontal |
| 3               | 7489.5         | 43.28             | -38.00         | 36.88    | -53.10         | -13.00         | 40.10          | Horizontal |
| 4               | 11815.5        | 43.16             | -34.19         | 39.82    | -46.47         | -13.00         | 33.47          | Horizontal |
| 5               | 14805          | 40.17             | -32.52         | 41.57    | -46.04         | -13.00         | 33.04          | Horizontal |
| 6               | 17989.5        | 39.51             | -39.76         | 48.01    | -47.50         | -13.00         | 34.50          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 3451           | 47.28             | -44.28         | 28.90    | -63.36         | -13.00         | 50.36          | Vertical |
| 2               | 4843.5         | 50.80             | -42.67         | 30.63    | -56.50         | -13.00         | 43.50          | Vertical |
| 3               | 7431.5         | 43.30             | -37.82         | 36.76    | -53.02         | -13.00         | 40.02          | Vertical |
| 4               | 11134          | 42.40             | -34.83         | 40.20    | -47.49         | -13.00         | 34.49          | Vertical |
| 5               | 14804          | 40.19             | -32.51         | 41.58    | -46.00         | -13.00         | 33.00          | Vertical |
| 6               | 17986.5        | 39.81             | -39.76         | 47.96    | -47.25         | -13.00         | 34.25          | Vertical |

**Test Band = NSA\_DC\_2A\_n66A\_TM1****Test Channel = HCH**

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 3151.5         | 46.73             | -44.49         | 28.69    | -64.33         | -13.00         | 51.33          | Horizontal |
| 2               | 4531           | 48.57             | -43.08         | 29.66    | -60.11         | -13.00         | 47.11          | Horizontal |
| 3               | 7435           | 43.21             | -37.80         | 36.77    | -53.08         | -13.00         | 40.08          | Horizontal |
| 4               | 11297          | 42.90             | -34.76         | 40.10    | -47.02         | -13.00         | 34.02          | Horizontal |
| 5               | 15283.5        | 40.32             | -30.68         | 39.87    | -45.75         | -13.00         | 32.75          | Horizontal |
| 6               | 17987.5        | 40.05             | -39.76         | 47.98    | -46.99         | -13.00         | 33.99          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 3481           | 49.83             | -44.34         | 29.02    | -60.75         | -13.00         | 47.75          | Vertical |
| 2               | 4843.5         | 50.10             | -42.67         | 30.63    | -57.20         | -13.00         | 44.20          | Vertical |
| 3               | 7429.5         | 43.23             | -37.83         | 36.76    | -53.10         | -13.00         | 40.10          | Vertical |
| 4               | 11127          | 42.73             | -34.82         | 40.20    | -47.15         | -13.00         | 34.15          | Vertical |
| 5               | 14686          | 41.29             | -33.84         | 41.84    | -45.97         | -13.00         | 32.97          | Vertical |
| 6               | 17992          | 39.65             | -39.76         | 48.06    | -47.31         | -13.00         | 34.31          | Vertical |

**Test Band = NSA\_DC\_5A\_n71A\_TM1****Test Channel = LCH**

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 1327           | 53.45             | -47.15         | 24.87    | -64.09         | -13.00         | 51.09          | Horizontal |
| 2               | 2031.5         | 47.11             | -46.30         | 26.37    | -68.08         | -13.00         | 55.08          | Horizontal |
| 3               | 3094           | 46.52             | -45.12         | 28.89    | -64.97         | -13.00         | 51.97          | Horizontal |
| 4               | 4843.5         | 47.82             | -42.79         | 30.63    | -59.60         | -13.00         | 46.60          | Horizontal |
| 5               | 7417           | 43.10             | -38.05         | 36.73    | -53.48         | -13.00         | 40.48          | Horizontal |
| 6               | 9914.5         | 41.00             | -35.02         | 38.61    | -50.67         | -13.00         | 37.67          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 1327           | 50.98             | -47.15         | 24.87    | -66.56         | -13.00         | 53.56          | Vertical |
| 2               | 2031           | 49.57             | -46.30         | 26.38    | -65.61         | -13.00         | 52.61          | Vertical |
| 3               | 3096.5         | 46.99             | -45.11         | 28.89    | -64.49         | -13.00         | 51.49          | Vertical |
| 4               | 4844           | 51.74             | -42.79         | 30.62    | -55.69         | -13.00         | 42.69          | Vertical |
| 5               | 7425           | 42.88             | -37.96         | 36.75    | -53.59         | -13.00         | 40.59          | Vertical |
| 6               | 9518.5         | 42.02             | -35.09         | 37.80    | -50.53         | -13.00         | 37.53          | Vertical |

Test Band = NSA\_DC\_5A\_n71A\_TM1  
Test Channel = MCH

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 1342           | 50.51             | -47.12         | 25.02    | -66.85         | -13.00         | 53.85          | Horizontal |
| 2               | 2031           | 47.57             | -46.30         | 26.38    | -67.61         | -13.00         | 54.61          | Horizontal |
| 3               | 3214.5         | 46.24             | -44.60         | 28.46    | -65.16         | -13.00         | 52.16          | Horizontal |
| 4               | 4844           | 47.85             | -42.79         | 30.62    | -59.58         | -13.00         | 46.58          | Horizontal |
| 5               | 7432           | 42.48             | -37.88         | 36.76    | -53.90         | -13.00         | 40.90          | Horizontal |
| 6               | 9927.5         | 40.98             | -34.98         | 38.63    | -50.63         | -13.00         | 37.63          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 1342           | 49.58             | -47.12         | 25.02    | -67.78         | -13.00         | 54.78          | Vertical |
| 2               | 2031           | 49.52             | -46.30         | 26.38    | -65.66         | -13.00         | 52.66          | Vertical |
| 3               | 3096.5         | 46.71             | -45.11         | 28.89    | -64.77         | -13.00         | 51.77          | Vertical |
| 4               | 4843.5         | 52.39             | -42.79         | 30.63    | -55.03         | -13.00         | 42.03          | Vertical |
| 5               | 7423.5         | 42.87             | -37.98         | 36.75    | -53.62         | -13.00         | 40.62          | Vertical |
| 6               | 9947.5         | 41.25             | -34.92         | 38.65    | -50.28         | -13.00         | 37.28          | Vertical |

Test Band = NSA\_DC\_5A\_n71A\_TM1

Test Channel = HCH

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 1122.5         | 47.26             | -47.26         | 24.39    | -70.87         | -13.00         | 57.87          | Horizontal |
| 2               | 2187.5         | 47.72             | -46.33         | 26.80    | -67.07         | -13.00         | 54.07          | Horizontal |
| 3               | 3216.5         | 46.43             | -44.59         | 28.47    | -64.95         | -13.00         | 51.95          | Horizontal |
| 4               | 4843.5         | 47.70             | -42.79         | 30.63    | -59.72         | -13.00         | 46.72          | Horizontal |
| 5               | 7423           | 42.95             | -37.98         | 36.75    | -53.54         | -13.00         | 40.54          | Horizontal |
| 6               | 9936.5         | 41.06             | -34.95         | 38.64    | -50.51         | -13.00         | 37.51          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 1357           | 53.08             | -47.05         | 25.07    | -64.16         | -13.00         | 51.16          | Vertical |
| 2               | 2031           | 49.52             | -46.30         | 26.38    | -65.66         | -13.00         | 52.66          | Vertical |
| 3               | 3241.5         | 46.19             | -44.52         | 28.57    | -65.02         | -13.00         | 52.02          | Vertical |
| 4               | 4844           | 51.89             | -42.79         | 30.62    | -55.54         | -13.00         | 42.54          | Vertical |
| 5               | 7447.5         | 42.76             | -37.71         | 36.80    | -53.41         | -13.00         | 40.41          | Vertical |
| 6               | 9886.5         | 41.12             | -35.03         | 38.49    | -50.68         | -13.00         | 37.68          | Vertical |

**Test Band = NSA\_DC\_5A\_n77A(3450-3550) \_TM1****Test Channel = MCH**

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 7407.3954      | 43.65             | -38.48         | 36.71    | -53.38         | -13.00         | 40.38          | Horizontal |
| 2               | 10017.4509     | 42.60             | -35.19         | 38.72    | -49.13         | -13.00         | 36.13          | Horizontal |
| 3               | 11956.4478     | 43.93             | -34.93         | 39.73    | -46.53         | -13.00         | 33.53          | Horizontal |
| 4               | 14775.2388     | 40.81             | -30.67         | 41.67    | -43.45         | -13.00         | 30.45          | Horizontal |
| 5               | 16348.5174     | 41.95             | -28.92         | 38.65    | -43.58         | -13.00         | 30.58          | Horizontal |
| 6               | 17970.0985     | 41.13             | -39.75         | 47.66    | -46.22         | -13.00         | 33.22          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 7424.0712      | 43.34             | -38.39         | 36.75    | -53.56         | -13.00         | 40.56          | Vertical |
| 2               | 9615.5058      | 42.14             | -35.73         | 37.89    | -50.96         | -13.00         | 37.96          | Vertical |
| 3               | 11925.9713     | 44.08             | -35.14         | 39.82    | -46.50         | -13.00         | 33.50          | Vertical |
| 4               | 14778.1139     | 41.18             | -30.73         | 41.67    | -43.14         | -13.00         | 30.14          | Vertical |
| 5               | 16366.3433     | 41.76             | -28.89         | 38.70    | -43.69         | -13.00         | 30.69          | Vertical |
| 6               | 17968.9484     | 41.88             | -39.75         | 47.64    | -45.49         | -13.00         | 32.49          | Vertical |

**Test Band = NSA\_DC\_5A\_n77A(3450-3550) \_TM1****Test Channel = MCH**

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 6996.8248      | 44.09             | -39.11         | 35.58    | -54.70         | -13.00         | 41.70          | Horizontal |
| 2               | 9783.9892      | 41.64             | -35.87         | 38.44    | -51.05         | -13.00         | 38.05          | Horizontal |
| 3               | 11896.6448     | 44.05             | -35.50         | 39.90    | -46.81         | -13.00         | 33.81          | Horizontal |
| 4               | 14753.9627     | 40.62             | -30.21         | 41.74    | -43.11         | -13.00         | 30.11          | Horizontal |
| 5               | 16389.3445     | 41.41             | -28.84         | 38.77    | -43.92         | -13.00         | 30.92          | Horizontal |
| 6               | 17968.3734     | 40.81             | -39.74         | 47.63    | -46.56         | -13.00         | 33.56          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 7428.6714      | 43.38             | -38.37         | 36.76    | -53.49         | -13.00         | 40.49          | Vertical |
| 2               | 10015.7258     | 42.30             | -35.21         | 38.72    | -49.45         | -13.00         | 36.45          | Vertical |
| 3               | 11910.4455     | 44.18             | -35.34         | 39.87    | -46.55         | -13.00         | 33.55          | Vertical |
| 4               | 14747.6374     | 40.17             | -30.21         | 41.76    | -43.54         | -13.00         | 30.54          | Vertical |
| 5               | 16462.3731     | 40.71             | -28.51         | 39.11    | -43.95         | -13.00         | 30.95          | Vertical |
| 6               | 17970.6735     | 41.08             | -39.75         | 47.67    | -46.26         | -13.00         | 33.26          | Vertical |

**Test Band = NSA\_DC\_5A\_n77A(3700-3980) \_TM1****Test Channel = MCH**

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 7417.1709      | 43.40             | -38.43         | 36.73    | -53.56         | -13.00         | 40.56          | Horizontal |
| 2               | 10012.8506     | 42.43             | -35.23         | 38.71    | -49.35         | -13.00         | 36.35          | Horizontal |
| 3               | 11947.8224     | 43.88             | -34.86         | 39.76    | -46.48         | -13.00         | 33.48          | Horizontal |
| 4               | 14775.8138     | 40.96             | -30.68         | 41.67    | -43.31         | -13.00         | 30.31          | Horizontal |
| 5               | 16352.5426     | 41.66             | -28.92         | 38.66    | -43.86         | -13.00         | 30.86          | Horizontal |
| 6               | 17890.7445     | 42.18             | -39.40         | 46.34    | -46.14         | -13.00         | 33.14          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 7022.7011      | 44.43             | -39.14         | 35.87    | -54.10         | -13.00         | 41.10          | Vertical |
| 2               | 9710.3855      | 42.12             | -36.07         | 38.22    | -50.99         | -13.00         | 37.99          | Vertical |
| 3               | 11948.3974     | 43.64             | -34.85         | 39.75    | -46.72         | -13.00         | 33.72          | Vertical |
| 4               | 14774.0887     | 40.95             | -30.65         | 41.68    | -43.28         | -13.00         | 30.28          | Vertical |
| 5               | 16416.9458     | 41.15             | -28.61         | 38.88    | -43.84         | -13.00         | 30.84          | Vertical |
| 6               | 17965.4983     | 41.40             | -39.74         | 47.58    | -46.02         | -13.00         | 33.02          | Vertical |

**Test Band = NSA\_DC\_5A\_n77A(3700-3980) \_TM1****Test Channel = HCH**

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 7407.9704      | 43.72             | -38.48         | 36.72    | -53.30         | -13.00         | 40.30          | Horizontal |
| 2               | 10015.7258     | 42.26             | -35.21         | 38.72    | -49.49         | -13.00         | 36.49          | Horizontal |
| 3               | 11913.3207     | 43.80             | -35.31         | 39.86    | -46.91         | -13.00         | 33.91          | Horizontal |
| 4               | 14748.2124     | 40.76             | -30.19         | 41.76    | -42.93         | -13.00         | 29.93          | Horizontal |
| 5               | 16397.3949     | 41.65             | -28.82         | 38.79    | -43.64         | -13.00         | 30.64          | Horizontal |
| 6               | 17894.1947     | 41.75             | -39.41         | 46.37    | -46.55         | -13.00         | 33.55          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 7775.9888      | 43.16             | -37.83         | 36.50    | -53.43         | -13.00         | 40.43          | Vertical |
| 2               | 10011.7006     | 42.18             | -35.24         | 38.71    | -49.61         | -13.00         | 36.61          | Vertical |
| 3               | 11971.3986     | 44.21             | -35.17         | 39.69    | -46.53         | -13.00         | 33.53          | Vertical |
| 4               | 14036.3268     | 42.68             | -32.36         | 41.42    | -43.52         | -13.00         | 30.52          | Vertical |
| 5               | 16503.2002     | 41.65             | -29.44         | 39.31    | -43.74         | -13.00         | 30.74          | Vertical |
| 6               | 17967.7984     | 41.36             | -39.74         | 47.62    | -46.02         | -13.00         | 33.02          | Vertical |

**Test Band = NSA\_DC\_71A\_n78A(3450-3550) \_TM1****Test Channel = MCH**

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 7481.5741      | 43.21             | -38.43         | 36.86    | -53.62         | -13.00         | 40.62          | Horizontal |
| 2               | 10043.3272     | 42.07             | -35.01         | 38.74    | -49.46         | -13.00         | 36.46          | Horizontal |
| 3               | 11925.3963     | 43.96             | -35.15         | 39.82    | -46.63         | -13.00         | 33.63          | Horizontal |
| 4               | 14753.9627     | 40.39             | -30.21         | 41.74    | -43.34         | -13.00         | 30.34          | Horizontal |
| 5               | 16441.0971     | 40.61             | -28.32         | 39.01    | -43.96         | -13.00         | 30.96          | Horizontal |
| 6               | 17886.1443     | 42.00             | -39.38         | 46.32    | -46.32         | -13.00         | 33.32          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 7361.3931      | 43.84             | -38.64         | 36.55    | -53.51         | -13.00         | 40.51          | Vertical |
| 2               | 10014.5757     | 42.40             | -35.22         | 38.71    | -49.37         | -13.00         | 36.37          | Vertical |
| 3               | 11932.8716     | 43.90             | -35.05         | 39.80    | -46.61         | -13.00         | 33.61          | Vertical |
| 4               | 14774.6637     | 41.12             | -30.66         | 41.68    | -43.12         | -13.00         | 30.12          | Vertical |
| 5               | 16485.9493     | 41.26             | -29.07         | 39.23    | -43.84         | -13.00         | 30.84          | Vertical |
| 6               | 17970.6735     | 41.09             | -39.75         | 47.67    | -46.25         | -13.00         | 33.25          | Vertical |

Test Band = NSA\_DC\_71A\_n78A(3700-3800) \_TM1

Test Channel = MCH

| Final Data List |                |                   |                |          |                |                |                |            |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|------------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity   |
| 1               | 7469.4985      | 43.13             | -38.36         | 36.84    | -53.65         | -13.00         | 40.65          | Horizontal |
| 2               | 10035.8518     | 42.31             | -35.06         | 38.74    | -49.27         | -13.00         | 36.27          | Horizontal |
| 3               | 11902.9701     | 44.32             | -35.44         | 39.89    | -46.49         | -13.00         | 33.49          | Horizontal |
| 4               | 14779.264      | 41.08             | -30.76         | 41.66    | -43.28         | -13.00         | 30.28          | Horizontal |
| 5               | 16414.6457     | 41.45             | -28.63         | 38.87    | -43.57         | -13.00         | 30.57          | Horizontal |
| 6               | 17969.5235     | 41.00             | -39.75         | 47.65    | -46.36         | -13.00         | 33.36          | Horizontal |

| Final Data List |                |                   |                |          |                |                |                |          |
|-----------------|----------------|-------------------|----------------|----------|----------------|----------------|----------------|----------|
| NO.             | Freq.<br>[MHz] | Reading<br>[dBμV] | Factor<br>[dB] | AF[dB/m] | Level<br>[dBm] | Limit<br>[dBm] | Margin<br>[dB] | Polarity |
| 1               | 7501.7001      | 43.24             | -38.53         | 36.88    | -53.67         | -13.00         | 40.67          | Vertical |
| 2               | 10018.0259     | 42.39             | -35.19         | 38.72    | -49.34         | -13.00         | 36.34          | Vertical |
| 3               | 11912.1706     | 44.27             | -35.32         | 39.86    | -46.45         | -13.00         | 33.45          | Vertical |
| 4               | 14754.5377     | 40.58             | -30.22         | 41.74    | -43.16         | -13.00         | 30.16          | Vertical |
| 5               | 16441.6721     | 40.70             | -28.31         | 39.01    | -43.86         | -13.00         | 30.86          | Vertical |
| 6               | 17962.6231     | 41.28             | -39.74         | 47.53    | -46.19         | -13.00         | 33.19          | Vertical |