


Appendix-C Field Strength of Spurious Radiation-LTE

For LTE:

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.20	105.09	-84.97	20.12	-	-	Horizontal	NA
2	3742.00	41.52	-107.43	-65.91	-13.00	52.91	Horizontal	PASS
3	6353.50	38.38	-98.79	-60.41	-13.00	47.41	Horizontal	PASS
4	13824.50	33.87	-86.94	-53.07	-13.00	40.07	Horizontal	PASS

Project Information

Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	109.69	-84.97	24.72	-	-	Vertical	NA
2	3742.00	43.88	-107.43	-63.55	-13.00	50.55	Vertical	PASS
3	7484.50	39.03	-96.83	-57.80	-13.00	44.80	Vertical	PASS
4	14359.50	33.51	-86.11	-52.60	-13.00	39.60	Vertical	PASS

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	106.74	-85.28	21.46	-	-	Horizontal	NA
2	3447.00	41.50	-107.30	-65.80	-13.00	52.80	Horizontal	PASS
3	6128.50	37.09	-99.96	-62.87	-13.00	49.87	Horizontal	PASS
4	11372.50	33.90	-90.16	-56.26	-13.00	43.26	Horizontal	PASS

Project Information

Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	108.26	-85.28	22.98	-	-	Vertical	NA
2	3447.00	47.54	-107.30	-59.76	-13.00	46.76	Vertical	PASS
3	5171.00	40.62	-102.05	-61.43	-13.00	48.43	Vertical	PASS
4	6894.50	39.19	-97.40	-58.21	-13.00	45.21	Vertical	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	50.41	-114.12	-63.71	-13.00	50.71	Horizontal	PASS
2	3423.73	41.66	-107.47	-65.81	-13.00	52.81	Horizontal	PASS
3	6276.80	38.38	-99.09	-60.71	-13.00	47.71	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	52.02	-114.12	-62.10	-13.00	49.10	Vertical	PASS
2	3264.53	41.46	-108.41	-66.95	-13.00	53.95	Vertical	PASS
3	5547.47	38.42	-100.46	-62.04	-13.00	49.04	Vertical	PASS

Project Information

Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	96.42	-83.04	13.38	-	-	Horizontal	NA
2	4408.00	38.34	-104.50	-66.16	-25.00	41.16	Horizontal	PASS
3	6113.00	37.98	-99.98	-62.00	-25.00	37.00	Horizontal	PASS
4	10104.50	37.49	-92.07	-54.58	-25.00	29.58	Horizontal	PASS

Project Information

Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	107.89	-83.04	24.85	-	-	Vertical	NA
2	4625.50	37.91	-103.75	-65.84	-25.00	40.84	Vertical	PASS
3	7364.50	36.04	-96.65	-60.61	-25.00	35.61	Vertical	PASS
4	10104.50	45.37	-92.07	-46.70	-25.00	21.70	Vertical	PASS

Project Information

Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.00	41.57	-114.33	-72.76	-13.00	59.76	Horizontal	PASS
2	2903.77	38.95	-108.89	-69.94	-13.00	56.94	Horizontal	PASS
3	5539.97	37.94	-100.55	-62.61	-13.00	49.61	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.23	47.04	-114.33	-67.29	-13.00	54.29	Vertical	PASS
2	2855.00	41.29	-109.40	-68.11	-13.00	55.11	Vertical	PASS
3	5773.07	37.82	-100.14	-62.32	-13.00	49.32	Vertical	PASS

Project Information

Mode:	LTE	Band:	13
Bandwidth:	10MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.10	42.37	-114.07	-71.70	-13.00	58.70	Horizontal	PASS
2	3110.27	39.72	-108.58	-68.86	-13.00	55.86	Horizontal	PASS
3	5809.00	37.25	-100.05	-62.80	-13.00	49.80	Horizontal	PASS

Project Information

Mode:	LTE	Band:	13
Bandwidth:	10MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1554.87	50.52	-114.07	-63.55	-13.00	50.55	Vertical	PASS
2	3110.27	44.15	-108.58	-64.43	-13.00	51.43	Vertical	PASS
3	6330.03	37.16	-99.02	-61.86	-13.00	48.86	Vertical	PASS

Project Information			
Mode:	LTE	Band:	14
Bandwidth:	10MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1577.27	45.34	-114.18	-68.84	-40.00	28.84	Horizontal	PASS
2	3394.93	39.55	-107.60	-68.05	-13.00	55.05	Horizontal	PASS
3	5706.10	37.81	-100.23	-62.42	-13.00	49.42	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	14
Bandwidth:	10MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1577.03	48.51	-114.18	-65.67	-40.00	25.67	Vertical	PASS
2	3045.17	41.95	-108.83	-66.88	-13.00	53.88	Vertical	PASS
3	5793.60	37.28	-100.05	-62.77	-13.00	49.77	Vertical	PASS

Project Information			
Mode:	LTE	Band:	17
Bandwidth:	10MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.13	43.89	-114.35	-70.46	-13.00	57.46	Horizontal	PASS
2	3187.73	40.41	-108.21	-67.80	-13.00	54.80	Horizontal	PASS
3	6042.33	36.94	-99.54	-62.60	-13.00	49.60	Horizontal	PASS

Project Information

Mode:	LTE	Band:	17
Bandwidth:	10MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.13	47.35	-114.35	-67.00	-13.00	54.00	Vertical	PASS
2	2874.60	41.22	-109.16	-67.94	-13.00	54.94	Vertical	PASS
3	5644.27	38.61	-100.65	-62.04	-13.00	49.04	Vertical	PASS

Project Information			
Mode:	LTE	Band:	25
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	104.40	-84.97	19.43	-	-	Horizontal	NA
2	3909.00	40.25	-106.40	-66.15	-13.00	53.15	Horizontal	PASS
3	6089.00	39.17	-100.01	-60.84	-13.00	47.84	Horizontal	PASS
4	12807.00	35.03	-89.34	-54.31	-13.00	41.31	Horizontal	PASS

Project Information

Mode:	LTE	Band:	25
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	109.83	-84.97	24.86	-	-	Vertical	NA
2	3747.00	42.98	-107.43	-64.45	-13.00	51.45	Vertical	PASS
3	7494.50	39.06	-96.77	-57.71	-13.00	44.71	Vertical	PASS
4	13821.00	34.46	-86.99	-52.53	-13.00	39.53	Vertical	PASS

Project Information

Mode:	LTE	Band:	26(814-824)
Bandwidth:	10MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.07	48.15	-114.17	-66.02	-13.00	53.02	Horizontal	PASS
2	3411.20	40.51	-107.49	-66.98	-13.00	53.98	Horizontal	PASS
3	7371.73	36.42	-96.66	-60.24	-13.00	47.24	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	26(814-824)
Bandwidth:	10MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.07	50.71	-114.17	-63.46	-13.00	50.46	Vertical	PASS
2	3258.40	41.94	-108.46	-66.52	-13.00	53.52	Vertical	PASS
3	6331.47	36.97	-99.02	-62.05	-13.00	49.05	Vertical	PASS

Project Information			
Mode:	LTE	Band:	26(824-849)
Bandwidth:	15MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1659.73	49.64	-114.11	-64.47	-13.00	51.47	Horizontal	PASS
2	3458.13	40.75	-107.42	-66.67	-13.00	53.67	Horizontal	PASS
3	7057.33	36.75	-97.56	-60.81	-13.00	47.81	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	26(824-849)
Bandwidth:	15MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1659.47	50.58	-114.11	-63.53	-13.00	50.53	Vertical	PASS
2	3207.47	41.10	-108.22	-67.12	-13.00	54.12	Vertical	PASS
3	6329.07	37.13	-99.01	-61.88	-13.00	48.88	Vertical	PASS

Project Information			
Mode:	LTE	Band:	30
Bandwidth:	10MHz	Channel:	Mid
SN::	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.70	116.78	-94.19	22.59	-	-	Horizontal	NA
2	4611.00	44.94	-103.83	-58.89	-40.00	18.89	Horizontal	PASS
3	8912.00	36.48	-93.57	-57.09	-40.00	17.09	Horizontal	PASS
4	17348.50	32.39	-82.47	-50.08	-40.00	10.08	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	30
Bandwidth:	10MHz	Channel:	Mid
SN::	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.50	108.72	-94.19	14.53	-	-	Vertical	NA
2	4611.00	55.60	-103.83	-48.23	-40.00	8.23	Vertical	PASS
3	7922.50	36.12	-95.41	-59.29	-40.00	19.29	Vertical	PASS
4	17353.00	32.59	-82.52	-49.93	-40.00	9.93	Vertical	PASS

Project Information			
Mode:	LTE	Band:	38
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.20	95.81	-82.41	13.40	-	-	Horizontal	NA
2	4943.50	37.73	-102.85	-65.12	-25.00	40.12	Horizontal	PASS
3	7374.00	36.53	-96.55	-60.02	-25.00	35.02	Horizontal	PASS
4	13423.50	33.75	-88.24	-54.49	-25.00	29.49	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	38
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.10	108.54	-82.41	26.13	-	-	Vertical	NA
2	4785.50	38.36	-102.92	-64.56	-25.00	39.56	Vertical	PASS
3	7758.50	39.38	-96.43	-57.05	-25.00	32.05	Vertical	PASS
4	10344.00	37.51	-91.52	-54.01	-25.00	29.01	Vertical	PASS

Project Information			
Mode:	LTE	Band:	41(2496-2690)
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.00	95.38	-82.40	12.98	-	-	Horizontal	NA
2	4774.00	37.50	-103.02	-65.52	-25.00	40.52	Horizontal	PASS
3	8102.00	35.54	-94.91	-59.37	-25.00	34.37	Horizontal	PASS
4	14352.00	32.78	-85.95	-53.17	-25.00	28.17	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	41(2496-2690)
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.10	108.18	-82.40	25.78	-	-	Vertical	NA
2	4583.50	36.74	-104.04	-67.30	-25.00	42.30	Vertical	PASS
3	7474.00	36.64	-96.90	-60.26	-25.00	35.26	Vertical	PASS
4	10336.50	37.35	-91.51	-54.16	-25.00	29.16	Vertical	PASS

Project Information			
Mode:	LTE	Band:	42(3450-3550)
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3490.95	93.70	-78.52	15.18	-	-	Horizontal	NA
2	6964.98	37.43	-97.31	-59.88	-13.00	46.88	Horizontal	PASS
3	11443.47	34.46	-90.14	-55.68	-13.00	42.68	Horizontal	PASS
4	15244.98	31.88	-85.47	-53.59	-13.00	40.59	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	42(3450-3550)
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3490.95	96.55	-78.52	18.03	-	-	Vertical	NA
2	6982.23	39.44	-97.14	-57.70	-13.00	44.70	Vertical	PASS
3	11368.72	33.99	-90.10	-56.11	-13.00	43.11	Vertical	PASS
4	14658.48	31.98	-85.57	-53.59	-13.00	40.59	Vertical	PASS

Project Information			
Mode:	LTE	Band:	42(3550-3600)
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3566.03	104.56	-88.83	15.73	-	-	Horizontal	NA
2	8093.57	35.90	-94.76	-58.86	-40.00	18.86	Horizontal	PASS
3	12658.07	33.75	-89.12	-55.37	-40.00	15.37	Horizontal	PASS
4	17405.43	33.29	-83.20	-49.91	-40.00	9.91	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	42(3550-3600)
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3566.03	110.11	-88.83	21.28	-	-	Vertical	NA
2	7132.14	38.36	-97.68	-59.32	-40.00	19.32	Vertical	PASS
3	10941.83	33.21	-90.19	-56.98	-40.00	16.98	Vertical	PASS
4	15223.04	32.71	-86.21	-53.50	-40.00	13.50	Vertical	PASS

Project Information			
Mode:	LTE	Band:	43(3600-3700)
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3641.10	107.07	-88.55	18.52	-	-	Horizontal	NA
2	7582.57	36.26	-96.14	-59.88	-40.00	19.88	Horizontal	PASS
3	10954.48	33.87	-90.14	-56.27	-40.00	16.27	Horizontal	PASS
4	13651.71	33.47	-86.19	-52.72	-40.00	12.72	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	43(3600-3700)
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3641.10	110.32	-88.55	21.77	-	-	Vertical	NA
2	8115.80	36.14	-94.65	-58.51	-40.00	18.51	Vertical	PASS
3	11466.63	34.33	-90.28	-55.95	-40.00	15.95	Vertical	PASS
4	15067.40	32.06	-86.10	-54.04	-40.00	14.04	Vertical	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	20MHz	Channel:	Mid
SN::	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3616.08	102.20	-88.64	13.56	-	-	Horizontal	NA
2	6356.18	31.18	-79.93	-48.75	-40.00	8.75	Horizontal	PASS
3	7232.19	37.64	-95.97	-58.33	-40.00	18.33	Horizontal	PASS
4	17848.19	32.35	-81.34	-48.99	-40.00	8.99	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	20MHz	Channel:	Mid
SN::	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3616.08	112.53	-88.64	23.89	-	-	Vertical	NA
2	6336.10	31.57	-80.05	-48.48	-40.00	8.48	Vertical	PASS
3	14472.83	35.14	-87.19	-52.05	-40.00	12.05	Vertical	PASS
4	17995.02	32.11	-81.54	-49.43	-40.00	9.43	Vertical	PASS

Project Information			
Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.20	105.47	-85.18	20.29	-	-	Horizontal	NA
2	3472.00	41.08	-107.15	-66.07	-13.00	53.07	Horizontal	PASS
3	6966.00	37.05	-97.59	-60.54	-13.00	47.54	Horizontal	PASS
4	11473.00	34.30	-90.31	-56.01	-13.00	43.01	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	108.35	-85.18	23.17	-	-	Vertical	NA
2	3472.00	47.96	-107.15	-59.19	-13.00	46.19	Vertical	PASS
3	5208.00	38.83	-102.19	-63.36	-13.00	50.36	Vertical	PASS
4	6944.50	38.65	-97.81	-59.16	-13.00	46.16	Vertical	PASS

Project Information			
Mode:	LTE	Band:	70
Bandwidth:	15MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1695.80	106.15	-85.41	20.74	-	-	Horizontal	NA
2	3391.50	42.84	-107.81	-64.97	-13.00	51.97	Horizontal	PASS
3	7026.50	36.33	-97.22	-60.89	-13.00	47.89	Horizontal	PASS
4	12822.50	33.99	-89.35	-55.36	-13.00	42.36	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	70
Bandwidth:	15MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1695.80	108.48	-85.41	23.07	-	-	Vertical	NA
2	3391.50	47.18	-107.81	-60.63	-13.00	47.63	Vertical	PASS
3	6783.50	40.54	-98.65	-58.11	-13.00	45.11	Vertical	PASS
4	10175.00	37.52	-91.87	-54.35	-13.00	41.35	Vertical	PASS

Project Information			
Mode:	LTE	Band:	71
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.23	44.93	-114.21	-69.28	-13.00	56.28	Horizontal	PASS
2	3021.13	41.29	-108.97	-67.68	-13.00	54.68	Horizontal	PASS
3	5634.47	38.34	-100.62	-62.28	-13.00	49.28	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	71
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.23	51.06	-114.21	-63.15	-13.00	50.15	Vertical	PASS
2	2976.33	41.15	-109.17	-68.02	-13.00	55.02	Vertical	PASS
3	5540.43	37.75	-100.55	-62.80	-13.00	49.80	Vertical	PASS

~The End~