


Appendix-C Field Strength of Spurious Radiation-NR

For NR:

Project Information			
Mode:	NR RedCap	Band:	n2
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1870.60	104.83	-84.97	19.86	-	-	Horizontal	NA
2	4149.50	37.84	-105.09	-67.25	-13.00	54.25	Horizontal	PASS
3	8428.00	36.13	-94.46	-58.33	-13.00	45.33	Horizontal	PASS
4	15078.50	33.22	-86.27	-53.05	-13.00	40.05	Horizontal	PASS

Project Information

Mode:	NR RedCap	Band:	n2
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1870.40	108.98	-84.97	24.01	-	-	Vertical	NA
2	3741.00	41.98	-107.44	-65.46	-13.00	52.46	Vertical	PASS
3	7482.00	42.41	-96.85	-54.44	-13.00	41.44	Vertical	PASS
4	15076.50	33.62	-86.28	-52.66	-13.00	39.66	Vertical	PASS

Project Information

Mode:	NR RedCap	Band:	n5
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1654.13	48.32	-114.09	-65.77	-13.00	52.77	Horizontal	PASS
2	3208.53	42.30	-108.22	-65.92	-13.00	52.92	Horizontal	PASS
3	5493.60	39.13	-101.11	-61.98	-13.00	48.98	Horizontal	PASS

Project Information			
Mode:	NR RedCap	Band:	n5
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1653.87	52.63	-114.09	-61.46	-13.00	48.46	Vertical	PASS
2	3396.80	40.76	-107.56	-66.80	-13.00	53.80	Vertical	PASS
3	5545.07	38.59	-100.49	-61.90	-13.00	48.90	Vertical	PASS

Project Information

Mode:	NR RedCap	Band:	n7
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2525.40	95.81	-83.05	12.76	-	-	Horizontal	NA
2	4792.50	38.06	-102.86	-64.80	-25.00	39.80	Horizontal	PASS
3	10102.00	36.69	-92.07	-55.38	-25.00	30.38	Horizontal	PASS
4	15070.50	33.90	-86.30	-52.40	-25.00	27.40	Horizontal	PASS

Project Information

Mode:	NR RedCap	Band:	n7
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2525.60	106.87	-83.05	23.82	-	-	Vertical	NA
2	5152.00	37.66	-101.96	-64.30	-25.00	39.30	Vertical	PASS
3	10102.50	44.83	-92.07	-47.24	-25.00	22.24	Vertical	PASS
4	15066.00	32.98	-86.32	-53.34	-25.00	28.34	Vertical	PASS

Project Information

Mode:	NR RedCap	Band:	n12
Bandwidth:	15MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1401.10	41.92	-114.32	-72.40	-13.00	59.40	Horizontal	PASS
2	2774.27	39.63	-109.97	-70.34	-13.00	57.34	Horizontal	PASS
3	5043.20	37.94	-102.30	-64.36	-13.00	51.36	Horizontal	PASS

Project Information

Mode:	NR RedCap	Band:	n12
Bandwidth:	15MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1400.87	46.71	-114.31	-67.60	-13.00	54.60	Vertical	PASS
2	2624.93	41.73	-110.52	-68.79	-13.00	55.79	Vertical	PASS
3	4525.20	38.35	-104.40	-66.05	-13.00	53.05	Vertical	PASS

Project Information

Mode:	NR RedCap	Band:	n13
Bandwidth:	10MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1554.63	43.26	-114.06	-70.80	-13.00	57.80	Horizontal	PASS
2	3390.03	40.06	-107.68	-67.62	-13.00	54.62	Horizontal	PASS
3	5725.47	37.56	-100.24	-62.68	-13.00	49.68	Horizontal	PASS

Project Information

Mode:	NR RedCap	Band:	n13
Bandwidth:	10MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1554.87	51.28	-114.07	-62.79	-13.00	49.79	Vertical	PASS
2	3109.57	43.31	-108.58	-65.27	-13.00	52.27	Vertical	PASS
3	6079.43	38.37	-99.64	-61.27	-13.00	48.27	Vertical	PASS

Project Information

Mode:	NR RedCap	Band:	n14
Bandwidth:	10MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1576.80	40.51	-114.18	-73.67	-40.00	33.67	Horizontal	PASS
2	3464.70	39.41	-107.41	-68.00	-13.00	55.00	Horizontal	PASS
3	5795.00	37.58	-100.04	-62.46	-13.00	49.46	Horizontal	PASS

Project Information

Mode:	NR RedCap	Band:	n14
Bandwidth:	10MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1576.57	47.39	-114.18	-66.79	-40.00	26.79	Vertical	PASS
2	3477.53	40.18	-107.40	-67.22	-13.00	54.22	Vertical	PASS
3	6075.00	37.45	-99.61	-62.16	-13.00	49.16	Vertical	PASS

Project Information

Mode:	NR RedCap	Band:	n25
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.00	104.27	-84.97	19.30	-	-	Horizontal	NA
2	4558.50	39.72	-104.27	-64.55	-13.00	51.55	Horizontal	PASS
3	9623.50	36.55	-92.41	-55.86	-13.00	42.86	Horizontal	PASS
4	14308.50	34.21	-86.93	-52.72	-13.00	39.72	Horizontal	PASS

Project Information

Mode:	NR RedCap	Band:	n25
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.00	109.31	-84.97	24.34	-	-	Vertical	NA
2	3746.50	43.65	-107.43	-63.78	-13.00	50.78	Vertical	PASS
3	7492.50	39.69	-96.77	-57.08	-13.00	44.08	Vertical	PASS
4	15083.00	34.26	-86.26	-52.00	-13.00	39.00	Vertical	PASS

Project Information

Mode:	NR RedCap	Band:	n26(814-824)
Bandwidth:	10MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1628.80	44.44	-114.17	-69.73	-13.00	56.73	Horizontal	PASS
2	3750.93	39.51	-107.34	-67.83	-13.00	54.83	Horizontal	PASS
3	7256.00	36.35	-96.79	-60.44	-13.00	47.44	Horizontal	PASS

Project Information

Mode:	NR RedCap	Band:	n26(814-824)
Bandwidth:	10MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1628.80	51.18	-114.17	-62.99	-13.00	49.99	Vertical	PASS
2	3620.27	39.88	-107.13	-67.25	-13.00	54.25	Vertical	PASS
3	6994.13	36.63	-97.27	-60.64	-13.00	47.64	Vertical	PASS

Project Information

Mode:	NR RedCap	Band:	n26(824-849)
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1653.87	47.58	-114.09	-66.51	-13.00	53.51	Horizontal	PASS
2	3770.13	40.10	-107.06	-66.96	-13.00	53.96	Horizontal	PASS
3	6852.53	37.06	-97.72	-60.66	-13.00	47.66	Horizontal	PASS

Project Information

Mode:	NR RedCap	Band:	n26(824-849)
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1654.13	51.91	-114.09	-62.18	-13.00	49.18	Vertical	PASS
2	3603.47	40.03	-107.10	-67.07	-13.00	54.07	Vertical	PASS
3	7329.07	36.04	-96.41	-60.37	-13.00	47.37	Vertical	PASS

Project Information			
Mode:	NR RedCap	Band:	n30
Bandwidth:	10MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.50	116.65	-94.19	22.46	-	-	Horizontal	NA
2	4611.00	44.64	-103.83	-59.19	-40.00	19.19	Horizontal	PASS
3	14379.00	33.98	-86.53	-52.55	-40.00	12.55	Horizontal	PASS
4	17850.50	32.06	-82.47	-50.41	-40.00	10.41	Horizontal	PASS

Project Information			
Mode:	NR RedCap	Band:	n30
Bandwidth:	10MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.40	108.13	-94.19	13.94	-	-	Vertical	NA
2	2886.50	36.52	-90.60	-54.08	-40.00	14.08	Vertical	PASS
3	4611.00	56.30	-103.83	-47.53	-40.00	7.53	Vertical	PASS
4	15235.50	34.23	-86.26	-52.03	-40.00	12.03	Vertical	PASS
5	17350.00	32.33	-82.40	-50.07	-40.00	10.07	Vertical	PASS

Project Information			
Mode:	NR RedCap	Band:	n38
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2585.90	92.96	-82.40	10.56	-	-	Horizontal	NA
2	4339.50	38.63	-104.78	-66.15	-25.00	41.15	Horizontal	PASS
3	8106.00	36.49	-94.89	-58.40	-25.00	33.40	Horizontal	PASS
4	10779.50	35.47	-90.94	-55.47	-25.00	30.47	Horizontal	PASS

Project Information			
Mode:	NR RedCap	Band:	n38
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2585.90	106.09	-82.40	23.69	-	-	Vertical	NA
2	4797.00	37.63	-102.82	-65.19	-25.00	40.19	Vertical	PASS
3	7434.50	36.84	-96.82	-59.98	-25.00	34.98	Vertical	PASS
4	10343.50	37.30	-91.52	-54.22	-25.00	29.22	Vertical	PASS

Project Information			
Mode:	NR RedCap	Band:	n41(2496-2690)
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2583.90	91.68	-82.40	9.28	-	-	Horizontal	NA
2	4800.00	37.40	-102.79	-65.39	-25.00	40.39	Horizontal	PASS
3	9041.50	34.94	-92.99	-58.05	-25.00	33.05	Horizontal	PASS
4	13822.50	33.89	-86.97	-53.08	-25.00	28.08	Horizontal	PASS

Project Information			
Mode:	NR RedCap	Band:	n41(2496-2690)
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2583.90	106.42	-82.40	24.02	-	-	Vertical	NA
2	4996.00	37.47	-102.86	-65.39	-25.00	40.39	Vertical	PASS
3	10336.00	38.33	-91.51	-53.18	-25.00	28.18	Vertical	PASS
4	15232.00	32.85	-86.33	-53.48	-25.00	28.48	Vertical	PASS

Project Information			
Mode:	NR RedCap	Band:	n66
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1735.40	105.94	-85.19	20.75	-	-	Horizontal	NA
2	3471.00	40.64	-107.15	-66.51	-13.00	53.51	Horizontal	PASS
3	5207.00	37.67	-102.20	-64.53	-13.00	51.53	Horizontal	PASS
4	6471.50	37.61	-98.75	-61.14	-13.00	48.14	Horizontal	PASS

Project Information			
Mode:	NR RedCap	Band:	n66
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1735.60	107.88	-85.19	22.69	-	-	Vertical	NA
2	3471.00	48.34	-107.15	-58.81	-13.00	45.81	Vertical	PASS
3	5206.50	39.93	-102.20	-62.27	-13.00	49.27	Vertical	PASS
4	6942.50	39.32	-97.78	-58.46	-13.00	45.46	Vertical	PASS

Project Information			
Mode:	NR RedCap	Band:	n70
Bandwidth:	15MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1695.40	105.70	-85.41	20.29	-	-	Horizontal	NA
2	3391.00	42.65	-107.82	-65.17	-13.00	52.17	Horizontal	PASS
3	7386.50	36.43	-96.42	-59.99	-13.00	46.99	Horizontal	PASS
4	14329.00	32.41	-86.43	-54.02	-13.00	41.02	Horizontal	PASS

Project Information			
Mode:	NR RedCap	Band:	n70
Bandwidth:	15MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1695.60	107.92	-85.41	22.51	-	-	Vertical	NA
2	3391.00	48.76	-107.82	-59.06	-13.00	46.06	Vertical	PASS
3	6168.50	37.08	-99.78	-62.70	-13.00	49.70	Vertical	PASS
4	13564.00	36.85	-88.50	-51.65	-13.00	38.65	Vertical	PASS

Project Information			
Mode:	NR RedCap	Band:	n71
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1342.07	43.80	-114.22	-70.42	-13.00	57.42	Horizontal	PASS
2	3052.63	41.32	-108.79	-67.47	-13.00	54.47	Horizontal	PASS
3	5554.20	37.73	-100.44	-62.71	-13.00	49.71	Horizontal	PASS

Project Information			
Mode:	NR RedCap	Band:	n71
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1342.07	50.44	-114.22	-63.78	-13.00	50.78	Vertical	PASS
2	2631.70	42.39	-110.51	-68.12	-13.00	55.12	Vertical	PASS
3	5542.30	38.14	-100.52	-62.38	-13.00	49.38	Vertical	PASS

Project Information			
Mode:	NR RedCap	Band:	n77(3700-3980)
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3830.85	93.32	-77.67	15.65	-	-	Horizontal	NA
2	8111.15	36.26	-94.68	-58.42	-13.00	45.42	Horizontal	PASS
3	11512.08	34.80	-90.43	-55.63	-13.00	42.63	Horizontal	PASS
4	15084.75	32.94	-86.18	-53.24	-13.00	40.24	Horizontal	PASS

Project Information			
Mode:	NR RedCap	Band:	n77(3700-3980)
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3830.85	96.87	-77.67	19.20	-	-	Vertical	NA
2	7661.88	37.08	-96.13	-59.05	-13.00	46.05	Vertical	PASS
3	10772.25	35.47	-90.92	-55.45	-13.00	42.45	Vertical	PASS
4	15072.10	32.58	-86.12	-53.54	-13.00	40.54	Vertical	PASS

Project Information			
Mode:	NR RedCap	Band:	n77(3450-3550)
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3490.95	92.35	-78.52	13.83	-	-	Horizontal	NA
2	6971.12	36.97	-97.25	-60.28	-13.00	47.28	Horizontal	PASS
3	9621.48	36.13	-92.30	-56.17	-13.00	43.17	Horizontal	PASS
4	13687.50	33.18	-85.93	-52.75	-13.00	39.75	Horizontal	PASS

Project Information			
Mode:	NR RedCap	Band:	n77(3450-3550)
Bandwidth:	20MHz	Channel:	Mid
SN:	E1Y25IH1A000141	Engineer:	Tian Shuo
Remark:	-		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3490.95	94.87	-78.52	16.35	-	-	Vertical	NA
2	6981.85	37.43	-97.15	-59.72	-13.00	46.72	Vertical	PASS
3	10449.48	34.21	-90.87	-56.66	-13.00	43.66	Vertical	PASS
4	13698.62	32.92	-85.85	-52.93	-13.00	39.93	Vertical	PASS

~The End~