A.5 Duty Cycle

Test Result

Test Mode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Factor
11B-CDD	Ant1	2412	0.69	0.70	98.57	0.06
11B-CDD	Ant2	2412	0.69	0.70	98.57	0.06
11B-CDD	Ant1	2437	0.68	0.70	97.14	0.13
11B-CDD	Ant2	2437	0.69	0.70	98.57	0.06
11B-CDD	Ant1	2462	0.68	0.70	97.14	0.13
11B-CDD	Ant2	2462	0.69	0.70	98.57	0.06
11G-CDD	Ant1	2412	2.10	2.11	99.53	0.02
11G-CDD	Ant2	2412	2.10	2.11	99.53	0.02
11G-CDD	Ant1	2437	2.10	2.11	99.53	0.02
11G-CDD	Ant2	2437	2.09	2.11	99.05	0.04
11G-CDD	Ant1	2462	2.09	2.11	99.05	0.04
11G-CDD	Ant2	2462	2.09	2.11	99.05	0.04
11N20MIMO	Ant1	2412	5.37	5.93	90.56	0.43
11N20MIMO	Ant2	2412	5.37	5.93	90.56	0.43
11N20MIMO	Ant1	2437	5.37	5.94	90.40	0.44
11N20MIMO	Ant2	2437	5.37	5.94	90.40	0.44
11N20MIMO	Ant1	2462	5.37	5.93	90.56	0.43
11N20MIMO	Ant2	2462	5.37	5.93	90.56	0.43
11N40MIMO	Ant1	2422	5.39	5.67	95.06	0.22
11N40MIMO	Ant2	2422	5.39	5.67	95.06	0.22
11N40MIMO	Ant1	2437	5.40	5.67	95.24	0.21
11N40MIMO	Ant2	2437	5.39	5.67	95.06	0.22
11N40MIMO	Ant1	2452	5.40	5.67	95.24	0.21
11N40MIMO	Ant2	2452	5.39	5.67	95.06	0.22
11AX20MIMO	Ant1	2412	5.43	5.87	92.50	0.34
11AX20MIMO	Ant2	2412	5.43	5.86	92.66	0.33
11AX20MIMO	Ant1	2437	5.43	5.86	92.66	0.33
11AX20MIMO	Ant2	2437	5.42	5.85	92.65	0.33
11AX20MIMO	Ant1	2462	5.42	5.85	92.65	0.33
11AX20MIMO	Ant2	2462	5.43	5.86	92.66	0.33
11AX40MIMO	Ant1	2422	4.82	5.04	95.63	0.19
11AX40MIMO	Ant2	2422	4.82	5.04	95.63	0.19
11AX40MIMO	Ant1	2437	4.82	5.04	95.63	0.19
11AX40MIMO	Ant2	2437	4.81	5.03	95.63	0.19

11AX40MIMO	Ant1	2452	4.82	5.04	95.63	0.19
11AX40MIMO	Ant2	2452	4.82	5.04	95.63	0.19

Test Result for AX Part RU

Test Mode	Antenna	Freq[MHz]	RuSize	RuIndex	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11AX20MIMO	Ant1	2412	26Tone	RU0	5.09	5.11	99.61
11AX20MIMO	Ant2	2412	26Tone	RU0	5.09	5.11	99.61
11AX20MIMO	Ant1	2412	52Tone	RU37	5.07	5.09	99.61
11AX20MIMO	Ant2	2412	52Tone	RU37	5.07	5.09	99.61
11AX20MIMO	Ant1	2412	106Tone	RU53	4.77	4.79	99.58
11AX20MIMO	Ant2	2412	106Tone	RU53	4.77	4.79	99.58
11AX20MIMO	Ant1	2437	26Tone	RU4	5.09	5.11	99.61
11AX20MIMO	Ant2	2437	26Tone	RU4	5.09	5.11	99.61
11AX20MIMO	Ant1	2437	52Tone	RU39	5.08	5.10	99.61
11AX20MIMO	Ant2	2437	52Tone	RU39	5.08	5.10	99.61
11AX20MIMO	Ant1	2437	106Tone	RU53	4.77	4.79	99.58
11AX20MIMO	Ant2	2437	106Tone	RU53	4.77	4.79	99.58
11AX20MIMO	Ant1	2462	26Tone	RU8	5.09	5.11	99.61
11AX20MIMO	Ant2	2462	26Tone	RU8	5.08	5.10	99.61
11AX20MIMO	Ant1	2462	52Tone	RU40	5.08	5.10	99.61
11AX20MIMO	Ant2	2462	52Tone	RU40	5.08	5.10	99.61
11AX20MIMO	Ant1	2462	106Tone	RU54	4.77	4.79	99.58
11AX20MIMO	Ant2	2462	106Tone	RU54	4.77	4.79	99.58
11AX40MIMO	Ant1	2422	242Tone	RU61	2.46	2.48	99.19
11AX40MIMO	Ant2	2422	242Tone	RU61	2.46	2.48	99.19
11AX40MIMO	Ant1	2437	242Tone	RU61	2.46	2.48	99.19
11AX40MIMO	Ant2	2437	242Tone	RU61	2.46	2.48	99.19
11AX40MIMO	Ant1	2452	242Tone	RU62	2.73	2.75	99.27
11AX40MIMO	Ant2	2452	242Tone	RU62	2.74	2.76	99.28

Test Graphs

NTNV-11B-CDD-Ant1-2412	NTNV-11B-CDD-Ant2-2412
	
NTNV-11B-CDD-Ant1-2437	NTNV-11B-CDD-Ant2-2437
	
NTNV-11B-CDD-Ant1-2462	NTNV-11B-CDD-Ant2-2462
NTNV-11G-CDD-Ant1-2412	NTNV-11G-CDD-Ant2-2412

NTNV-11G-CDD-Ant1-2437

NTNV-11G-CDD-Ant2-2437

NTNV-11G-CDD-Ant1-2462

NTNV-11G-CDD-Ant2-2462

NTNV-11N20MIMO-Ant1-2412

NTNV-11N20MIMO-Ant2-2412

NTNV-11N20MIMO-Ant1-2437

NTNV-11N20MIMO-Ant2-2437

NTNV-11N20MIMO-Ant1-2462

NTNV-11N20MIMO-Ant2-2462

NTNV-11N40MIMO-Ant1-2422

NTNV-11N40MIMO-Ant2-2422



NTNV-11N40MIMO-Ant1-2437



NTNV-11N40MIMO-Ant2-2437



NTNV-11N40MIMO-Ant1-2452



NTNV-11N40MIMO-Ant2-2452

NTNV-11AX20MIMO-Ant1-2412



NTNV-11AX20MIMO-Ant2-2412



NTNV-11AX20MIMO-Ant1-2437

NTNV-11AX20MIMO-Ant2-2437

NTNV-11AX20MIMO-Ant1-2462

NTNV-11AX20MIMO-Ant2-2462

NTNV-11AX40MIMO-Ant1-2422

NTNV-11AX40MIMO-Ant2-2422



NTNV-11AX40MIMO-Ant1-2437



NTNV-11AX40MIMO-Ant2-2437



NTNV-11AX40MIMO-Ant1-2452



NTNV-11AX40MIMO-Ant2-2452



NTNV-11AX40MIMO-Ant2-2452



Test Graphs for AX Part RU

NTNV-11AX20MIMO-Ant1-2412-26Tone-RU0	NTNV-11AX20MIMO-Ant2-2412-26Tone-RU0
NTNV-11AX20MIMO-Ant1-2412-52Tone-RU37	NTNV-11AX20MIMO-Ant2-2412-52Tone-RU37
NTNV-11AX20MIMO-Ant1-2412-106Tone-RU53	NTNV-11AX20MIMO-Ant2-2412-106Tone-RU53
NTNV-11AX20MIMO-Ant1-2437-26Tone-RU4	NTNV-11AX20MIMO-Ant2-2437-26Tone-RU4

NTNV-11AX20MIMO-Ant1-2437-52Tone-RU39

NTNV-11AX20MIMO-Ant2-2437-52Tone-RU39

NTNV-11AX20MIMO-Ant1-2437-106Tone-RU53

NTNV-11AX20MIMO-Ant2-2437-106Tone-RU53



NTNV-11AX20MIMO-Ant1-2462-26Tone-RU8

NTNV-11AX20MIMO-Ant2-2462-26Tone-RU8

NTNV-11AX20MIMO-Ant1-2462-52Tone-RU40

NTNV-11AX20MIMO-Ant2-2462-52Tone-RU40

NTNV-11AX20MIMO-Ant1-2462-106Tone-RU54

NTNV-11AX20MIMO-Ant2-2462-106Tone-RU54

NTNV-11AX40MIMO-Ant1-2422-242Tone-RU61

NTNV-11AX40MIMO-Ant2-2422-242Tone-RU61

NTNV-11AX40MIMO-Ant1-2437-242Tone-RU61



NTNV-11AX40MIMO-Ant2-2437-242Tone-RU61



NTNV-11AX40MIMO-Ant1-2452-242Tone-RU62

NTNV-11AX40MIMO-Ant2-2452-242Tone-RU62

Spectrum Analyzer 1
Swept SA
KEYSIGHT
Input: RF
Coupling: DC
Align: Auto
Input Z: 50 Ω
Corr CCorr RCal
Freq Ref: Int (S)
#Atten: 30 dB
PNO: Fast
Gate: Off
IF Gain: Low
Sig Track: Off
#Avg Type: Power (RMS)
Trig: Video
Trig Delay: 200.0 µs
Center Frequency
2.458900000 GHz
Settings
1 Spectrum
Scale/Div 10 dB
Ref Lvl Offset 2.27 dB
Ref Level 20.00 dBm
ΔMkr3 2.750 ms
-4.58 dB
Span
0.00000000 Hz
Swept Span
Zero Span
Full Span
Start Freq
2.458900000 GHz
Stop Freq
2.458900000 GHz
AUTO TUNE
Center 2.458900000 GHz
#Video BW 8.0 MHz
Span 0 Hz
Res BW 8 MHz
Sweep 5.00 ms (1001 pts)
CF Step
8.000000 MHz
Auto
Man
5 Marker Table
Mode Trace Scale X Y Function Function Width Function Value
1 N 1 t 1.470 ms 13.76 dBm
2 Δ1 1 t (Δ) 2.730 ms (Δ) 3.44 dB
3 Δ1 1 t (Δ) 2.750 ms (Δ) -4.58 dB
Freq Offset
0 Hz
X Axis Scale
Log
Lin
Local
Apr 28, 2025
9:50:02 AM

Spectrum Analyzer 1
Swept SA
KEYSIGHT
Input: RF
Coupling: DC
Align: Auto
Input Z: 50 Ω
Corr CCorr RCal
Freq Ref: Int (S)
#Atten: 30 dB
PNO: Fast
Gate: Off
IF Gain: Low
Sig Track: Off
#Avg Type: Power (RMS)
Trig: Video
Trig Delay: 200.0 µs
Center Frequency
2.457500000 GHz
Settings
1 Spectrum
Scale/Div 10 dB
Ref Lvl Offset 2.27 dB
Ref Level 20.00 dBm
ΔMkr3 2.760 ms
7.47 dB
Span
0.00000000 Hz
Swept Span
Zero Span
Full Span
Start Freq
2.457500000 GHz
Stop Freq
2.457500000 GHz
AUTO TUNE
Center 2.457500000 GHz
#Video BW 8.0 MHz
Span 0 Hz
Res BW 8 MHz
Sweep 5.00 ms (1001 pts)
CF Step
8.000000 MHz
Auto
Man
5 Marker Table
Mode Trace Scale X Y Function Function Width Function Value
1 N 1 t 1.860 ms 6.73 dBm
2 Δ1 1 t (Δ) 2.740 ms (Δ) 9.62 dB
3 Δ1 1 t (Δ) 2.760 ms (Δ) 7.47 dB
Freq Offset
0 Hz
X Axis Scale
Log
Lin
Local
Apr 28, 2025
9:50:46 AM

ANNEX B: Test Results of Radiated Test

B.1 Radiated Band Edges and Spurious Emission

Test Result_Band Edges

Note:Both vertical and horizontal polarities have been evaluated, and the test data only shows the worst-case. Level=Reading+Factor; Margin=Limit-Level; V=Vertical , H=Horizontal.

Data List								
Test Mode	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Pol.	Det
11B_20M_2412	2369.995	47.06	59.00	11.94	74.00	15.00	V	PK
	2385.53	48.27	60.45	12.18	74.00	13.55	V	PK
	2369.67	35.15	47.08	11.93	54.00	6.92	H	AV
	2385.7575	35.41	47.58	12.17	54.00	6.42	V	AV
11B_20M_2462	2485.4	46.89	59.68	12.79	74.00	14.32	H	PK
	2488.15	47.58	60.36	12.78	74.00	13.64	V	PK
	2485.6125	35.31	48.10	12.79	54.00	5.90	H	AV
	2488	35.57	48.35	12.78	54.00	5.65	V	AV
11G_20M_2412	2377.8275	47.37	59.47	12.10	74.00	14.53	V	PK
	2385.14	47.59	59.79	12.20	74.00	14.21	H	PK
	2377.795	35.10	47.19	12.09	54.00	6.81	H	AV
	2384.9775	35.07	47.28	12.21	54.00	6.72	H	AV
11G_20M_2462	2486.5875	47.45	60.24	12.79	74.00	13.76	V	PK
	2489.4875	47.05	59.84	12.79	74.00	14.16	H	PK
	2486.55	35.47	48.26	12.79	54.00	5.74	V	AV
	2489.625	35.53	48.32	12.79	54.00	5.68	V	AV
11N_20M_2412	2376.3325	47.11	59.12	12.01	74.00	14.88	V	PK
	2385.01	47.21	59.42	12.21	74.00	14.58	H	PK
	2375.91	35.07	47.06	11.99	54.00	6.94	V	AV
	2385.335	35.06	47.25	12.19	54.00	6.75	H	AV
11N_20M_2462	2485.5125	47.36	60.15	12.79	74.00	13.85	V	PK
	2488.525	47.30	60.09	12.79	74.00	13.91	V	PK

	2485.475	35.48	48.27	12.79	54.00	5.73	V	AV
	2488.6375	35.36	48.15	12.79	54.00	5.85	V	AV
11N_40M_2422	2374.48	47.07	59.02	11.95	74.00	14.98	V	PK
	2384.5875	47.20	59.41	12.21	74.00	14.59	H	PK
	2373.96	35.04	46.99	11.95	54.00	7.01	V	AV
	2384.815	35.30	47.51	12.21	54.00	6.49	V	AV
11N_40M_2452	2487.4625	47.49	60.28	12.79	74.00	13.72	V	PK
	2490.6375	47.48	60.26	12.78	74.00	13.74	V	PK
	2487.35	35.42	48.21	12.79	54.00	5.79	V	AV
	2490.575	35.37	48.15	12.78	54.00	5.85	V	AV

Test Result_Band Edges for AX Part RU

Data List								
Test Mode	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Pol.	Det
11AX_20M_2412_26Tone_RU0	2389.3975	53.31	65.33	12.02	74.00	8.67	V	PK
	2389.5275	35.70	47.71	12.01	54.00	6.29	V	AV
11AX_20M_2462_26Tone_RU8	2484.1125	53.03	65.74	12.71	74.00	8.26	V	PK
	2484.3625	35.81	48.54	12.73	54.00	5.46	V	AV
11AX_20M_2412_52Tone_RU37	2388.2925	47.30	59.36	12.06	74.00	14.64	V	PK
	2388.39	35.32	47.38	12.06	54.00	6.62	V	AV
11AX_20M_2462_52Tone_RU40	2483.8125	53.18	65.87	12.69	74.00	8.13	V	PK
	2483.85	35.56	48.25	12.69	54.00	5.75	V	AV
11AX_20M_2412_106Tone_RU53	2389.3325	51.37	63.39	12.02	74.00	10.61	V	PK
	2389.3325	35.21	47.23	12.02	54.00	6.77	H	AV
11AX_20M_2462_106Tone_RU54	2483.825	53.09	65.78	12.69	74.00	8.22	V	PK
	2483.75	35.68	48.36	12.68	54.00	5.64	V	AV
11AX_40M_2422_242Tone_RU61	2388.845	52.36	64.41	12.05	74.00	9.59	V	PK
	2389.625	38.29	50.30	12.01	54.00	3.70	V	AV
11AX_40M_2452_242Tone_RU62	2484.625	52.63	65.38	12.75	74.00	8.62	V	PK

	2484.625	36.72	49.47	12.75	54.00	4.53	V	AV

Test Graphs_Band Edges

11B_20M_2412	11B_20M_2462
	
11G_20M_2412	11G_20M_2462
	
11N_20M_2412	11N_20M_2462
	
11N_40M_2422	11N_40M_2452





Test Graphs_Band Edges for AX Part RU

WIFI_2.4G_11AX_20M_2412_26Tone_RU0	WIFI_2.4G_11AX_20M_2462_26Tone_RU8
	
WIFI_2.4G_11AX_20M_2412_52Tone_RU37	WIFI_2.4G_11AX_20M_2462_52Tone_RU40
	
WIFI_2.4G_11AX_20M_2412_106Tone_RU53	WIFI_2.4G_11AX_20M_2462_106Tone_RU54





WIFI_2.4G_11AX_40M_2422_242Tone_RU61



WIFI_2.4G_11AX_40M_2452_242Tone_RU62



Test Result_Spurious Emission

Note1: Test result Sweep the whole frequency band through the range from 9kHz to the 10th harmonic of the carrier the Emissions in the frequency band 9kHz-30MHz and 18GHz-26.5GHz are more than 20dB below the limit are not reported.

Note2: Both vertical and horizontal polarities have been evaluated, and the test data only shows the worst-case. Level=Reading+Factor; Margin=Limit-Level; V=Vertical , H=Horizontal.

Data List

Test Mode	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Pol.	Det
11B_20M_2412	4824	44.38	51.63	7.25	74.00	22.37	H	PK
	7236	42.12	56.25	14.13	74.00	17.75	V	PK
	9648	33.58	48.23	14.65	74.00	25.77	H	PK
	12060	32.73	48.76	16.03	74.00	25.24	V	PK
	14472	31.46	49.73	18.27	74.00	24.27	V	PK
	16884	30.60	54.51	23.91	74.00	19.49	V	PK
	4824	33.76	41.01	7.25	54.00	12.99	V	AV
	7236	30.99	45.12	14.13	54.00	8.88	V	AV
	9648	22.60	37.25	14.65	54.00	16.75	V	AV
	12060	22.34	38.37	16.03	54.00	15.63	H	AV
	14472	21.12	39.39	18.27	54.00	14.61	H	AV
	16884	19.70	43.61	23.91	54.00	10.39	V	AV
11B_20M_2437	4874	44.37	51.70	7.33	74.00	22.30	V	PK
	7311	42.11	55.80	13.69	74.00	18.20	H	PK
	9748	33.43	48.35	14.92	74.00	25.65	H	PK
	12185	33.37	48.99	15.62	74.00	25.01	V	PK
	14622	32.29	50.70	18.41	74.00	23.30	H	PK
	17059	29.22	53.80	24.58	74.00	20.20	V	PK
	4874	33.32	40.65	7.33	54.00	13.35	V	AV
	7311	31.18	44.87	13.69	54.00	9.13	V	AV
	9748	22.81	37.73	14.92	54.00	16.27	H	AV
	12185	22.43	38.05	15.62	54.00	15.95	H	AV
	14622	21.34	39.75	18.41	54.00	14.25	V	AV

	17059	18.50	43.08	24.58	54.00	10.92	V	AV
11B_20M_2462	4924	43.54	51.46	7.92	74.00	22.54	H	PK
	7386	42.91	56.87	13.96	74.00	17.13	V	PK
	9848	33.46	48.59	15.13	74.00	25.41	H	PK
	12310	33.17	49.25	16.08	74.00	24.75	H	PK
	14772	31.94	50.40	18.46	74.00	23.60	H	PK
	17234	30.03	54.04	24.01	74.00	19.96	H	PK
	4924	33.27	41.19	7.92	54.00	12.81	V	AV
	7386	30.93	44.89	13.96	54.00	9.11	H	AV
	9848	22.84	37.97	15.13	54.00	16.03	H	AV
	12310	22.29	38.37	16.08	54.00	15.63	V	AV
	14772	21.68	40.14	18.46	54.00	13.86	V	AV
	17234	19.61	43.62	24.01	54.00	10.38	H	AV
11G_20M_2412	4824	44.27	51.52	7.25	74.00	22.48	H	PK
	7236	42.25	56.38	14.13	74.00	17.62	H	PK
	9648	33.84	48.49	14.65	74.00	25.51	V	PK
	12060	32.56	48.59	16.03	74.00	25.41	H	PK
	14472	32.56	50.83	18.27	74.00	23.17	H	PK
	16884	30.13	54.04	23.91	74.00	19.96	V	PK
	4824	33.28	40.53	7.25	54.00	13.47	V	AV
	7236	30.94	45.07	14.13	54.00	8.93	H	AV
	9648	22.89	37.54	14.65	54.00	16.46	V	AV
	12060	22.26	38.29	16.03	54.00	15.71	V	AV
	14472	20.80	39.07	18.27	54.00	14.93	V	AV
	16884	20.07	43.98	23.91	54.00	10.02	H	AV
11G_20M_2437	4874	43.28	50.61	7.33	74.00	23.39	H	PK
	7311	42.39	56.08	13.69	74.00	17.92	V	PK
	9748	33.54	48.46	14.92	74.00	25.54	V	PK
	12185	33.16	48.78	15.62	74.00	25.22	V	PK

	14622	32.45	50.86	18.41	74.00	23.14	V	PK
	17059	30.15	54.73	24.58	74.00	19.27	H	PK
	4874	33.58	40.91	7.33	54.00	13.09	V	AV
	7311	31.08	44.77	13.69	54.00	9.23	H	AV
	9748	22.68	37.60	14.92	54.00	16.40	H	AV
	12185	22.48	38.10	15.62	54.00	15.90	V	AV
	14622	21.49	39.90	18.41	54.00	14.10	V	AV
	17059	18.66	43.24	24.58	54.00	10.76	H	AV
11G_20M_2462	4924	44.07	51.99	7.92	74.00	22.01	H	PK
	7386	41.91	55.87	13.96	74.00	18.13	V	PK
	9848	33.36	48.49	15.13	74.00	25.51	H	PK
	12310	32.72	48.80	16.08	74.00	25.20	V	PK
	14772	32.32	50.78	18.46	74.00	23.22	H	PK
	17234	29.46	53.47	24.01	74.00	20.53	H	PK
	4924	33.21	41.13	7.92	54.00	12.87	H	AV
	7386	31.06	45.02	13.96	54.00	8.98	V	AV
	9848	22.79	37.92	15.13	54.00	16.08	H	AV
	12310	22.09	38.17	16.08	54.00	15.83	V	AV
	14772	21.43	39.89	18.46	54.00	14.11	V	AV
	17234	19.18	43.19	24.01	54.00	10.81	V	AV
11N_20M_2412	4824	44.07	51.32	7.25	74.00	22.68	V	PK
	7236	42.05	56.18	14.13	74.00	17.82	V	PK
	9648	33.75	48.40	14.65	74.00	25.60	V	PK
	12060	32.56	48.59	16.03	74.00	25.41	V	PK
	14472	31.35	49.62	18.27	74.00	24.38	H	PK
	16884	30.99	54.90	23.91	74.00	19.10	V	PK
	4824	33.20	40.45	7.25	54.00	13.55	H	AV
	7236	31.03	45.16	14.13	54.00	8.84	V	AV
	9648	22.80	37.45	14.65	54.00	16.55	H	AV

	12060	22.43	38.46	16.03	54.00	15.54	V	AV
	14472	21.40	39.67	18.27	54.00	14.33	H	AV
	16884	19.96	43.87	23.91	54.00	10.13	V	AV
11N_20M_2437	4874	43.52	50.85	7.33	74.00	23.15	V	PK
	7311	42.12	55.81	13.69	74.00	18.19	V	PK
	9748	33.71	48.63	14.92	74.00	25.37	H	PK
	12185	33.49	49.11	15.62	74.00	24.89	H	PK
	14622	31.75	50.16	18.41	74.00	23.84	H	PK
	17059	29.17	53.75	24.58	74.00	20.25	V	PK
	4874	33.54	40.87	7.33	54.00	13.13	H	AV
	7311	30.98	44.67	13.69	54.00	9.33	V	AV
	9748	22.77	37.69	14.92	54.00	16.31	H	AV
	12185	22.59	38.21	15.62	54.00	15.79	V	AV
	14622	21.35	39.76	18.41	54.00	14.24	H	AV
	17059	18.66	43.24	24.58	54.00	10.76	H	AV
11N_20M_2462	4924	43.71	51.63	7.92	74.00	22.37	H	PK
	7386	42.03	55.99	13.96	74.00	18.01	H	PK
	9848	33.98	49.11	15.13	74.00	24.89	H	PK
	12310	32.52	48.60	16.08	74.00	25.40	V	PK
	14772	31.71	50.17	18.46	74.00	23.83	V	PK
	17234	30.16	54.17	24.01	74.00	19.83	H	PK
	4924	33.17	41.09	7.92	54.00	12.91	H	AV
	7386	31.01	44.97	13.96	54.00	9.03	H	AV
	9848	22.84	37.97	15.13	54.00	16.03	V	AV
	12310	22.18	38.26	16.08	54.00	15.74	H	AV
	14772	21.43	39.89	18.46	54.00	14.11	V	AV
	17234	19.05	43.06	24.01	54.00	10.94	V	AV
11N_40M_2422	4844	43.75	51.44	7.69	74.00	22.56	V	PK
	7266	42.29	56.67	14.38	74.00	17.33	V	PK

	9688	33.93	48.52	14.59	74.00	25.48	H	PK
	12110	33.15	49.26	16.11	74.00	24.74	V	PK
	14532	33.27	51.56	18.29	74.00	22.44	H	PK
	16954	31.24	55.68	24.44	74.00	18.32	V	PK
	4844	33.33	41.02	7.69	54.00	12.98	H	AV
	7266	31.16	45.54	14.38	54.00	8.46	V	AV
	9688	22.99	37.58	14.59	54.00	16.42	V	AV
	12110	22.53	38.64	16.11	54.00	15.36	H	AV
	14532	21.40	39.69	18.29	54.00	14.31	H	AV
	16954	19.00	43.44	24.44	54.00	10.56	V	AV
11N_40M_2437	4874	44.75	52.08	7.33	74.00	21.92	V	PK
	7311	42.29	55.98	13.69	74.00	18.02	H	PK
	9748	33.45	48.37	14.92	74.00	25.63	V	PK
	12185	32.65	48.27	15.62	74.00	25.73	H	PK
	14622	31.92	50.33	18.41	74.00	23.67	V	PK
	17059	29.81	54.39	24.58	74.00	19.61	H	PK
	4874	33.39	40.72	7.33	54.00	13.28	V	AV
	7311	31.05	44.74	13.69	54.00	9.26	V	AV
	9748	22.81	37.73	14.92	54.00	16.27	H	AV
	12185	22.68	38.30	15.62	54.00	15.70	V	AV
	14622	21.65	40.06	18.41	54.00	13.94	H	AV
	17059	18.79	43.37	24.58	54.00	10.63	H	AV
11N_40M_2452	4904	43.08	50.97	7.89	74.00	23.03	H	PK
	7356	40.62	54.89	14.27	74.00	19.11	V	PK
	9808	33.49	48.73	15.24	74.00	25.27	H	PK
	12260	32.93	48.75	15.82	74.00	25.25	H	PK
	14712	31.97	50.50	18.53	74.00	23.50	H	PK
	17164	28.01	52.01	24.00	74.00	21.99	V	PK
	4904	33.00	40.89	7.89	54.00	13.11	H	AV

	7356	30.06	44.33	14.27	54.00	9.67	V	AV
	9808	22.83	38.07	15.24	54.00	15.93	H	AV
	12260	22.11	37.93	15.82	54.00	16.07	H	AV
	14712	20.57	39.10	18.53	54.00	14.90	H	AV
	17164	17.42	41.42	24.00	54.00	12.58	V	AV

Data List

Test Mode	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Pol.	Det
11B_20M_2412	46.494765	34.21	19.03	-15.18	40.00	20.97	V	QP
	60.004239	41.81	25.62	-16.19	40.00	14.38	V	QP
	120.008515	49.70	30.53	-19.17	43.50	12.97	V	QP
	298.134746	49.05	35.43	-13.62	46.00	10.57	H	QP
	476.900978	33.30	22.75	-10.55	46.00	23.25	H	QP
	918.361268	24.04	21.64	-2.40	46.00	24.36	V	QP

Test Graphs_Spurious Emission

11B_20M_2412	11B_20M_2437
	
11B_20M_2462	11G_20M_2412



11G_20M_2437



11G_20M_2462



11N_20M_2412



11N_20M_2437



11N_20M_2462



11N_40M_2422





11N_40M_2437	11N_40M_2452





11B_20M_2412	/



/

ANNEX C: The EUT Appearance

The EUT Appearance (internal and external photographs) are submitted separately.

ANNEX D: Test Setup Photograph

The Test Setup Photographs are submitted separately.