Appendix-B Field Strength of Spurious Radiation

For LTE:

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1272.20	34.03	-85.80	-51.77	-13.00	38.77	Horizontal	PASS
2	1871.00	103.02	-84.97	18.05	-	-	Horizontal	NA
3	2673.20	35.98	-81.50	-45.52	-13.00	32.52	Horizontal	PASS
4	2990.00	36.03	-80.15	-44.12	-13.00	31.12	Horizontal	PASS
5	6312.50	37.89	-98.79	-60.90	-13.00	47.90	Horizontal	PASS
6	15114.50	33.62	-86.40	-52.78	-13.00	39.78	Horizontal	PASS
7	17848.00	32.25	-82.49	-50.24	-13.00	37.24	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1360.60	34.03	-85.66	-51.63	-13.00	38.63	Vertical	PASS
2	1871.00	108.00	-84.97	23.03	-	-	Vertical	NA
3	2965.20	36.02	-79.94	-43.92	-13.00	30.92	Vertical	PASS
4	3742.50	43.69	-107.43	-63.74	-13.00	50.74	Vertical	PASS
5	9644.00	36.33	-92.42	-56.09	-13.00	43.09	Vertical	PASS
6	13823.00	34.03	-86.96	-52.93	-13.00	39.93	Vertical	PASS
7	17360.50	33.12	-82.81	-49.69	-13.00	36.69	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1322.00	33.94	-85.39	-51.45	-13.00	38.45	Horizontal	PASS
2	1723.60	105.54	-85.28	20.26	-	-	Horizontal	NA
3	2980.20	35.64	-79.99	-44.35	-13.00	31.35	Horizontal	PASS
4	3447.00	47.88	-107.30	-59.42	-13.00	46.42	Horizontal	PASS
5	9038.00	37.89	-93.01	-55.12	-13.00	42.12	Horizontal	PASS
6	14364.50	36.71	-86.21	-49.50	-13.00	36.50	Horizontal	PASS
7	17839.00	38.84	-82.62	-43.78	-13.00	30.78	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1227.60	34.15	-86.05	-51.90	-13.00	38.90	Vertical	PASS
2	1723.60	109.04	-85.28	23.76	-	-	Vertical	NA
3	2728.40	35.93	-81.35	-45.42	-13.00	32.42	Vertical	PASS
4	2970.40	35.80	-79.92	-44.12	-13.00	31.12	Vertical	PASS
5	3447.00	52.38	-107.30	-54.92	-13.00	41.92	Vertical	PASS
6	13455.00	37.00	-88.34	-51.34	-13.00	38.34	Vertical	PASS
7	17854.00	38.09	-82.51	-44.42	-13.00	31.42	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	55.47	-114.12	-58.65	-13.00	45.65	Horizontal	PASS
2	2496.40	44.74	-111.37	-66.63	-13.00	53.63	Horizontal	PASS
3	3316.40	40.89	-108.24	-67.35	-13.00	54.35	Horizontal	PASS
4	3885.60	39.25	-106.16	-66.91	-13.00	53.91	Horizontal	PASS
5	6208.80	37.76	-99.35	-61.59	-13.00	48.59	Horizontal	PASS
6	8874.00	35.80	-93.02	-57.22	-13.00	44.22	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	56.13	-114.12	-57.99	-13.00	44.99	Vertical	PASS
2	2496.40	55.76	-111.37	-55.61	-13.00	42.61	Vertical	PASS
3	3424.40	40.21	-107.47	-67.26	-13.00	54.26	Vertical	PASS
4	4567.60	39.38	-104.12	-64.74	-13.00	51.74	Vertical	PASS
5	7410.00	36.93	-96.60	-59.67	-13.00	46.67	Vertical	PASS
6	8910.40	36.97	-93.36	-56.39	-13.00	43.39	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1230.30	38.13	-86.03	-47.90	-25.00	22.90	Horizontal	PASS
2	1963.90	38.81	-84.81	-46.00	-25.00	21.00	Horizontal	PASS
3	2526.10	94.57	-83.04	11.53	-	-	Horizontal	NA
4	2977.20	40.24	-79.94	-39.70	-25.00	14.70	Horizontal	PASS
5	6341.00	38.51	-98.75	-60.24	-25.00	35.24	Horizontal	PASS
6	12847.00	37.25	-89.39	-52.14	-25.00	27.14	Horizontal	PASS
7	17865.50	38.21	-82.64	-44.43	-25.00	19.43	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1326.10	38.13	-85.41	-47.28	-25.00	22.28	Vertical	PASS
2	1774.20	38.36	-84.87	-46.51	-25.00	21.51	Vertical	PASS
3	2526.10	106.54	-83.04	23.50	-	-	Vertical	NA
4	2987.60	40.40	-80.11	-39.71	-25.00	14.71	Vertical	PASS
5	6207.50	38.62	-99.54	-60.92	-25.00	35.92	Vertical	PASS
6	12823.50	37.59	-89.36	-51.77	-25.00	26.77	Vertical	PASS
7	17839.50	38.23	-82.61	-44.38	-25.00	19.38	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.00	63.56	-114.33	-50.77	-13.00	37.77	Horizontal	PASS
2	1992.60	43.10	-113.40	-70.30	-13.00	57.30	Horizontal	PASS
3	3105.95	42.09	-108.61	-66.52	-13.00	53.52	Horizontal	PASS
4	4544.80	39.82	-104.26	-64.44	-13.00	51.44	Horizontal	PASS
5	5526.55	40.24	-100.71	-60.47	-13.00	47.47	Horizontal	PASS
6	7214.25	38.84	-96.74	-57.90	-13.00	44.90	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.35	63.87	-114.33	-50.46	-13.00	37.46	Vertical	PASS
2	1885.85	43.36	-113.69	-70.33	-13.00	57.33	Vertical	PASS
3	2316.00	42.88	-112.29	-69.41	-13.00	56.41	Vertical	PASS
4	4623.20	39.66	-103.80	-64.14	-13.00	51.14	Vertical	PASS
5	6292.35	40.36	-98.93	-58.57	-13.00	45.57	Vertical	PASS
6	7396.95	39.43	-96.52	-57.09	-13.00	44.09	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1230.53	44.30	-114.30	-70.00	-13.00	57.00	Horizontal	PASS
2	1849.33	43.51	-113.92	-70.41	-13.00	57.41	Horizontal	PASS
3	2843.10	42.67	-109.53	-66.86	-13.00	53.86	Horizontal	PASS
4	3695.00	41.30	-107.46	-66.16	-13.00	53.16	Horizontal	PASS
5	4755.27	39.48	-103.12	-63.64	-13.00	50.64	Horizontal	PASS
6	6810.23	38.92	-98.01	-59.09	-13.00	46.09	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1280.23	43.99	-114.40	-70.41	-13.00	57.41	Vertical	PASS
2	1554.87	45.43	-114.07	-68.64	-13.00	55.64	Vertical	PASS
3	2332.57	46.81	-112.39	-65.58	-13.00	52.58	Vertical	PASS
4	3562.70	41.27	-107.60	-66.33	-13.00	53.33	Vertical	PASS
5	5560.27	38.99	-100.45	-61.46	-13.00	48.46	Vertical	PASS
6	6225.73	39.03	-99.36	-60.33	-13.00	47.33	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	14
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1425.37	44.12	-114.39	-70.27	-13.00	57.27	Horizontal	PASS
2	1577.27	45.35	-114.18	-68.83	-40.00	28.83	Horizontal	PASS
3	1997.73	43.28	-113.39	-70.11	-13.00	57.11	Horizontal	PASS
4	3478.00	41.29	-107.40	-66.11	-13.00	53.11	Horizontal	PASS
5	5562.13	38.90	-100.46	-61.56	-13.00	48.56	Horizontal	PASS
6	7948.90	37.57	-95.46	-57.89	-13.00	44.89	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	14
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1483.93	44.19	-114.30	-70.11	-13.00	57.11	Vertical	PASS
2	2365.93	47.23	-112.42	-65.19	-13.00	52.19	Vertical	PASS
3	2972.60	42.50	-109.19	-66.69	-13.00	53.69	Vertical	PASS
4	4314.97	39.60	-104.33	-64.73	-13.00	51.73	Vertical	PASS
5	5591.30	39.67	-100.52	-60.85	-13.00	47.85	Vertical	PASS
6	7951.70	39.12	-95.47	-56.35	-13.00	43.35	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	17
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.25	60.13	-114.35	-54.22	-13.00	41.22	Horizontal	PASS
2	1859.60	43.34	-113.86	-70.52	-13.00	57.52	Horizontal	PASS
3	2857.45	42.50	-109.38	-66.88	-13.00	53.88	Horizontal	PASS
4	4280.55	40.11	-104.63	-64.52	-13.00	51.52	Horizontal	PASS
5	5051.60	40.43	-102.20	-61.77	-13.00	48.77	Horizontal	PASS
6	7284.25	38.84	-96.21	-57.37	-13.00	44.37	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	17
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.25	60.52	-114.35	-53.83	-13.00	40.83	Vertical	PASS
2	2470.35	42.21	-111.23	-69.02	-13.00	56.02	Vertical	PASS
3	3189.60	42.13	-108.20	-66.07	-13.00	53.07	Vertical	PASS
4	3821.00	41.03	-106.52	-65.49	-13.00	52.49	Vertical	PASS
5	5586.40	39.71	-100.51	-60.80	-13.00	47.80	Vertical	PASS
6	6324.20	39.84	-98.98	-59.14	-13.00	46.14	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	25
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1323.00	33.91	-85.39	-51.48	-13.00	38.48	Horizontal	PASS
2	1873.60	102.73	-84.97	17.76	-	-	Horizontal	NA
3	2419.40	34.95	-83.23	-48.28	-13.00	35.28	Horizontal	PASS
4	2964.20	35.56	-79.95	-44.39	-13.00	31.39	Horizontal	PASS
5	6498.00	37.65	-98.39	-60.74	-13.00	47.74	Horizontal	PASS
6	12788.50	34.94	-89.37	-54.43	-13.00	41.43	Horizontal	PASS
7	17325.00	33.76	-83.54	-49.78	-13.00	36.78	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	25
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1304.60	33.87	-85.39	-51.52	-13.00	38.52	Vertical	PASS
2	1873.60	108.44	-84.97	23.47	-	-	Vertical	NA
3	2635.00	36.35	-82.21	-45.86	-13.00	32.86	Vertical	PASS
4	2969.80	35.48	-79.92	-44.44	-13.00	31.44	Vertical	PASS
5	3747.00	44.60	-107.43	-62.83	-13.00	49.83	Vertical	PASS
6	9510.00	36.83	-92.62	-55.79	-13.00	42.79	Vertical	PASS
7	17349.50	33.05	-82.42	-49.37	-13.00	36.37	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.20	54.36	-114.17	-59.81	-13.00	46.81	Horizontal	PASS
2	2487.20	41.65	-111.32	-69.67	-13.00	56.67	Horizontal	PASS
3	3279.60	41.50	-108.31	-66.81	-13.00	53.81	Horizontal	PASS
4	4998.40	38.25	-102.91	-64.66	-13.00	51.66	Horizontal	PASS
5	6300.80	37.84	-98.86	-61.02	-13.00	48.02	Horizontal	PASS
6	8896.80	36.28	-93.15	-56.87	-13.00	43.87	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.20	55.74	-114.17	-58.43	-13.00	45.43	Vertical	PASS
2	2177.60	42.38	-113.23	-70.85	-13.00	57.85	Vertical	PASS
3	2560.80	42.89	-111.06	-68.17	-13.00	55.17	Vertical	PASS
4	3411.60	40.44	-107.49	-67.05	-13.00	54.05	Vertical	PASS
5	5164.00	38.15	-101.96	-63.81	-13.00	50.81	Vertical	PASS
6	8833.20	36.17	-93.16	-56.99	-13.00	43.99	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	26(824-849MHz)
Bandwidth:	15MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1345.60	43.39	-114.20	-70.81	-13.00	57.81	Horizontal	PASS
2	1659.60	55.49	-114.11	-58.62	-13.00	45.62	Horizontal	PASS
3	2489.60	43.43	-111.34	-67.91	-13.00	54.91	Horizontal	PASS
4	4794.80	38.10	-102.92	-64.82	-13.00	51.82	Horizontal	PASS
5	5660.00	38.24	-100.58	-62.34	-13.00	49.34	Horizontal	PASS
6	8121.60	36.71	-95.09	-58.38	-13.00	45.38	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	26(824-849MHz)
Bandwidth:	15MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1659.60	56.78	-114.11	-57.33	-13.00	44.33	Vertical	PASS
2	2489.60	53.38	-111.34	-57.96	-13.00	44.96	Vertical	PASS
3	3627.20	39.99	-107.15	-67.16	-13.00	54.16	Vertical	PASS
4	4790.80	38.45	-102.94	-64.49	-13.00	51.49	Vertical	PASS
5	7882.80	36.72	-95.73	-59.01	-13.00	46.01	Vertical	PASS
6	8998.00	36.61	-93.49	-56.88	-13.00	43.88	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1327.30	38.27	-85.43	-47.16	-25.00	22.16	Horizontal	PASS
2	2071.80	39.23	-84.61	-45.38	-25.00	20.38	Horizontal	PASS
3	2584.10	92.64	-82.40	10.24	-	-	Horizontal	NA
4	2977.50	40.21	-79.94	-39.73	-25.00	14.73	Horizontal	PASS
5	6029.50	38.16	-99.95	-61.79	-25.00	36.79	Horizontal	PASS
6	8064.00	37.67	-95.20	-57.53	-25.00	32.53	Horizontal	PASS
7	17988.50	38.14	-82.59	-44.45	-25.00	19.45	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1309.30	38.45	-85.39	-46.94	-25.00	21.94	Vertical	PASS
2	2101.60	39.08	-84.23	-45.15	-25.00	20.15	Vertical	PASS
3	2584.10	106.47	-82.40	24.07	-	-	Vertical	NA
4	2974.40	40.37	-79.90	-39.53	-25.00	14.53	Vertical	PASS
5	5505.50	38.73	-101.20	-62.47	-25.00	37.47	Vertical	PASS
6	9517.00	38.22	-92.64	-54.42	-25.00	29.42	Vertical	PASS
7	17352.00	38.38	-82.48	-44.10	-25.00	19.10	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1322.40	34.11	-85.39	-51.28	-13.00	38.28	Horizontal	PASS
2	1736.20	105.87	-85.18	20.69	-	-	Horizontal	NA
3	2680.00	35.94	-81.56	-45.62	-13.00	32.62	Horizontal	PASS
4	2970.40	35.64	-79.92	-44.28	-13.00	31.28	Horizontal	PASS
5	3472.00	47.84	-107.15	-59.31	-13.00	46.31	Horizontal	PASS
6	10731.00	37.31	-91.28	-53.97	-13.00	40.97	Horizontal	PASS
7	17921.00	38.34	-83.08	-44.74	-13.00	31.74	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	66
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1490.20	34.29	-85.67	-51.38	-13.00	38.38	Vertical	PASS
2	1736.00	107.90	-85.18	22.72	-	-	Vertical	NA
3	2140.20	35.70	-84.59	-48.89	-13.00	35.89	Vertical	PASS
4	2974.00	35.70	-79.90	-44.20	-13.00	31.20	Vertical	PASS
5	3472.00	53.25	-107.15	-53.90	-13.00	40.90	Vertical	PASS
6	8414.00	37.46	-94.67	-57.21	-13.00	44.21	Vertical	PASS
7	17964.50	39.01	-82.90	-43.89	-13.00	30.89	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	71
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.35	61.98	-114.21	-52.23	-13.00	39.23	Horizontal	PASS
2	2014.65	45.97	-113.51	-67.54	-13.00	54.54	Horizontal	PASS
3	3022.65	42.06	-108.95	-66.89	-13.00	53.89	Horizontal	PASS
4	4753.05	39.22	-103.13	-63.91	-13.00	50.91	Horizontal	PASS
5	6200.30	40.01	-99.35	-59.34	-13.00	46.34	Horizontal	PASS
6	7939.10	38.82	-95.51	-56.69	-13.00	43.69	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	LTE	Band:	71
Bandwidth:	20MHz	Channel:	Mid
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.00	64.37	-114.21	-49.84	-13.00	36.84	Vertical	PASS
2	2014.65	51.96	-113.51	-61.55	-13.00	48.55	Vertical	PASS
3	2686.30	46.53	-110.49	-63.96	-13.00	50.96	Vertical	PASS
4	4032.40	40.04	-106.14	-66.10	-13.00	53.10	Vertical	PASS
5	5957.75	39.65	-99.83	-60.18	-13.00	47.18	Vertical	PASS
6	7957.30	38.86	-95.48	-56.62	-13.00	43.62	Vertical	PASS

~The End~

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.