




11ac20SISO-Ant0-5745-PASS




11ac20SISO-Ant0-5785-PASS




11ac20SISO-Ant0-5825-PASS



11ac40SISO-Ant0-5710




11ac40SISO-Ant0-5755-PASS



11ac40SISO-Ant0-5795-PASS



11ac80SISO-Ant0-5690





11ac80SISO-Ant0-5775-PASS

**Duty Cycle
Test Result**


TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]
11a	Ant0	5180	2.06	2.10	98.10
11a	Ant0	5200	2.06	2.10	98.10
11a	Ant0	5240	2.06	2.10	98.10
11a	Ant0	5260	2.06	2.10	98.10
11a	Ant0	5300	2.07	2.10	98.57
11a	Ant0	5320	2.07	2.10	98.57
11a	Ant0	5500	2.07	2.10	98.57
11a	Ant0	5580	2.07	2.10	98.57
11a	Ant0	5720	2.07	2.10	98.57
11a	Ant0	5745	2.07	2.10	98.57
11a	Ant0	5785	2.07	2.11	98.10
11a	Ant0	5825	2.06	2.10	98.10
11n20SISO	Ant0	5180	1.92	1.96	97.96
11n20SISO	Ant0	5200	1.93	1.96	98.47
11n20SISO	Ant0	5240	1.93	1.96	98.47
11n20SISO	Ant0	5260	1.93	1.96	98.47
11n20SISO	Ant0	5300	1.92	1.96	97.96
11n20SISO	Ant0	5320	1.93	1.97	97.97
11n20SISO	Ant0	5500	1.92	1.96	97.96
11n20SISO	Ant0	5580	1.92	1.96	97.96
11n20SISO	Ant0	5720	1.92	1.96	97.96
11n20SISO	Ant0	5745	1.92	1.96	97.96
11n20SISO	Ant0	5785	1.92	1.96	97.96
11n20SISO	Ant0	5825	1.93	1.96	98.47
11n40SISO	Ant0	5190	0.94	0.98	95.92
11n40SISO	Ant0	5230	0.95	0.99	95.96
11n40SISO	Ant0	5270	0.94	0.98	95.92
11n40SISO	Ant0	5310	0.94	0.98	95.92
11n40SISO	Ant0	5510	0.95	0.99	95.96
11n40SISO	Ant0	5590	0.95	0.99	95.96
11n40SISO	Ant0	5710	0.95	0.99	95.96
11n40SISO	Ant0	5755	0.95	0.98	96.94
11n40SISO	Ant0	5795	0.95	0.99	95.96
11ac20SISO	Ant0	5180	1.93	1.97	97.97
11ac20SISO	Ant0	5200	1.93	1.97	97.97
11ac20SISO	Ant0	5240	1.93	1.97	97.97
11ac20SISO	Ant0	5260	1.93	1.97	97.97
11ac20SISO	Ant0	5300	1.93	1.97	97.97
11ac20SISO	Ant0	5320	1.93	1.97	97.97
11ac20SISO	Ant0	5500	1.93	1.97	97.97
11ac20SISO	Ant0	5580	1.94	1.97	98.48
11ac20SISO	Ant0	5720	1.93	1.96	98.47
11ac20SISO	Ant0	5745	1.93	1.97	97.97
11ac20SISO	Ant0	5785	1.93	1.97	97.97
11ac20SISO	Ant0	5825	1.93	1.97	97.97
11ac40SISO	Ant0	5190	0.96	0.99	96.97
11ac40SISO	Ant0	5230	0.95	0.98	96.94
11ac40SISO	Ant0	5270	0.95	0.99	95.96
11ac40SISO	Ant0	5310	0.95	0.99	95.96
11ac40SISO	Ant0	5510	0.96	0.99	96.97
11ac40SISO	Ant0	5590	0.95	0.99	95.96
11ac40SISO	Ant0	5710	0.95	0.98	96.94
11ac40SISO	Ant0	5755	0.95	0.99	95.96
11ac40SISO	Ant0	5795	0.95	0.99	95.96
11ac80SISO	Ant0	5210	0.46	0.50	92.00
11ac80SISO	Ant0	5290	0.47	0.50	94.00
11ac80SISO	Ant0	5530	0.47	0.50	94.00
11ac80SISO	Ant0	5610	0.46	0.50	92.00
11ac80SISO	Ant0	5690	0.47	0.50	94.00
11ac80SISO	Ant0	5775	0.46	0.50	92.00

Test Graphs







NTVN-11a-Ant0-5500




NTVN-11a-Ant0-5580




NTVN-11a-Ant0-5720




NTVN-11a-Ant0-5745




NTVN-11a-Ant0-5785




NTVN-11a-Ant0-5825




NTNV-11n20SISO-Ant0-5180




NTNV-11n20SISO-Ant0-5200




NTNV-11n20SISO-Ant0-5240




NTNV-11n20SISO-Ant0-5260




NTNV-11n20SISO-Ant0-5300




NTNV-11n20SISO-Ant0-5320




NTNV-11n20SISO-Ant0-5500




NTNV-11n20SISO-Ant0-5580




NTNV-11n20SISO-Ant0-5720




NTNV-11n20SISO-Ant0-5745




NTNV-11n20SISO-Ant0-5785




NTNV-11n20SISO-Ant0-5825




NTNV-11n40SISO-Ant0-5190




NTNV-11n40SISO-Ant0-5230




NTNV-11n40SISO-Ant0-5270




NTNV-11n40SISO-Ant0-5310




NTNV-11n40SISO-Ant0-5510




NTNV-11n40SISO-Ant0-5590




NTNV-11n40SISO-Ant0-5710




NTNV-11n40SISO-Ant0-5755




NTNV-11n40SISO-Ant0-5795




NTNV-11ac20SISO-Ant0-5180




NTNV-11ac20SISO-Ant0-5200




NTNV-11ac20SISO-Ant0-5240




NTNV-11ac20SISO-Ant0-5260




NTNV-11ac20SISO-Ant0-5300




NTNV-11ac20SISO-Ant0-5320




NTNV-11ac20SISO-Ant0-5300




NTNV-11ac20SISO-Ant0-5580




NTNV-11ac20SISO-Ant0-5720




NTNV-11ac20SISO-Ant0-5745




NTNV-11ac20SISO-Ant0-5785




NTNV-11ac20SISO-Ant0-5825




NTNV-11ac40SISO-Ant0-5190




NTNV-11ac40SISO-Ant0-5230




NTNV-11ac40SISO-Ant0-5270




NTNV-11ac40SISO-Ant0-5310




NTNV-11ac40SISO-Ant0-5510




NTNV-11ac40SISO-Ant0-5590




NTNV-11ac40SISO-Ant0-5710




NTNV-11ac40SISO-Ant0-5755




NTNV-11ac40SISO-Ant0-5795




NTNV-11ac80SISO-Ant0-5210




NTNV-11ac80SISO-Ant0-5290




NTNV-11ac80SISO-Ant0-5530



NTNV-11ac80SISO-Ant0-5610



NTNV-11ac80SISO-Ant0-5690



NTNV-11ac80SISO-Ant0-5775

Maximum conducted output power Test Result

Test Mode	Antenna	Frequency [MHz]	Result [dBm]	Limit [dBm]	Verdict
11a	Ant0	5180	16.41	≤23.98	PASS
11a	Ant0	5200	16.42	≤23.98	PASS
11a	Ant0	5240	16.36	≤23.98	PASS
11n20SISO	Ant0	5180	16.40	≤23.98	PASS
11n20SISO	Ant0	5200	16.36	≤23.98	PASS
11n20SISO	Ant0	5240	16.20	≤23.98	PASS
11n40SISO	Ant0	5190	15.88	≤23.98	PASS
11n40SISO	Ant0	5230	16.03	≤23.98	PASS
11ac20SISO	Ant0	5180	16.39	≤23.98	PASS
11ac20SISO	Ant0	5200	16.32	≤23.98	PASS
11ac20SISO	Ant0	5240	16.28	≤23.98	PASS
11ac40SISO	Ant0	5190	16.08	≤23.98	PASS
11ac40SISO	Ant0	5230	16.01	≤23.98	PASS
11ac80SISO	Ant0	5210	14.24	≤23.98	PASS

Test Mode	Antenna	Frequency [MHz]	Result [dBm]	Limit [dBm]	Verdict
11a	Ant0	5260	16.25	≤23.98	PASS
11a	Ant0	5300	16.21	≤23.98	PASS
11a	Ant0	5320	16.03	≤23.98	PASS
11n20SISO	Ant0	5260	16.17	≤23.98	PASS
11n20SISO	Ant0	5300	16.06	≤23.98	PASS
11n20SISO	Ant0	5320	15.92	≤23.98	PASS
11n40SISO	Ant0	5270	16.22	≤23.98	PASS
11n40SISO	Ant0	5310	15.06	≤23.98	PASS
11ac20SISO	Ant0	5260	16.08	≤23.98	PASS
11ac20SISO	Ant0	5300	16.09	≤23.98	PASS
11ac20SISO	Ant0	5320	15.89	≤23.98	PASS
11ac40SISO	Ant0	5270	16.18	≤23.98	PASS
11ac40SISO	Ant0	5310	16.06	≤23.98	PASS
11ac80SISO	Ant0	5290	13.80	≤23.98	PASS

Test Mode	Antenna	Frequency [MHz]	Result [dBm]	Limit [dBm]	Verdict
11a	Ant0	5500	16.11	≤23.98	PASS
11a	Ant0	5580	16.37	≤23.98	PASS
11a	Ant0	5720 UNII-2C	13.16	≤23.98	PASS
11a	Ant0	5720 UNII-3	6.11	≤23.98	PASS
11n20SISO	Ant0	5500	15.86	≤23.98	PASS
11n20SISO	Ant0	5580	16.15	≤23.98	PASS
11n20SISO	Ant0	5720 UNII-2C	12.74	≤23.98	PASS
11n20SISO	Ant0	5720 UNII-3	6.35	≤23.98	PASS
11n40SISO	Ant0	5510	15.92	≤23.98	PASS
11n40SISO	Ant0	5590	16.12	≤23.98	PASS
11n40SISO	Ant0	5710 UNII-2C	12.72	≤23.98	PASS
11n40SISO	Ant0	5710 UNII-3	1.55	≤23.98	PASS
11ac20SISO	Ant0	5500	15.87	≤23.98	PASS
11ac20SISO	Ant0	5580	16.17	≤23.98	PASS
11ac20SISO	Ant0	5720 UNII-2C	11.96	≤23.98	PASS
11ac20SISO	Ant0	5720 UNII-3	5.48	≤23.98	PASS
11ac40SISO	Ant0	5510	15.91	≤23.98	PASS
11ac40SISO	Ant0	5590	16.05	≤23.98	PASS
11ac40SISO	Ant0	5710 UNII-2C	12.72	≤23.98	PASS
11ac40SISO	Ant0	5710 UNII-3	1.56	≤23.98	PASS
11ac80SISO	Ant0	5530	14.10	≤23.98	PASS
11ac80SISO	Ant0	5610	15.35	≤23.98	PASS
11ac80SISO	Ant0	5690 UNII-2C	11.84	≤23.98	PASS
11ac80SISO	Ant0	5690 UNII-3	-2.76	≤23.98	PASS

Test Mode	Antenna	Frequency [MHz]	Result [dBm]	Limit [dBm]	Verdict
11a	Ant0	5745	16.10	≤30.00	PASS
11a	Ant0	5785	16.25	≤30.00	PASS
11a	Ant0	5825	16.45	≤30.00	PASS
11n20SISO	Ant0	5745	15.89	≤30.00	PASS
11n20SISO	Ant0	5785	16.08	≤30.00	PASS
11n20SISO	Ant0	5825	16.29	≤30.00	PASS
11n40SISO	Ant0	5755	15.93	≤30.00	PASS
11n40SISO	Ant0	5795	15.65	≤30.00	PASS
11ac20SISO	Ant0	5745	15.96	≤30.00	PASS
11ac20SISO	Ant0	5785	16.10	≤30.00	PASS
11ac20SISO	Ant0	5825	16.21	≤30.00	PASS
11ac40SISO	Ant0	5755	15.95	≤30.00	PASS
11ac40SISO	Ant0	5795	15.68	≤30.00	PASS
11ac80SISO	Ant0	5775	15.43	≤30.00	PASS

**Maximum power spectral density
Test Result**

TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11a	Ant0	5180	5.75	≤11.00	PASS
11a	Ant0	5200	5.81	≤11.00	PASS
11a	Ant0	5240	5.61	≤11.00	PASS
11a	Ant0	5260	5.63	≤11.00	PASS
11a	Ant0	5300	5.44	≤11.00	PASS
11a	Ant0	5320	5.36	≤11.00	PASS
11a	Ant0	5500	5.31	≤11.00	PASS
11a	Ant0	5580	5.56	≤11.00	PASS
11a	Ant0	5720 UNII-2C	4.58	≤11.00	PASS
11a	Ant0	5720 UNII-3	0.33	≤30.00	PASS
11a	Ant0	5745	0.90	≤30.00	PASS
11a	Ant0	5785	2.42	≤30.00	PASS
11a	Ant0	5825	1.54	≤30.00	PASS
11n20SISO	Ant0	5180	4.27	≤11.00	PASS
11n20SISO	Ant0	5200	3.96	≤11.00	PASS
11n20SISO	Ant0	5240	4.02	≤11.00	PASS
11n20SISO	Ant0	5260	5.11	≤11.00	PASS
11n20SISO	Ant0	5300	3.71	≤11.00	PASS
11n20SISO	Ant0	5320	4.74	≤11.00	PASS
11n20SISO	Ant0	5500	3.49	≤11.00	PASS
11n20SISO	Ant0	5580	4.87	≤11.00	PASS
11n20SISO	Ant0	5720 UNII-2C	4.06	≤11.00	PASS
11n20SISO	Ant0	5720 UNII-3	-0.37	≤30.00	PASS
11n20SISO	Ant0	5745	0.45	≤30.00	PASS
11n20SISO	Ant0	5785	2.11	≤30.00	PASS
11n20SISO	Ant0	5825	1.06	≤30.00	PASS
11n40SISO	Ant0	5190	2.12	≤11.00	PASS
11n40SISO	Ant0	5230	2.05	≤11.00	PASS
11n40SISO	Ant0	5270	0.75	≤11.00	PASS
11n40SISO	Ant0	5310	1.05	≤11.00	PASS
11n40SISO	Ant0	5510	0.51	≤11.00	PASS
11n40SISO	Ant0	5590	2.13	≤11.00	PASS
11n40SISO	Ant0	5710 UNII-2C	-0.11	≤11.00	PASS
11n40SISO	Ant0	5710 UNII-3	-5.17	≤30.00	PASS
11n40SISO	Ant0	5755	-1.44	≤30.00	PASS
11n40SISO	Ant0	5795	-3.07	≤30.00	PASS
11ac20SISO	Ant0	5180	5.46	≤11.00	PASS
11ac20SISO	Ant0	5200	4.01	≤11.00	PASS
11ac20SISO	Ant0	5240	3.48	≤11.00	PASS
11ac20SISO	Ant0	5260	4.88	≤11.00	PASS
11ac20SISO	Ant0	5300	3.54	≤11.00	PASS
11ac20SISO	Ant0	5320	3.09	≤11.00	PASS
11ac20SISO	Ant0	5500	4.78	≤11.00	PASS
11ac20SISO	Ant0	5580	3.70	≤11.00	PASS
11ac20SISO	Ant0	5720 UNII-2C	2.50	≤11.00	PASS
11ac20SISO	Ant0	5720 UNII-3	-1.86	≤30.00	PASS
11ac20SISO	Ant0	5745	0.49	≤30.00	PASS
11ac20SISO	Ant0	5785	0.85	≤30.00	PASS
11ac20SISO	Ant0	5825	0.90	≤30.00	PASS
11ac40SISO	Ant0	5190	0.59	≤11.00	PASS
11ac40SISO	Ant0	5230	0.47	≤11.00	PASS
11ac40SISO	Ant0	5270	0.89	≤11.00	PASS
11ac40SISO	Ant0	5310	0.59	≤11.00	PASS
11ac40SISO	Ant0	5510	0.34	≤11.00	PASS
11ac40SISO	Ant0	5590	2.21	≤11.00	PASS
11ac40SISO	Ant0	5710 UNII-2C	-0.40	≤11.00	PASS
11ac40SISO	Ant0	5710 UNII-3	-4.82	≤30.00	PASS
11ac40SISO	Ant0	5755	-2.74	≤30.00	PASS
11ac40SISO	Ant0	5795	-2.93	≤30.00	PASS
11ac80SISO	Ant0	5210	-3.05	≤11.00	PASS
11ac80SISO	Ant0	5290	-3.08	≤11.00	PASS
11ac80SISO	Ant0	5530	-2.90	≤11.00	PASS

11ac80SISO	Ant0	5610	-1.62	≤11.00	PASS
11ac80SISO	Ant0	5690 UNII-2C	-3.69	≤11.00	PASS
11ac80SISO	Ant0	5690 UNII-3	-8.73	≤30.00	PASS
11ac80SISO	Ant0	5775	-4.63	≤30.00	PASS

Note: 1. The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2. The Duty Cycle Factor and RBW Factor is compensated in the graph.

Test Graphs



11a-Ant0-5180-PASS



11a-Ant0-5200-PASS



11a-Ant0-5240-PASS



11a-Ant0-5260-PASS



11a-Ant0-5300-PASS




11a-Ant0-5320-PASS



11a-Ant0-5500-PASS




11a-Ant0-5580-PASS



11a-Ant0-5720 UNII-2C-PASS




11a-Ant0-5720 UNII-3-PASS



11a-Ant0-5745-PASS



11a-Ant0-5785-PASS



11a-Ant0-5825-PASS



11n20SISO-Ant0-5180-PASS



11n20SISO-Ant0-5200-PASS




11n20SISO-Ant0-5240-PASS




11n20SISO-Ant0-5260-PASS



11n20SISO-Ant0-5300-PASS



11n20SISO-Ant0-5320-PASS




11n20SISO-Ant0-5500-PASS




11n20SISO-Ant0-5580-PASS




11n20SISO-Ant0-5720 UNII-2C-PASS



11n20SISO-Ant0-5720 UNII-3-PASS




11n20SISO-Ant0-5745-PASS




11n20SISO-Ant0-5785-PASS



11n20SISO-Ant0-5825-PASS



11n40SISO-Ant0-5190-PASS




11n40SISO-Ant0-5230-PASS




11n40SISO-Ant0-5270-PASS




11n40SISO-Ant0-5310-PASS




11n40SISO-Ant0-5510-PASS



11n40SISO-Ant0-5590-PASS




11n40SISO-Ant0-5710 UNII-2C-PASS




11n40SISO-Ant0-5710 UNII-3-PASS



11n40SISO-Ant0-5755-PASS



11n40SISO-Ant0-5795-PASS



11ac20SISO-Ant0-5180-PASS




11ac20SISO-Ant0-5200-PASS




11ac20SISO-Ant0-5240-PASS




11ac20SISO-Ant0-5260-PASS



11ac20SISO-Ant0-5300-PASS




11ac20SISO-Ant0-5320-PASS




11ac20SISO-Ant0-5500-PASS




11ac20SISO-Ant0-5580-PASS




11ac20SISO-Ant0-5720 UNII-2C-PASS




11ac20SISO-Ant0-5720 UNII-3-PASS



11ac20SISO-Ant0-5745-PASS



11ac20SISO-Ant0-5785-PASS



11ac20SISO-Ant0-5825-PASS



11ac40SISO-Ant0-5190-PASS



11ac40SISO-Ant0-5230-PASS



11ac40SISO-Ant0-5270-PASS



11ac40SISO-Ant0-5310-PASS




11ac40SISO-Ant0-5510-PASS




11ac40SISO-Ant0-5590-PASS




11ac40SISO-Ant0-5710_UNII-2C-PASS



11ac40SISO-Ant0-5710_UNII-3-PASS



11ac40SISO-Ant0-5755-PASS



11ac40SISO-Ant0-5795-PASS



11ac80SISO-Ant0-5210-PASS



11ac80SISO-Ant0-5290-PASS



11ac80SISO-Ant0-5530-PASS



11ac80SISO-Ant0-5610-PASS



11ac80SISO-Ant0-5690_UNII-2C-PASS



11ac80SISO-Ant0-5690_UNII-3-PASS




11ac80SISO-Ant0-5775-PASS

Radiated Spurious Emissions

Test Result

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5175.19	36.61	13.90	50.51	-	-	Horizontal	NA
2	11215.92	36.27	4.69	40.96	54.00	13.04	Horizontal	PASS
3	15845.21	33.56	8.12	41.68	54.00	12.32	Horizontal	PASS
4	17886.53	33.15	13.51	46.66	54.00	7.34	Horizontal	PASS
5	5177.21	42.81	13.91	56.72	-	-	Horizontal	NA
6	6323.44	35.58	17.02	52.60	68.20	15.60	Horizontal	PASS
7	11396.10	42.59	5.36	47.95	74.00	26.05	Horizontal	PASS
8	17893.81	39.70	13.42	53.12	74.00	20.88	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5177.39	44.39	13.91	58.30	-	-	Vertical	NA
2	10954.48	35.17	5.12	40.29	54.00	13.71	Vertical	PASS
3	15852.11	33.44	8.16	41.60	54.00	12.40	Vertical	PASS
4	17831.71	32.76	13.21	45.97	54.00	8.03	Vertical	PASS
5	5177.76	49.81	13.90	63.71	-	-	Vertical	NA
6	6906.73	50.54	-1.76	48.78	68.20	19.42	Vertical	PASS
7	10929.95	43.94	4.99	48.93	74.00	25.07	Vertical	PASS
8	17957.45	40.08	13.18	53.26	74.00	20.74	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	40
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	11446.31	35.75	5.09	40.84	54.00	13.16	Horizontal	PASS
2	15854.41	33.28	8.15	41.43	54.00	12.57	Horizontal	PASS
3	17978.53	32.33	13.48	45.81	54.00	8.19	Horizontal	PASS
4	6459.30	35.73	16.99	52.72	68.20	15.48	Horizontal	PASS
5	11439.03	42.06	5.14	47.20	74.00	26.80	Horizontal	PASS
6	17836.69	39.13	13.42	52.55	74.00	21.45	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	40
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBuV/m]	Limit [dBuV/m]	Margin [dB]	Polarity	Verdict
1	5192.61	35.44	13.91	49.35	-	-	Vertical	NA
2	11867.61	34.37	5.13	39.50	54.00	14.50	Vertical	PASS
3	15880.10	34.27	8.04	42.31	54.00	11.69	Vertical	PASS
4	17972.78	32.74	13.40	46.14	54.00	7.86	Vertical	PASS
5	5192.42	42.16	13.92	56.08	-	-	Vertical	NA
6	12167.77	42.77	4.94	47.71	74.00	26.29	Vertical	PASS
7	15768.93	40.88	7.57	48.45	74.00	25.55	Vertical	PASS
8	17997.70	38.98	13.76	52.74	74.00	21.26	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	48
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8092.80	37.25	0.50	37.75	54.00	16.25	Horizontal	PASS
2	12249.81	35.72	5.37	41.09	54.00	12.91	Horizontal	PASS
3	17878.48	32.65	13.62	46.27	54.00	7.73	Horizontal	PASS
4	6986.47	47.04	-1.84	45.20	68.20	23.00	Horizontal	PASS
5	13668.96	41.15	9.20	50.35	68.20	17.85	Horizontal	PASS
6	17851.26	39.27	13.97	53.24	74.00	20.76	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	48
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8414.05	36.69	0.99	37.68	54.00	16.32	Vertical	PASS
2	10965.60	35.61	5.11	40.72	54.00	13.28	Vertical	PASS
3	17978.92	32.38	13.49	45.87	54.00	8.13	Vertical	PASS
4	6986.85	50.65	-1.84	48.81	68.20	19.39	Vertical	PASS
5	14354.76	41.31	8.96	50.27	68.20	17.93	Vertical	PASS
6	17873.50	39.54	13.69	53.23	74.00	20.77	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	52
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8349.26	36.62	1.09	37.71	54.00	16.29	Horizontal	PASS
2	11491.17	35.92	4.86	40.78	54.00	13.22	Horizontal	PASS
3	17855.48	31.95	13.92	45.87	54.00	8.13	Horizontal	PASS
4	6484.78	34.95	17.32	52.27	68.20	15.93	Horizontal	PASS
5	13687.36	40.30	9.33	49.63	68.20	18.57	Horizontal	PASS
6	17918.73	39.64	13.23	52.87	74.00	21.13	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	52
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power: 16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5267.59	34.87	14.27	49.14	-	-	Vertical	NA
2	8427.08	36.69	1.06	37.75	54.00	16.25	Vertical	PASS
3	11471.62	35.43	4.96	40.39	54.00	13.61	Vertical	PASS
4	17978.53	32.90	13.48	46.38	54.00	7.62	Vertical	PASS
5	5267.23	40.01	14.27	54.28	-	-	Vertical	NA
6	7013.30	50.51	-1.65	48.86	68.20	19.34	Vertical	PASS
7	13712.66	41.17	8.77	49.94	68.20	18.26	Vertical	PASS
8	17994.63	39.31	13.71	53.02	74.00	20.98	Vertical	PASS