Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	60
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power：16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9010.53	36.46	2.52	38.98	54.00	15.02	Horizontal	PASS
2	12249.81	35.01	5.37	40.38	54.00	13.62	Horizontal	PASS
3	17850.50	32.25	13.98	46.23	54.00	7.77	Horizontal	PASS
4	6407.41	36.10	16.61	52.71	68.20	15.49	Horizontal	PASS
5	14390.03	40.96	8.53	49.49	68.20	18.71	Horizontal	PASS
6	17990.03	39.22	13.65	52.87	74.00	21.13	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	60
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power：16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5296.19	35.93	14.46	50.39	-	-	Vertical	NA
2	8100.85	36.96	0.52	37.48	54.00	16.52	Vertical	PASS
3	12059.29	35.58	5.39	40.97	54.00	13.03	Vertical	PASS
4	17979.68	32.58	13.50	46.08	54.00	7.92	Vertical	PASS
5	5296.74	41.98	14.47	56.45	-	-	Vertical	NA
6	7066.97	49.74	-1.53	48.21	68.20	19.99	Vertical	PASS
7	13683.52	41.04	9.30	50.34	68.20	17.86	Vertical	PASS
8	17870.05	39.75	13.73	53.48	74.00	20.52	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power：16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5322.04	32.39	14.55	46.94	-	-	Horizontal	NA
2	8070.19	37.85	0.44	38.29	54.00	15.71	Horizontal	PASS
3	12079.60	35.50	5.29	40.79	54.00	13.21	Horizontal	PASS
4	17848.96	31.95	13.95	45.90	54.00	8.10	Horizontal	PASS
5	5320.94	38.02	14.55	52.57	-	-	Horizontal	NA
6	6318.68	35.49	16.97	52.46	68.20	15.74	Horizontal	PASS
7	15251.41	40.74	9.91	50.65	68.20	17.55	Horizontal	PASS
8	17996.55	39.69	13.74	53.43	74.00	20.57	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power：16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5321.49	42.08	14.55	56.63	-	-	Vertical	NA
2	9145.47	36.42	3.25	39.67	54.00	14.33	Vertical	PASS
3	12254.03	35.68	5.34	41.02	54.00	12.98	Vertical	PASS
4	17975.47	32.49	13.43	45.92	54.00	8.08	Vertical	PASS
5	5321.86	46.57	14.55	61.12	-	-	Vertical	NA
6	7093.42	47.62	-1.52	46.10	68.20	22.10	Vertical	PASS
7	13773.61	42.37	7.20	49.57	68.20	18.63	Vertical	PASS
8	17885.76	38.98	13.52	52.50	74.00	21.50	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power：16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5500.62	30.44	14.68	45.12	-	-	Horizontal	NA
2	8065.97	37.07	0.43	37.50	54.00	16.50	Horizontal	PASS
3	11603.10	35.05	5.65	40.70	54.00	13.30	Horizontal	PASS
4	17888.45	32.36	13.49	45.85	54.00	8.15	Horizontal	PASS
5	5503.00	37.53	14.67	52.20	68.20	16.00	Horizontal	PASS
6	6365.61	35.03	16.99	52.02	68.20	16.18	Horizontal	PASS
7	15080.82	41.65	9.10	50.75	68.20	17.45	Horizontal	PASS
8	17892.28	39.71	13.44	53.15	74.00	20.85	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power：16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5501.35	37.86	14.68	52.54	-	-	Vertical	NA
2	9178.44	36.37	3.08	39.45	54.00	14.55	Vertical	PASS
3	11427.91	35.62	5.21	40.83	54.00	13.17	Vertical	PASS
4	17865.83	32.25	13.78	46.03	54.00	7.97	Vertical	PASS
5	5500.62	43.00	14.68	57.68	-	-	Vertical	NA
6	6353.51	34.51	17.17	51.68	68.20	16.52	Vertical	PASS
7	15065.49	41.38	9.16	50.54	68.20	17.66	Vertical	PASS
8	17346.39	41.23	12.13	53.36	68.20	14.84	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	116
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power：16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9172.31	35.75	3.15	38.90	54.00	15.10	Horizontal	PASS
2	11433.28	36.03	5.18	41.21	54.00	12.79	Horizontal	PASS
3	17863.53	32.44	13.82	46.26	54.00	7.74	Horizontal	PASS
4	6349.66	34.97	17.23	52.20	68.20	16.00	Horizontal	PASS
5	14349.39	40.99	9.01	50.00	68.20	18.20	Horizontal	PASS
6	17846.66	38.87	13.84	52.71	74.00	21.29	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	116
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power：16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5582.20	31.49	14.69	46.18	-	-	Vertical	NA
2	9146.62	35.98	3.29	39.27	54.00	14.73	Vertical	PASS
3	11434.43	35.38	5.17	40.55	54.00	13.45	Vertical	PASS
4	17867.75	32.49	13.76	46.25	54.00	7.75	Vertical	PASS
5	5586.60	37.80	14.70	52.50	-	-	Vertical	NA
6	6339.76	35.51	17.12	52.63	68.20	15.57	Vertical	PASS
7	13677.77	41.33	9.26	50.59	68.20	17.61	Vertical	PASS
8	17881.16	39.75	13.58	53.33	74.00	20.67	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power：16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8110.05	37.25	0.58	37.83	54.00	16.17	Horizontal	PASS
2	10927.65	37.03	4.97	42.00	54.00	12.00	Horizontal	PASS
3	17845.51	32.34	13.80	46.14	54.00	7.86	Horizontal	PASS
4	6344.34	35.25	17.17	52.42	68.20	15.78	Horizontal	PASS
5	13959.53	41.52	8.05	49.57	68.20	18.63	Horizontal	PASS
6	17860.85	39.28	13.85	53.13	74.00	20.87	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	140
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power：16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5704.86	37.87	14.90	52.77	-	-	Vertical	NA
2	9149.69	35.99	3.36	39.35	54.00	14.65	Vertical	PASS
3	11456.67	35.91	5.03	40.94	54.00	13.06	Vertical	PASS
4	17985.82	32.35	13.58	45.93	54.00	8.07	Vertical	PASS
5	5705.04	44.01	14.90	58.91	-	-	Vertical	NA
6	6384.13	35.34	16.70	52.04	68.20	16.16	Vertical	PASS
7	13694.26	40.80	9.37	50.17	68.20	18.03	Vertical	PASS
8	17893.43	39.84	13.43	53.27	74.00	20.73	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power：16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.77	63.69	14.91	78.60	-	-	Horizontal	NA
2	8365.75	36.58	1.04	37.62	54.00	16.38	Horizontal	PASS
3	11463.18	35.86	5.00	40.86	54.00	13.14	Horizontal	PASS
4	17819.44	33.14	12.69	45.83	54.00	8.17	Horizontal	PASS
5	5727.59	69.19	14.91	84.10	-	-	Horizontal	NA
6	6468.10	34.70	16.92	51.62	68.20	16.58	Horizontal	PASS
7	15251.41	40.10	9.91	50.01	68.20	18.19	Horizontal	PASS
8	17819.06	40.39	12.67	53.06	74.00	20.94	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power：16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5727.96	71.90	14.91	86.81	-	-	Vertical	NA
2	8144.17	37.67	0.79	38.46	54.00	15.54	Vertical	PASS
3	11541.77	35.93	4.87	40.80	54.00	13.20	Vertical	PASS
4	17999.62	32.34	13.79	46.13	54.00	7.87	Vertical	PASS
5	5727.59	76.97	14.91	91.88	-	-	Vertical	NA
6	6485.33	34.65	17.09	51.74	68.20	16.46	Vertical	PASS
7	12402.00	42.06	6.22	48.28	74.00	25.72	Vertical	PASS
8	17987.73	39.59	13.61	53.20	74.00	20.80	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20Mhz	Channel	165
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power：16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	9164.64	36.22	3.22	39.44	54.00	14.56	Horizontal	PASS
2	12384.75	34.64	5.95	40.59	54.00	13.41	Horizontal	PASS
3	17894.58	32.92	13.41	46.33	54.00	7.67	Horizontal	PASS
4	6465.17	35.20	17.01	52.21	68.20	15.99	Horizontal	PASS
5	15068.55	40.53	9.15	49.68	68.20	18.52	Horizontal	PASS
6	17992.72	39.08	13.68	52.76	74.00	21.24	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20Mhz	Channel	149
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power：16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5714.02	33.93	15.76	49.69	-	-	Vertical	NA
2	9029.32	36.68	2.41	39.09	54.00	14.91	Vertical	PASS
3	10945.28	36.11	5.10	41.21	54.00	12.79	Vertical	PASS
4	17986.58	32.44	13.60	46.04	54.00	7.96	Vertical	PASS
5	5712.56	42.53	15.77	58.30	68.20	9.90	Vertical	PASS
6	6288.06	35.41	16.39	51.80	68.20	16.40	Vertical	PASS
7	10922.66	43.09	4.94	48.03	74.00	25.97	Vertical	PASS
8	17886.91	39.08	13.51	52.59	74.00	21.41	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20Mhz	Channel	157
SN:	D1CD1C25AM1T00006425AM1T000064	Engineer:	Ou Shuyan
Remark:	Power：16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8055.62	37.35	0.40	37.75	54.00	16.25	Horizontal	PASS
2	12390.88	34.32	6.07	40.39	54.00	13.61	Horizontal	PASS
3	17856.63	32.01	13.90	45.91	54.00	8.09	Horizontal	PASS
4	6465.53	34.93	17.01	51.94	68.20	16.26	Horizontal	PASS
5	13690.81	40.54	9.35	49.89	68.20	18.31	Horizontal	PASS
6	17845.89	38.91	13.81	52.72	74.00	21.28	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20Mhz	Channel	157
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power：16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5790.11	34.78	15.68	50.46	-	-	Vertical	NA
2	9143.17	35.81	3.19	39.00	54.00	15.00	Vertical	PASS
3	12632.00	35.19	5.77	40.96	54.00	13.04	Vertical	PASS
4	17850.88	32.64	13.98	46.62	54.00	7.38	Vertical	PASS
5	5787.36	40.44	15.68	56.12	-	-	Vertical	NA
6	6364.88	34.86	16.95	51.81	68.20	16.39	Vertical	PASS
7	13701.92	40.83	9.32	50.15	68.20	18.05	Vertical	PASS
8	17850.50	39.43	13.98	53.41	74.00	20.59	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20Mhz	Channel	165
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power：16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	8103.92	37.80	0.55	38.35	54.00	15.65	Horizontal	PASS
2	9483.20	36.55	2.52	39.07	54.00	14.93	Horizontal	PASS
3	12216.84	35.71	5.30	41.01	54.00	12.99	Horizontal	PASS
4	17871.58	32.74	13.71	46.45	54.00	7.55	Horizontal	PASS
5	6325.83	35.51	16.83	52.34	68.20	15.86	Horizontal	PASS
6	15070.85	40.79	9.14	49.93	68.20	18.27	Horizontal	PASS
7	17837.46	39.94	13.45	53.39	74.00	20.61	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20Mhz	Channel	165
SN:	D1C25AM1T000064	Engineer:	Ou Shuyan
Remark:	Power：16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5821.09	37.00	15.66	52.66	-	-	Vertical	NA
2	7400.86	36.68	-0.29	36.39	54.00	17.61	Vertical	PASS
3	11529.50	35.50	4.86	40.36	54.00	13.64	Vertical	PASS
4	17858.16	31.99	13.89	45.88	54.00	8.12	Vertical	PASS
5	5820.36	43.01	15.66	58.67	-	-	Vertical	NA
6	6360.48	35.44	17.00	52.44	68.20	15.76	Vertical	PASS
7	11529.12	43.31	4.86	48.17	74.00	25.83	Vertical	PASS
8	17860.46	39.33	13.85	53.18	74.00	20.82	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5139.27	32.13	12.41	44.54	54.00	9.46	Horizontal	PASS
2	5145.26	32.20	12.45	44.65	54.00	9.35	Horizontal	PASS
3	5149.58	32.32	12.48	44.80	54.00	9.20	Horizontal	PASS
4	5139.08	42.76	12.41	55.17	74.00	18.83	Horizontal	PASS
5	5145.16	42.88	12.45	55.33	74.00	18.67	Horizontal	PASS
6	5149.52	42.87	12.48	55.35	74.00	18.65	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-1
Bandwidth	-	Channel	36
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5140.45	33.08	12.41	45.49	54.00	8.51	Vertical	PASS
2	5145.00	33.65	12.44	46.09	54.00	7.91	Vertical	PASS
3	5149.35	34.03	12.48	46.51	54.00	7.49	Vertical	PASS
4	5140.48	44.17	12.41	56.58	74.00	17.42	Vertical	PASS
5	5144.67	44.92	12.44	57.36	74.00	16.64	Vertical	PASS
6	5149.26	44.75	12.48	57.23	74.00	16.77	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5130.27	32.30	12.34	44.64	54.00	9.36	Horizontal	PASS
2	5139.14	32.32	12.41	44.73	54.00	9.27	Horizontal	PASS
3	5147.37	32.23	12.46	44.69	54.00	9.31	Horizontal	PASS
4	5130.14	42.10	12.34	54.44	74.00	19.56	Horizontal	PASS
5	5139.50	42.56	12.41	54.97	74.00	19.03	Horizontal	PASS
6	5147.40	42.84	12.46	55.30	74.00	18.70	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n20	Band:	U-NII-1
Bandwidth	20MHz	Channel	36
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5129.03	32.78	12.34	45.12	54.00	8.88	Vertical	PASS
2	5137.94	33.41	12.39	45.80	54.00	8.20	Vertical	PASS
3	5147.40	34.21	12.46	46.67	54.00	7.33	Vertical	PASS
4	5128.97	43.78	12.34	56.12	74.00	17.88	Vertical	PASS
5	5138.01	44.44	12.39	56.83	74.00	17.17	Vertical	PASS
6	5147.14	45.02	12.46	57.48	74.00	16.52	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40Mhz	Channel	38
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power：14		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5140.31	28.76	12.41	41.17	54.00	12.83	Horizontal	PASS
2	5146.30	30.09	12.46	42.55	54.00	11.45	Horizontal	PASS
3	5149.66	30.66	12.48	43.14	54.00	10.86	Horizontal	PASS
4	5139.41	39.09	12.41	51.50	74.00	22.50	Horizontal	PASS
5	5145.58	40.55	12.45	53.00	74.00	21.00	Horizontal	PASS
6	5148.64	40.39	12.47	52.86	74.00	21.14	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40Mhz	Channel	38
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power：14		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5144.22	36.13	12.44	48.57	54.00	5.43	Vertical	PASS
2	5147.75	37.91	12.46	50.37	54.00	3.63	Vertical	PASS
3	5149.92	38.14	12.48	50.62	54.00	3.38	Vertical	PASS
4	5143.45	46.47	12.43	58.90	74.00	15.10	Vertical	PASS
5	5148.51	48.13	12.47	60.60	74.00	13.40	Vertical	PASS
6	5149.75	48.27	12.48	60.75	74.00	13.25	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80Mhz	Channel	42
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power：13		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5141.07	34.57	12.41	46.98	54.00	7.02	Horizontal	PASS
2	5144.57	35.03	12.44	47.47	54.00	6.53	Horizontal	PASS
3	5149.64	35.28	12.48	47.76	54.00	6.24	Horizontal	PASS
4	5140.88	46.53	12.41	58.94	74.00	15.06	Horizontal	PASS
5	5144.20	44.58	12.44	57.02	74.00	16.98	Horizontal	PASS
6	5149.01	47.82	12.48	60.30	74.00	13.70	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac80	Band:	U-NII-1
Bandwidth	80Mhz	Channel	42
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power：13		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5134.44	36.20	12.37	48.57	54.00	5.43	Vertical	PASS
2	5141.88	37.08	12.43	49.51	54.00	4.49	Vertical	PASS
3	5147.20	36.82	12.46	49.28	54.00	4.72	Vertical	PASS
4	5133.38	46.65	12.36	59.01	74.00	14.99	Vertical	PASS
5	5144.88	50.37	12.44	62.81	74.00	11.19	Vertical	PASS
6	5148.45	51.01	12.47	63.48	74.00	10.52	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.00	29.07	12.69	41.76	54.00	12.24	Horizontal	PASS
2	5362.12	28.50	12.75	41.25	54.00	12.75	Horizontal	PASS
3	5370.16	28.59	12.80	41.39	54.00	12.61	Horizontal	PASS
4	5351.30	40.07	12.69	52.76	74.00	21.24	Horizontal	PASS
5	5362.29	39.49	12.76	52.25	74.00	21.75	Horizontal	PASS
6	5369.96	39.54	12.80	52.34	74.00	21.66	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2A
Bandwidth	-	Channel	64
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.26	35.16	12.68	47.84	54.00	6.16	Vertical	PASS
2	5365.51	30.73	12.77	43.50	54.00	10.50	Vertical	PASS
3	5374.38	30.38	12.82	43.20	54.00	10.80	Vertical	PASS
4	5350.55	45.91	12.68	58.59	74.00	15.41	Vertical	PASS
5	5365.02	41.09	12.77	53.86	74.00	20.14	Vertical	PASS
6	5374.67	39.87	12.82	52.69	74.00	21.31	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.07	29.04	12.69	41.73	54.00	12.27	Horizontal	PASS
2	5363.23	28.47	12.75	41.22	54.00	12.78	Horizontal	PASS
3	5371.23	28.41	12.81	41.22	54.00	12.78	Horizontal	PASS
4	5350.71	39.40	12.69	52.09	74.00	21.91	Horizontal	PASS
5	5363.42	39.07	12.75	51.82	74.00	22.18	Horizontal	PASS
6	5370.97	39.03	12.80	51.83	74.00	22.17	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n20	Band:	U-NII-2A
Bandwidth	20MHz	Channel	64
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.91	34.82	12.69	47.51	54.00	6.49	Vertical	PASS
2	5358.74	31.97	12.73	44.70	54.00	9.30	Vertical	PASS
3	5365.05	30.81	12.77	43.58	54.00	10.42	Vertical	PASS
4	5351.04	46.31	12.69	59.00	74.00	15.00	Vertical	PASS
5	5359.00	43.25	12.73	55.98	74.00	18.02	Vertical	PASS
6	5365.02	40.91	12.77	53.68	74.00	20.32	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40Mhz	Channel	62
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power：13.5		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5350.55	29.36	12.68	42.04	54.00	11.96	Horizontal	PASS
2	5358.88	28.83	12.73	41.56	54.00	12.44	Horizontal	PASS
3	5363.43	28.56	12.75	41.31	54.00	12.69	Horizontal	PASS
4	5350.85	39.75	12.69	52.44	74.00	21.56	Horizontal	PASS
5	5358.67	39.10	12.73	51.83	74.00	22.17	Horizontal	PASS
6	5364.50	39.22	12.76	51.98	74.00	22.02	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n40	Band:	U-NII-1
Bandwidth	40Mhz	Channel	62
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power：13.5		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.64	37.44	12.68	50.12	54.00	3.88	Vertical	PASS
2	5353.53	36.07	12.70	48.77	54.00	5.23	Vertical	PASS
3	5359.90	33.06	12.74	45.80	54.00	8.20	Vertical	PASS
4	5350.68	47.66	12.69	60.35	74.00	13.65	Vertical	PASS
5	5354.08	47.79	12.70	60.49	74.00	13.51	Vertical	PASS
6	5361.27	43.28	12.75	56.03	74.00	17.97	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80Mhz	Channel	58
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power：12.5		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.18	30.19	12.69	42.88	54.00	11.12	Horizontal	PASS
2	5353.43	30.21	12.70	42.91	54.00	11.09	Horizontal	PASS
3	5358.24	29.93	12.72	42.65	54.00	11.35	Horizontal	PASS
4	5351.61	41.97	12.69	54.66	74.00	19.34	Horizontal	PASS
5	5355.18	43.13	12.71	55.84	74.00	18.16	Horizontal	PASS
6	5359.24	40.70	12.73	53.43	74.00	20.57	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac80	Band:	U-NII-2A
Bandwidth	80Mhz	Channel	58
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power：12.5		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.36	37.29	12.68	49.97	54.00	4.03	Vertical	PASS
2	5352.99	37.16	12.69	49.85	54.00	4.15	Vertical	PASS
3	5361.56	36.73	12.75	49.48	54.00	4.52	Vertical	PASS
4	5350.43	49.74	12.68	62.42	74.00	11.58	Vertical	PASS
5	5353.49	50.57	12.70	63.27	74.00	10.73	Vertical	PASS
6	5362.49	48.00	12.76	60.76	74.00	13.24	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.58	28.23	12.69	40.92	54.00	13.08	Horizontal	PASS
2	5455.58	28.34	12.73	41.07	54.00	12.93	Horizontal	PASS
3	5459.57	28.70	12.80	41.50	54.00	12.50	Horizontal	PASS
4	5452.22	38.90	12.67	51.57	74.00	22.43	Horizontal	PASS
5	5460.42	38.60	12.81	51.41	68.20	16.79	Horizontal	PASS
6	5469.69	39.81	12.96	52.77	68.20	15.43	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	-	Channel	100
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.17	29.28	12.66	41.94	54.00	12.06	Vertical	PASS
2	5455.82	29.80	12.73	42.53	54.00	11.47	Vertical	PASS
3	5459.81	29.98	12.80	42.78	54.00	11.22	Vertical	PASS
4	5451.38	39.69	12.66	52.35	74.00	21.65	Vertical	PASS
5	5459.45	41.32	12.80	54.12	74.00	19.88	Vertical	PASS
6	5469.51	45.23	12.96	58.19	68.20	10.01	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20Mhz	Channel	140
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power：16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.39	44.85	13.36	58.21	68.20	9.99	Horizontal	PASS
2	5732.71	40.78	13.24	54.02	68.20	14.18	Horizontal	PASS
3	5741.51	39.81	13.10	52.91	68.20	15.29	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2C
Bandwidth	20Mhz	Channel	140
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power：16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.24	48.91	13.37	62.28	68.20	5.92	Vertical	PASS
2	5732.35	46.46	13.25	59.71	68.20	8.49	Vertical	PASS
3	5742.26	45.01	13.09	58.10	68.20	10.10	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5856.29	39.13	13.30	52.43	68.20	15.77	Horizontal	PASS
2	5929.22	38.79	13.94	52.73	68.20	15.47	Horizontal	PASS
3	5983.25	38.87	13.74	52.61	68.20	15.59	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11a	Band:	U-NII-2C&3
Bandwidth	-	Channel	144
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5855.21	39.54	13.29	52.83	68.20	15.37	Vertical	PASS
2	5916.26	39.10	13.84	52.94	68.20	15.26	Vertical	PASS
3	5964.88	38.93	13.93	52.86	68.20	15.34	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20Mhz	Channel	100
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5451.65	28.20	12.67	40.87	54.00	13.13	Horizontal	PASS
2	5455.58	28.40	12.73	41.13	54.00	12.87	Horizontal	PASS
3	5459.39	28.24	12.80	41.04	54.00	12.96	Horizontal	PASS
4	5451.71	38.68	12.67	51.35	74.00	22.65	Horizontal	PASS
5	5459.33	38.61	12.80	51.41	74.00	22.59	Horizontal	PASS
6	5469.87	40.06	12.96	53.02	68.20	15.18	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20Mhz	Channel	100
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5451.74	29.53	12.67	42.20	54.00	11.80	Vertical	PASS
2	5455.61	29.87	12.73	42.60	54.00	11.40	Vertical	PASS
3	5459.54	30.38	12.80	43.18	54.00	10.82	Vertical	PASS
4	5451.44	40.32	12.66	52.98	74.00	21.02	Vertical	PASS
5	5459.36	40.69	12.80	53.49	74.00	20.51	Vertical	PASS
6	5468.64	48.12	12.94	61.06	68.20	7.14	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20Mhz	Channel	140
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power：16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.18	42.69	13.37	56.06	68.20	12.14	Horizontal	PASS
2	5735.26	40.75	13.20	53.95	68.20	14.25	Horizontal	PASS
3	5747.51	39.89	13.00	52.89	68.20	15.31	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n20	Band:	U-NII-2C
Bandwidth	20Mhz	Channel	140
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power：16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.06	48.02	13.37	61.39	68.20	6.81	Vertical	PASS
2	5733.79	42.99	13.23	56.22	68.20	11.98	Vertical	PASS
3	5743.64	41.79	13.06	54.85	68.20	13.35	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n20	Band:	U-NII-2C&3
Bandwidth	20Mhz	Channel	144
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5858.99	39.02	13.33	52.35	68.20	15.85	Horizontal	PASS
2	5928.95	38.57	13.94	52.51	68.20	15.69	Horizontal	PASS
3	5974.07	38.77	13.83	52.60	68.20	15.60	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n20	Band:	U-NII-2C&3
Bandwidth	20Mhz	Channel	144
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:16		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5854.40	39.17	13.28	52.45	68.20	15.75	Vertical	PASS
2	5923.28	38.40	13.90	52.30	68.20	15.90	Vertical	PASS
3	5990.01	39.09	13.67	52.76	68.20	15.44	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40Mhz	Channel	102
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power：15		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.12	28.29	12.67	40.96	54.00	13.04	Horizontal	PASS
2	5456.64	28.32	12.75	41.07	54.00	12.93	Horizontal	PASS
3	5460.01	28.75	12.80	41.55	-	-	Horizontal	NA
4	5456.36	39.08	12.74	51.82	74.00	22.18	Horizontal	PASS
5	5460.53	38.84	12.81	51.65	68.20	16.55	Horizontal	PASS
6	5469.25	42.13	12.96	55.09	68.20	13.11	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40Mhz	Channel	102
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power：15		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.96	31.02	12.70	43.72	54.00	10.28	Vertical	PASS
2	5457.68	32.57	12.77	45.34	54.00	8.66	Vertical	PASS
3	5459.96	33.43	12.80	46.23	54.00	7.77	Vertical	PASS
4	5454.48	41.75	12.72	54.47	74.00	19.53	Vertical	PASS
5	5459.08	44.27	12.78	57.05	74.00	16.95	Vertical	PASS
6	5469.89	49.70	12.96	62.66	68.20	5.54	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40Mhz	Channel	134
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power：15		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.89	39.65	13.36	53.01	68.20	15.19	Horizontal	PASS
2	5736.44	40.30	13.18	53.48	68.20	14.72	Horizontal	PASS
3	5746.60	39.51	13.02	52.53	68.20	15.67	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11n40	Band:	U-NII-2C
Bandwidth	40Mhz	Channel	134
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power：15		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5725.64	42.32	13.36	55.68	68.20	12.52	Vertical	PASS
2	5737.89	40.64	13.16	53.80	68.20	14.40	Vertical	PASS
3	5744.70	41.36	13.05	54.41	68.20	13.79	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80Mhz	Channel	138
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:12		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5862.77	39.37	13.37	52.74	68.20	15.46	Horizontal	PASS
2	5899.78	38.67	13.73	52.40	68.20	15.80	Horizontal	PASS
3	5963.26	38.79	13.95	52.74	68.20	15.46	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C&3
Bandwidth	80Mhz	Channel	138
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power:12		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	5858.99	39.52	13.33	52.85	68.20	15.35	Vertical	PASS
2	5912.75	38.64	13.83	52.47	68.20	15.73	Vertical	PASS
3	5964.34	38.60	13.94	52.54	68.20	15.66	Vertical	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.

Project Information			
Mode:	802.11ac80	Band:	U-NII-2C
Bandwidth	80Mhz	Channel	106
SN:	E1C24KH0E000020	Engineer:	Ou Shuyan
Remark:	Power：13		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5452.64	30.22	12.69	42.91	54.00	11.09	Horizontal	PASS
2	5456.54	30.35	12.75	43.10	54.00	10.90	Horizontal	PASS
3	5459.60	30.78	12.80	43.58	54.00	10.42	Horizontal	PASS
4	5453.36	40.64	12.69	53.33	74.00	20.67	Horizontal	PASS
5	5459.78	41.56	12.80	54.36	74.00	19.64	Horizontal	PASS
6	5468.31	41.01	12.94	53.95	68.20	14.25	Horizontal	PASS

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from TOWE.