



11AX40MIMO-Ant1-5755-PASS




11AX40MIMO-Ant2-5755-PASS



11AX40MIMO-Ant1-5795-PASS



11AX40MIMO-Ant2-5795-PASS



11AX80MIMO-Ant1-5775-PASS



11AX80MIMO-Ant1-5775-PASS



11AX80MIMO-Ant2-5775-PASS



11AX80MIMO-Ant2-5775-PASS

Appendix F: Conducted Spurious Emission**Test Result**

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~5140	5140	-37.04	≤-27	PASS
11A	Ant1	5180	5360~40000	25804.03	-35.69	≤-27	PASS
11A	Ant2	5180	30~5140	4707.86	-45.43	≤-27	PASS
11A	Ant2	5180	5360~40000	25154.11	-34.89	≤-27	PASS
11A	Ant1	5200	30~5140	5123.65	-43.84	≤-27	PASS
11A	Ant1	5200	5360~40000	24868.46	-35.63	≤-27	PASS
11A	Ant2	5200	30~5140	5122.46	-46.31	≤-27	PASS
11A	Ant2	5200	5360~40000	25658.32	-35.63	≤-27	PASS
11A	Ant1	5240	30~5140	2411.26	-42.39	≤-27	PASS
11A	Ant1	5240	5360~40000	24621.04	-35.27	≤-27	PASS
11A	Ant2	5240	30~5140	4753.68	-46.59	≤-27	PASS
11A	Ant2	5240	5360~40000	24854.75	-34.87	≤-27	PASS
11A	Ant1	5260	30~5140	4787.75	-45.78	≤-27	PASS
11A	Ant1	5260	5360~40000	26176.24	-35.52	≤-27	PASS
11A	Ant2	5260	30~5140	4787.58	-44.06	≤-27	PASS
11A	Ant2	5260	5360~40000	24768.92	-34.55	≤-27	PASS
11A	Ant1	5280	30~5140	4807.34	-46.42	≤-27	PASS
11A	Ant1	5280	5360~40000	24920.4	-34.93	≤-27	PASS
11A	Ant2	5280	30~5140	4806.32	-44.61	≤-27	PASS
11A	Ant2	5280	5360~40000	24985.32	-35.36	≤-27	PASS
11A	Ant1	5320	30~5140	1718.86	-46.64	≤-27	PASS
11A	Ant1	5320	5360~40000	25062.5	-35.43	≤-27	PASS
11A	Ant2	5320	30~5140	4847.71	-43.54	≤-27	PASS
11A	Ant2	5320	5360~40000	25845.87	-35	≤-27	PASS
11A	Ant1	5500	30~5460	5027.23	-44.26	≤-27	PASS
11A	Ant1	5500	5735~40000	24860.03	-35.28	≤-27	PASS
11A	Ant2	5500	30~5460	5028.13	-41.33	≤-27	PASS
11A	Ant2	5500	5735~40000	24578.63	-34.29	≤-27	PASS
11A	Ant1	5580	30~5460	5107.59	-42.29	≤-27	PASS
11A	Ant1	5580	5735~40000	25032.28	-34.79	≤-27	PASS
11A	Ant2	5580	30~5460	5106.51	-42.01	≤-27	PASS
11A	Ant2	5580	5735~40000	24535.39	-34.92	≤-27	PASS
11A	Ant1	5700	30~5460	5227.96	-45.1	≤-27	PASS
11A	Ant1	5700	5735~40000	5742.8	-31.4	≤-27	PASS
11A	Ant2	5700	30~5460	5227.78	-42.56	≤-27	PASS
11A	Ant2	5700	5735~40000	24604.85	-34.96	≤-27	PASS
11A	Ant1	5745	30~5650	5273.09	-44.89	≤-27	PASS

11A	Ant1	5745	5925~40000	26100.1	-36.1	≤-27	PASS
11A	Ant2	5745	30~5650	5259.41	-44.1	≤-27	PASS
11A	Ant2	5745	5925~40000	25801.54	-35.53	≤-27	PASS
11A	Ant1	5785	30~5650	5312.05	-42.17	≤-27	PASS
11A	Ant1	5785	5925~40000	24822.25	-35.31	≤-27	PASS
11A	Ant2	5785	30~5650	5313.17	-40.02	≤-27	PASS
11A	Ant2	5785	5925~40000	24826.47	-36.17	≤-27	PASS
11A	Ant1	5825	30~5650	714.33	-45.95	≤-27	PASS
11A	Ant1	5825	5925~40000	25083.58	-36.68	≤-27	PASS
11A	Ant2	5825	30~5650	5352.89	-43.67	≤-27	PASS
11A	Ant2	5825	5925~40000	25185.44	-35.7	≤-27	PASS
11N20MIMO	Ant1	5180	30~5140	5099.97	-46.72	≤-27	PASS
11N20MIMO	Ant1	5180	5360~40000	25303.42	-35.67	≤-27	PASS
11N20MIMO	Ant2	5180	30~5140	4707.86	-45.13	≤-27	PASS
11N20MIMO	Ant2	5180	5360~40000	24591.47	-35.18	≤-27	PASS
11N20MIMO	Ant1	5200	30~5140	5123.82	-47.67	≤-27	PASS
11N20MIMO	Ant1	5200	5360~40000	24532.32	-35.41	≤-27	PASS
11N20MIMO	Ant2	5200	30~5140	5122.46	-46.2	≤-27	PASS
11N20MIMO	Ant2	5200	5360~40000	24563.34	-34.64	≤-27	PASS
11N20MIMO	Ant1	5240	30~5140	4767.48	-45.89	≤-27	PASS
11N20MIMO	Ant1	5240	5360~40000	25351.03	-34.02	≤-27	PASS
11N20MIMO	Ant2	5240	30~5140	4752.83	-45.75	≤-27	PASS
11N20MIMO	Ant2	5240	5360~40000	25136.8	-35.25	≤-27	PASS
11N20MIMO	Ant1	5260	30~5140	4788.26	-46.29	≤-27	PASS
11N20MIMO	Ant1	5260	5360~40000	24842.49	-35.43	≤-27	PASS
11N20MIMO	Ant2	5260	30~5140	4786.9	-44.93	≤-27	PASS
11N20MIMO	Ant2	5260	5360~40000	25294.05	-35.04	≤-27	PASS
11N20MIMO	Ant1	5280	30~5140	4807.85	-47.28	≤-27	PASS
11N20MIMO	Ant1	5280	5360~40000	24618.88	-34.71	≤-27	PASS
11N20MIMO	Ant2	5280	30~5140	4807.17	-43.82	≤-27	PASS
11N20MIMO	Ant2	5280	5360~40000	24791.28	-35.15	≤-27	PASS
11N20MIMO	Ant1	5320	30~5140	4848.73	-45.23	≤-27	PASS
11N20MIMO	Ant1	5320	5360~40000	26267.85	-35.47	≤-27	PASS
11N20MIMO	Ant2	5320	30~5140	4847.37	-43.33	≤-27	PASS
11N20MIMO	Ant2	5320	5360~40000	25674.91	-35.84	≤-27	PASS
11N20MIMO	Ant1	5500	30~5460	5028.13	-42.45	≤-27	PASS
11N20MIMO	Ant1	5500	5735~40000	25023.06	-34.57	≤-27	PASS
11N20MIMO	Ant2	5500	30~5460	5028.13	-41.04	≤-27	PASS
11N20MIMO	Ant2	5500	5735~40000	24691.33	-35.35	≤-27	PASS
11N20MIMO	Ant1	5580	30~5460	5107.96	-44.23	≤-27	PASS
11N20MIMO	Ant1	5580	5735~40000	24680.7	-35.25	≤-27	PASS

11N20MIMO	Ant2	5580	30~5460	5108.68	-42.66	≤-27	PASS
11N20MIMO	Ant2	5580	5735~40000	25037.24	-35.52	≤-27	PASS
11N20MIMO	Ant1	5700	30~5460	5228.5	-43.41	≤-27	PASS
11N20MIMO	Ant1	5700	5735~40000	24585.71	-34.94	≤-27	PASS
11N20MIMO	Ant2	5700	30~5460	5213.48	-43.34	≤-27	PASS
11N20MIMO	Ant2	5700	5735~40000	26269.19	-34.71	≤-27	PASS
11N20MIMO	Ant1	5745	30~5650	5273.09	-43.81	≤-27	PASS
11N20MIMO	Ant1	5745	5925~40000	25337.18	-35.47	≤-27	PASS
11N20MIMO	Ant2	5745	30~5650	5258.47	-45.74	≤-27	PASS
11N20MIMO	Ant2	5745	5925~40000	25366.69	-34.97	≤-27	PASS
11N20MIMO	Ant1	5785	30~5650	5312.8	-41.93	≤-27	PASS
11N20MIMO	Ant1	5785	5925~40000	25357.56	-36.49	≤-27	PASS
11N20MIMO	Ant2	5785	30~5650	5313.36	-43.45	≤-27	PASS
11N20MIMO	Ant2	5785	5925~40000	24544.06	-36.02	≤-27	PASS
11N20MIMO	Ant1	5825	30~5650	5353.64	-44.62	≤-27	PASS
11N20MIMO	Ant1	5825	5925~40000	24851.76	-35.88	≤-27	PASS
11N20MIMO	Ant2	5825	30~5650	5353.26	-41.39	≤-27	PASS
11N20MIMO	Ant2	5825	5925~40000	24848.95	-36.19	≤-27	PASS
11N40MIMO	Ant1	5190	30~5140	5138.47	-44.99	≤-27	PASS
11N40MIMO	Ant1	5190	5360~40000	26180.57	-35.16	≤-27	PASS
11N40MIMO	Ant2	5190	30~5140	5103.55	-41.67	≤-27	PASS
11N40MIMO	Ant2	5190	5360~40000	24571.27	-35.19	≤-27	PASS
11N40MIMO	Ant1	5230	30~5140	5135.74	-48.66	≤-27	PASS
11N40MIMO	Ant1	5230	5360~40000	24476.78	-35.18	≤-27	PASS
11N40MIMO	Ant2	5230	30~5140	5132.34	-44.71	≤-27	PASS
11N40MIMO	Ant2	5230	5360~40000	24892.99	-35.78	≤-27	PASS
11N40MIMO	Ant1	5270	30~5140	2411.09	-45.49	≤-27	PASS
11N40MIMO	Ant1	5270	5360~40000	24876.39	-35.36	≤-27	PASS
11N40MIMO	Ant2	5270	30~5140	5103.89	-48.41	≤-27	PASS
11N40MIMO	Ant2	5270	5360~40000	24830.95	-34.94	≤-27	PASS
11N40MIMO	Ant1	5310	30~5140	2405.98	-48.36	≤-27	PASS
11N40MIMO	Ant1	5310	5360~40000	5361.44	-29.35	≤-27	PASS
11N40MIMO	Ant2	5310	30~5140	5139.83	-49.34	≤-27	PASS
11N40MIMO	Ant2	5310	5360~40000	5360.72	-31.46	≤-27	PASS
11N40MIMO	Ant1	5510	30~5460	5444.07	-47.45	≤-27	PASS
11N40MIMO	Ant1	5510	5735~40000	25019.52	-34.4	≤-27	PASS
11N40MIMO	Ant2	5510	30~5460	5459.82	-40.48	≤-27	PASS
11N40MIMO	Ant2	5510	5735~40000	24565.87	-34.18	≤-27	PASS
11N40MIMO	Ant1	5550	30~5460	5397.56	-48.81	≤-27	PASS
11N40MIMO	Ant1	5550	5735~40000	26199.73	-35.46	≤-27	PASS
11N40MIMO	Ant2	5550	30~5460	5435.57	-44.62	≤-27	PASS

11N40MIMO	Ant2	5550	5735~40000	24442.53	-35.01	≤-27	PASS
11N40MIMO	Ant1	5670	30~5460	2412.68	-46.15	≤-27	PASS
11N40MIMO	Ant1	5670	5735~40000	24841.6	-35.41	≤-27	PASS
11N40MIMO	Ant2	5670	30~5460	5452.22	-50.58	≤-27	PASS
11N40MIMO	Ant2	5670	5735~40000	24546.73	-34.96	≤-27	PASS
11N40MIMO	Ant1	5755	30~5650	5601.11	-50.06	≤-27	PASS
11N40MIMO	Ant1	5755	5925~40000	24663.49	-35.64	≤-27	PASS
11N40MIMO	Ant2	5755	30~5650	5639.13	-49.24	≤-27	PASS
11N40MIMO	Ant2	5755	5925~40000	25094.82	-34.97	≤-27	PASS
11N40MIMO	Ant1	5795	30~5650	2411.57	-45.79	≤-27	PASS
11N40MIMO	Ant1	5795	5925~40000	24808.2	-35.66	≤-27	PASS
11N40MIMO	Ant2	5795	30~5650	2533.34	-38.69	≤-27	PASS
11N40MIMO	Ant2	5795	5925~40000	24539.85	-35.9	≤-27	PASS
11AC20MIMO	Ant1	5180	30~5140	5133.53	-46.92	≤-27	PASS
11AC20MIMO	Ant1	5180	5360~40000	25863.9	-35.72	≤-27	PASS
11AC20MIMO	Ant2	5180	30~5140	4708.03	-46.95	≤-27	PASS
11AC20MIMO	Ant2	5180	5360~40000	24886.49	-35.53	≤-27	PASS
11AC20MIMO	Ant1	5200	30~5140	4728.13	-45.98	≤-27	PASS
11AC20MIMO	Ant1	5200	5360~40000	25803.31	-35.58	≤-27	PASS
11AC20MIMO	Ant2	5200	30~5140	5118.54	-46.49	≤-27	PASS
11AC20MIMO	Ant2	5200	5360~40000	25025.71	-35.09	≤-27	PASS
11AC20MIMO	Ant1	5240	30~5140	2425.57	-46.16	≤-27	PASS
11AC20MIMO	Ant1	5240	5360~40000	24816.52	-35.8	≤-27	PASS
11AC20MIMO	Ant2	5240	30~5140	4752.49	-47.03	≤-27	PASS
11AC20MIMO	Ant2	5240	5360~40000	24552.52	-34.52	≤-27	PASS
11AC20MIMO	Ant1	5260	30~5140	5099.97	-47.82	≤-27	PASS
11AC20MIMO	Ant1	5260	5360~40000	24385.89	-35.34	≤-27	PASS
11AC20MIMO	Ant2	5260	30~5140	2402.57	-45.75	≤-27	PASS
11AC20MIMO	Ant2	5260	5360~40000	25857.41	-34.97	≤-27	PASS
11AC20MIMO	Ant1	5280	30~5140	4808.19	-47.18	≤-27	PASS
11AC20MIMO	Ant1	5280	5360~40000	24590.75	-35.76	≤-27	PASS
11AC20MIMO	Ant2	5280	30~5140	4808.02	-44.74	≤-27	PASS
11AC20MIMO	Ant2	5280	5360~40000	24929.77	-34.8	≤-27	PASS
11AC20MIMO	Ant1	5320	30~5140	4848.39	-44.77	≤-27	PASS
11AC20MIMO	Ant1	5320	5360~40000	24168.77	-35.77	≤-27	PASS
11AC20MIMO	Ant2	5320	30~5140	4848.05	-46.28	≤-27	PASS
11AC20MIMO	Ant2	5320	5360~40000	24660.72	-35.01	≤-27	PASS
11AC20MIMO	Ant1	5500	30~5460	5027.95	-42.76	≤-27	PASS
11AC20MIMO	Ant1	5500	5735~40000	25792.86	-35.65	≤-27	PASS
11AC20MIMO	Ant2	5500	30~5460	5027.23	-42.52	≤-27	PASS
11AC20MIMO	Ant2	5500	5735~40000	24902.56	-34.77	≤-27	PASS

11AC20MIMO	Ant1	5580	30~5460	5092.93	-45.73	≤-27	PASS
11AC20MIMO	Ant1	5580	5735~40000	25824.05	-35.6	≤-27	PASS
11AC20MIMO	Ant2	5580	30~5460	5106.15	-43.58	≤-27	PASS
11AC20MIMO	Ant2	5580	5735~40000	25863.03	-34.77	≤-27	PASS
11AC20MIMO	Ant1	5700	30~5460	5228.14	-43.44	≤-27	PASS
11AC20MIMO	Ant1	5700	5735~40000	24842.31	-35.01	≤-27	PASS
11AC20MIMO	Ant2	5700	30~5460	5213.66	-44.37	≤-27	PASS
11AC20MIMO	Ant2	5700	5735~40000	24604.14	-34.64	≤-27	PASS
11AC20MIMO	Ant1	5745	30~5650	5273.65	-45.18	≤-27	PASS
11AC20MIMO	Ant1	5745	5925~40000	25326.65	-35.37	≤-27	PASS
11AC20MIMO	Ant2	5745	30~5650	5273.65	-43.27	≤-27	PASS
11AC20MIMO	Ant2	5745	5925~40000	25854.93	-35.44	≤-27	PASS
11AC20MIMO	Ant1	5785	30~5650	5313.55	-42.28	≤-27	PASS
11AC20MIMO	Ant1	5785	5925~40000	24674.02	-35.85	≤-27	PASS
11AC20MIMO	Ant2	5785	30~5650	5313.55	-43.08	≤-27	PASS
11AC20MIMO	Ant2	5785	5925~40000	24777.99	-35.79	≤-27	PASS
11AC20MIMO	Ant1	5825	30~5650	5353.45	-43.69	≤-27	PASS
11AC20MIMO	Ant1	5825	5925~40000	25318.92	-35.66	≤-27	PASS
11AC20MIMO	Ant2	5825	30~5650	5353.64	-40.8	≤-27	PASS
11AC20MIMO	Ant2	5825	5925~40000	25730.58	-36.22	≤-27	PASS
11AC40MIMO	Ant1	5190	30~5140	5132.51	-46.58	≤-27	PASS
11AC40MIMO	Ant1	5190	5360~40000	24582.81	-35.32	≤-27	PASS
11AC40MIMO	Ant2	5190	30~5140	5116.32	-41.64	≤-27	PASS
11AC40MIMO	Ant2	5190	5360~40000	25248.6	-35.31	≤-27	PASS
11AC40MIMO	Ant1	5230	30~5140	2422.5	-46.33	≤-27	PASS
11AC40MIMO	Ant1	5230	5360~40000	24599.4	-35.05	≤-27	PASS
11AC40MIMO	Ant2	5230	30~5140	5139.66	-44.1	≤-27	PASS
11AC40MIMO	Ant2	5230	5360~40000	24564.78	-35.5	≤-27	PASS
11AC40MIMO	Ant1	5270	30~5140	5105.93	-47.85	≤-27	PASS
11AC40MIMO	Ant1	5270	5360~40000	24991.09	-35.67	≤-27	PASS
11AC40MIMO	Ant2	5270	30~5140	5134.21	-48.79	≤-27	PASS
11AC40MIMO	Ant2	5270	5360~40000	24874.23	-34.86	≤-27	PASS
11AC40MIMO	Ant1	5310	30~5140	2410.58	-48.23	≤-27	PASS
11AC40MIMO	Ant1	5310	5360~40000	5362.89	-35.45	≤-27	PASS
11AC40MIMO	Ant2	5310	30~5140	5137.79	-50.04	≤-27	PASS
11AC40MIMO	Ant2	5310	5360~40000	5360.72	-31.24	≤-27	PASS
11AC40MIMO	Ant1	5510	30~5460	5456.74	-45.19	≤-27	PASS
11AC40MIMO	Ant1	5510	5735~40000	24874.21	-35.83	≤-27	PASS
11AC40MIMO	Ant2	5510	30~5460	5421.09	-42.19	≤-27	PASS
11AC40MIMO	Ant2	5510	5735~40000	24991.88	-35.07	≤-27	PASS
11AC40MIMO	Ant1	5550	30~5460	5459.64	-47.49	≤-27	PASS


11AC40MIMO	Ant1	5550	5735~40000	24728.9	-35.45	≤-27	PASS
11AC40MIMO	Ant2	5550	30~5460	5458.01	-45.47	≤-27	PASS
11AC40MIMO	Ant2	5550	5735~40000	24833.1	-35.25	≤-27	PASS
11AC40MIMO	Ant1	5670	30~5460	5439	-51.74	≤-27	PASS
11AC40MIMO	Ant1	5670	5735~40000	24826.01	-35.74	≤-27	PASS
11AC40MIMO	Ant2	5670	30~5460	5459.46	-50.77	≤-27	PASS
11AC40MIMO	Ant2	5670	5735~40000	24809	-35.15	≤-27	PASS
11AC40MIMO	Ant1	5755	30~5650	3516.27	-46.66	≤-27	PASS
11AC40MIMO	Ant1	5755	5925~40000	24826.47	-35.99	≤-27	PASS
11AC40MIMO	Ant2	5755	30~5650	5593.43	-48.94	≤-27	PASS
11AC40MIMO	Ant2	5755	5925~40000	24875.64	-36.2	≤-27	PASS
11AC40MIMO	Ant1	5795	30~5650	5645.88	-47.6	≤-27	PASS
11AC40MIMO	Ant1	5795	5925~40000	25139.78	-35.23	≤-27	PASS
11AC40MIMO	Ant2	5795	30~5650	827.85	-40.71	≤-27	PASS
11AC40MIMO	Ant2	5795	5925~40000	24515.96	-36.54	≤-27	PASS
11AC80MIMO	Ant1	5210	30~5140	5136.59	-34.19	≤-27	PASS
11AC80MIMO	Ant1	5210	5360~40000	25773.01	-35.64	≤-27	PASS
11AC80MIMO	Ant2	5210	30~5140	5131.99	-34.02	≤-27	PASS
11AC80MIMO	Ant2	5210	5360~40000	25763.63	-34.36	≤-27	PASS
11AC80MIMO	Ant1	5290	30~5140	1766.72	-46.48	≤-27	PASS
11AC80MIMO	Ant1	5290	5360~40000	5365.05	-28.2	≤-27	PASS
11AC80MIMO	Ant2	5290	30~5140	828.01	-45.97	≤-27	PASS
11AC80MIMO	Ant2	5290	5360~40000	5368.66	-32.34	≤-27	PASS
11AC80MIMO	Ant1	5530	30~5460	5444.07	-41.38	≤-27	PASS
11AC80MIMO	Ant1	5530	5735~40000	25860.9	-35.13	≤-27	PASS
11AC80MIMO	Ant2	5530	30~5460	5456.74	-34.25	≤-27	PASS
11AC80MIMO	Ant2	5530	5735~40000	24263.19	-35.08	≤-27	PASS
11AC80MIMO	Ant1	5610	30~5460	5435.2	-49.76	≤-27	PASS
11AC80MIMO	Ant1	5610	5735~40000	24909.65	-35.56	≤-27	PASS
11AC80MIMO	Ant2	5610	30~5460	5458.91	-50.38	≤-27	PASS
11AC80MIMO	Ant2	5610	5735~40000	24731.02	-34.79	≤-27	PASS
11AC80MIMO	Ant1	5775	30~5650	5637.07	-48.35	≤-27	PASS
11AC80MIMO	Ant1	5775	5925~40000	24845.43	-36.55	≤-27	PASS
11AC80MIMO	Ant2	5775	30~5650	5644.19	-46.87	≤-27	PASS
11AC80MIMO	Ant2	5775	5925~40000	24583.4	-35.29	≤-27	PASS
11AX20MIMO	Ant1	5180	30~5140	5136.59	-45.94	≤-27	PASS
11AX20MIMO	Ant1	5180	5360~40000	25819.9	-35.69	≤-27	PASS
11AX20MIMO	Ant2	5180	30~5140	4708.72	-46.74	≤-27	PASS
11AX20MIMO	Ant2	5180	5360~40000	25049.51	-35.34	≤-27	PASS
11AX20MIMO	Ant1	5200	30~5140	4728.99	-46.95	≤-27	PASS
11AX20MIMO	Ant1	5200	5360~40000	24794.88	-33.7	≤-27	PASS


11AX20MIMO	Ant2	5200	30~5140	2471.56	-45.73	≤-27	PASS
11AX20MIMO	Ant2	5200	5360~40000	24535.93	-34.95	≤-27	PASS
11AX20MIMO	Ant1	5240	30~5140	4769.35	-45.16	≤-27	PASS
11AX20MIMO	Ant1	5240	5360~40000	24859.8	-35.44	≤-27	PASS
11AX20MIMO	Ant2	5240	30~5140	4768.16	-41.75	≤-27	PASS
11AX20MIMO	Ant2	5240	5360~40000	24543.86	-35.09	≤-27	PASS
11AX20MIMO	Ant1	5260	30~5140	5099.12	-46.43	≤-27	PASS
11AX20MIMO	Ant1	5260	5360~40000	24930.49	-35.28	≤-27	PASS
11AX20MIMO	Ant2	5260	30~5140	4787.75	-46.67	≤-27	PASS
11AX20MIMO	Ant2	5260	5360~40000	24829.51	-35.32	≤-27	PASS
11AX20MIMO	Ant1	5280	30~5140	4807.51	-45.78	≤-27	PASS
11AX20MIMO	Ant1	5280	5360~40000	24672.26	-35.74	≤-27	PASS
11AX20MIMO	Ant2	5280	30~5140	4808.19	-48.1	≤-27	PASS
11AX20MIMO	Ant2	5280	5360~40000	25306.31	-34.64	≤-27	PASS
11AX20MIMO	Ant1	5320	30~5140	4847.54	-46.54	≤-27	PASS
11AX20MIMO	Ant1	5320	5360~40000	25768.68	-35.41	≤-27	PASS
11AX20MIMO	Ant2	5320	30~5140	4832.21	-46.09	≤-27	PASS
11AX20MIMO	Ant2	5320	5360~40000	24859.08	-35.06	≤-27	PASS
11AX20MIMO	Ant1	5500	30~5460	5027.23	-42.67	≤-27	PASS
11AX20MIMO	Ant1	5500	5735~40000	25272.57	-35.36	≤-27	PASS
11AX20MIMO	Ant2	5500	30~5460	5029.04	-41.59	≤-27	PASS
11AX20MIMO	Ant2	5500	5735~40000	24812.54	-34.82	≤-27	PASS
11AX20MIMO	Ant1	5580	30~5460	5108.5	-42.44	≤-27	PASS
11AX20MIMO	Ant1	5580	5735~40000	24425.52	-34.33	≤-27	PASS
11AX20MIMO	Ant2	5580	30~5460	5108.86	-41.31	≤-27	PASS
11AX20MIMO	Ant2	5580	5735~40000	24863.58	-34.57	≤-27	PASS
11AX20MIMO	Ant1	5700	30~5460	5228.14	-44.67	≤-27	PASS
11AX20MIMO	Ant1	5700	5735~40000	24808.29	-35.08	≤-27	PASS
11AX20MIMO	Ant2	5700	30~5460	5229.23	-41.09	≤-27	PASS
11AX20MIMO	Ant2	5700	5735~40000	24761.5	-34.51	≤-27	PASS
11AX20MIMO	Ant1	5745	30~5650	5273.46	-43.56	≤-27	PASS
11AX20MIMO	Ant1	5745	5925~40000	25302.76	-36.42	≤-27	PASS
11AX20MIMO	Ant2	5745	30~5650	5258.1	-41.56	≤-27	PASS
11AX20MIMO	Ant2	5745	5925~40000	26185.8	-35.65	≤-27	PASS
11AX20MIMO	Ant1	5785	30~5650	5313.74	-41.75	≤-27	PASS
11AX20MIMO	Ant1	5785	5925~40000	24201.94	-36	≤-27	PASS
11AX20MIMO	Ant2	5785	30~5650	5312.8	-40.19	≤-27	PASS
11AX20MIMO	Ant2	5785	5925~40000	25849.31	-35.99	≤-27	PASS
11AX20MIMO	Ant1	5825	30~5650	2411.94	-43.34	≤-27	PASS
11AX20MIMO	Ant1	5825	5925~40000	25056.89	-35.87	≤-27	PASS
11AX20MIMO	Ant2	5825	30~5650	5354.01	-41.98	≤-27	PASS

11AX20MIMO	Ant2	5825	5925~40000	25344.91	-34.98	≤-27	PASS
11AX40MIMO	Ant1	5190	30~5140	5138.13	-47.73	≤-27	PASS
11AX40MIMO	Ant1	5190	5360~40000	25358.97	-35.61	≤-27	PASS
11AX40MIMO	Ant2	5190	30~5140	5140	-43.81	≤-27	PASS
11AX40MIMO	Ant2	5190	5360~40000	24857.64	-35.69	≤-27	PASS
11AX40MIMO	Ant1	5230	30~5140	2411.26	-49.29	≤-27	PASS
11AX40MIMO	Ant1	5230	5360~40000	25754.98	-35.1	≤-27	PASS
11AX40MIMO	Ant2	5230	30~5140	5072.38	-48.06	≤-27	PASS
11AX40MIMO	Ant2	5230	5360~40000	26237.55	-35.34	≤-27	PASS
11AX40MIMO	Ant1	5270	30~5140	5114.96	-48.53	≤-27	PASS
11AX40MIMO	Ant1	5270	5360~40000	24763.15	-34.18	≤-27	PASS
11AX40MIMO	Ant2	5270	30~5140	2470.88	-45.93	≤-27	PASS
11AX40MIMO	Ant2	5270	5360~40000	24967.28	-35.23	≤-27	PASS
11AX40MIMO	Ant1	5310	30~5140	2450.61	-45.58	≤-27	PASS
11AX40MIMO	Ant1	5310	5360~40000	25094.96	-35.11	≤-27	PASS
11AX40MIMO	Ant2	5310	30~5140	2469.51	-47.78	≤-27	PASS
11AX40MIMO	Ant2	5310	5360~40000	5360.72	-31.66	≤-27	PASS
11AX40MIMO	Ant1	5510	30~5460	2415.04	-47.92	≤-27	PASS
11AX40MIMO	Ant1	5510	5735~40000	24550.27	-35.08	≤-27	PASS
11AX40MIMO	Ant2	5510	30~5460	5452.4	-42.34	≤-27	PASS
11AX40MIMO	Ant2	5510	5735~40000	24573.66	-34.94	≤-27	PASS
11AX40MIMO	Ant1	5550	30~5460	2465.36	-43.61	≤-27	PASS
11AX40MIMO	Ant1	5550	5735~40000	24856.49	-35.38	≤-27	PASS
11AX40MIMO	Ant2	5550	30~5460	2468.61	-47.23	≤-27	PASS
11AX40MIMO	Ant2	5550	5735~40000	25041.49	-35.39	≤-27	PASS
11AX40MIMO	Ant1	5670	30~5460	2423.54	-48.3	≤-27	PASS
11AX40MIMO	Ant1	5670	5735~40000	24573.66	-34.77	≤-27	PASS
11AX40MIMO	Ant2	5670	30~5460	2470.97	-47.86	≤-27	PASS
11AX40MIMO	Ant2	5670	5735~40000	25875.08	-35.32	≤-27	PASS
11AX40MIMO	Ant1	5755	30~5650	5636.14	-49.5	≤-27	PASS
11AX40MIMO	Ant1	5755	5925~40000	24634.68	-35.57	≤-27	PASS
11AX40MIMO	Ant2	5755	30~5650	5580.5	-48.57	≤-27	PASS
11AX40MIMO	Ant2	5755	5925~40000	25325.94	-35.41	≤-27	PASS
11AX40MIMO	Ant1	5795	30~5650	5647.94	-49.38	≤-27	PASS
11AX40MIMO	Ant1	5795	5925~40000	25099.74	-36.66	≤-27	PASS
11AX40MIMO	Ant2	5795	30~5650	2470.58	-48.47	≤-27	PASS
11AX40MIMO	Ant2	5795	5925~40000	24924.11	-35.55	≤-27	PASS
11AX80MIMO	Ant1	5210	30~5140	5139.83	-37.48	≤-27	PASS
11AX80MIMO	Ant1	5210	5360~40000	25796.09	-35.49	≤-27	PASS
11AX80MIMO	Ant2	5210	30~5140	5120.07	-36.74	≤-27	PASS
11AX80MIMO	Ant2	5210	5360~40000	24859.8	-34.59	≤-27	PASS


11AX80MIMO	Ant1	5290	30~5140	5134.72	-47.97	≤ -27	PASS
11AX80MIMO	Ant1	5290	5360~40000	5371.54	-33.65	≤ -27	PASS
11AX80MIMO	Ant2	5290	30~5140	2475.14	-45.66	≤ -27	PASS
11AX80MIMO	Ant2	5290	5360~40000	5372.26	-31.05	≤ -27	PASS
11AX80MIMO	Ant1	5530	30~5460	5438.46	-41.64	≤ -27	PASS
11AX80MIMO	Ant1	5530	5735~40000	24776.39	-35.46	≤ -27	PASS
11AX80MIMO	Ant2	5530	30~5460	5458.91	-35.5	≤ -27	PASS
11AX80MIMO	Ant2	5530	5735~40000	24076.77	-35.42	≤ -27	PASS
11AX80MIMO	Ant1	5610	30~5460	5421.45	-49.26	≤ -27	PASS
11AX80MIMO	Ant1	5610	5735~40000	24845.86	-34.98	≤ -27	PASS
11AX80MIMO	Ant2	5610	30~5460	2470.24	-47.29	≤ -27	PASS
11AX80MIMO	Ant2	5610	5735~40000	24810.41	-34.76	≤ -27	PASS
11AX80MIMO	Ant1	5775	30~5650	5647.38	-48.99	≤ -27	PASS
11AX80MIMO	Ant1	5775	5925~40000	25283.79	-36.37	≤ -27	PASS
11AX80MIMO	Ant2	5775	30~5650	5640.82	-43.37	≤ -27	PASS
11AX80MIMO	Ant2	5775	5925~40000	26256.76	-34.28	≤ -27	PASS

Test Graphs







11A-Ant2-5180-30~5140-PASS




11A-Ant2-5180-5360~40000-PASS




11A-Ant1-5200-30~5140-PASS




11A-Ant1-5200-5360~40000-PASS




11A-Ant2-5200-30~5140-PASS



11A-Ant2-5200-5360~40000-PASS




11A-Ant1-5240-30~5140-PASS




11A-Ant1-5240-5360~40000-PASS




11A-Ant2-5240-30~5140-PASS




11A-Ant2-5240-5360~40000-PASS




11A-Ant1-5260-30~5140-PASS




11A-Ant1-5260-5360~40000-PASS




11A-Ant2-5260-30~5140-PASS



11A-Ant2-5260-5360~40000-PASS



11A-Ant1-5280-30~5140-PASS




11A-Ant1-5280-5360~40000-PASS




11A-Ant2-5280-30~5140-PASS



11A-Ant2-5280-5360~40000-PASS




11A-Ant1-5320-30~5140-PASS




11A-Ant1-5320-5360~40000-PASS




11A-Ant2-5320-30~5140-PASS




11A-Ant2-5320-5360~40000-PASS




11A-Ant1-5500-30~5460-PASS




11A-Ant1-5500-5735~40000-PASS




11A-Ant2-5500-30~5460-PASS




11A-Ant2-5500-5735~40000-PASS




11A-Ant1-5580-30~5460-PASS



11A-Ant1-5580-5735~40000-PASS



11A-Ant2-5580-30~5460-PASS



11A-Ant2-5580-5735~40000-PASS