





802.11ax-40 MHz(SU) LOW CHANNEL CARRIER LEVEL

802.11ax-40 MHz(SU) LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHz802.11ax-40 MHz(SU) LOW CHANNEL, SPURIOUS
2 GHz ~ 25 GHz802.11ax-40 MHz(SU) MIDDLE CHANNEL CARRIER
LEVEL


802.11ax-40 MHz(SU) MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11ax-40 MHz(SU) MIDDLE CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11ax-40 MHz(SU) HIGH CHANNEL CARRIER LEVEL



802.11ax-40 MHz(SU) HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz



802.11ax-40 MHz(SU) HIGH CHANNEL, SPURIOUS 2 GHz ~ 25 GHz



A.4 Band Edge (Authorized-band band-edge)

Note 1: The 99% OBW of the fundamental emission is without 2 MHz of the authorized band.

Test Data

802.11b Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-30.42	10.10	-9.90	Pass
High	-48.47	9.71	-10.29	Pass

802.11g Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-16.81	8.22	-11.78	Pass
High	-26.02	10.03	-9.97	Pass

802.11n-20 MHz Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-18.50	7.13	-12.87	Pass
High	-32.78	7.31	-12.69	Pass

802.11n-40 MHz Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-24.54	3.26	-16.74	Pass
High	-30.83	1.71	-18.29	Pass

802.11ax-20 MHz(SU) Mode:


Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-20.50	6.40	-13.60	Pass
High	-31.34	6.96	-13.04	Pass

802.11ax-40 MHz(SU) Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-25.21	3.40	-16.60	Pass
High	-30.08	3.21	-16.79	Pass

Test Plots


802.11b LOW CHANNEL, CARRIER LEVEL




802.11b LOW CHANNEL, BAND EDGE




802.11b HIGH CHANNEL, CARRIER LEVEL



802.11b HIGH CHANNEL, BAND EDGE




802.11g LOW CHANNEL, CARRIER LEVEL




802.11g LOW CHANNEL, BAND EDGE




802.11g HIGH CHANNEL, CARRIER LEVEL




802.11g HIGH CHANNEL, BAND EDGE




802.11n-20 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-20 MHz LOW CHANNEL, BAND EDGE




802.11n-20 MHz HIGH CHANNEL, CARRIER LEVEL



802.11n-20 MHz HIGH CHANNEL, BAND EDGE




802.11n-40 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-40 MHz LOW CHANNEL, BAND EDGE




802.11n-40 MHz HIGH CHANNEL, CARRIER LEVEL



802.11n-40 MHz HIGH CHANNEL, BAND EDGE




802.11ax-20 MHz LOW CHANNEL, CARRIER LEVEL



802.11ax-20 MHz LOW CHANNEL, BAND EDGE




802.11ax-20 MHz HIGH CHANNEL, CARRIER LEVEL



802.11ax-20 MHz HIGH CHANNEL, BAND EDGE




802.11ax-40 MHz LOW CHANNEL, CARRIER LEVEL




802.11ax-40 MHz LOW CHANNEL, BAND EDGE



802.11ax-40 MHz HIGH CHANNEL, CARRIER LEVEL



802.11ax-40 MHz HIGH CHANNEL, BAND EDGE



A.5 Conducted Emission

Note 1: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.


Note 2: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note 3: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots

PHASE L


CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin(dB)	Detector	Line	Verdict
1	0.176	47.77	10.09	64.67	16.90	Peak	L	Pass
1**	0.176	29.34	10.09	54.67	25.33	AV	L	Pass
2	0.304	42.84	10.12	60.13	17.29	Peak	L	Pass
2**	0.304	24.42	10.12	50.13	25.71	AV	L	Pass
3	0.738	40.02	10.23	56.00	15.98	Peak	L	Pass
3**	0.738	22.61	10.23	46.00	23.39	AV	L	Pass
4	1.546	34.08	10.28	56.00	21.92	Peak	L	Pass
4**	1.546	20.26	10.28	46.00	25.74	AV	L	Pass
5	4.784	32.67	10.44	56.00	23.33	Peak	L	Pass
5**	4.784	19.63	10.44	46.00	26.37	AV	L	Pass
6	13.732	45.32	11.12	60.00	14.68	Peak	L	Pass
6**	13.732	27.69	11.12	50.00	22.31	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin(dB)	Detector	Line	Verdict
1	0.168	45.12	10.15	65.06	19.94	Peak	N	Pass
1**	0.168	29.11	10.15	55.06	25.95	AV	N	Pass
2	0.290	39.60	10.15	60.52	20.92	Peak	N	Pass
2**	0.290	23.70	10.15	50.52	26.82	AV	N	Pass
3	0.698	37.25	10.22	56.00	18.75	Peak	N	Pass
3**	0.698	23.83	10.22	46.00	22.17	AV	N	Pass
4	1.410	35.41	10.24	56.00	20.59	Peak	N	Pass
4**	1.410	21.62	10.24	46.00	24.38	AV	N	Pass
5	5.130	34.88	10.45	60.00	25.12	Peak	N	Pass
5**	5.130	23.69	10.45	50.00	26.31	AV	N	Pass
6	13.634	42.96	11.07	60.00	17.04	Peak	N	Pass
6**	13.634	26.90	11.07	50.00	23.10	AV	N	Pass

A.6 Radiated Emission

Note 1: The symbol of "--" in the table which means not application.

Note 2: For the test data above 1 GHz, According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note 3: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note 4: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Test Data and Plots

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	51.243	17.41	-25.70	40.0	22.59	Peak	355.00	100	Horizontal	Pass
2	141.453	27.91	-30.26	43.5	15.59	Peak	123.00	200	Horizontal	Pass
3	197.810	31.07	-26.38	43.5	12.43	Peak	107.00	100	Horizontal	Pass
4	371.537	39.45	-21.96	46.0	6.55	Peak	41.00	100	Horizontal	Pass
5	450.107	36.42	-19.97	46.0	9.58	Peak	174.00	200	Horizontal	Pass
6	511.472	44.09	-18.10	46.0	1.91	Peak	156.00	177	Horizontal	N/A
6*	511.472	40.28	-18.10	46.0	5.72	QP	156.00	177	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	52.358	23.29	-25.76	40.0	16.71	Peak	355.00	100	Vertical	Pass
2	140.434	36.89	-30.24	43.5	6.61	Peak	159.00	100	Vertical	Pass
3	199.702	32.98	-26.56	43.5	10.52	Peak	247.00	100	Vertical	Pass
4	301.018	30.42	-23.74	46.0	15.58	Peak	201.00	100	Vertical	Pass
5	375.757	32.61	-21.80	46.0	13.39	Peak	146.00	100	Vertical	Pass
6	533.527	37.13	-17.84	46.0	8.87	Peak	7.00	100	Vertical	Pass


Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious above 18G is noise only, do not show on the report.

Plan A

1 GHz to 18 GHz, ANT H 802.11b Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1460.500	49.66	-17.51	74.0	24.34	Peak	300.00	150	Horizontal	Pass
1**	1460.500	45.32	-17.51	54.0	8.68	AV	300.00	150	Horizontal	Pass
2	2440.500	97.86	-13.01	74.0	-23.86	Peak	93.00	150	Horizontal	N/A
2**	2440.500	94.17	-13.01	54.0	-40.17	AV	93.00	150	Horizontal	N/A
3	3748.000	48.62	-3.31	74.0	25.38	Peak	360.00	150	Horizontal	Pass
3**	3748.000	36.87	-3.31	54.0	17.13	AV	360.00	150	Horizontal	Pass
4	4874.500	51.19	-1.29	74.0	22.81	Peak	179.00	150	Horizontal	Pass
4**	4874.500	45.19	-1.29	54.0	8.81	AV	179.00	150	Horizontal	Pass
5	7312.000	57.70	5.49	74.0	16.30	Peak	111.00	150	Horizontal	Pass
5**	7312.000	50.69	5.49	54.0	3.31	AV	111.00	150	Horizontal	Pass
6	13692.500	59.20	9.17	74.0	14.80	Peak	60.00	150	Horizontal	Pass
6**	13692.500	49.18	9.17	54.0	4.82	AV	60.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.500	49.01	-17.42	74.0	24.99	Peak	80.00	150	Vertical	Pass
1**	1597.500	33.05	-17.42	54.0	20.95	AV	80.00	150	Vertical	Pass
2	2438.500	92.34	-13.00	74.0	-18.34	Peak	204.00	150	Vertical	N/A
2**	2438.500	89.39	-13.00	54.0	-35.39	AV	204.00	150	Vertical	N/A
3	3879.500	48.95	-2.60	74.0	25.05	Peak	360.00	150	Vertical	Pass
3**	3879.500	38.05	-2.60	54.0	15.95	AV	360.00	150	Vertical	Pass
4	4874.500	51.60	-1.29	74.0	22.40	Peak	97.00	150	Vertical	Pass
4**	4874.500	45.27	-1.29	54.0	8.73	AV	97.00	150	Vertical	Pass
5	7907.000	58.93	6.87	74.0	15.07	Peak	268.00	150	Vertical	Pass
5**	7907.000	47.38	6.87	54.0	6.62	AV	268.00	150	Vertical	Pass
6	13698.000	59.52	9.13	74.0	14.48	Peak	294.00	150	Vertical	Pass
6**	13698.000	48.97	9.13	54.0	5.03	AV	294.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(Z.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1465.000	50.11	-17.52	74.0	23.89	Peak	313.00	150	Horizontal	Pass
1**	1465.000	43.96	-17.52	54.0	10.04	AV	313.00	150	Horizontal	Pass
2	2432.000	98.94	-13.04	74.0	-24.94	Peak	284.00	150	Horizontal	N/A
2**	2432.000	93.26	-13.04	54.0	-39.26	AV	284.00	150	Horizontal	N/A
3	3899.000	53.03	-3.56	74.0	20.97	Peak	244.00	150	Horizontal	Pass
3**	3899.000	45.51	-3.56	54.0	8.49	AV	244.00	150	Horizontal	Pass
4	4878.000	49.26	-1.31	74.0	24.74	Peak	301.00	150	Horizontal	Pass
4**	4878.000	42.00	-1.31	54.0	12.00	AV	301.00	150	Horizontal	Pass
5	7908.500	59.42	6.89	74.0	14.58	Peak	179.00	150	Horizontal	Pass
5**	7908.500	47.79	6.89	54.0	6.21	AV	179.00	150	Horizontal	Pass
6	15232.000	59.73	7.46	74.0	14.27	Peak	69.00	150	Horizontal	Pass
6**	15232.000	47.67	7.46	54.0	6.33	AV	69.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2129.500	53.10	-14.53	74.0	20.90	Peak	67.00	150	Vertical	Pass
1**	2129.500	33.50	-14.53	54.0	20.50	AV	67.00	150	Vertical	Pass
2	2442.000	94.07	-13.07	74.0	-20.07	Peak	303.00	150	Vertical	N/A
2**	2442.000	87.43	-13.07	54.0	-33.43	AV	303.00	150	Vertical	N/A
3	3882.000	49.34	-2.68	74.0	24.66	Peak	93.00	150	Vertical	Pass
3**	3882.000	37.76	-2.68	54.0	16.24	AV	93.00	150	Vertical	Pass
4	4878.000	49.66	-1.31	74.0	24.34	Peak	346.00	150	Vertical	Pass
4**	4878.000	42.10	-1.31	54.0	11.90	AV	346.00	150	Vertical	Pass
5	7926.500	58.52	6.80	74.0	15.48	Peak	120.00	150	Vertical	Pass
5**	7926.500	47.39	6.80	54.0	6.61	AV	120.00	150	Vertical	Pass
6	14053.000	59.68	9.52	74.0	14.32	Peak	130.00	150	Vertical	Pass
6**	14053.000	49.37	9.52	54.0	4.63	AV	130.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1469.500	50.06	-17.53	74.0	23.94	Peak	310.00	150	Horizontal	Pass
1**	1469.500	41.84	-17.53	54.0	12.16	AV	310.00	150	Horizontal	Pass
2	2429.500	99.51	-13.06	74.0	-25.51	Peak	88.00	150	Horizontal	N/A
2**	2429.500	92.51	-13.06	54.0	-38.51	AV	88.00	150	Horizontal	N/A
3	3899.500	50.87	-3.59	74.0	23.13	Peak	277.00	150	Horizontal	Pass
3**	3899.500	47.69	-3.59	54.0	6.31	AV	277.00	150	Horizontal	Pass
4	4876.500	49.66	-1.30	74.0	24.34	Peak	204.00	150	Horizontal	Pass
4**	4876.500	41.88	-1.30	54.0	12.12	AV	204.00	150	Horizontal	Pass
5	7889.500	59.10	6.54	74.0	14.90	Peak	179.00	150	Horizontal	Pass
5**	7889.500	47.24	6.54	54.0	6.76	AV	179.00	150	Horizontal	Pass
6	13676.000	60.46	9.22	74.0	13.54	Peak	185.00	150	Horizontal	Pass
6**	13676.000	49.56	9.22	54.0	4.44	AV	185.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2198.500	51.85	-14.13	74.0	22.15	Peak	69.00	150	Vertical	Pass
1**	2198.500	39.17	-14.13	54.0	14.83	AV	69.00	150	Vertical	Pass
2	2429.500	95.05	-13.06	74.0	-21.05	Peak	201.00	150	Vertical	N/A
2**	2429.500	88.57	-13.06	54.0	-34.57	AV	201.00	150	Vertical	N/A
3	3877.000	48.39	-2.74	74.0	25.61	Peak	340.00	150	Vertical	Pass
3**	3877.000	38.03	-2.74	54.0	15.97	AV	340.00	150	Vertical	Pass
4	4874.500	49.06	-1.29	74.0	24.94	Peak	98.00	150	Vertical	Pass
4**	4874.500	41.89	-1.29	54.0	12.11	AV	98.00	150	Vertical	Pass
5	7951.000	58.65	6.82	74.0	15.35	Peak	103.00	150	Vertical	Pass
5**	7951.000	48.00	6.82	54.0	6.00	AV	103.00	150	Vertical	Pass
6	14081.000	59.85	9.14	74.0	14.15	Peak	28.00	150	Vertical	Pass
6**	14081.000	49.63	9.14	54.0	4.37	AV	28.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1477.000	46.91	-17.59	74.0	27.09	Peak	316.00	150	Horizontal	Pass
1**	1477.000	39.78	-17.59	54.0	14.22	AV	316.00	150	Horizontal	Pass
2	2454.500	98.36	-13.21	74.0	-24.36	Peak	278.00	150	Horizontal	N/A
2**	2454.500	93.42	-13.21	54.0	-39.42	AV	278.00	150	Horizontal	N/A
3	3899.500	51.88	-3.59	74.0	22.12	Peak	294.00	150	Horizontal	Pass
3**	3899.500	47.20	-3.59	54.0	6.80	AV	294.00	150	Horizontal	Pass
4	5424.000	52.46	0.11	74.0	21.54	Peak	266.00	150	Horizontal	Pass
4**	5424.000	41.05	0.11	54.0	12.95	AV	266.00	150	Horizontal	Pass
5	7453.000	58.75	5.46	74.0	15.25	Peak	153.00	150	Horizontal	Pass
5**	7453.000	46.52	5.46	54.0	7.48	AV	153.00	150	Horizontal	Pass
6	13675.000	59.65	9.20	74.0	14.35	Peak	195.00	150	Horizontal	Pass
6**	13675.000	49.48	9.20	54.0	4.52	AV	195.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2133.500	51.06	-14.46	74.0	22.94	Peak	72.00	150	Vertical	Pass
1**	2133.500	32.90	-14.46	54.0	21.10	AV	72.00	150	Vertical	Pass
2	2421.000	91.49	-13.16	74.0	-17.49	Peak	201.00	150	Vertical	N/A
2**	2421.000	85.32	-13.16	54.0	-31.32	AV	201.00	150	Vertical	N/A
3	3764.000	48.73	-3.12	74.0	25.27	Peak	5.00	150	Vertical	Pass
3**	3764.000	37.63	-3.12	54.0	16.37	AV	5.00	150	Vertical	Pass
4	5113.500	52.14	-0.46	74.0	21.86	Peak	311.00	150	Vertical	Pass
4**	5113.500	40.34	-0.46	54.0	13.66	AV	311.00	150	Vertical	Pass
5	7898.500	58.79	6.72	74.0	15.21	Peak	338.00	150	Vertical	Pass
5**	7898.500	48.05	6.72	54.0	5.95	AV	338.00	150	Vertical	Pass
6	14114.500	59.42	9.08	74.0	14.58	Peak	250.00	150	Vertical	Pass
6**	14114.500	49.14	9.08	54.0	4.86	AV	250.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Middle Channel

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1466.000	50.03	-17.52	74.0	23.97	Peak	315.00	150	Horizontal	Pass
1**	1466.000	40.91	-17.52	54.0	13.09	AV	315.00	150	Horizontal	Pass
2	2428.500	99.80	-13.07	74.0	-25.80	Peak	233.00	150	Horizontal	N/A
2**	2428.500	92.28	-13.07	54.0	-38.28	AV	233.00	150	Horizontal	N/A
3	3899.500	51.56	-3.59	74.0	22.44	Peak	272.00	150	Horizontal	Pass
3**	3899.500	47.62	-3.59	54.0	6.38	AV	272.00	150	Horizontal	Pass
4	5436.000	52.47	-0.02	74.0	21.53	Peak	347.00	150	Horizontal	Pass
4**	5436.000	41.02	-0.02	54.0	12.98	AV	347.00	150	Horizontal	Pass
5	7900.000	59.02	6.75	74.0	14.98	Peak	358.00	150	Horizontal	Pass
5**	7900.000	47.86	6.75	54.0	6.14	AV	358.00	150	Horizontal	Pass
6	14084.500	59.37	9.11	74.0	14.63	Peak	335.00	150	Horizontal	Pass
6**	14084.500	49.36	9.11	54.0	4.64	AV	335.00	150	Horizontal	Pass