

Appendix Test Data

Report No.:	182512C400497106	Test Sample No.:	1-2-2
Start Test Date:	2024.7.19	Finish Test Date:	2024.8.13
Test Engineer:	Hayman Chen	Auditor:	Justin Feng
Temperature:	24.3℃	Relative Humidity:	57 %
Pressure:	101 kPa		

Appendix A: Conducted Output Power

Test Result

Band	Channel	Power(dBm)	Limit(dBm)	Verdict
Band2	9262	21.05	33.01	PASS
Band2	9400	21.66	33.01	PASS
Band2	9538	21.80	33.01	PASS

Band	Channel	SubTest	Power(dBm)	Limit(dBm)	Verdict
Band2	9262	1	19.96	33.01	PASS
Band2	9400	1	20.72	33.01	PASS
Band2	9538	1	20.84	33.01	PASS
Band2	9262	2	19.45	33.01	PASS
Band2	9400	2	20.19	33.01	PASS
Band2	9538	2	20.39	33.01	PASS
Band2	9262	3	19.50	33.01	PASS
Band2	9400	3	20.19	33.01	PASS
Band2	9538	3	20.34	33.01	PASS
Band2	9262	4	19.45	33.01	PASS
Band2	9400	4	20.11	33.01	PASS
Band2	9538	4	20.26	33.01	PASS

Band	Channel	SubTest	Power(dBm)	Limit(dBm)	Verdict
Band2	9262	1	20.01	33.01	PASS
Band2	9400	1	20.60	33.01	PASS
Band2	9538	1	20.77	33.01	PASS
Band2	9262	2	17.91	33.01	PASS
Band2	9400	2	18.57	33.01	PASS
Band2	9538	2	18.75	33.01	PASS
Band2	9262	3	18.91	33.01	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.
Tel:(86)0755-26066440 Email:service@anbotech.com

Hotline
400-003-0500
www.anbotech.com



Band2	9400	3	19.58	33.01	PASS
Band2	9538	3	19.76	33.01	PASS
Band2	9262	4	18.03	33.01	PASS
Band2	9400	4	18.68	33.01	PASS
Band2	9538	4	18.78	33.01	PASS
Band2	9262	5	20.85	33.01	PASS
Band2	9400	5	20.68	33.01	PASS
Band2	9538	5	20.84	33.01	PASS



Appendix B: Peak-to-Average Ratio

Test Result


Band	Channel	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band2	9262	2.97	13	PASS
Band2	9400	2.98	13	PASS
Band2	9538	2.98	13	PASS


Band	Channel	SubTest	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band2	9262	1	3.07	13	PASS
Band2	9400	1	3.06	13	PASS
Band2	9538	1	3.08	13	PASS
Band2	9262	2	3.6	13	PASS
Band2	9400	2	3.54	13	PASS
Band2	9538	2	3.59	13	PASS
Band2	9262	3	3.8	13	PASS
Band2	9400	3	3.74	13	PASS
Band2	9538	3	3.79	13	PASS
Band2	9262	4	3.85	13	PASS
Band2	9400	4	3.82	13	PASS
Band2	9538	4	3.85	13	PASS

Band	Channel	SubTest	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band2	9262	1	4.36	13	PASS
Band2	9400	1	4.39	13	PASS
Band2	9538	1	4.29	13	PASS
Band2	9262	2	5.37	13	PASS
Band2	9400	2	5.35	13	PASS
Band2	9538	2	5.36	13	PASS
Band2	9262	3	5.18	13	PASS
Band2	9400	3	5.21	13	PASS
Band2	9538	3	5.2	13	PASS
Band2	9262	4	5.06	13	PASS
Band2	9400	4	5.06	13	PASS
Band2	9538	4	5.08	13	PASS
Band2	9262	5	4.09	13	PASS
Band2	9400	5	4.13	13	PASS
Band2	9538	5	4.15	13	PASS




Test Graphs






Band2-9262-1-PASS




Band2-9400-1-PASS




Band2-9538-1-PASS






Band2-9262-2-PASS




Band2-9400-2-PASS




Band2-9538-2-PASS






Band2-9262-3-PASS




Band2-9400-3-PASS




Band2-9538-3-PASS






Band2-9262-4-PASS




Band2-9400-4-PASS




Band2-9538-4-PASS






Band2-9262-1-PASS




Band2-9400-1-PASS




Band2-9538-1-PASS






Band2-9262-2-PASS




Band2-9400-2-PASS




Band2-9538-2-PASS






Band2-9262-3-PASS




Band2-9400-3-PASS




Band2-9538-3-PASS






Band2-9262-4-PASS




Band2-9400-4-PASS




Band2-9538-4-PASS






Band2-9262-5-PASS



Band2-9400-5-PASS



Band2-9538-5-PASS



Appendix C:26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band2	9262	4.1547	4.733	---	PASS
Band2	9400	4.1475	4.735	---	PASS
Band2	9538	4.1445	4.727	---	PASS

Band	Channel	SubTest	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band2	9262	1	4.1520	4.731	---	PASS
Band2	9400	1	4.1478	4.725	---	PASS
Band2	9538	1	4.1382	4.726	---	PASS
Band2	9262	2	4.1402	4.715	---	PASS
Band2	9400	2	4.1492	4.718	---	PASS
Band2	9538	2	4.1432	4.732	---	PASS
Band2	9262	3	4.1426	4.727	---	PASS
Band2	9400	3	4.1508	4.725	---	PASS
Band2	9538	3	4.1309	4.713	---	PASS
Band2	9262	4	4.1379	4.715	---	PASS
Band2	9400	4	4.1363	4.717	---	PASS
Band2	9538	4	4.1421	4.714	---	PASS

Band	Channel	SubTest	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band2	9262	1	4.1676	4.736	---	PASS
Band2	9400	1	4.1612	4.723	---	PASS
Band2	9538	1	4.1512	4.725	---	PASS
Band2	9262	2	4.1580	4.728	---	PASS
Band2	9400	2	4.1637	4.731	---	PASS
Band2	9538	2	4.1464	4.713	---	PASS
Band2	9262	3	4.1693	4.704	---	PASS
Band2	9400	3	4.1710	4.719	---	PASS
Band2	9538	3	4.1619	4.713	---	PASS
Band2	9262	4	4.1561	4.724	---	PASS
Band2	9400	4	4.1567	4.721	---	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel:(86)0755-26066440 Email:service@anbotek.com



Hotline
400-003-0500


www.anbotek.com



Band2	9538	4	4.1535	4.731	---	PASS
Band2	9262	5	4.1481	4.721	---	PASS
Band2	9400	5	4.1467	4.727	---	PASS
Band2	9538	5	4.1441	4.718	---	PASS




Test Graphs






Band2-9262-1-PASS



Band2-9400-1-PASS




Band2-9538-1-PASS






Band2-9262-2-PASS



Band2-9400-2-PASS




Band2-9538-2-PASS






Band2-9262-3-PASS



Band2-9400-3-PASS




Band2-9538-3-PASS






Band2-9262-4-PASS



Band2-9400-4-PASS




Band2-9538-4-PASS






Band2-9262-1-PASS



Band2-9400-1-PASS




Band2-9538-1-PASS






Band2-9262-2-PASS



Band2-9400-2-PASS




Band2-9538-2-PASS





Band2-9262-3-PASS




Band2-9400-3-PASS




Band2-9538-3-PASS






Band2-9262-4-PASS



Band2-9400-4-PASS



Band2-9538-4-PASS





Appendix D:Band Edge

Test Result

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1850.00	-27.20	-13	PASS
Band2	9538	1910.00	-28.22	-13	PASS

Band	Channel	SubTest	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1	1850.00	-28.62	-13	PASS
Band2	9538	1	1910.00	-29.66	-13	PASS
Band2	9262	2	1850.00	-29.29	-13	PASS
Band2	9538	2	1910.00	-30.43	-13	PASS
Band2	9262	3	1850.00	-29.43	-13	PASS
Band2	9538	3	1910.00	-30.55	-13	PASS
Band2	9262	4	1850.00	-29.71	-13	PASS
Band2	9538	4	1910.00	-30.57	-13	PASS

Band	Channel	SubTest	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band2	9262	1	1850.00	-28.22	-13	PASS
Band2	9538	1	1910.00	-29.61	-13	PASS
Band2	9262	2	1850.00	-30.13	-13	PASS
Band2	9538	2	1910.00	-32.03	-13	PASS
Band2	9262	3	1850.00	-29.98	-13	PASS
Band2	9538	3	1910.00	-30.83	-13	PASS
Band2	9262	4	1850.00	-30.71	-13	PASS
Band2	9538	4	1910.00	-32.00	-13	PASS
Band2	9262	5	1850.00	-28.77	-13	PASS
Band2	9538	5	1910.00	-29.66	-13	PASS



Test Graphs





Band2-9262-1-PASS



Band2-9538-1-PASS



Band2-9262-2-PASS





Band2-9538-2-PASS



Band2-9262-3-PASS



Band2-9538-3-PASS





Band2-9262-4-PASS



Band2-9538-4-PASS





Band2-9262-1-PASS



Band2-9538-1-PASS



Band2-9262-2-PASS





Band2-9538-2-PASS



Band2-9262-3-PASS



Band2-9538-3-PASS





Band2-9262-4-PASS



Band2-9538-4-PASS



Band2-9262-5-PASS





Appendix E: Conducted Spurious Emission

Test Result

Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	0.009~0.15MHz	0.01	-45.2	-43	PASS
Band2	9262	0.15~30MHz	0.15	-50.69	-33	PASS
Band2	9262	30~1000MHz	781.75	-51.19	-13	PASS
Band2	9262	1000~20000MHz	19516.93	-41.14	-13	PASS
Band2	9400	0.009~0.15MHz	0.01	-44.79	-43	PASS
Band2	9400	0.15~30MHz	0.15	-50.63	-33	PASS
Band2	9400	30~1000MHz	806.49	-51.25	-13	PASS
Band2	9400	1000~20000MHz	19515.03	-41.21	-13	PASS
Band2	9538	0.009~0.15MHz	0.01	-44.93	-43	PASS
Band2	9538	0.15~30MHz	0.15	-51.74	-33	PASS
Band2	9538	30~1000MHz	934.53	-51.12	-13	PASS
Band2	9538	1000~20000MHz	19503.15	-41.06	-13	PASS

Band	Channel	SubTest	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	1	0.009~0.15MHz	0.01	-47.13	-43	PASS
Band2	9262	1	0.15~30MHz	0.15	-51.37	-33	PASS
Band2	9262	1	30~1000MHz	773.51	-51.22	-13	PASS
Band2	9262	1	1000~20000MHz	19090.85	-41.56	-13	PASS
Band2	9400	1	0.009~0.15MHz	0.01	-51.56	-43	PASS
Band2	9400	1	0.15~30MHz	0.15	-51.82	-33	PASS
Band2	9400	1	30~1000MHz	904.94	-51.3	-13	PASS
Band2	9400	1	1000~20000MHz	19873.65	-41.32	-13	PASS
Band2	9538	1	0.009~0.15MHz	0.01	-50.34	-43	PASS
Band2	9538	1	0.15~30MHz	0.15	-52.09	-33	PASS
Band2	9538	1	30~1000MHz	920.46	-51.34	-13	PASS
Band2	9538	1	1000~20000MHz	19549.23	-41.2	-13	PASS
Band2	9262	2	0.009~0.15MHz	0.01	-53.24	-43	PASS
Band2	9262	2	0.15~30MHz	0.15	-52.77	-33	PASS
Band2	9262	2	30~1000MHz	918.52	-51.19	-13	PASS
Band2	9262	2	1000~20000MHz	19908.33	-41.28	-13	PASS
Band2	9400	2	0.009~0.15MHz	0.01	-53.76	-43	PASS
Band2	9400	2	0.15~30MHz	0.15	-52.8	-33	PASS
Band2	9400	2	30~1000MHz	794.85	-51.29	-13	PASS
Band2	9400	2	1000~20000MHz	19497.93	-41.51	-13	PASS
Band2	9538	2	0.009~0.15MHz	0.01	-52.05	-43	PASS
Band2	9538	2	0.15~30MHz	0.15	-50.71	-33	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com



Band2	9538	2	30~1000MHz	819.1	-51.3	-13	PASS
Band2	9538	2	1000~20000MHz	18884.23	-41.2	-13	PASS
Band2	9262	3	0.009~0.15MHz	0.01	-49.71	-43	PASS
Band2	9262	3	0.15~30MHz	0.15	-53.27	-33	PASS
Band2	9262	3	30~1000MHz	922.4	-51.2	-13	PASS
Band2	9262	3	1000~20000MHz	18767.38	-41.19	-13	PASS
Band2	9400	3	0.009~0.15MHz	0.01	-51.18	-43	PASS
Band2	9400	3	0.15~30MHz	0.15	-51.59	-33	PASS
Band2	9400	3	30~1000MHz	808.43	-51.27	-13	PASS
Band2	9400	3	1000~20000MHz	19531.65	-41.63	-13	PASS
Band2	9538	3	0.009~0.15MHz	0.01	-49.05	-43	PASS
Band2	9538	3	0.15~30MHz	0.15	-50.79	-33	PASS
Band2	9538	3	30~1000MHz	920.95	-51.31	-13	PASS
Band2	9538	3	1000~20000MHz	19506.95	-41.17	-13	PASS
Band2	9262	4	0.009~0.15MHz	0.01	-51.09	-43	PASS
Band2	9262	4	0.15~30MHz	0.15	-50.35	-33	PASS
Band2	9262	4	30~1000MHz	935.01	-51.29	-13	PASS
Band2	9262	4	1000~20000MHz	19386.78	-41.36	-13	PASS
Band2	9400	4	0.009~0.15MHz	0.01	-51.05	-43	PASS
Band2	9400	4	0.15~30MHz	0.15	-51.87	-33	PASS
Band2	9400	4	30~1000MHz	806.97	-51.33	-13	PASS
Band2	9400	4	1000~20000MHz	18898.95	-41.24	-13	PASS
Band2	9538	4	0.009~0.15MHz	0.01	-51.74	-43	PASS
Band2	9538	4	0.15~30MHz	0.15	-51.44	-33	PASS
Band2	9538	4	30~1000MHz	927.74	-51.25	-13	PASS
Band2	9538	4	1000~20000MHz	19898.83	-41.51	-13	PASS

Band	Channel	SubTest	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band2	9262	1	0.009~0.15MHz	0.01	-51.83	-43	PASS
Band2	9262	1	0.15~30MHz	0.15	-52.39	-33	PASS
Band2	9262	1	30~1000MHz	927.74	-51.15	-13	PASS
Band2	9262	1	1000~20000MHz	19935.88	-41.27	-13	PASS
Band2	9400	1	0.009~0.15MHz	0.01	-50.33	-43	PASS
Band2	9400	1	0.15~30MHz	0.15	-50.77	-33	PASS
Band2	9400	1	30~1000MHz	772.54	-51.32	-13	PASS
Band2	9400	1	1000~20000MHz	18754.08	-41.29	-13	PASS
Band2	9538	1	0.009~0.15MHz	0.01	-52.18	-43	PASS
Band2	9538	1	0.15~30MHz	0.15	-51.79	-33	PASS
Band2	9538	1	30~1000MHz	925.31	-51.23	-13	PASS
Band2	9538	1	1000~20000MHz	19894.55	-40.99	-13	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com



Band2	9262	2	0.009~0.15MHz	0.01	-51.59	-43	PASS
Band2	9262	2	0.15~30MHz	0.15	-54.03	-33	PASS
Band2	9262	2	30~1000MHz	777.39	-51.31	-13	PASS
Band2	9262	2	1000~20000MHz	18938.85	-41.04	-13	PASS
Band2	9400	2	0.009~0.15MHz	0.01	-49.18	-43	PASS
Band2	9400	2	0.15~30MHz	0.15	-50.91	-33	PASS
Band2	9400	2	30~1000MHz	894.27	-51.2	-13	PASS
Band2	9400	2	1000~20000MHz	19525	-41.26	-13	PASS
Band2	9538	2	0.009~0.15MHz	0.01	-52.76	-43	PASS
Band2	9538	2	0.15~30MHz	0.15	-51.4	-33	PASS
Band2	9538	2	30~1000MHz	800.67	-51.26	-13	PASS
Band2	9538	2	1000~20000MHz	19100.35	-41.15	-13	PASS
Band2	9262	3	0.009~0.15MHz	0.01	-52.25	-43	PASS
Band2	9262	3	0.15~30MHz	0.15	-51.02	-33	PASS
Band2	9262	3	30~1000MHz	939.86	-51.19	-13	PASS
Band2	9262	3	1000~20000MHz	18860.95	-41.05	-13	PASS
Band2	9400	3	0.009~0.15MHz	0.01	-49.56	-43	PASS
Band2	9400	3	0.15~30MHz	0.15	-52.32	-33	PASS
Band2	9400	3	30~1000MHz	778.36	-51.32	-13	PASS
Band2	9400	3	1000~20000MHz	19486.05	-41.3	-13	PASS
Band2	9538	3	0.009~0.15MHz	0.01	-50.76	-43	PASS
Band2	9538	3	0.15~30MHz	0.15	-50.84	-33	PASS
Band2	9538	3	30~1000MHz	830.25	-51.3	-13	PASS
Band2	9538	3	1000~20000MHz	19451.38	-41.25	-13	PASS
Band2	9262	4	0.009~0.15MHz	0.01	-50.19	-43	PASS
Band2	9262	4	0.15~30MHz	0.15	-53.79	-33	PASS
Band2	9262	4	30~1000MHz	931.62	-51.23	-13	PASS
Band2	9262	4	1000~20000MHz	16251.78	-41.14	-13	PASS
Band2	9400	4	0.009~0.15MHz	0.01	-52.62	-43	PASS
Band2	9400	4	0.15~30MHz	0.15	-50.97	-33	PASS
Band2	9400	4	30~1000MHz	787.57	-51.25	-13	PASS
Band2	9400	4	1000~20000MHz	19461.35	-41.27	-13	PASS
Band2	9538	4	0.009~0.15MHz	0.01	-51.56	-43	PASS
Band2	9538	4	0.15~30MHz	0.15	-51.62	-33	PASS
Band2	9538	4	30~1000MHz	785.63	-51.22	-13	PASS
Band2	9538	4	1000~20000MHz	19535.93	-41.24	-13	PASS
Band2	9262	5	0.009~0.15MHz	0.01	-50.65	-43	PASS
Band2	9262	5	0.15~30MHz	0.15	-52.16	-33	PASS
Band2	9262	5	30~1000MHz	785.63	-51.21	-13	PASS
Band2	9262	5	1000~20000MHz	19861.78	-41.46	-13	PASS
Band2	9400	5	0.009~0.15MHz	0.01	-51.44	-43	PASS
Band2	9400	5	0.15~30MHz	0.15	-51.67	-33	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500


www.anbotek.com



Band2	9400	5	30~1000MHz	912.7	-51.26	-13	PASS
Band2	9400	5	1000~20000MHz	19540.2	-41.09	-13	PASS
Band2	9538	5	0.009~0.15MHz	0.01	-52.12	-43	PASS
Band2	9538	5	0.15~30MHz	0.15	-51.81	-33	PASS
Band2	9538	5	30~1000MHz	908.82	-51.22	-13	PASS
Band2	9538	5	1000~20000MHz	19530.23	-41.42	-13	PASS



Test Graphs



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.


Tel: (86) 0755-26066440 Email: service@anbotek.com




Hotline
400-003-0500

www.anbotek.com







Band2-9262-1-0.009~0.15MHz-PASS



Band2-9262-1-0.15~30MHz-PASS




Band2-9262-1-30~1000MHz-PASS





Band2-9262-1-1000~20000MHz-PASS



Band2-9400-1-0.009~0.15MHz-PASS



Band2-9400-1-0.15~30MHz-PASS






Band2-9400-1-30~1000MHz-PASS




Band2-9400-1-1000~20000MHz-PASS



Band2-9538-1-0.009~0.15MHz-PASS





Band2-9538-1-0.15~30MHz-PASS




Band2-9538-1-30~1000MHz-PASS




Band2-9538-1-1000~20000MHz-PASS





Band2-9262-2-0.009~0.15MHz-PASS




Band2-9262-2-0.15~30MHz-PASS




Band2-9262-2-30~1000MHz-PASS





Band2-9262-2-1000~20000MHz-PASS




Band2-9400-2-0.009~0.15MHz-PASS



Band2-9400-2-0.15~30MHz-PASS





Band2-9400-2-30~1000MHz-PASS




Band2-9400-2-1000~20000MHz-PASS



Band2-9538-2-0.009~0.15MHz-PASS





Band2-9538-2-0.15~30MHz-PASS




Band2-9538-2-30~1000MHz-PASS




Band2-9538-2-1000~20000MHz-PASS





Band2-9262-3-0.009~0.15MHz-PASS



Band2-9262-3-0.15~30MHz-PASS




Band2-9262-3-30~1000MHz-PASS






Band2-9262-3-1000~20000MHz-PASS



Band2-9400-3-0.009~0.15MHz-PASS



Band2-9400-3-0.15~30MHz-PASS






Band2-9400-3-30~1000MHz-PASS




Band2-9400-3-1000~20000MHz-PASS



Band2-9538-3-0.009~0.15MHz-PASS





Band2-9538-3-0.15~30MHz-PASS




Band2-9538-3-30~1000MHz-PASS




Band2-9538-3-1000~20000MHz-PASS





Band2-9262-4-0.009~0.15MHz-PASS



Band2-9262-4-0.15~30MHz-PASS




Band2-9262-4-30~1000MHz-PASS






Band2-9262-4-1000~20000MHz-PASS



Band2-9400-4-0.009~0.15MHz-PASS



Band2-9400-4-0.15~30MHz-PASS






Band2-9400-4-30~1000MHz-PASS




Band2-9400-4-1000~20000MHz-PASS



Band2-9538-4-0.009~0.15MHz-PASS





Band2-9538-4-0.15~30MHz-PASS




Band2-9538-4-30~1000MHz-PASS




Band2-9538-4-1000~20000MHz-PASS





Band2-9262-1-0.009~0.15MHz-PASS



Band2-9262-1-0.15~30MHz-PASS




Band2-9262-1-30~1000MHz-PASS





Band2-9262-1-1000~20000MHz-PASS



Band2-9400-1-0.009~0.15MHz-PASS



Band2-9400-1-0.15~30MHz-PASS






Band2-9400-1-30~1000MHz-PASS




Band2-9400-1-1000~20000MHz-PASS



Band2-9538-1-0.009~0.15MHz-PASS





Band2-9538-1-0.15~30MHz-PASS




Band2-9538-1-30~1000MHz-PASS




Band2-9538-1-1000~20000MHz-PASS





Band2-9262-2-0.009~0.15MHz-PASS



Band2-9262-2-0.15~30MHz-PASS




Band2-9262-2-30~1000MHz-PASS





Band2-9262-2-1000~20000MHz-PASS



Band2-9400-2-0.009~0.15MHz-PASS



Band2-9400-2-0.15~30MHz-PASS






Band2-9400-2-30~1000MHz-PASS




Band2-9400-2-1000~20000MHz-PASS



Band2-9538-2-0.009~0.15MHz-PASS





Band2-9538-2-0.15~30MHz-PASS




Band2-9538-2-30~1000MHz-PASS




Band2-9538-2-1000~20000MHz-PASS





Band2-9262-3-0.009~0.15MHz-PASS



Band2-9262-3-0.15~30MHz-PASS




Band2-9262-3-30~1000MHz-PASS






Band2-9262-3-1000~20000MHz-PASS




Band2-9400-3-0.009~0.15MHz-PASS



Band2-9400-3-0.15~30MHz-PASS






Band2-9400-3-30~1000MHz-PASS




Band2-9400-3-1000~20000MHz-PASS




Band2-9538-3-0.009~0.15MHz-PASS






Band2-9538-3-0.15~30MHz-PASS




Band2-9538-3-30~1000MHz-PASS




Band2-9538-3-1000~20000MHz-PASS





Band2-9262-4-0.009~0.15MHz-PASS



Band2-9262-4-0.15~30MHz-PASS




Band2-9262-4-30~1000MHz-PASS






Band2-9262-4-1000~20000MHz-PASS




Band2-9400-4-0.009~0.15MHz-PASS



Band2-9400-4-0.15~30MHz-PASS






Band2-9400-4-30~1000MHz-PASS




Band2-9400-4-1000~20000MHz-PASS



Band2-9538-4-0.009~0.15MHz-PASS





Band2-9538-4-0.15~30MHz-PASS



Band2-9538-4-30~1000MHz-PASS




Band2-9538-4-1000~20000MHz-PASS





Band2-9262-5-0.009~0.15MHz-PASS



Band2-9262-5-0.15~30MHz-PASS




Band2-9262-5-30~1000MHz-PASS






Band2-9262-5-1000~20000MHz-PASS



Band2-9400-5-0.009~0.15MHz-PASS



Band2-9400-5-0.15~30MHz-PASS






Band2-9400-5-30~1000MHz-PASS




Band2-9400-5-1000~2000MHz-PASS



Band2-9538-5-0.009~0.15MHz-PASS





Band2-9538-5-0.15~30MHz-PASS



Band2-9538-5-30~1000MHz-PASS



Band2-9538-5-1000~20000MHz-PASS



Appendix F: Frequency stability VS Voltage measurement

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	-0.58	-0.000313	±2.5	PASS
Band2	9262	VL	NT	-2.08	-0.001123	±2.5	PASS
Band2	9262	VH	NT	-1.25	-0.000675	±2.5	PASS
Band2	9400	VN	NT	-0.69	-0.000367	±2.5	PASS
Band2	9400	VL	NT	-2.47	-0.001314	±2.5	PASS
Band2	9400	VH	NT	-3.00	-0.001596	±2.5	PASS
Band2	9538	VN	NT	-4.76	-0.002495	±2.5	PASS
Band2	9538	VL	NT	-4.58	-0.002401	±2.5	PASS
Band2	9538	VH	NT	-4.56	-0.002390	±2.5	PASS



Appendix G: Frequency stability VS Temperature measurement

Test Result

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	-1.49	-0.000804	±2.5	PASS
Band2	9262	NV	-20	-0.77	-0.000416	±2.5	PASS
Band2	9262	NV	-10	0.51	0.000275	±2.5	PASS
Band2	9262	NV	0	0.01	0.000005	±2.5	PASS
Band2	9262	NV	10	0.35	0.000189	±2.5	PASS
Band2	9262	NV	20	0.35	0.000189	±2.5	PASS
Band2	9262	NV	30	-1.05	-0.000567	±2.5	PASS
Band2	9262	NV	40	1.39	0.000750	±2.5	PASS
Band2	9262	NV	50	2.09	0.001128	±2.5	PASS
Band2	9400	NV	-30	-2.50	-0.001330	±2.5	PASS
Band2	9400	NV	-20	-1.65	-0.000878	±2.5	PASS
Band2	9400	NV	-10	-2.34	-0.001245	±2.5	PASS
Band2	9400	NV	0	-1.93	-0.001027	±2.5	PASS
Band2	9400	NV	10	-2.30	-0.001223	±2.5	PASS
Band2	9400	NV	20	-2.18	-0.001160	±2.5	PASS
Band2	9400	NV	30	-3.38	-0.001798	±2.5	PASS
Band2	9400	NV	40	-3.20	-0.001702	±2.5	PASS
Band2	9400	NV	50	-3.58	-0.001904	±2.5	PASS
Band2	9538	NV	-30	-4.08	-0.002139	±2.5	PASS
Band2	9538	NV	-20	-5.94	-0.003114	±2.5	PASS
Band2	9538	NV	-10	-5.60	-0.002936	±2.5	PASS
Band2	9538	NV	0	-6.06	-0.003177	±2.5	PASS
Band2	9538	NV	10	-5.21	-0.002731	±2.5	PASS
Band2	9538	NV	20	-4.98	-0.002611	±2.5	PASS
Band2	9538	NV	30	-6.70	-0.003512	±2.5	PASS
Band2	9538	NV	40	-4.86	-0.002548	±2.5	PASS
Band2	9538	NV	50	-4.81	-0.002521	±2.5	PASS



Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-6.29	-0.003396	±2.5	PASS
Band2	9262	1	VL	NT	-5.67	-0.003061	±2.5	PASS
Band2	9262	1	VH	NT	-4.72	-0.002548	±2.5	PASS
Band2	9262	2	VN	NT	-5.11	-0.002759	±2.5	PASS
Band2	9262	2	VL	NT	-5.11	-0.002759	±2.5	PASS
Band2	9262	2	VH	NT	-6.47	-0.003493	±2.5	PASS
Band2	9262	3	VN	NT	-7.11	-0.003838	±2.5	PASS
Band2	9262	3	VL	NT	-5.48	-0.002958	±2.5	PASS
Band2	9262	3	VH	NT	-6.52	-0.003520	±2.5	PASS
Band2	9262	4	VN	NT	-5.80	-0.003131	±2.5	PASS
Band2	9262	4	VL	NT	-5.65	-0.003050	±2.5	PASS
Band2	9262	4	VH	NT	-5.83	-0.003147	±2.5	PASS
Band2	9400	1	VN	NT	-5.42	-0.002883	±2.5	PASS
Band2	9400	1	VL	NT	-5.71	-0.003037	±2.5	PASS
Band2	9400	1	VH	NT	-5.79	-0.003080	±2.5	PASS
Band2	9400	2	VN	NT	-6.07	-0.003229	±2.5	PASS
Band2	9400	2	VL	NT	-6.36	-0.003383	±2.5	PASS
Band2	9400	2	VH	NT	-7.38	-0.003926	±2.5	PASS
Band2	9400	3	VN	NT	-5.49	-0.002920	±2.5	PASS
Band2	9400	3	VL	NT	-4.79	-0.002548	±2.5	PASS
Band2	9400	3	VH	NT	-4.90	-0.002606	±2.5	PASS
Band2	9400	4	VN	NT	-5.16	-0.002745	±2.5	PASS
Band2	9400	4	VL	NT	-5.76	-0.003064	±2.5	PASS
Band2	9400	4	VH	NT	-6.25	-0.003324	±2.5	PASS
Band2	9538	1	VN	NT	-5.64	-0.002957	±2.5	PASS
Band2	9538	1	VL	NT	-6.02	-0.003156	±2.5	PASS
Band2	9538	1	VH	NT	-5.01	-0.002626	±2.5	PASS
Band2	9538	2	VN	NT	-5.93	-0.003109	±2.5	PASS
Band2	9538	2	VL	NT	-6.01	-0.003151	±2.5	PASS
Band2	9538	2	VH	NT	-6.55	-0.003434	±2.5	PASS
Band2	9538	3	VN	NT	-5.26	-0.002757	±2.5	PASS
Band2	9538	3	VL	NT	-4.86	-0.002548	±2.5	PASS
Band2	9538	3	VH	NT	-5.18	-0.002715	±2.5	PASS
Band2	9538	4	VN	NT	-4.31	-0.002259	±2.5	PASS
Band2	9538	4	VL	NT	-4.53	-0.002375	±2.5	PASS
Band2	9538	4	VH	NT	-4.43	-0.002322	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com



Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	-5.18	-0.002796	±2.5	PASS
Band2	9262	1	NV	-20	-5.18	-0.002796	±2.5	PASS
Band2	9262	1	NV	-10	-6.58	-0.003552	±2.5	PASS
Band2	9262	1	NV	0	-6.54	-0.003531	±2.5	PASS
Band2	9262	1	NV	10	-5.90	-0.003185	±2.5	PASS
Band2	9262	1	NV	20	-5.16	-0.002786	±2.5	PASS
Band2	9262	1	NV	30	-5.36	-0.002894	±2.5	PASS
Band2	9262	1	NV	40	-4.80	-0.002591	±2.5	PASS
Band2	9262	1	NV	50	-6.12	-0.003304	±2.5	PASS
Band2	9262	2	NV	-30	-3.88	-0.002095	±2.5	PASS
Band2	9262	2	NV	-20	-5.06	-0.002732	±2.5	PASS
Band2	9262	2	NV	-10	-5.60	-0.003023	±2.5	PASS
Band2	9262	2	NV	0	-6.52	-0.003520	±2.5	PASS
Band2	9262	2	NV	10	-5.21	-0.002813	±2.5	PASS
Band2	9262	2	NV	20	-5.15	-0.002780	±2.5	PASS
Band2	9262	2	NV	30	-5.97	-0.003223	±2.5	PASS
Band2	9262	2	NV	40	-5.54	-0.002991	±2.5	PASS
Band2	9262	2	NV	50	-5.69	-0.003072	±2.5	PASS
Band2	9262	3	NV	-30	-5.05	-0.002726	±2.5	PASS
Band2	9262	3	NV	-20	-5.61	-0.003029	±2.5	PASS
Band2	9262	3	NV	-10	-5.96	-0.003217	±2.5	PASS
Band2	9262	3	NV	0	-6.08	-0.003282	±2.5	PASS
Band2	9262	3	NV	10	-5.40	-0.002915	±2.5	PASS
Band2	9262	3	NV	20	-6.42	-0.003466	±2.5	PASS
Band2	9262	3	NV	30	-4.94	-0.002667	±2.5	PASS
Band2	9262	3	NV	40	-5.44	-0.002937	±2.5	PASS
Band2	9262	3	NV	50	-5.29	-0.002856	±2.5	PASS
Band2	9262	4	NV	-30	-5.82	-0.003142	±2.5	PASS
Band2	9262	4	NV	-20	-5.19	-0.002802	±2.5	PASS
Band2	9262	4	NV	-10	-4.72	-0.002548	±2.5	PASS
Band2	9262	4	NV	0	-4.64	-0.002505	±2.5	PASS
Band2	9262	4	NV	10	-5.56	-0.003002	±2.5	PASS
Band2	9262	4	NV	20	-5.52	-0.002980	±2.5	PASS
Band2	9262	4	NV	30	-4.14	-0.002235	±2.5	PASS
Band2	9262	4	NV	40	-5.01	-0.002705	±2.5	PASS
Band2	9262	4	NV	50	-3.54	-0.001911	±2.5	PASS
Band2	9400	1	NV	-30	-4.91	-0.002612	±2.5	PASS
Band2	9400	1	NV	-20	-5.80	-0.003085	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com



Band2	9400	1	NV	-10	-5.92	-0.003149	±2.5	PASS
Band2	9400	1	NV	0	-6.26	-0.003330	±2.5	PASS
Band2	9400	1	NV	10	-5.43	-0.002888	±2.5	PASS
Band2	9400	1	NV	20	-4.29	-0.002282	±2.5	PASS
Band2	9400	1	NV	30	-4.66	-0.002479	±2.5	PASS
Band2	9400	1	NV	40	-5.84	-0.003106	±2.5	PASS
Band2	9400	1	NV	50	-6.41	-0.003410	±2.5	PASS
Band2	9400	2	NV	-30	-5.84	-0.003106	±2.5	PASS
Band2	9400	2	NV	-20	-4.73	-0.002516	±2.5	PASS
Band2	9400	2	NV	-10	-6.19	-0.003293	±2.5	PASS
Band2	9400	2	NV	0	-0.18	-0.000096	±2.5	PASS
Band2	9400	2	NV	10	-5.33	-0.002835	±2.5	PASS
Band2	9400	2	NV	20	-5.01	-0.002665	±2.5	PASS
Band2	9400	2	NV	30	-6.81	-0.003622	±2.5	PASS
Band2	9400	2	NV	40	-4.96	-0.002638	±2.5	PASS
Band2	9400	2	NV	50	-4.93	-0.002622	±2.5	PASS
Band2	9400	3	NV	-30	-5.66	-0.003011	±2.5	PASS
Band2	9400	3	NV	-20	-5.57	-0.002963	±2.5	PASS
Band2	9400	3	NV	-10	-6.38	-0.003394	±2.5	PASS
Band2	9400	3	NV	0	-5.38	-0.002862	±2.5	PASS
Band2	9400	3	NV	10	-6.27	-0.003335	±2.5	PASS
Band2	9400	3	NV	20	-6.39	-0.003399	±2.5	PASS
Band2	9400	3	NV	30	-6.54	-0.003479	±2.5	PASS
Band2	9400	3	NV	40	-5.54	-0.002947	±2.5	PASS
Band2	9400	3	NV	50	-6.16	-0.003277	±2.5	PASS
Band2	9400	4	NV	-30	-5.23	-0.002782	±2.5	PASS
Band2	9400	4	NV	-20	-4.89	-0.002601	±2.5	PASS
Band2	9400	4	NV	-10	-5.98	-0.003181	±2.5	PASS
Band2	9400	4	NV	0	-7.05	-0.003750	±2.5	PASS
Band2	9400	4	NV	10	-5.42	-0.002883	±2.5	PASS
Band2	9400	4	NV	20	-5.23	-0.002782	±2.5	PASS
Band2	9400	4	NV	30	-6.34	-0.003372	±2.5	PASS
Band2	9400	4	NV	40	-5.52	-0.002936	±2.5	PASS
Band2	9400	4	NV	50	-4.42	-0.002351	±2.5	PASS
Band2	9538	1	NV	-30	-6.43	-0.003371	±2.5	PASS
Band2	9538	1	NV	-20	-4.34	-0.002275	±2.5	PASS
Band2	9538	1	NV	-10	-5.91	-0.003098	±2.5	PASS
Band2	9538	1	NV	0	-6.34	-0.003324	±2.5	PASS
Band2	9538	1	NV	10	-5.68	-0.002978	±2.5	PASS
Band2	9538	1	NV	20	-5.97	-0.003130	±2.5	PASS
Band2	9538	1	NV	30	-6.27	-0.003287	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com



Band2	9538	1	NV	40	-4.84	-0.002537	±2.5	PASS
Band2	9538	1	NV	50	-6.10	-0.003198	±2.5	PASS
Band2	9538	2	NV	-30	-4.94	-0.002590	±2.5	PASS
Band2	9538	2	NV	-20	-6.26	-0.003282	±2.5	PASS
Band2	9538	2	NV	-10	-5.39	-0.002826	±2.5	PASS
Band2	9538	2	NV	0	-4.45	-0.002333	±2.5	PASS
Band2	9538	2	NV	10	-6.38	-0.003345	±2.5	PASS
Band2	9538	2	NV	20	-6.44	-0.003376	±2.5	PASS
Band2	9538	2	NV	30	-4.88	-0.002558	±2.5	PASS
Band2	9538	2	NV	40	-5.69	-0.002983	±2.5	PASS
Band2	9538	2	NV	50	-6.19	-0.003245	±2.5	PASS
Band2	9538	3	NV	-30	-7.18	-0.003764	±2.5	PASS
Band2	9538	3	NV	-20	-5.49	-0.002878	±2.5	PASS
Band2	9538	3	NV	-10	-4.97	-0.002605	±2.5	PASS
Band2	9538	3	NV	0	-5.36	-0.002810	±2.5	PASS
Band2	9538	3	NV	10	-2.23	-0.001169	±2.5	PASS
Band2	9538	3	NV	20	-2.73	-0.001431	±2.5	PASS
Band2	9538	3	NV	30	-4.88	-0.002558	±2.5	PASS
Band2	9538	3	NV	40	-3.88	-0.002034	±2.5	PASS
Band2	9538	3	NV	50	-4.35	-0.002280	±2.5	PASS
Band2	9538	4	NV	-30	-3.82	-0.002003	±2.5	PASS
Band2	9538	4	NV	-20	-3.83	-0.002008	±2.5	PASS
Band2	9538	4	NV	-10	-3.60	-0.001887	±2.5	PASS
Band2	9538	4	NV	0	-5.54	-0.002904	±2.5	PASS
Band2	9538	4	NV	10	-4.36	-0.002286	±2.5	PASS
Band2	9538	4	NV	20	-4.50	-0.002359	±2.5	PASS
Band2	9538	4	NV	30	-5.86	-0.003072	±2.5	PASS
Band2	9538	4	NV	40	-2.77	-0.001452	±2.5	PASS
Band2	9538	4	NV	50	-4.79	-0.002511	±2.5	PASS



Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	1.76	0.000950	±2.5	PASS
Band2	9262	1	VL	NT	2.67	0.001441	±2.5	PASS
Band2	9262	1	VH	NT	1.44	0.000777	±2.5	PASS
Band2	9262	2	VN	NT	3.82	0.002062	±2.5	PASS
Band2	9262	2	VL	NT	3.33	0.001798	±2.5	PASS
Band2	9262	2	VH	NT	3.43	0.001852	±2.5	PASS
Band2	9262	3	VN	NT	3.90	0.002105	±2.5	PASS
Band2	9262	3	VL	NT	3.40	0.001835	±2.5	PASS
Band2	9262	3	VH	NT	3.48	0.001879	±2.5	PASS
Band2	9262	4	VN	NT	3.55	0.001916	±2.5	PASS
Band2	9262	4	VL	NT	3.98	0.002149	±2.5	PASS
Band2	9262	4	VH	NT	3.93	0.002122	±2.5	PASS
Band2	9262	5	VN	NT	5.64	0.003045	±2.5	PASS
Band2	9262	5	VL	NT	3.28	0.001771	±2.5	PASS
Band2	9262	5	VH	NT	6.09	0.003288	±2.5	PASS
Band2	9400	1	VN	NT	2.16	0.001149	±2.5	PASS
Band2	9400	1	VL	NT	6.56	0.003489	±2.5	PASS
Band2	9400	1	VH	NT	3.47	0.001846	±2.5	PASS
Band2	9400	2	VN	NT	3.13	0.001665	±2.5	PASS
Band2	9400	2	VL	NT	2.53	0.001346	±2.5	PASS
Band2	9400	2	VH	NT	3.48	0.001851	±2.5	PASS
Band2	9400	3	VN	NT	5.19	0.002761	±2.5	PASS
Band2	9400	3	VL	NT	4.22	0.002245	±2.5	PASS
Band2	9400	3	VH	NT	6.85	0.003644	±2.5	PASS
Band2	9400	4	VN	NT	4.70	0.002500	±2.5	PASS
Band2	9400	4	VL	NT	4.36	0.002319	±2.5	PASS
Band2	9400	4	VH	NT	2.64	0.001404	±2.5	PASS
Band2	9400	5	VN	NT	6.45	0.003431	±2.5	PASS
Band2	9400	5	VL	NT	3.35	0.001782	±2.5	PASS
Band2	9400	5	VH	NT	-0.21	-0.000112	±2.5	PASS
Band2	9538	1	VN	NT	3.03	0.001588	±2.5	PASS
Band2	9538	1	VL	NT	7.87	0.004126	±2.5	PASS
Band2	9538	1	VH	NT	6.74	0.003533	±2.5	PASS
Band2	9538	2	VN	NT	4.96	0.002600	±2.5	PASS
Band2	9538	2	VL	NT	1.85	0.000970	±2.5	PASS
Band2	9538	2	VH	NT	6.21	0.003255	±2.5	PASS
Band2	9538	3	VN	NT	2.71	0.001421	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com



Band2	9538	3	VL	NT	5.95	0.003119	±2.5	PASS
Band2	9538	3	VH	NT	5.84	0.003061	±2.5	PASS
Band2	9538	4	VN	NT	5.48	0.002873	±2.5	PASS
Band2	9538	4	VL	NT	1.84	0.000965	±2.5	PASS
Band2	9538	4	VH	NT	4.82	0.002527	±2.5	PASS
Band2	9538	5	VN	NT	7.83	0.004105	±2.5	PASS
Band2	9538	5	VL	NT	5.97	0.003130	±2.5	PASS
Band2	9538	5	VH	NT	4.57	0.002396	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	2.09	0.001128	±2.5	PASS
Band2	9262	1	NV	-20	2.25	0.001215	±2.5	PASS
Band2	9262	1	NV	-10	2.72	0.001468	±2.5	PASS
Band2	9262	1	NV	0	2.82	0.001522	±2.5	PASS
Band2	9262	1	NV	10	2.78	0.001501	±2.5	PASS
Band2	9262	1	NV	20	2.78	0.001501	±2.5	PASS
Band2	9262	1	NV	30	2.87	0.001549	±2.5	PASS
Band2	9262	1	NV	40	2.83	0.001528	±2.5	PASS
Band2	9262	1	NV	50	2.99	0.001614	±2.5	PASS
Band2	9262	2	NV	-30	3.10	0.001674	±2.5	PASS
Band2	9262	2	NV	-20	2.93	0.001582	±2.5	PASS
Band2	9262	2	NV	-10	3.40	0.001835	±2.5	PASS
Band2	9262	2	NV	0	3.19	0.001722	±2.5	PASS
Band2	9262	2	NV	10	4.08	0.002203	±2.5	PASS
Band2	9262	2	NV	20	4.13	0.002230	±2.5	PASS
Band2	9262	2	NV	30	3.48	0.001879	±2.5	PASS
Band2	9262	2	NV	40	3.90	0.002105	±2.5	PASS
Band2	9262	2	NV	50	3.74	0.002019	±2.5	PASS
Band2	9262	3	NV	-30	4.43	0.002391	±2.5	PASS
Band2	9262	3	NV	-20	3.54	0.001911	±2.5	PASS
Band2	9262	3	NV	-10	3.83	0.002068	±2.5	PASS
Band2	9262	3	NV	0	4.09	0.002208	±2.5	PASS
Band2	9262	3	NV	10	3.90	0.002105	±2.5	PASS
Band2	9262	3	NV	20	4.19	0.002262	±2.5	PASS
Band2	9262	3	NV	30	3.30	0.001781	±2.5	PASS
Band2	9262	3	NV	40	3.87	0.002089	±2.5	PASS
Band2	9262	3	NV	50	3.89	0.002100	±2.5	PASS
Band2	9262	4	NV	-30	3.58	0.001933	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com



Band2	9262	4	NV	-20	3.88	0.002095	±2.5	PASS
Band2	9262	4	NV	-10	3.78	0.002041	±2.5	PASS
Band2	9262	4	NV	0	2.41	0.001301	±2.5	PASS
Band2	9262	4	NV	10	3.65	0.001970	±2.5	PASS
Band2	9262	4	NV	20	4.01	0.002165	±2.5	PASS
Band2	9262	4	NV	30	3.59	0.001938	±2.5	PASS
Band2	9262	4	NV	40	4.07	0.002197	±2.5	PASS
Band2	9262	4	NV	50	3.79	0.002046	±2.5	PASS
Band2	9262	5	NV	-30	2.33	0.001258	±2.5	PASS
Band2	9262	5	NV	-20	2.36	0.001274	±2.5	PASS
Band2	9262	5	NV	-10	3.45	0.001862	±2.5	PASS
Band2	9262	5	NV	0	2.17	0.001171	±2.5	PASS
Band2	9262	5	NV	10	2.27	0.001225	±2.5	PASS
Band2	9262	5	NV	20	0.08	0.000043	±2.5	PASS
Band2	9262	5	NV	30	5.54	0.002991	±2.5	PASS
Band2	9262	5	NV	40	3.68	0.001987	±2.5	PASS
Band2	9262	5	NV	50	4.68	0.002526	±2.5	PASS
Band2	9400	1	NV	-30	5.56	0.002957	±2.5	PASS
Band2	9400	1	NV	-20	6.12	0.003255	±2.5	PASS
Band2	9400	1	NV	-10	3.58	0.001904	±2.5	PASS
Band2	9400	1	NV	0	5.67	0.003016	±2.5	PASS
Band2	9400	1	NV	10	4.96	0.002638	±2.5	PASS
Band2	9400	1	NV	20	5.21	0.002771	±2.5	PASS
Band2	9400	1	NV	30	4.23	0.002250	±2.5	PASS
Band2	9400	1	NV	40	5.76	0.003064	±2.5	PASS
Band2	9400	1	NV	50	2.80	0.001489	±2.5	PASS
Band2	9400	2	NV	-30	4.14	0.002202	±2.5	PASS
Band2	9400	2	NV	-20	5.89	0.003133	±2.5	PASS
Band2	9400	2	NV	-10	3.76	0.002000	±2.5	PASS
Band2	9400	2	NV	0	6.01	0.003197	±2.5	PASS
Band2	9400	2	NV	10	3.25	0.001729	±2.5	PASS
Band2	9400	2	NV	20	5.08	0.002702	±2.5	PASS
Band2	9400	2	NV	30	4.91	0.002612	±2.5	PASS
Band2	9400	2	NV	40	4.21	0.002239	±2.5	PASS
Band2	9400	2	NV	50	3.58	0.001904	±2.5	PASS
Band2	9400	3	NV	-30	5.09	0.002707	±2.5	PASS
Band2	9400	3	NV	-20	5.94	0.003160	±2.5	PASS
Band2	9400	3	NV	-10	6.41	0.003410	±2.5	PASS
Band2	9400	3	NV	0	6.16	0.003277	±2.5	PASS
Band2	9400	3	NV	10	5.13	0.002729	±2.5	PASS
Band2	9400	3	NV	20	3.45	0.001835	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com



Band2	9400	3	NV	30	3.39	0.001803	±2.5	PASS
Band2	9400	3	NV	40	4.99	0.002654	±2.5	PASS
Band2	9400	3	NV	50	1.85	0.000984	±2.5	PASS
Band2	9400	4	NV	-30	5.56	0.002957	±2.5	PASS
Band2	9400	4	NV	-20	4.03	0.002144	±2.5	PASS
Band2	9400	4	NV	-10	3.81	0.002027	±2.5	PASS
Band2	9400	4	NV	0	5.30	0.002819	±2.5	PASS
Band2	9400	4	NV	10	2.09	0.001112	±2.5	PASS
Band2	9400	4	NV	20	3.23	0.001718	±2.5	PASS
Band2	9400	4	NV	30	3.34	0.001777	±2.5	PASS
Band2	9400	4	NV	40	3.57	0.001899	±2.5	PASS
Band2	9400	4	NV	50	5.31	0.002824	±2.5	PASS
Band2	9400	5	NV	-30	8.36	0.004447	±2.5	PASS
Band2	9400	5	NV	-20	3.10	0.001649	±2.5	PASS
Band2	9400	5	NV	-10	2.70	0.001436	±2.5	PASS
Band2	9400	5	NV	0	3.55	0.001888	±2.5	PASS
Band2	9400	5	NV	10	2.69	0.001431	±2.5	PASS
Band2	9400	5	NV	20	0.33	0.000176	±2.5	PASS
Band2	9400	5	NV	30	9.44	0.005021	±2.5	PASS
Band2	9400	5	NV	40	6.19	0.003293	±2.5	PASS
Band2	9400	5	NV	50	2.44	0.001298	±2.5	PASS
Band2	9538	1	NV	-30	4.67	0.002448	±2.5	PASS
Band2	9538	1	NV	-20	3.85	0.002018	±2.5	PASS
Band2	9538	1	NV	-10	2.90	0.001520	±2.5	PASS
Band2	9538	1	NV	0	4.48	0.002349	±2.5	PASS
Band2	9538	1	NV	10	3.95	0.002071	±2.5	PASS
Band2	9538	1	NV	20	3.68	0.001929	±2.5	PASS
Band2	9538	1	NV	30	2.27	0.001190	±2.5	PASS
Band2	9538	1	NV	40	2.05	0.001075	±2.5	PASS
Band2	9538	1	NV	50	5.59	0.002930	±2.5	PASS
Band2	9538	2	NV	-30	5.61	0.002941	±2.5	PASS
Band2	9538	2	NV	-20	4.05	0.002123	±2.5	PASS
Band2	9538	2	NV	-10	3.62	0.001898	±2.5	PASS
Band2	9538	2	NV	0	2.95	0.001546	±2.5	PASS
Band2	9538	2	NV	10	5.01	0.002626	±2.5	PASS
Band2	9538	2	NV	20	5.76	0.003020	±2.5	PASS
Band2	9538	2	NV	30	5.56	0.002915	±2.5	PASS
Band2	9538	2	NV	40	2.94	0.001541	±2.5	PASS
Band2	9538	2	NV	50	2.52	0.001321	±2.5	PASS
Band2	9538	3	NV	-30	6.02	0.003156	±2.5	PASS
Band2	9538	3	NV	-20	2.90	0.001520	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com



Band2	9538	3	NV	-10	4.19	0.002196	±2.5	PASS
Band2	9538	3	NV	0	4.51	0.002364	±2.5	PASS
Band2	9538	3	NV	10	3.59	0.001882	±2.5	PASS
Band2	9538	3	NV	20	6.05	0.003172	±2.5	PASS
Band2	9538	3	NV	30	6.44	0.003376	±2.5	PASS
Band2	9538	3	NV	40	4.31	0.002259	±2.5	PASS
Band2	9538	3	NV	50	4.10	0.002149	±2.5	PASS
Band2	9538	4	NV	-30	5.26	0.002757	±2.5	PASS
Band2	9538	4	NV	-20	5.16	0.002705	±2.5	PASS
Band2	9538	4	NV	-10	4.36	0.002286	±2.5	PASS
Band2	9538	4	NV	0	2.10	0.001101	±2.5	PASS
Band2	9538	4	NV	10	4.78	0.002506	±2.5	PASS
Band2	9538	4	NV	20	4.73	0.002480	±2.5	PASS
Band2	9538	4	NV	30	6.36	0.003334	±2.5	PASS
Band2	9538	4	NV	40	4.54	0.002380	±2.5	PASS
Band2	9538	4	NV	50	4.16	0.002181	±2.5	PASS
Band2	9538	5	NV	-30	3.37	0.001767	±2.5	PASS
Band2	9538	5	NV	-20	3.15	0.001651	±2.5	PASS
Band2	9538	5	NV	-10	3.20	0.001678	±2.5	PASS
Band2	9538	5	NV	0	4.32	0.002265	±2.5	PASS
Band2	9538	5	NV	10	1.65	0.000865	±2.5	PASS
Band2	9538	5	NV	20	2.68	0.001405	±2.5	PASS
Band2	9538	5	NV	30	3.77	0.001976	±2.5	PASS
Band2	9538	5	NV	40	5.41	0.002836	±2.5	PASS
Band2	9538	5	NV	50	4.03	0.002113	±2.5	PASS

---END---

