

Appendix Test Data

Report No.:	182512C400497106	Test Sample No.:	1-2-2
Start Test Date:	2024.7.19	Finish Test Date:	2024.8.13
Test Engineer:	Hayman Chen	Auditor:	Justin Feng
Temperature:	24.3℃	Relative Humidity:	57 %
Pressure:	101 kPa		

Appendix A: Conducted Output Power

Test Result

Band	Channel	Power(dBm)	Limit(dBm)	Verdict
Band5	4132	21.65	38.45	PASS
Band5	4182	21.74	38.45	PASS
Band5	4233	22.36	38.45	PASS

Band	Channel	SubTest	Power(dBm)	Limit(dBm)	Verdict
Band5	4132	1	21.11	38.5	PASS
Band5	4182	1	21.11	38.5	PASS
Band5	4233	1	21.75	38.5	PASS
Band5	4132	2	20.40	38.5	PASS
Band5	4182	2	20.51	38.5	PASS
Band5	4233	2	21.00	38.5	PASS
Band5	4132	3	20.40	38.5	PASS
Band5	4182	3	20.61	38.5	PASS
Band5	4233	3	21.08	38.5	PASS
Band5	4132	4	20.39	38.5	PASS
Band5	4182	4	20.60	38.5	PASS
Band5	4233	4	21.07	38.5	PASS

Band	Channel	SubTest	Power(dBm)	Limit(dBm)	Verdict
Band5	4132	1	20.93	38.5	PASS
Band5	4182	1	21.04	38.5	PASS
Band5	4233	1	21.61	38.5	PASS
Band5	4132	2	18.89	38.5	PASS
Band5	4182	2	19.07	38.5	PASS
Band5	4233	2	19.75	38.5	PASS
Band5	4132	3	19.83	38.5	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline
400-003-0500
www.anbotech.com



Band5	4182	3	20.10	38.5	PASS
Band5	4233	3	20.61	38.5	PASS
Band5	4132	4	18.82	38.5	PASS
Band5	4182	4	19.11	38.5	PASS
Band5	4233	4	19.67	38.5	PASS
Band5	4132	5	21.57	38.5	PASS
Band5	4182	5	21.02	38.5	PASS
Band5	4233	5	21.75	38.5	PASS



Appendix B: Peak-to-Average Ratio

Test Result


Band	Channel	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band5	4132	2.92	13	PASS
Band5	4182	2.98	13	PASS
Band5	4233	2.94	13	PASS


Band	Channel	SubTest	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band5	4132	1	3.11	13	PASS
Band5	4182	1	3.13	13	PASS
Band5	4233	1	3.07	13	PASS
Band5	4132	2	3.48	13	PASS
Band5	4182	2	3.54	13	PASS
Band5	4233	2	3.64	13	PASS
Band5	4132	3	3.68	13	PASS
Band5	4182	3	3.74	13	PASS
Band5	4233	3	3.86	13	PASS
Band5	4132	4	3.72	13	PASS
Band5	4182	4	3.8	13	PASS
Band5	4233	4	3.91	13	PASS

Band	Channel	SubTest	Peak-to-Average Ratio(dB)	Limit(dB)	Verdict
Band5	4132	1	4.13	13	PASS
Band5	4182	1	4.32	13	PASS
Band5	4233	1	4.26	13	PASS
Band5	4132	2	5.38	13	PASS
Band5	4182	2	5.44	13	PASS
Band5	4233	2	5.4	13	PASS
Band5	4132	3	5.13	13	PASS
Band5	4182	3	5.23	13	PASS
Band5	4233	3	5.17	13	PASS
Band5	4132	4	3.25	13	PASS
Band5	4182	4	3.24	13	PASS
Band5	4233	4	5.15	13	PASS
Band5	4132	5	4.05	13	PASS
Band5	4182	5	4.13	13	PASS
Band5	4233	5	4.11	13	PASS




Test Graphs






Band5-4132-1-PASS




Band5-4182-1-PASS




Band5-4233-1-PASS






Band5-4132-2-PASS




Band5-4182-2-PASS




Band5-4233-2-PASS






Band5-4132-3-PASS




Band5-4182-3-PASS




Band5-4233-3-PASS






Band5-4132-4-PASS




Band5-4182-4-PASS




Band5-4233-4-PASS






Band5-4132-1-PASS




Band5-4182-1-PASS




Band5-4233-1-PASS






Band5-4132-2-PASS




Band5-4182-2-PASS




Band5-4233-2-PASS






Band5-4132-3-PASS




Band5-4182-3-PASS




Band5-4233-3-PASS






Band5-4132-4-PASS




Band5-4182-4-PASS




Band5-4233-4-PASS






Band5-4132-5-PASS



Band5-4182-5-PASS



Band5-4233-5-PASS



Appendix C:26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band5	4132	4.1288	4.716	---	PASS
Band5	4182	4.1341	4.707	---	PASS
Band5	4233	4.1322	4.706	---	PASS

Band	Channel	SubTest	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band5	4132	1	4.1244	4.704	---	PASS
Band5	4182	1	4.1310	4.715	---	PASS
Band5	4233	1	4.1386	4.715	---	PASS
Band5	4132	2	4.1264	4.717	---	PASS
Band5	4182	2	4.1335	4.705	---	PASS
Band5	4233	2	4.1289	4.707	---	PASS
Band5	4132	3	4.1252	4.734	---	PASS
Band5	4182	3	4.1386	4.726	---	PASS
Band5	4233	3	4.1464	4.703	---	PASS
Band5	4132	4	4.1256	4.710	---	PASS
Band5	4182	4	4.1400	4.728	---	PASS
Band5	4233	4	4.1390	4.708	---	PASS

Band	Channel	SubTest	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit(kHz)	Verdict
Band5	4132	1	4.1552	4.732	---	PASS
Band5	4182	1	4.1518	4.715	---	PASS
Band5	4233	1	4.1572	4.719	---	PASS
Band5	4132	2	4.1445	4.728	---	PASS
Band5	4182	2	4.1433	4.719	---	PASS
Band5	4233	2	4.1519	4.723	---	PASS
Band5	4132	3	4.1549	4.725	---	PASS
Band5	4182	3	4.1547	4.725	---	PASS
Band5	4233	3	4.1554	4.728	---	PASS
Band5	4132	4	4.1367	4.723	---	PASS
Band5	4182	4	4.1368	4.711	---	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel:(86)0755-26066440 Email:service@anbotek.com



Hotline
400-003-0500


www.anbotek.com



Band5	4233	4	4.1357	4.713	---	PASS
Band5	4132	5	4.1279	4.720	---	PASS
Band5	4182	5	4.1400	4.710	---	PASS
Band5	4233	5	4.1379	4.716	---	PASS



Test Graphs





Band5-4132-1-PASS




Band5-4182-1-PASS




Band5-4233-1-PASS






Band5-4132-2-PASS



Band5-4182-2-PASS



Band5-4233-2-PASS






Band5-4132-3-PASS



Band5-4182-3-PASS




Band5-4233-3-PASS






Band5-4132-4-PASS




Band5-4182-4-PASS




Band5-4233-4-PASS





Band5-4132-1-PASS




Band5-4182-1-PASS




Band5-4233-1-PASS






Band5-4132-2-PASS




Band5-4182-2-PASS




Band5-4233-2-PASS






Band5-4132-3-PASS




Band5-4182-3-PASS




Band5-4233-3-PASS






Band5-4132-4-PASS



Band5-4182-4-PASS




Band5-4233-4-PASS






Band5-4132-5-PASS



Band5-4182-5-PASS



Band5-4233-5-PASS



Appendix D:Band Edge

Test Result

Band	Channel	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band5	4132	824.00	-26.79	-13	PASS
Band5	4233	849.00	-26.41	-13	PASS

Band	Channel	SubTest	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band5	4132	1	824.00	-28.81	-13	PASS
Band5	4233	1	849.00	-28.22	-13	PASS
Band5	4132	2	824.00	-28.21	-13	PASS
Band5	4233	2	849.00	-28.35	-13	PASS
Band5	4132	3	824.00	-27.58	-13	PASS
Band5	4233	3	849.00	-28.44	-13	PASS
Band5	4132	4	824.00	-27.73	-13	PASS
Band5	4233	4	849.00	-28.56	-13	PASS

Band	Channel	SubTest	Frequency (MHz)	Result (dBm)	Limit(dBm)	Verdict
Band5	4132	1	824.00	-27.55	-13	PASS
Band5	4233	1	849.00	-27.83	-13	PASS
Band5	4132	2	824.00	-29.25	-13	PASS
Band5	4233	2	849.00	-30.23	-13	PASS
Band5	4132	3	824.00	-29.05	-13	PASS
Band5	4233	3	849.00	-29.29	-13	PASS
Band5	4132	4	824.00	-29.48	-13	PASS
Band5	4233	4	849.00	-30.45	-13	PASS
Band5	4132	5	824.00	-27.24	-13	PASS
Band5	4233	5	849.00	-28.66	-13	PASS



Test Graphs





Band5-4132-1-PASS



Band5-4233-1-PASS



Band5-4132-2-PASS





Band5-4233-2-PASS



Band5-4132-3-PASS



Band5-4233-3-PASS





Band5-4132-4-PASS



Band5-4233-4-PASS





Band5-4132-1-PASS



Band5-4233-1-PASS



Band5-4132-2-PASS





Band5-4233-2-PASS



Band5-4132-3-PASS



Band5-4233-3-PASS





Band5-4132-4-PASS



Band5-4233-4-PASS



Band5-4132-5-PASS





Appendix E: Conducted Spurious Emission

Test Result

Band	Channel	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band5	4132	0.009~0.15MHz	0.01	-51.36	-33	PASS
Band5	4132	0.15~30MHz	0.15	-51.85	-23	PASS
Band5	4132	30~1000MHz	948.59	-60.61	-13	PASS
Band5	4132	1000~10000MHz	5923	-46.07	-13	PASS
Band5	4182	0.009~0.15MHz	0.01	-50.73	-33	PASS
Band5	4182	0.15~30MHz	0.15	-52.35	-23	PASS
Band5	4182	30~1000MHz	979.63	-60.57	-13	PASS
Band5	4182	1000~10000MHz	5608	-46.5	-13	PASS
Band5	4233	0.009~0.15MHz	0.01	-48.56	-33	PASS
Band5	4233	0.15~30MHz	0.15	-52.74	-23	PASS
Band5	4233	30~1000MHz	947.14	-60.71	-13	PASS
Band5	4233	1000~10000MHz	5931.55	-46.57	-13	PASS

Band	Channel	SubTest	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band5	4132	1	0.009~0.15MHz	0.01	-51.35	-33	PASS
Band5	4132	1	0.15~30MHz	0.15	-50.19	-23	PASS
Band5	4132	1	30~1000MHz	937.44	-60.22	-13	PASS
Band5	4132	1	1000~10000MHz	5599.9	-46.29	-13	PASS
Band5	4182	1	0.009~0.15MHz	0.01	-49.33	-33	PASS
Band5	4182	1	0.15~30MHz	0.15	-51.58	-23	PASS
Band5	4182	1	30~1000MHz	938.41	-60.34	-13	PASS
Band5	4182	1	1000~10000MHz	5566.15	-46.45	-13	PASS
Band5	4233	1	0.009~0.15MHz	0.01	-49.15	-33	PASS
Band5	4233	1	0.15~30MHz	0.15	-51.58	-23	PASS
Band5	4233	1	30~1000MHz	660.99	-60.49	-13	PASS
Band5	4233	1	1000~10000MHz	5928.4	-46.07	-13	PASS
Band5	4132	2	0.009~0.15MHz	0.01	-51.52	-33	PASS
Band5	4132	2	0.15~30MHz	0.15	-52.44	-23	PASS
Band5	4132	2	30~1000MHz	930.65	-60.1	-13	PASS
Band5	4132	2	1000~10000MHz	5916.25	-46.44	-13	PASS
Band5	4182	2	0.009~0.15MHz	0.01	-52.18	-33	PASS
Band5	4182	2	0.15~30MHz	0.15	-51.53	-23	PASS
Band5	4182	2	30~1000MHz	946.65	-60.74	-13	PASS
Band5	4182	2	1000~10000MHz	5941.45	-46.1	-13	PASS
Band5	4233	2	0.009~0.15MHz	0.01	-53.73	-33	PASS
Band5	4233	2	0.15~30MHz	0.15	-51.34	-23	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com



Band5	4233	2	30~1000MHz	988.85	-60.36	-13	PASS
Band5	4233	2	1000~10000MHz	6738.85	-46.61	-13	PASS
Band5	4132	3	0.009~0.15MHz	0.01	-50.19	-33	PASS
Band5	4132	3	0.15~30MHz	0.15	-51.85	-23	PASS
Band5	4132	3	30~1000MHz	963.63	-60.61	-13	PASS
Band5	4132	3	1000~10000MHz	5946.4	-46.41	-13	PASS
Band5	4182	3	0.009~0.15MHz	0.01	-49.77	-33	PASS
Band5	4182	3	0.15~30MHz	0.15	-51.71	-23	PASS
Band5	4182	3	30~1000MHz	951.02	-60.64	-13	PASS
Band5	4182	3	1000~10000MHz	5882.5	-46.49	-13	PASS
Band5	4233	3	0.009~0.15MHz	0.01	-49.37	-33	PASS
Band5	4233	3	0.15~30MHz	0.15	-51.82	-23	PASS
Band5	4233	3	30~1000MHz	957.81	-60.38	-13	PASS
Band5	4233	3	1000~10000MHz	5542.75	-46.15	-13	PASS
Band5	4132	4	0.009~0.15MHz	0.01	-51.53	-33	PASS
Band5	4132	4	0.15~30MHz	0.15	-51.96	-23	PASS
Band5	4132	4	30~1000MHz	961.69	-60.06	-13	PASS
Band5	4132	4	1000~10000MHz	5691.7	-46.33	-13	PASS
Band5	4182	4	0.009~0.15MHz	0.01	-51.74	-33	PASS
Band5	4182	4	0.15~30MHz	0.15	-52.96	-23	PASS
Band5	4182	4	30~1000MHz	979.15	-60.02	-13	PASS
Band5	4182	4	1000~10000MHz	5657.5	-46.55	-13	PASS
Band5	4233	4	0.009~0.15MHz	0.01	-50.51	-33	PASS
Band5	4233	4	0.15~30MHz	0.15	-52.03	-23	PASS
Band5	4233	4	30~1000MHz	976.24	-60.71	-13	PASS
Band5	4233	4	1000~10000MHz	5529.25	-46.38	-13	PASS

Band	Channel	SubTest	Frequency Range (Mhz)	Frequency (dBm)	Result (dBm)	Limit (dBm)	Verdict
Band5	4132	1	0.009~0.15MHz	0.01	-52.58	-33	PASS
Band5	4132	1	0.15~30MHz	0.15	-52.78	-23	PASS
Band5	4132	1	30~1000MHz	938.89	-60.55	-13	PASS
Band5	4132	1	1000~10000MHz	5619.25	-46.39	-13	PASS
Band5	4182	1	0.009~0.15MHz	0.01	-49.4	-33	PASS
Band5	4182	1	0.15~30MHz	0.15	-53.24	-23	PASS
Band5	4182	1	30~1000MHz	966.54	-60.59	-13	PASS
Band5	4182	1	1000~10000MHz	5630.95	-46.43	-13	PASS
Band5	4233	1	0.009~0.15MHz	0.01	-51.34	-33	PASS
Band5	4233	1	0.15~30MHz	0.15	-52.38	-23	PASS
Band5	4233	1	30~1000MHz	949.56	-60.41	-13	PASS
Band5	4233	1	1000~10000MHz	5180.05	-46.16	-13	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com



Band5	4132	2	0.009~0.15MHz	0.01	-50.62	-33	PASS
Band5	4132	2	0.15~30MHz	0.15	-50.86	-23	PASS
Band5	4132	2	30~1000MHz	966.05	-60.39	-13	PASS
Band5	4132	2	1000~10000MHz	5562.1	-46.25	-13	PASS
Band5	4182	2	0.009~0.15MHz	0.01	-52.54	-33	PASS
Band5	4182	2	0.15~30MHz	0.15	-52.59	-23	PASS
Band5	4182	2	30~1000MHz	955.38	-60.53	-13	PASS
Band5	4182	2	1000~10000MHz	5612.95	-46.26	-13	PASS
Band5	4233	2	0.009~0.15MHz	0.01	-47.79	-33	PASS
Band5	4233	2	0.15~30MHz	0.15	-51.65	-23	PASS
Band5	4233	2	30~1000MHz	952.47	-60.76	-13	PASS
Band5	4233	2	1000~10000MHz	5663.35	-46.4	-13	PASS
Band5	4132	3	0.009~0.15MHz	0.01	-50.61	-33	PASS
Band5	4132	3	0.15~30MHz	0.15	-50.43	-23	PASS
Band5	4132	3	30~1000MHz	966.54	-60.28	-13	PASS
Band5	4132	3	1000~10000MHz	5504.05	-46.52	-13	PASS
Band5	4182	3	0.009~0.15MHz	0.01	-50.06	-33	PASS
Band5	4182	3	0.15~30MHz	0.15	-51.28	-23	PASS
Band5	4182	3	30~1000MHz	974.3	-60.21	-13	PASS
Band5	4182	3	1000~10000MHz	5650.3	-46.24	-13	PASS
Band5	4233	3	0.009~0.15MHz	0.01	-52	-33	PASS
Band5	4233	3	0.15~30MHz	0.15	-49.59	-23	PASS
Band5	4233	3	30~1000MHz	741.98	-60.5	-13	PASS
Band5	4233	3	1000~10000MHz	5906.35	-46.27	-13	PASS
Band5	4132	4	0.009~0.15MHz	0.01	-49.97	-33	PASS
Band5	4132	4	0.15~30MHz	0.15	-52.35	-23	PASS
Band5	4132	4	30~1000MHz	958.78	-60.72	-13	PASS
Band5	4132	4	1000~10000MHz	5915.8	-46.18	-13	PASS
Band5	4182	4	0.009~0.15MHz	0.01	-52.5	-33	PASS
Band5	4182	4	0.15~30MHz	0.15	-50.7	-23	PASS
Band5	4182	4	30~1000MHz	949.56	-60.59	-13	PASS
Band5	4182	4	1000~10000MHz	5953.15	-46.46	-13	PASS
Band5	4233	4	0.009~0.15MHz	0.01	-48.28	-33	PASS
Band5	4233	4	0.15~30MHz	0.15	-51.49	-23	PASS
Band5	4233	4	30~1000MHz	964.6	-60.08	-13	PASS
Band5	4233	4	1000~10000MHz	5554.45	-46.44	-13	PASS
Band5	4132	5	0.009~0.15MHz	0.01	-50.75	-33	PASS
Band5	4132	5	0.15~30MHz	0.15	-51.32	-23	PASS
Band5	4132	5	30~1000MHz	990.79	-60.11	-13	PASS
Band5	4132	5	1000~10000MHz	5716.9	-46.47	-13	PASS
Band5	4182	5	0.009~0.15MHz	0.01	-51.86	-33	PASS
Band5	4182	5	0.15~30MHz	0.15	-52.42	-23	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500


www.anbotek.com



Band5	4182	5	30~1000MHz	940.35	-60.53	-13	PASS
Band5	4182	5	1000~10000MHz	5532.85	-46.33	-13	PASS
Band5	4233	5	0.009~0.15MHz	0.01	-51.76	-33	PASS
Band5	4233	5	0.15~30MHz	0.15	-50.71	-23	PASS
Band5	4233	5	30~1000MHz	971.87	-60.53	-13	PASS
Band5	4233	5	1000~10000MHz	5892.4	-46.53	-13	PASS



Test Graphs



Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 0755-26066440 Email: service@anbotek.com





Hotline

400-003-0500


www.anbotek.com








Band5-4132-1-0.009~0.15MHz-PASS




Band5-4132-1-0.15~30MHz-PASS




Band5-4132-1-30~1000MHz-PASS






Band5-4132-1-1000~10000MHz-PASS




Band5-4182-1-0.009~0.15MHz-PASS




Band5-4182-1-0.15~30MHz-PASS






Band5-4182-1-30~1000MHz-PASS




Band5-4182-1-1000~10000MHz-PASS




Band5-4233-1-0.009~0.15MHz-PASS






Band5-4233-1-0.15~30MHz-PASS




Band5-4233-1-30~1000MHz-PASS




Band5-4233-1-1000~10000MHz-PASS






Band5-4132-2-0.009~0.15MHz-PASS




Band5-4132-2-0.15~30MHz-PASS




Band5-4132-2-30~1000MHz-PASS






Band5-4132-2-1000~10000MHz-PASS




Band5-4182-2-0.009~0.15MHz-PASS




Band5-4182-2-0.15~30MHz-PASS






Band5-4182-2-30~1000MHz-PASS




Band5-4182-2-1000~10000MHz-PASS




Band5-4233-2-0.009~0.15MHz-PASS






Band5-4233-2-0.15~30MHz-PASS




Band5-4233-2-30~1000MHz-PASS




Band5-4233-2-1000~10000MHz-PASS






Band5-4132-3-0.009~0.15MHz-PASS




Band5-4132-3-0.15~30MHz-PASS




Band5-4132-3-30~1000MHz-PASS






Band5-4132-3-1000~10000MHz-PASS




Band5-4182-3-0.009~0.15MHz-PASS




Band5-4182-3-0.15~30MHz-PASS






Band5-4182-3-30~1000MHz-PASS




Band5-4182-3-1000~10000MHz-PASS




Band5-4233-3-0.009~0.15MHz-PASS





Band5-4233-3-0.15~30MHz-PASS




Band5-4233-3-30~1000MHz-PASS




Band5-4233-3-1000~10000MHz-PASS






Band5-4132-4-0.009~0.15MHz-PASS




Band5-4132-4-0.15~30MHz-PASS




Band5-4132-4-30~1000MHz-PASS






Band5-4132-4-1000~10000MHz-PASS




Band5-4182-4-0.009~0.15MHz-PASS




Band5-4182-4-0.15~30MHz-PASS






Band5-4182-4-30~1000MHz-PASS




Band5-4182-4-1000~10000MHz-PASS




Band5-4233-4-0.009~0.15MHz-PASS






Band5-4233-4-0.15~30MHz-PASS




Band5-4233-4-30~1000MHz-PASS




Band5-4233-4-1000~10000MHz-PASS






Band5-4132-1-0.009~0.15MHz-PASS




Band5-4132-1-0.15~30MHz-PASS




Band5-4132-1-30~1000MHz-PASS






Band5-4132-1-1000~10000MHz-PASS




Band5-4182-1-0.009~0.15MHz-PASS



Band5-4182-1-0.15~30MHz-PASS






Band5-4182-1-30~1000MHz-PASS




Band5-4182-1-1000~10000MHz-PASS




Band5-4233-1-0.009~0.15MHz-PASS






Band5-4233-1-0.15~30MHz-PASS




Band5-4233-1-30~1000MHz-PASS




Band5-4233-1-1000~10000MHz-PASS






Band5-4132-2-0.009~0.15MHz-PASS




Band5-4132-2-0.15~30MHz-PASS




Band5-4132-2-30~1000MHz-PASS






Band5-4132-2-1000~10000MHz-PASS




Band5-4182-2-0.009~0.15MHz-PASS




Band5-4182-2-0.15~30MHz-PASS





Band5-4182-2-30~1000MHz-PASS




Band5-4182-2-1000~10000MHz-PASS




Band5-4233-2-0.009~0.15MHz-PASS






Band5-4233-2-0.15~30MHz-PASS




Band5-4233-2-30~1000MHz-PASS




Band5-4233-2-1000~10000MHz-PASS






Band5-4132-3-0.009~0.15MHz-PASS




Band5-4132-3-0.15~30MHz-PASS




Band5-4132-3-30~1000MHz-PASS






Band5-4132-3-1000~10000MHz-PASS




Band5-4182-3-0.009~0.15MHz-PASS




Band5-4182-3-0.15~30MHz-PASS






Band5-4182-3-30~1000MHz-PASS




Band5-4182-3-1000~10000MHz-PASS




Band5-4233-3-0.009~0.15MHz-PASS






Band5-4233-3-0.15~30MHz-PASS




Band5-4233-3-30~1000MHz-PASS




Band5-4233-3-1000~10000MHz-PASS






Band5-4132-4-0.009~0.15MHz-PASS




Band5-4132-4-0.15~30MHz-PASS




Band5-4132-4-30~1000MHz-PASS






Band5-4132-4-1000~10000MHz-PASS




Band5-4182-4-0.009~0.15MHz-PASS




Band5-4182-4-0.15~30MHz-PASS






Band5-4182-4-30~1000MHz-PASS




Band5-4182-4-1000~10000MHz-PASS




Band5-4233-4-0.009~0.15MHz-PASS






Band5-4233-4-0.15~30MHz-PASS




Band5-4233-4-30~1000MHz-PASS




Band5-4233-4-1000~10000MHz-PASS






Band5-4132-5-0.009~0.15MHz-PASS




Band5-4132-5-0.15~30MHz-PASS




Band5-4132-5-30~1000MHz-PASS






Band5-4132-5-1000~10000MHz-PASS




Band5-4182-5-0.009~0.15MHz-PASS




Band5-4182-5-0.15~30MHz-PASS






Band5-4182-5-30~1000MHz-PASS




Band5-4182-5-1000~10000MHz-PASS




Band5-4233-5-0.009~0.15MHz-PASS





Band5-4233-5-0.15~30MHz-PASS



Band5-4233-5-30~1000MHz-PASS



Band5-4233-5-1000~10000MHz-PASS



Appendix F: Frequency stability VS Voltage measurement

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	VN	NT	-1.27	-0.001537	±2.5	PASS
Band5	4132	VL	NT	-0.63	-0.000762	±2.5	PASS
Band5	4132	VH	NT	-0.36	-0.000436	±2.5	PASS
Band5	4182	VN	NT	-0.54	-0.000646	±2.5	PASS
Band5	4182	VL	NT	0.05	0.000060	±2.5	PASS
Band5	4182	VH	NT	-0.63	-0.000753	±2.5	PASS
Band5	4233	VN	NT	-1.29	-0.001524	±2.5	PASS
Band5	4233	VL	NT	-0.99	-0.001169	±2.5	PASS
Band5	4233	VH	NT	-0.67	-0.000791	±2.5	PASS



Appendix G: Frequency stability VS Temperature measurement

Test Result

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	NV	-30	-0.11	-0.000133	±2.5	PASS
Band5	4132	NV	-20	-1.29	-0.001561	±2.5	PASS
Band5	4132	NV	-10	-0.81	-0.000980	±2.5	PASS
Band5	4132	NV	0	-0.70	-0.000847	±2.5	PASS
Band5	4132	NV	10	-0.89	-0.001077	±2.5	PASS
Band5	4132	NV	20	-0.84	-0.001016	±2.5	PASS
Band5	4132	NV	30	-0.59	-0.000714	±2.5	PASS
Band5	4132	NV	40	-0.55	-0.000666	±2.5	PASS
Band5	4132	NV	50	-1.14	-0.001379	±2.5	PASS
Band5	4182	NV	-30	-0.98	-0.001172	±2.5	PASS
Band5	4182	NV	-20	-0.64	-0.000765	±2.5	PASS
Band5	4182	NV	-10	-0.19	-0.000227	±2.5	PASS
Band5	4182	NV	0	0.26	0.000311	±2.5	PASS
Band5	4182	NV	10	-0.52	-0.000622	±2.5	PASS
Band5	4182	NV	20	-0.54	-0.000646	±2.5	PASS
Band5	4182	NV	30	-0.24	-0.000287	±2.5	PASS
Band5	4182	NV	40	-0.34	-0.000407	±2.5	PASS
Band5	4182	NV	50	0.09	0.000108	±2.5	PASS
Band5	4233	NV	-30	-0.44	-0.000520	±2.5	PASS
Band5	4233	NV	-20	-1.54	-0.001819	±2.5	PASS
Band5	4233	NV	-10	-1.25	-0.001476	±2.5	PASS
Band5	4233	NV	0	-1.77	-0.002091	±2.5	PASS
Band5	4233	NV	10	-1.19	-0.001406	±2.5	PASS
Band5	4233	NV	20	-0.90	-0.001063	±2.5	PASS
Band5	4233	NV	30	-1.08	-0.001276	±2.5	PASS
Band5	4233	NV	40	-0.39	-0.000461	±2.5	PASS
Band5	4233	NV	50	-1.11	-0.001311	±2.5	PASS



Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VN	NT	-1.18	-0.001428	±2.5	PASS
Band5	4132	1	VL	NT	-1.47	-0.001779	±2.5	PASS
Band5	4132	1	VH	NT	-1.54	-0.001864	±2.5	PASS
Band5	4132	2	VN	NT	-1.60	-0.001936	±2.5	PASS
Band5	4132	2	VL	NT	-1.14	-0.001379	±2.5	PASS
Band5	4132	2	VH	NT	-1.84	-0.002227	±2.5	PASS
Band5	4132	3	VN	NT	-1.11	-0.001343	±2.5	PASS
Band5	4132	3	VL	NT	-1.34	-0.001621	±2.5	PASS
Band5	4132	3	VH	NT	-1.34	-0.001621	±2.5	PASS
Band5	4132	4	VN	NT	-0.93	-0.001125	±2.5	PASS
Band5	4132	4	VL	NT	-1.32	-0.001597	±2.5	PASS
Band5	4132	4	VH	NT	-1.29	-0.001561	±2.5	PASS
Band5	4182	1	VN	NT	-0.94	-0.001124	±2.5	PASS
Band5	4182	1	VL	NT	-0.71	-0.000849	±2.5	PASS
Band5	4182	1	VH	NT	-1.30	-0.001554	±2.5	PASS
Band5	4182	2	VN	NT	-0.98	-0.001172	±2.5	PASS
Band5	4182	2	VL	NT	-1.81	-0.002164	±2.5	PASS
Band5	4182	2	VH	NT	-1.44	-0.001722	±2.5	PASS
Band5	4182	3	VN	NT	-0.68	-0.000813	±2.5	PASS
Band5	4182	3	VL	NT	-1.14	-0.001363	±2.5	PASS
Band5	4182	3	VH	NT	-0.60	-0.000717	±2.5	PASS
Band5	4182	4	VN	NT	-1.08	-0.001291	±2.5	PASS
Band5	4182	4	VL	NT	-1.15	-0.001375	±2.5	PASS
Band5	4182	4	VH	NT	-1.49	-0.001781	±2.5	PASS
Band5	4233	1	VN	NT	-0.74	-0.000874	±2.5	PASS
Band5	4233	1	VL	NT	-1.49	-0.001760	±2.5	PASS
Band5	4233	1	VH	NT	-1.15	-0.001358	±2.5	PASS
Band5	4233	2	VN	NT	-0.61	-0.000721	±2.5	PASS
Band5	4233	2	VL	NT	-1.34	-0.001583	±2.5	PASS
Band5	4233	2	VH	NT	-1.32	-0.001559	±2.5	PASS
Band5	4233	3	VN	NT	-1.07	-0.001264	±2.5	PASS
Band5	4233	3	VL	NT	-0.82	-0.000969	±2.5	PASS
Band5	4233	3	VH	NT	-0.77	-0.000910	±2.5	PASS
Band5	4233	4	VN	NT	-1.70	-0.002008	±2.5	PASS
Band5	4233	4	VL	NT	-1.56	-0.001843	±2.5	PASS
Band5	4233	4	VH	NT	-1.65	-0.001949	±2.5	PASS



Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	-30	-2.07	-0.002505	±2.5	PASS
Band5	4132	1	NV	-20	-1.03	-0.001246	±2.5	PASS
Band5	4132	1	NV	-10	-1.17	-0.001416	±2.5	PASS
Band5	4132	1	NV	0	-1.75	-0.002118	±2.5	PASS
Band5	4132	1	NV	10	-1.17	-0.001416	±2.5	PASS
Band5	4132	1	NV	20	-0.82	-0.000992	±2.5	PASS
Band5	4132	1	NV	30	-0.40	-0.000484	±2.5	PASS
Band5	4132	1	NV	40	-1.08	-0.001307	±2.5	PASS
Band5	4132	1	NV	50	-0.14	-0.000169	±2.5	PASS
Band5	4132	2	NV	-30	-1.09	-0.001319	±2.5	PASS
Band5	4132	2	NV	-20	-1.04	-0.001258	±2.5	PASS
Band5	4132	2	NV	-10	-1.07	-0.001295	±2.5	PASS
Band5	4132	2	NV	0	-1.01	-0.001222	±2.5	PASS
Band5	4132	2	NV	10	-1.35	-0.001634	±2.5	PASS
Band5	4132	2	NV	20	-0.49	-0.000593	±2.5	PASS
Band5	4132	2	NV	30	-1.40	-0.001694	±2.5	PASS
Band5	4132	2	NV	40	-2.00	-0.002420	±2.5	PASS
Band5	4132	2	NV	50	-1.18	-0.001428	±2.5	PASS
Band5	4132	3	NV	-30	-0.62	-0.000750	±2.5	PASS
Band5	4132	3	NV	-20	-1.36	-0.001646	±2.5	PASS
Band5	4132	3	NV	-10	-1.63	-0.001972	±2.5	PASS
Band5	4132	3	NV	0	-0.54	-0.000653	±2.5	PASS
Band5	4132	3	NV	10	-1.45	-0.001755	±2.5	PASS
Band5	4132	3	NV	20	-1.28	-0.001549	±2.5	PASS
Band5	4132	3	NV	30	-0.57	-0.000690	±2.5	PASS
Band5	4132	3	NV	40	-1.20	-0.001452	±2.5	PASS
Band5	4132	3	NV	50	-1.60	-0.001936	±2.5	PASS
Band5	4132	4	NV	-30	-0.97	-0.001174	±2.5	PASS
Band5	4132	4	NV	-20	-0.91	-0.001101	±2.5	PASS
Band5	4132	4	NV	-10	-1.73	-0.002093	±2.5	PASS
Band5	4132	4	NV	0	-0.66	-0.000799	±2.5	PASS
Band5	4132	4	NV	10	-1.66	-0.002009	±2.5	PASS
Band5	4132	4	NV	20	-0.98	-0.001186	±2.5	PASS
Band5	4132	4	NV	30	-0.59	-0.000714	±2.5	PASS
Band5	4132	4	NV	40	-1.54	-0.001864	±2.5	PASS
Band5	4132	4	NV	50	-1.29	-0.001561	±2.5	PASS
Band5	4182	1	NV	-30	-1.14	-0.001363	±2.5	PASS
Band5	4182	1	NV	-20	-0.37	-0.000442	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com



Band5	4182	1	NV	-10	-0.27	-0.000323	±2.5	PASS
Band5	4182	1	NV	0	-1.30	-0.001554	±2.5	PASS
Band5	4182	1	NV	10	-1.03	-0.001231	±2.5	PASS
Band5	4182	1	NV	20	-1.22	-0.001459	±2.5	PASS
Band5	4182	1	NV	30	-1.04	-0.001243	±2.5	PASS
Band5	4182	1	NV	40	-1.45	-0.001734	±2.5	PASS
Band5	4182	1	NV	50	-1.13	-0.001351	±2.5	PASS
Band5	4182	2	NV	-30	-0.72	-0.000861	±2.5	PASS
Band5	4182	2	NV	-20	-1.34	-0.001602	±2.5	PASS
Band5	4182	2	NV	-10	-0.55	-0.000658	±2.5	PASS
Band5	4182	2	NV	0	-0.95	-0.001136	±2.5	PASS
Band5	4182	2	NV	10	-1.52	-0.001817	±2.5	PASS
Band5	4182	2	NV	20	-2.00	-0.002391	±2.5	PASS
Band5	4182	2	NV	30	-1.48	-0.001769	±2.5	PASS
Band5	4182	2	NV	40	-1.55	-0.001853	±2.5	PASS
Band5	4182	2	NV	50	-0.93	-0.001112	±2.5	PASS
Band5	4182	3	NV	-30	-2.25	-0.002690	±2.5	PASS
Band5	4182	3	NV	-20	-1.85	-0.002212	±2.5	PASS
Band5	4182	3	NV	-10	-0.95	-0.001136	±2.5	PASS
Band5	4182	3	NV	0	-1.67	-0.001997	±2.5	PASS
Band5	4182	3	NV	10	-1.02	-0.001220	±2.5	PASS
Band5	4182	3	NV	20	-0.57	-0.000681	±2.5	PASS
Band5	4182	3	NV	30	-1.09	-0.001303	±2.5	PASS
Band5	4182	3	NV	40	-0.98	-0.001172	±2.5	PASS
Band5	4182	3	NV	50	-1.43	-0.001710	±2.5	PASS
Band5	4182	4	NV	-30	-1.37	-0.001638	±2.5	PASS
Band5	4182	4	NV	-20	-0.98	-0.001172	±2.5	PASS
Band5	4182	4	NV	-10	-0.48	-0.000574	±2.5	PASS
Band5	4182	4	NV	0	-0.77	-0.000921	±2.5	PASS
Band5	4182	4	NV	10	-0.63	-0.000753	±2.5	PASS
Band5	4182	4	NV	20	-0.57	-0.000681	±2.5	PASS
Band5	4182	4	NV	30	-0.52	-0.000622	±2.5	PASS
Band5	4182	4	NV	40	-0.59	-0.000705	±2.5	PASS
Band5	4182	4	NV	50	-0.46	-0.000550	±2.5	PASS
Band5	4233	1	NV	-30	-1.17	-0.001382	±2.5	PASS
Band5	4233	1	NV	-20	-1.24	-0.001465	±2.5	PASS
Band5	4233	1	NV	-10	-1.11	-0.001311	±2.5	PASS
Band5	4233	1	NV	0	-1.52	-0.001795	±2.5	PASS
Band5	4233	1	NV	10	-1.47	-0.001736	±2.5	PASS
Band5	4233	1	NV	20	-0.24	-0.000283	±2.5	PASS
Band5	4233	1	NV	30	-1.00	-0.001181	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com



Band5	4233	1	NV	40	0.30	0.000354	±2.5	PASS
Band5	4233	1	NV	50	-0.99	-0.001169	±2.5	PASS
Band5	4233	2	NV	-30	-1.67	-0.001973	±2.5	PASS
Band5	4233	2	NV	-20	-1.14	-0.001347	±2.5	PASS
Band5	4233	2	NV	-10	-0.97	-0.001146	±2.5	PASS
Band5	4233	2	NV	0	-0.67	-0.000791	±2.5	PASS
Band5	4233	2	NV	10	-1.12	-0.001323	±2.5	PASS
Band5	4233	2	NV	20	-0.78	-0.000921	±2.5	PASS
Band5	4233	2	NV	30	-1.19	-0.001406	±2.5	PASS
Band5	4233	2	NV	40	-1.52	-0.001795	±2.5	PASS
Band5	4233	2	NV	50	-1.86	-0.002197	±2.5	PASS
Band5	4233	3	NV	-30	-0.86	-0.001016	±2.5	PASS
Band5	4233	3	NV	-20	-1.13	-0.001335	±2.5	PASS
Band5	4233	3	NV	-10	-1.21	-0.001429	±2.5	PASS
Band5	4233	3	NV	0	-1.97	-0.002327	±2.5	PASS
Band5	4233	3	NV	10	-0.82	-0.000969	±2.5	PASS
Band5	4233	3	NV	20	-1.64	-0.001937	±2.5	PASS
Band5	4233	3	NV	30	0.13	0.000154	±2.5	PASS
Band5	4233	3	NV	40	-0.37	-0.000437	±2.5	PASS
Band5	4233	3	NV	50	-1.83	-0.002162	±2.5	PASS
Band5	4233	4	NV	-30	-0.64	-0.000756	±2.5	PASS
Band5	4233	4	NV	-20	-0.50	-0.000591	±2.5	PASS
Band5	4233	4	NV	-10	-0.68	-0.000803	±2.5	PASS
Band5	4233	4	NV	0	-0.62	-0.000732	±2.5	PASS
Band5	4233	4	NV	10	-1.04	-0.001228	±2.5	PASS
Band5	4233	4	NV	20	-1.19	-0.001406	±2.5	PASS
Band5	4233	4	NV	30	-0.95	-0.001122	±2.5	PASS
Band5	4233	4	NV	40	-0.72	-0.000850	±2.5	PASS
Band5	4233	4	NV	50	-0.66	-0.000780	±2.5	PASS



Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VN	NT	-0.27	-0.000327	±2.5	PASS
Band5	4132	1	VL	NT	-0.41	-0.000496	±2.5	PASS
Band5	4132	1	VH	NT	-0.30	-0.000363	±2.5	PASS
Band5	4132	2	VN	NT	-0.18	-0.000218	±2.5	PASS
Band5	4132	2	VL	NT	-0.27	-0.000327	±2.5	PASS
Band5	4132	2	VH	NT	0.01	0.000012	±2.5	PASS
Band5	4132	3	VN	NT	-1.12	-0.001355	±2.5	PASS
Band5	4132	3	VL	NT	-0.59	-0.000714	±2.5	PASS
Band5	4132	3	VH	NT	-0.74	-0.000895	±2.5	PASS
Band5	4132	4	VN	NT	-0.29	-0.000351	±2.5	PASS
Band5	4132	4	VL	NT	-0.25	-0.000303	±2.5	PASS
Band5	4132	4	VH	NT	-0.94	-0.001137	±2.5	PASS
Band5	4132	5	VN	NT	-0.31	-0.000375	±2.5	PASS
Band5	4132	5	VL	NT	-1.07	-0.001295	±2.5	PASS
Band5	4132	5	VH	NT	-0.85	-0.001029	±2.5	PASS
Band5	4182	1	VN	NT	-0.41	-0.000490	±2.5	PASS
Band5	4182	1	VL	NT	-0.23	-0.000275	±2.5	PASS
Band5	4182	1	VH	NT	-0.85	-0.001016	±2.5	PASS
Band5	4182	2	VN	NT	-0.89	-0.001064	±2.5	PASS
Band5	4182	2	VL	NT	-0.73	-0.000873	±2.5	PASS
Band5	4182	2	VH	NT	-0.14	-0.000167	±2.5	PASS
Band5	4182	3	VN	NT	-0.14	-0.000167	±2.5	PASS
Band5	4182	3	VL	NT	0.04	0.000048	±2.5	PASS
Band5	4182	3	VH	NT	-0.35	-0.000418	±2.5	PASS
Band5	4182	4	VN	NT	-0.34	-0.000407	±2.5	PASS
Band5	4182	4	VL	NT	-0.29	-0.000347	±2.5	PASS
Band5	4182	4	VH	NT	-0.52	-0.000622	±2.5	PASS
Band5	4182	5	VN	NT	-3.25	-0.003886	±2.5	PASS
Band5	4182	5	VL	NT	-0.28	-0.000335	±2.5	PASS
Band5	4182	5	VH	NT	-0.39	-0.000466	±2.5	PASS
Band5	4233	1	VN	NT	-0.62	-0.000732	±2.5	PASS
Band5	4233	1	VL	NT	-0.57	-0.000673	±2.5	PASS
Band5	4233	1	VH	NT	-0.80	-0.000945	±2.5	PASS
Band5	4233	2	VN	NT	-0.89	-0.001051	±2.5	PASS
Band5	4233	2	VL	NT	0.09	0.000106	±2.5	PASS
Band5	4233	2	VH	NT	-0.40	-0.000472	±2.5	PASS
Band5	4233	3	VN	NT	0.04	0.000047	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com



Band5	4233	3	VL	NT	-0.36	-0.000425	±2.5	PASS
Band5	4233	3	VH	NT	-0.13	-0.000154	±2.5	PASS
Band5	4233	4	VN	NT	-0.72	-0.000850	±2.5	PASS
Band5	4233	4	VL	NT	-0.42	-0.000496	±2.5	PASS
Band5	4233	4	VH	NT	0.25	0.000295	±2.5	PASS
Band5	4233	5	VN	NT	-0.72	-0.000850	±2.5	PASS
Band5	4233	5	VL	NT	0.06	0.000071	±2.5	PASS
Band5	4233	5	VH	NT	-0.13	-0.000154	±2.5	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	-30	-1.42	-0.001718	±2.5	PASS
Band5	4132	1	NV	-20	-0.61	-0.000738	±2.5	PASS
Band5	4132	1	NV	-10	-0.89	-0.001077	±2.5	PASS
Band5	4132	1	NV	0	-0.39	-0.000472	±2.5	PASS
Band5	4132	1	NV	10	-0.35	-0.000424	±2.5	PASS
Band5	4132	1	NV	20	-0.54	-0.000653	±2.5	PASS
Band5	4132	1	NV	30	-0.11	-0.000133	±2.5	PASS
Band5	4132	1	NV	40	-0.10	-0.000121	±2.5	PASS
Band5	4132	1	NV	50	-1.12	-0.001355	±2.5	PASS
Band5	4132	2	NV	-30	-0.78	-0.000944	±2.5	PASS
Band5	4132	2	NV	-20	-0.21	-0.000254	±2.5	PASS
Band5	4132	2	NV	-10	-0.26	-0.000315	±2.5	PASS
Band5	4132	2	NV	0	-0.31	-0.000375	±2.5	PASS
Band5	4132	2	NV	10	-0.24	-0.000290	±2.5	PASS
Band5	4132	2	NV	20	-0.02	-0.000024	±2.5	PASS
Band5	4132	2	NV	30	0.29	0.000351	±2.5	PASS
Band5	4132	2	NV	40	0.38	0.000460	±2.5	PASS
Band5	4132	2	NV	50	-0.27	-0.000327	±2.5	PASS
Band5	4132	3	NV	-30	-0.92	-0.001113	±2.5	PASS
Band5	4132	3	NV	-20	-0.36	-0.000436	±2.5	PASS
Band5	4132	3	NV	-10	0.30	0.000363	±2.5	PASS
Band5	4132	3	NV	0	-0.53	-0.000641	±2.5	PASS
Band5	4132	3	NV	10	-0.42	-0.000508	±2.5	PASS
Band5	4132	3	NV	20	-0.14	-0.000169	±2.5	PASS
Band5	4132	3	NV	30	-0.62	-0.000750	±2.5	PASS
Band5	4132	3	NV	40	-0.49	-0.000593	±2.5	PASS
Band5	4132	3	NV	50	-0.81	-0.000980	±2.5	PASS
Band5	4132	4	NV	-30	0.01	0.000012	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com



Band5	4132	4	NV	-20	-0.40	-0.000484	±2.5	PASS
Band5	4132	4	NV	-10	-0.64	-0.000774	±2.5	PASS
Band5	4132	4	NV	0	-0.49	-0.000593	±2.5	PASS
Band5	4132	4	NV	10	-0.39	-0.000472	±2.5	PASS
Band5	4132	4	NV	20	-0.61	-0.000738	±2.5	PASS
Band5	4132	4	NV	30	-0.50	-0.000605	±2.5	PASS
Band5	4132	4	NV	40	-0.14	-0.000169	±2.5	PASS
Band5	4132	4	NV	50	-0.29	-0.000351	±2.5	PASS
Band5	4132	5	NV	-30	-1.09	-0.001319	±2.5	PASS
Band5	4132	5	NV	-20	-0.41	-0.000496	±2.5	PASS
Band5	4132	5	NV	-10	-1.36	-0.001646	±2.5	PASS
Band5	4132	5	NV	0	-0.28	-0.000339	±2.5	PASS
Band5	4132	5	NV	10	-1.33	-0.001609	±2.5	PASS
Band5	4132	5	NV	20	-0.30	-0.000363	±2.5	PASS
Band5	4132	5	NV	30	-0.47	-0.000569	±2.5	PASS
Band5	4132	5	NV	40	-0.96	-0.001162	±2.5	PASS
Band5	4132	5	NV	50	-0.43	-0.000520	±2.5	PASS
Band5	4182	1	NV	-30	-0.88	-0.001052	±2.5	PASS
Band5	4182	1	NV	-20	-0.51	-0.000610	±2.5	PASS
Band5	4182	1	NV	-10	-0.73	-0.000873	±2.5	PASS
Band5	4182	1	NV	0	-0.67	-0.000801	±2.5	PASS
Band5	4182	1	NV	10	0.04	0.000048	±2.5	PASS
Band5	4182	1	NV	20	-0.19	-0.000227	±2.5	PASS
Band5	4182	1	NV	30	-0.26	-0.000311	±2.5	PASS
Band5	4182	1	NV	40	-0.14	-0.000167	±2.5	PASS
Band5	4182	1	NV	50	0.41	0.000490	±2.5	PASS
Band5	4182	2	NV	-30	-1.14	-0.001363	±2.5	PASS
Band5	4182	2	NV	-20	0.26	0.000311	±2.5	PASS
Band5	4182	2	NV	-10	-0.77	-0.000921	±2.5	PASS
Band5	4182	2	NV	0	-0.09	-0.000108	±2.5	PASS
Band5	4182	2	NV	10	0.02	0.000024	±2.5	PASS
Band5	4182	2	NV	20	-1.10	-0.001315	±2.5	PASS
Band5	4182	2	NV	30	-0.71	-0.000849	±2.5	PASS
Band5	4182	2	NV	40	-0.21	-0.000251	±2.5	PASS
Band5	4182	2	NV	50	-1.18	-0.001411	±2.5	PASS
Band5	4182	3	NV	-30	0.16	0.000191	±2.5	PASS
Band5	4182	3	NV	-20	-0.23	-0.000275	±2.5	PASS
Band5	4182	3	NV	-10	-0.10	-0.000120	±2.5	PASS
Band5	4182	3	NV	0	0.03	0.000036	±2.5	PASS
Band5	4182	3	NV	10	-0.71	-0.000849	±2.5	PASS
Band5	4182	3	NV	20	-0.49	-0.000586	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com



Band5	4182	3	NV	30	-0.87	-0.001040	±2.5	PASS
Band5	4182	3	NV	40	-0.75	-0.000897	±2.5	PASS
Band5	4182	3	NV	50	-0.06	-0.000072	±2.5	PASS
Band5	4182	4	NV	-30	-0.34	-0.000407	±2.5	PASS
Band5	4182	4	NV	-20	-0.33	-0.000395	±2.5	PASS
Band5	4182	4	NV	-10	0.49	0.000586	±2.5	PASS
Band5	4182	4	NV	0	-0.04	-0.000048	±2.5	PASS
Band5	4182	4	NV	10	-1.15	-0.001375	±2.5	PASS
Band5	4182	4	NV	20	-0.04	-0.000048	±2.5	PASS
Band5	4182	4	NV	30	-0.54	-0.000646	±2.5	PASS
Band5	4182	4	NV	40	-0.47	-0.000562	±2.5	PASS
Band5	4182	4	NV	50	-0.13	-0.000155	±2.5	PASS
Band5	4182	5	NV	-30	-0.79	-0.000945	±2.5	PASS
Band5	4182	5	NV	-20	-0.60	-0.000717	±2.5	PASS
Band5	4182	5	NV	-10	-0.90	-0.001076	±2.5	PASS
Band5	4182	5	NV	0	-0.90	-0.001076	±2.5	PASS
Band5	4182	5	NV	10	-0.26	-0.000311	±2.5	PASS
Band5	4182	5	NV	20	-1.20	-0.001435	±2.5	PASS
Band5	4182	5	NV	30	-1.52	-0.001817	±2.5	PASS
Band5	4182	5	NV	40	-0.78	-0.000933	±2.5	PASS
Band5	4182	5	NV	50	-1.39	-0.001662	±2.5	PASS
Band5	4233	1	NV	-30	-0.32	-0.000378	±2.5	PASS
Band5	4233	1	NV	-20	-0.12	-0.000142	±2.5	PASS
Band5	4233	1	NV	-10	-0.76	-0.000898	±2.5	PASS
Band5	4233	1	NV	0	0.16	0.000189	±2.5	PASS
Band5	4233	1	NV	10	0.06	0.000071	±2.5	PASS
Band5	4233	1	NV	20	-0.46	-0.000543	±2.5	PASS
Band5	4233	1	NV	30	-0.22	-0.000260	±2.5	PASS
Band5	4233	1	NV	40	-0.87	-0.001028	±2.5	PASS
Band5	4233	1	NV	50	-0.48	-0.000567	±2.5	PASS
Band5	4233	2	NV	-30	-0.07	-0.000083	±2.5	PASS
Band5	4233	2	NV	-20	-1.08	-0.001276	±2.5	PASS
Band5	4233	2	NV	-10	-0.69	-0.000815	±2.5	PASS
Band5	4233	2	NV	0	-0.54	-0.000638	±2.5	PASS
Band5	4233	2	NV	10	-0.41	-0.000484	±2.5	PASS
Band5	4233	2	NV	20	-1.09	-0.001288	±2.5	PASS
Band5	4233	2	NV	30	-0.81	-0.000957	±2.5	PASS
Band5	4233	2	NV	40	-0.60	-0.000709	±2.5	PASS
Band5	4233	2	NV	50	-0.42	-0.000496	±2.5	PASS
Band5	4233	3	NV	-30	0.29	0.000343	±2.5	PASS
Band5	4233	3	NV	-20	-0.09	-0.000106	±2.5	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hahgcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China.

Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500

www.anbotek.com



Band5	4233	3	NV	-10	0.19	0.000224	±2.5	PASS
Band5	4233	3	NV	0	0.29	0.000343	±2.5	PASS
Band5	4233	3	NV	10	-0.06	-0.000071	±2.5	PASS
Band5	4233	3	NV	20	0.16	0.000189	±2.5	PASS
Band5	4233	3	NV	30	-0.29	-0.000343	±2.5	PASS
Band5	4233	3	NV	40	-0.43	-0.000508	±2.5	PASS
Band5	4233	3	NV	50	-0.81	-0.000957	±2.5	PASS
Band5	4233	4	NV	-30	-0.01	-0.000012	±2.5	PASS
Band5	4233	4	NV	-20	-0.92	-0.001087	±2.5	PASS
Band5	4233	4	NV	-10	-0.04	-0.000047	±2.5	PASS
Band5	4233	4	NV	0	0.13	0.000154	±2.5	PASS
Band5	4233	4	NV	10	0.31	0.000366	±2.5	PASS
Band5	4233	4	NV	20	-1.68	-0.001984	±2.5	PASS
Band5	4233	4	NV	30	-0.59	-0.000697	±2.5	PASS
Band5	4233	4	NV	40	-0.16	-0.000189	±2.5	PASS
Band5	4233	4	NV	50	0.11	0.000130	±2.5	PASS
Band5	4233	5	NV	-30	-0.79	-0.000933	±2.5	PASS
Band5	4233	5	NV	-20	-1.37	-0.001618	±2.5	PASS
Band5	4233	5	NV	-10	-0.38	-0.000449	±2.5	PASS
Band5	4233	5	NV	0	-0.92	-0.001087	±2.5	PASS
Band5	4233	5	NV	10	-0.56	-0.000661	±2.5	PASS
Band5	4233	5	NV	20	-0.95	-0.001122	±2.5	PASS
Band5	4233	5	NV	30	-1.26	-0.001488	±2.5	PASS
Band5	4233	5	NV	40	-0.16	-0.000189	±2.5	PASS
Band5	4233	5	NV	50	-0.98	-0.001158	±2.5	PASS

---END---

