

SHEN DA CHENG ELECTRONICS CO., LTD

SPECIFICATION FOR APPROVAL

Customer Name			
Customer Project Name	F215Q	SDC Project Name	F215Q
Customer P/N	GZ. 0215. A012 GZ. 0215. A013	SDC P/N	PCB2202-1131R-305 PCB2202-1131R-190
Band			
Version	A0		
Designer Information			
RF Engineer	Fu Xuerong	R&D Diretor	Xia Chenglei
ME Engineer	Huang Zongbao		

Approval				Customer Approval	
	Prepared By	Checked By	Approval By	Checked By	Approval By
Signature	Huang Zongbao	Fu Xuerong	Xia Chenglei		
Date	2025. 05. 06	2025. 05. 06	2025. 05. 06		

Change Log				
Version	Change Description	Person in Charge	Approval By	Date

Company Address: 4th Floor, Building B5, Xinfu Industrial Park, Chongqing Road, Fuyong Town, Bao'an District, Shenzhen TEL:0755-27211658 FAX:0755-29485750




Catalogue

No.	Item	Page No.
1	Drawing or Product Image	3-4
2	Dimensions Test Report	5-6
3	RF Performance Test Report	7-13
4	Reliability Test Report1	14
5	Package Document	15
6	Install Wizard or Other	16
7	RoHS Control list for Sample	17




Drawing or Product Image





Drawing or Product Image



Company Address: 4th Floor, Building B5, Xinfu Industrial Park, Chongqing Road, Fuyong Town, Bao'an District, Shenzhen TEL:0755-27211658 FAX:0755-29485750



SHEN DA CHENG ELECTRONICS CO., LTD

Sample Dimensions Test Report

Test Date	2025. 05. 06	Sample Qty.	3	Inspector	Xu Yanfang
Dimension No.	Standard	Sample 1	Sample 2	Sample 3	Pass/NG
①length	47±0. 2mm	47	47. 1	47	Pass
②width	8. 3±0. 2mm	8. 3	8. 3	8. 4	Pass
③thickness	0. 6±0. 05mm	0. 6	0. 6	0. 6	Pass
④Line length	305±2mm	305	306	306	Pass
Conclusion					PASS
Inspector & Date	Xu Yanfang 2025. 05. 06		Approval & Date		

Company Address: 4th Floor, Building B5, Xinfu Industrial Park, Chongqing Road, Fuyong Town, Bao'an District, Shenzhen TEL:0755-27211658 FAX:0755-29485750




Sample Dimensions Test Report

Test Date	2025. 05. 06	Sample Qty.	3	Inspector	Xu Yanfang
Dimension No.	Standard	Sample 1	Sample 2	Sample 3	Pass/NG
①length	47±0. 2mm	47	47. 1	47	Pass
②width	8. 3±0. 2mm	8. 3	8. 3	8. 4	Pass
③thickness	0. 6±0. 05mm	0. 6	0. 6	0. 6	Pass
④Line length	190±2mm	190	191	190	Pass
Conclusion					PASS
Inspector & Date	Xu Yanfang 2025. 05. 06		Approval & Date		

RF Performance Test Report

Antenna Test Equipment Introduction

Test of antenna input characteristics using **Agilent E5071C** and **Agilent 5062A** vector network analyzer; The radiation pattern of the antenna are tested using the guangping 3D near field Anechoic Chamber, and the instrument is used to agilent8960 E5515 and Agilent E4438C. The test coordinates of the darkroom are as follows:



1. S11 **S11** Parameter-VSWR

Measuring Method is a 50Ω coaxial cable is connected to the antenna. Then this cable is connected to a network analyzer to measure the S11 parameter, Keeping this fixture away from metal at least 20cm.




SHEN DA CHENG ELECTRONICS CO., LTD

S11 Parameter-VSWR


WIFI MAIN

frequency (MHZ)	2400	2450	2500	5150	5720	5850
SWR	1.30	1.38	1.65	1.45	1.95	1.22



WIFI AUX


frequency (MHZ)	2400	2450	2500	5150	5720	5850
SWR	1.12	1.17	1.27	1.36	1.69	1.06



Company Address: 4th Floor, Building B5, Xinfu Industrial Park, Chongqing Road, Fuyong Town, Bao'an District, Shenzhen TEL:0755-27211658 FAX:0755-29485750



2. Antenna Matching Network



3. Gain & Efficiency

WIFI MAIN

Passive Test For 2.4G												
Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)	Gain (dBd)	UHS (%)	DHS (%)	Max (dB)	Min (dB)	irectivity (dBi)	Beamwidth (3dB)	AttH (dB)	AttV (dB)
2400	43.54	-3.61	1.03	-1.12	20.581	22.962	1.03	-15.9	4.64	15	48.93	49.09
2425	45.48	-2.97	1.96	-0.19	23.926	26.555	1.96	-16.48	4.93	15	49.09	49.22
2450	36.53	-4.37	0.87	-1.28	17.136	19.397	0.87	-19.74	5.24	15	49.25	49.27
2475	35.97	-4.44	0.52	-1.63	17.205	18.763	0.52	-23.22	4.96	75	49.98	49.91
2500	36.94	-4.32	0.32	-1.83	17.676	19.267	0.32	-18.36	4.64	75	49.71	49.62

