





Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT20)_5825



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5755



Power_Spectral_Density_NVNT_ANT2_802_11n(HT40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11n(HT40)_5795



Power_Spectral_Density_NVNT_ANT2_802_11n(HT40)_5795



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5755




Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT40)_5755



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT40)_5795




Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT40)_5795



Power_Spectral_Density_NVNT_ANT1_802_11ac(VHT80)_5775



Power_Spectral_Density_NVNT_ANT2_802_11ac(VHT80)_5775




6. Bandedge


Condition	Antenna	Modulation	TX_Frequency (MHz)	Frequency Area(MHz)	Frequency(MHz)	Amplitude(dBm)	Limit(dBm)	Result
NVNT	ANT1	802.11a	LCH	5565-5655	5636.100	-46.78	-27.00	Pass
NVNT	ANT1	802.11a	LCH	5655-5700	5658.105	-47.72	-24.45	Pass
NVNT	ANT1	802.11a	LCH	5700-5720	5719.360	-40.17	15.42	Pass
NVNT	ANT1	802.11a	LCH	5720-5725	5723.585	-29.70	23.77	Pass
NVNT	ANT2	802.11a	LCH	5565-5655	5645.460	-44.15	-27.00	Pass
NVNT	ANT2	802.11a	LCH	5655-5700	5659.770	-44.59	-23.08	Pass
NVNT	ANT2	802.11a	LCH	5700-5720	5719.820	-33.94	15.55	Pass
NVNT	ANT2	802.11a	LCH	5720-5725	5723.995	-23.82	24.71	Pass
NVNT	ANT1	802.11a	HCH	5850-5855	5852.120	-37.22	22.17	Pass
NVNT	ANT1	802.11a	HCH	5855-5875	5855.180	-40.62	15.55	Pass
NVNT	ANT1	802.11a	HCH	5875-5920	5905.150	-46.57	-14.79	Pass
NVNT	ANT1	802.11a	HCH	5920-6005	5929.605	-42.23	-27.00	Pass
NVNT	ANT2	802.11a	HCH	5850-5855	5851.180	-37.24	24.31	Pass
NVNT	ANT2	802.11a	HCH	5855-5875	5856.740	-41.48	15.11	Pass
NVNT	ANT2	802.11a	HCH	5875-5920	5908.435	-44.07	-17.49	Pass
NVNT	ANT2	802.11a	HCH	5920-6005	5928.755	-39.79	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5565-5655	5643.570	-47.45	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5655-5700	5655.045	-47.22	-26.96	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5700-5720	5719.620	-43.65	15.49	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5720-5725	5724.715	-29.96	26.35	Pass
NVNT	ANT2	802.11n(HT20)	LCH	5565-5655	5596.050	-44.35	-27.00	Pass
NVNT	ANT2	802.11n(HT20)	LCH	5655-5700	5659.770	-44.56	-23.08	Pass
NVNT	ANT2	802.11n(HT20)	LCH	5700-5720	5719.860	-37.62	15.56	Pass
NVNT	ANT2	802.11n(HT20)	LCH	5720-5725	5723.710	-23.10	24.06	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5850-5855	5854.310	-46.95	17.17	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5855-5875	5873.260	-47.22	10.49	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5875-5920	5913.880	-47.61	-21.97	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5920-6005	5981.795	-42.12	-27.00	Pass
NVNT	ANT2	802.11n(HT20)	HCH	5850-5855	5854.850	-44.37	15.94	Pass
NVNT	ANT2	802.11n(HT20)	HCH	5855-5875	5871.660	-44.47	10.94	Pass
NVNT	ANT2	802.11n(HT20)	HCH	5875-5920	5911.225	-44.62	-19.79	Pass
NVNT	ANT2	802.11n(HT20)	HCH	5920-6005	5920.765	-38.36	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5565-5655	5622.150	-47.38	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5655-5700	5664.630	-47.62	-19.08	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5700-5720	5711.440	-47.07	13.20	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5720-5725	5724.890	-35.98	26.75	Pass
NVNT	ANT2	802.11ac(VHT20)	LCH	5565-5655	5636.190	-44.23	-27.00	Pass
NVNT	ANT2	802.11ac(VHT20)	LCH	5655-5700	5679.030	-44.91	-7.24	Pass
NVNT	ANT2	802.11ac(VHT20)	LCH	5700-5720	5719.620	-40.93	15.49	Pass
NVNT	ANT2	802.11ac(VHT20)	LCH	5720-5725	5722.010	-31.78	20.18	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5850-5855	5850.415	-42.47	26.05	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5855-5875	5874.440	-46.78	10.16	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5875-5920	5908.435	-47.06	-17.49	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5920-6005	5964.710	-40.49	-27.00	Pass
NVNT	ANT2	802.11ac(VHT20)	HCH	5850-5855	5853.345	-42.20	19.37	Pass
NVNT	ANT2	802.11ac(VHT20)	HCH	5855-5875	5873.380	-43.18	10.45	Pass
NVNT	ANT2	802.11ac(VHT20)	HCH	5875-5920	5918.065	-44.46	-25.41	Pass

NVNT	ANT2	802.11ac(VHT20)	HCH	5920-6005	5927.650	-39.59	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5595-5655	5624.580	-47.49	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5655-5700	5673.675	-47.30	-11.64	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5700-5720	5719.020	-31.46	15.33	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5720-5725	5723.300	-29.73	23.12	Pass
NVNT	ANT2	802.11n(HT40)	LCH	5595-5655	5605.620	-44.60	-27.00	Pass
NVNT	ANT2	802.11n(HT40)	LCH	5655-5700	5674.935	-44.50	-10.61	Pass
NVNT	ANT2	802.11n(HT40)	LCH	5700-5720	5718.500	-26.74	15.18	Pass
NVNT	ANT2	802.11n(HT40)	LCH	5720-5725	5723.190	-24.10	22.87	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5850-5855	5853.910	-45.62	18.09	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5855-5875	5870.520	-46.42	11.25	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5875-5920	5915.230	-47.09	-23.08	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5920-5955	5930.815	-42.25	-27.00	Pass
NVNT	ANT2	802.11n(HT40)	HCH	5850-5855	5853.965	-42.87	17.96	Pass
NVNT	ANT2	802.11n(HT40)	HCH	5855-5875	5873.020	-43.98	10.55	Pass
NVNT	ANT2	802.11n(HT40)	HCH	5875-5920	5915.410	-44.26	-23.23	Pass
NVNT	ANT2	802.11n(HT40)	HCH	5920-5955	5950.240	-41.38	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5595-5655	5627.820	-47.36	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5655-5700	5665.080	-47.26	-18.71	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5700-5720	5718.860	-42.39	15.28	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5720-5725	5721.100	-41.07	18.11	Pass
NVNT	ANT2	802.11ac(VHT40)	LCH	5595-5655	5643.840	-44.43	-27.00	Pass
NVNT	ANT2	802.11ac(VHT40)	LCH	5655-5700	5662.875	-43.75	-20.52	Pass
NVNT	ANT2	802.11ac(VHT40)	LCH	5700-5720	5718.680	-37.33	15.23	Pass
NVNT	ANT2	802.11ac(VHT40)	LCH	5720-5725	5722.725	-35.34	21.81	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5850-5855	5853.655	-46.67	18.67	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5855-5875	5870.640	-46.96	11.22	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5875-5920	5906.320	-47.14	-15.75	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5920-5955	5934.385	-42.93	-27.00	Pass
NVNT	ANT2	802.11ac(VHT40)	HCH	5850-5855	5854.200	-43.70	17.42	Pass
NVNT	ANT2	802.11ac(VHT40)	HCH	5855-5875	5874.620	-44.07	10.11	Pass
NVNT	ANT2	802.11ac(VHT40)	HCH	5875-5920	5915.500	-44.40	-23.30	Pass
NVNT	ANT2	802.11ac(VHT40)	HCH	5920-5955	5927.595	-40.51	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5650-5655	5654.115	-47.68	-27.00	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5655-5700	5690.415	-46.82	2.12	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5700-5720	5718.700	-41.43	15.24	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5720-5725	5720.260	-40.83	16.19	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5850-5855	5851.435	-38.72	23.73	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5855-5875	5868.860	-42.14	11.72	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5875-5920	5906.365	-46.81	-15.79	Pass
NVNT	ANT1	802.11ac(VHT80)	MCH	5920-5925	5920.335	-43.25	-27.00	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5650-5655	5651.045	-43.78	-27.00	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5655-5700	5689.110	-42.36	1.05	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5700-5720	5715.120	-37.24	14.23	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5720-5725	5720.750	-36.85	17.31	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5850-5855	5853.760	-37.42	18.43	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5855-5875	5860.040	-39.70	14.19	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5875-5920	5914.150	-43.99	-22.19	Pass
NVNT	ANT2	802.11ac(VHT80)	MCH	5920-5925	5922.500	-39.41	-27.00	Pass


Bandedge_NVNT_ANT1_802_11a_5745




Bandedge_NVNT_ANT2_802_11a_5745




Bandedge_NVNT_ANT1_802_11a_5825




Bandedge_NVNT_ANT2_802_11a_5825




Bandedge_NVNT_ANT1_802_11n(HT20)_5745




Bandedge_NVNT_ANT2_802_11n(HT20)_5745




Bandedge_NVNT_ANT1_802_11n(HT20)_5825




Bandedge_NVNT_ANT2_802_11n(HT20)_5825




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5745




Bandedge_NVNT_ANT2_802_11ac(VHT20)_5745




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5825




Bandedge_NVNT_ANT2_802_11ac(VHT20)_5825




Bandedge_NVNT_ANT1_802_11n(HT40)_5755




Bandedge_NVNT_ANT2_802_11n(HT40)_5755




Bandedge_NVNT_ANT1_802_11n(HT40)_5795




Bandedge_NVNT_ANT2_802_11n(HT40)_5795




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5755




Bandedge_NVNT_ANT2_802_11ac(VHT40)_5755




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5795




Bandedge_NVNT_ANT2_802_11ac(VHT40)_5795




Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_low




Bandedge_NVNT_ANT1_802_11ac(VHT80)_5775_up



Bandedge_NVNT_ANT2_802_11ac(VHT80)_5775_low




Bandedge_NVNT_ANT2_802_11ac(VHT80)_5775_up




7. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	25054.74	-37.08	-27	Pass
NVNT	ANT2	802.11a	5745.00	25012.39	-33.77	-27	Pass
NVNT	ANT1	802.11a	5785.00	25060.03	-35.97	-27	Pass
NVNT	ANT2	802.11a	5785.00	25075.91	-33.49	-27	Pass
NVNT	ANT1	802.11a	5825.00	24996.50	-37.02	-27	Pass
NVNT	ANT2	802.11a	5825.00	24972.68	-33.56	-27	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	25086.50	-36.96	-27	Pass
NVNT	ANT2	802.11n(HT20)	5745.00	25022.97	-33.33	-27	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	24967.39	-37.12	-27	Pass
NVNT	ANT2	802.11n(HT20)	5785.00	24988.56	-33.49	-27	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	25592.08	-36.53	-27	Pass
NVNT	ANT2	802.11n(HT20)	5825.00	25078.56	-34.23	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	24985.92	-35.76	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5745.00	25091.80	-33.87	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	25094.44	-35.75	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5785.00	25128.85	-32.90	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	24999.15	-36.32	-27	Pass
NVNT	ANT2	802.11ac(VHT20)	5825.00	24520.04	-33.68	-27	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	24985.92	-37.19	-27	Pass
NVNT	ANT2	802.11n(HT40)	5755.00	24988.56	-34.00	-27	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	25097.09	-36.92	-27	Pass
NVNT	ANT2	802.11n(HT40)	5795.00	25089.15	-33.35	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	25041.50	-36.34	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5755.00	25157.97	-33.66	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	25025.62	-36.01	-27	Pass
NVNT	ANT2	802.11ac(VHT40)	5795.00	25044.15	-33.68	-27	Pass
NVNT	ANT1	802.11ac(VHT80)	5775.00	25523.26	-36.45	-27	Pass
NVNT	ANT2	802.11ac(VHT80)	5775.00	25131.50	-33.48	-27	Pass


Spurious_Emission_NVNT_ANT1_802_11a_5745




Spurious_Emission_NVNT_ANT2_802_11a_5745




Spurious_Emission_NVNT_ANT1_802_11a_5785




Spurious_Emission_NVNT_ANT2_802_11a_5785




Spurious_Emission_NVNT_ANT1_802_11a_5825




Spurious_Emission_NVNT_ANT2_802_11a_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5745




Spurious_Emission_NVNT_ANT2_802_11n(HT20)_5745




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5785




Spurious_Emission_NVNT_ANT2_802_11n(HT20)_5785




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5825




Spurious_Emission_NVNT_ANT2_802_11n(HT20)_5825




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5745




Spurious_Emission_NVNT_ANT2_802_11ac(VHT20)_5745




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5785




Spurious_Emission_NVNT_ANT2_802_11ac(VHT20)_5785




Spurious_Emission_NVNT_ANT1_802_11ac(VHT20)_5825




Spurious_Emission_NVNT_ANT2_802_11ac(VHT20)_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5755




Spurious_Emission_NVNT_ANT2_802_11n(HT40)_5755




Spurious_Emission_NVNT_ANT1_802_11n(HT40)_5795




Spurious_Emission_NVNT_ANT2_802_11n(HT40)_5795




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5755




Spurious_Emission_NVNT_ANT2_802_11ac(VHT40)_5755




Spurious_Emission_NVNT_ANT1_802_11ac(VHT40)_5795




Spurious_Emission_NVNT_ANT2_802_11ac(VHT40)_5795



Spurious_Emission_NVNT_ANT1_802_11ac(VHT80)_5775



Spurious_Emission_NVNT_ANT2_802_11ac(VHT80)_5775



8. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fi(MHz)	Fh(MHz)	Limit(MHz)	Result
50degrees C&&3.80V	ANT1	802.11a	5745.00	5744.970	5736.524	5753.416	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11a	5745.00	5744.980	5736.720	5753.240	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11a	5745.00	5744.976	5736.816	5753.136	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11a	5745.00	5744.980	5736.888	5753.072	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11a	5745.00	5744.980	5736.960	5753.000	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11a	5745.00	5744.986	5737.020	5752.952	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11a	5745.00	5744.990	5737.084	5752.896	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11a	5745.00	5744.990	5737.136	5752.844	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11a	5745.00	5744.978	5737.184	5752.772	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5745.00	5744.996	5737.244	5752.748	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5745.00	5745.006	5737.296	5752.716	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5745.00	5745.016	5737.348	5752.684	5725~5850	Pass
50degrees C&&3.80V	ANT2	802.11a	5745.00	5744.964	5736.360	5753.568	5725~5850	Pass
40degrees C&&3.80V	ANT2	802.11a	5745.00	5744.962	5736.664	5753.260	5725~5850	Pass
30degrees C&&3.80V	ANT2	802.11a	5745.00	5744.952	5736.764	5753.140	5725~5850	Pass
20degrees C&&3.80V	ANT2	802.11a	5745.00	5744.966	5736.848	5753.084	5725~5850	Pass
10degrees C&&3.80V	ANT2	802.11a	5745.00	5744.966	5736.916	5753.016	5725~5850	Pass
0degrees C&&3.80V	ANT2	802.11a	5745.00	5744.964	5736.964	5752.964	5725~5850	Pass
-10degrees C&&3.80V	ANT2	802.11a	5745.00	5744.952	5737.016	5752.888	5725~5850	Pass
-20degrees C&&3.80V	ANT2	802.11a	5745.00	5744.948	5737.068	5752.828	5725~5850	Pass
-30degrees C&&3.80V	ANT2	802.11a	5745.00	5744.948	5737.108	5752.788	5725~5850	Pass
25degrees C&&4.37V	ANT2	802.11a	5745.00	5744.950	5737.156	5752.744	5725~5850	Pass
25degrees C&&3.80V	ANT2	802.11a	5745.00	5744.960	5737.224	5752.696	5725~5850	Pass
25degrees C&&3.23V	ANT2	802.11a	5745.00	5744.960	5737.276	5752.644	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11a	5785.00	5784.980	5776.424	5793.536	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11a	5785.00	5784.956	5776.676	5793.236	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11a	5785.00	5784.962	5776.768	5793.156	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11a	5785.00	5784.956	5776.852	5793.060	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11a	5785.00	5784.956	5776.912	5793.000	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11a	5785.00	5784.958	5776.976	5792.940	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11a	5785.00	5784.954	5777.040	5792.868	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11a	5785.00	5784.968	5777.096	5792.840	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11a	5785.00	5784.978	5777.156	5792.800	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5785.00	5784.970	5777.204	5792.736	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5785.00	5784.968	5777.244	5792.692	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5785.00	5784.964	5777.288	5792.640	5725~5850	Pass
50degrees C&&3.80V	ANT2	802.11a	5785.00	5784.930	5776.384	5793.476	5725~5850	Pass
40degrees C&&3.80V	ANT2	802.11a	5785.00	5784.952	5776.664	5793.240	5725~5850	Pass
30degrees C&&3.80V	ANT2	802.11a	5785.00	5784.964	5776.776	5793.152	5725~5850	Pass
20degrees C&&3.80V	ANT2	802.11a	5785.00	5784.958	5776.848	5793.068	5725~5850	Pass
10degrees C&&3.80V	ANT2	802.11a	5785.00	5784.968	5776.916	5793.020	5725~5850	Pass
0degrees C&&3.80V	ANT2	802.11a	5785.00	5784.934	5776.964	5792.904	5725~5850	Pass
-10degrees C&&3.80V	ANT2	802.11a	5785.00	5784.946	5777.028	5792.864	5725~5850	Pass
-20degrees C&&3.80V	ANT2	802.11a	5785.00	5784.968	5777.088	5792.848	5725~5850	Pass
-30degrees C&&3.80V	ANT2	802.11a	5785.00	5784.962	5777.148	5792.776	5725~5850	Pass
25degrees C&&4.37V	ANT2	802.11a	5785.00	5784.944	5777.196	5792.692	5725~5850	Pass
25degrees C&&3.80V	ANT2	802.11a	5785.00	5784.956	5777.240	5792.672	5725~5850	Pass

25degrees C&&3.23V	ANT2	802.11a	5785.00	5784.966	5777.292	5792.640	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11a	5825.00	5824.896	5816.128	5833.664	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11a	5825.00	5824.952	5816.636	5833.268	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11a	5825.00	5824.950	5816.744	5833.156	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11a	5825.00	5824.944	5816.828	5833.060	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11a	5825.00	5824.958	5816.888	5833.028	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11a	5825.00	5824.952	5816.940	5832.964	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11a	5825.00	5824.956	5816.988	5832.924	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11a	5825.00	5824.932	5817.040	5832.824	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11a	5825.00	5824.950	5817.084	5832.816	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11a	5825.00	5824.964	5817.136	5832.792	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11a	5825.00	5824.928	5817.188	5832.668	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11a	5825.00	5824.962	5817.252	5832.672	5725~5850	Pass
50degrees C&&3.80V	ANT2	802.11a	5825.00	5824.942	5816.496	5833.388	5725~5850	Pass
40degrees C&&3.80V	ANT2	802.11a	5825.00	5824.964	5816.700	5833.228	5725~5850	Pass
30degrees C&&3.80V	ANT2	802.11a	5825.00	5824.968	5816.796	5833.140	5725~5850	Pass
20degrees C&&3.80V	ANT2	802.11a	5825.00	5824.968	5816.888	5833.048	5725~5850	Pass
10degrees C&&3.80V	ANT2	802.11a	5825.00	5824.970	5816.948	5832.992	5725~5850	Pass
0degrees C&&3.80V	ANT2	802.11a	5825.00	5824.972	5816.996	5832.948	5725~5850	Pass
-10degrees C&&3.80V	ANT2	802.11a	5825.00	5824.960	5817.056	5832.864	5725~5850	Pass
-20degrees C&&3.80V	ANT2	802.11a	5825.00	5824.992	5817.116	5832.868	5725~5850	Pass
-30degrees C&&3.80V	ANT2	802.11a	5825.00	5824.970	5817.168	5832.772	5725~5850	Pass
25degrees C&&4.37V	ANT2	802.11a	5825.00	5824.968	5817.224	5832.712	5725~5850	Pass
25degrees C&&3.80V	ANT2	802.11a	5825.00	5824.980	5817.280	5832.680	5725~5850	Pass
25degrees C&&3.23V	ANT2	802.11a	5825.00	5824.972	5817.332	5832.612	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5745.018	5736.048	5753.988	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.970	5736.196	5753.744	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.968	5736.284	5753.652	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.964	5736.360	5753.568	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.966	5736.436	5753.496	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.970	5736.500	5753.440	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.958	5736.564	5753.352	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.964	5736.616	5753.312	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.954	5736.672	5753.236	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5745.00	5744.948	5736.724	5753.172	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5745.00	5744.944	5736.784	5753.104	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5745.00	5744.956	5736.844	5753.068	5725~5850	Pass
50degrees C&&3.80V	ANT2	802.11n(HT20)	5745.00	5745.164	5735.896	5754.432	5725~5850	Pass
40degrees C&&3.80V	ANT2	802.11n(HT20)	5745.00	5744.972	5736.132	5753.812	5725~5850	Pass
30degrees C&&3.80V	ANT2	802.11n(HT20)	5745.00	5744.964	5736.224	5753.704	5725~5850	Pass
20degrees C&&3.80V	ANT2	802.11n(HT20)	5745.00	5744.954	5736.292	5753.616	5725~5850	Pass
10degrees C&&3.80V	ANT2	802.11n(HT20)	5745.00	5744.962	5736.368	5753.556	5725~5850	Pass
0degrees C&&3.80V	ANT2	802.11n(HT20)	5745.00	5744.952	5736.444	5753.460	5725~5850	Pass
-10degrees C&&3.80V	ANT2	802.11n(HT20)	5745.00	5744.934	5736.524	5753.344	5725~5850	Pass
-20degrees C&&3.80V	ANT2	802.11n(HT20)	5745.00	5744.946	5736.588	5753.304	5725~5850	Pass
-30degrees C&&3.80V	ANT2	802.11n(HT20)	5745.00	5744.936	5736.628	5753.244	5725~5850	Pass
25degrees C&&4.37V	ANT2	802.11n(HT20)	5745.00	5744.934	5736.676	5753.192	5725~5850	Pass
25degrees C&&3.80V	ANT2	802.11n(HT20)	5745.00	5744.936	5736.724	5753.148	5725~5850	Pass
25degrees C&&3.23V	ANT2	802.11n(HT20)	5745.00	5744.930	5736.764	5753.096	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.978	5775.956	5794.000	5725~5850	Pass

40degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.966	5776.164	5793.768	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.960	5776.260	5793.660	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.964	5776.344	5793.584	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.954	5776.412	5793.496	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.968	5776.476	5793.460	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.960	5776.548	5793.372	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.968	5776.612	5793.324	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.972	5776.676	5793.268	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5785.00	5784.980	5776.724	5793.236	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5785.00	5784.976	5776.792	5793.160	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5785.00	5784.974	5776.844	5793.104	5725~5850	Pass
50degrees C&&3.80V	ANT2	802.11n(HT20)	5785.00	5784.944	5775.852	5794.036	5725~5850	Pass
40degrees C&&3.80V	ANT2	802.11n(HT20)	5785.00	5784.946	5776.112	5793.780	5725~5850	Pass
30degrees C&&3.80V	ANT2	802.11n(HT20)	5785.00	5784.950	5776.220	5793.680	5725~5850	Pass
20degrees C&&3.80V	ANT2	802.11n(HT20)	5785.00	5784.946	5776.284	5793.608	5725~5850	Pass
10degrees C&&3.80V	ANT2	802.11n(HT20)	5785.00	5784.950	5776.364	5793.536	5725~5850	Pass
0degrees C&&3.80V	ANT2	802.11n(HT20)	5785.00	5784.932	5776.436	5793.428	5725~5850	Pass
-10degrees C&&3.80V	ANT2	802.11n(HT20)	5785.00	5784.946	5776.512	5793.380	5725~5850	Pass
-20degrees C&&3.80V	ANT2	802.11n(HT20)	5785.00	5784.932	5776.576	5793.288	5725~5850	Pass
-30degrees C&&3.80V	ANT2	802.11n(HT20)	5785.00	5784.942	5776.632	5793.252	5725~5850	Pass
25degrees C&&4.37V	ANT2	802.11n(HT20)	5785.00	5784.936	5776.672	5793.200	5725~5850	Pass
25degrees C&&3.80V	ANT2	802.11n(HT20)	5785.00	5784.918	5776.716	5793.120	5725~5850	Pass
25degrees C&&3.23V	ANT2	802.11n(HT20)	5785.00	5784.932	5776.756	5793.108	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.962	5816.064	5833.860	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.958	5816.188	5833.728	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.974	5816.284	5833.664	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.972	5816.356	5833.588	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.974	5816.436	5833.512	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.972	5816.508	5833.436	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.992	5816.584	5833.400	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.998	5816.656	5833.340	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.994	5816.728	5833.260	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT20)	5825.00	5824.994	5816.780	5833.208	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT20)	5825.00	5824.990	5816.836	5833.144	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT20)	5825.00	5825.010	5816.904	5833.116	5725~5850	Pass
50degrees C&&3.80V	ANT2	802.11n(HT20)	5825.00	5824.974	5816.072	5833.876	5725~5850	Pass
40degrees C&&3.80V	ANT2	802.11n(HT20)	5825.00	5824.968	5816.188	5833.748	5725~5850	Pass
30degrees C&&3.80V	ANT2	802.11n(HT20)	5825.00	5824.970	5816.272	5833.668	5725~5850	Pass
20degrees C&&3.80V	ANT2	802.11n(HT20)	5825.00	5824.976	5816.344	5833.608	5725~5850	Pass
10degrees C&&3.80V	ANT2	802.11n(HT20)	5825.00	5824.966	5816.404	5833.528	5725~5850	Pass
0degrees C&&3.80V	ANT2	802.11n(HT20)	5825.00	5824.970	5816.452	5833.488	5725~5850	Pass
-10degrees C&&3.80V	ANT2	802.11n(HT20)	5825.00	5824.958	5816.516	5833.400	5725~5850	Pass
-20degrees C&&3.80V	ANT2	802.11n(HT20)	5825.00	5824.984	5816.588	5833.380	5725~5850	Pass
-30degrees C&&3.80V	ANT2	802.11n(HT20)	5825.00	5824.968	5816.652	5833.284	5725~5850	Pass
25degrees C&&4.37V	ANT2	802.11n(HT20)	5825.00	5824.970	5816.712	5833.228	5725~5850	Pass
25degrees C&&3.80V	ANT2	802.11n(HT20)	5825.00	5824.964	5816.756	5833.172	5725~5850	Pass
25degrees C&&3.23V	ANT2	802.11n(HT20)	5825.00	5824.966	5816.816	5833.116	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.986	5736.072	5753.900	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.972	5736.192	5753.752	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.972	5736.280	5753.664	5725~5850	Pass

20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.972	5736.360	5753.584	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.974	5736.444	5753.504	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.974	5736.520	5753.428	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.986	5736.588	5753.384	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.972	5736.644	5753.300	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.976	5736.708	5753.244	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5745.00	5744.976	5736.752	5753.200	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5745.00	5744.962	5736.800	5753.124	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5745.00	5744.990	5736.856	5753.124	5725~5850	Pass
50degrees C&&3.80V	ANT2	802.11ac(VHT20)	5745.00	5745.004	5736.012	5753.996	5725~5850	Pass
40degrees C&&3.80V	ANT2	802.11ac(VHT20)	5745.00	5744.964	5736.160	5753.768	5725~5850	Pass
30degrees C&&3.80V	ANT2	802.11ac(VHT20)	5745.00	5744.952	5736.240	5753.664	5725~5850	Pass
20degrees C&&3.80V	ANT2	802.11ac(VHT20)	5745.00	5744.942	5736.304	5753.580	5725~5850	Pass
10degrees C&&3.80V	ANT2	802.11ac(VHT20)	5745.00	5744.946	5736.368	5753.524	5725~5850	Pass
0degrees C&&3.80V	ANT2	802.11ac(VHT20)	5745.00	5744.938	5736.448	5753.428	5725~5850	Pass
-10degrees C&&3.80V	ANT2	802.11ac(VHT20)	5745.00	5744.942	5736.536	5753.348	5725~5850	Pass
-20degrees C&&3.80V	ANT2	802.11ac(VHT20)	5745.00	5744.932	5736.600	5753.264	5725~5850	Pass
-30degrees C&&3.80V	ANT2	802.11ac(VHT20)	5745.00	5744.946	5736.656	5753.236	5725~5850	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT20)	5745.00	5744.958	5736.708	5753.208	5725~5850	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT20)	5745.00	5744.938	5736.748	5753.128	5725~5850	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT20)	5745.00	5744.932	5736.800	5753.064	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.962	5775.976	5793.948	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.968	5776.168	5793.768	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.962	5776.268	5793.656	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.972	5776.360	5793.584	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.966	5776.436	5793.496	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.980	5776.504	5793.456	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.970	5776.572	5793.368	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.970	5776.624	5793.316	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.976	5776.688	5793.264	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5785.00	5784.986	5776.748	5793.224	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5785.00	5784.980	5776.804	5793.156	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5785.00	5784.966	5776.864	5793.068	5725~5850	Pass
50degrees C&&3.80V	ANT2	802.11ac(VHT20)	5785.00	5784.952	5775.880	5794.024	5725~5850	Pass
40degrees C&&3.80V	ANT2	802.11ac(VHT20)	5785.00	5784.944	5776.108	5793.780	5725~5850	Pass
30degrees C&&3.80V	ANT2	802.11ac(VHT20)	5785.00	5784.944	5776.200	5793.688	5725~5850	Pass
20degrees C&&3.80V	ANT2	802.11ac(VHT20)	5785.00	5784.944	5776.272	5793.616	5725~5850	Pass
10degrees C&&3.80V	ANT2	802.11ac(VHT20)	5785.00	5784.920	5776.344	5793.496	5725~5850	Pass
0degrees C&&3.80V	ANT2	802.11ac(VHT20)	5785.00	5784.928	5776.420	5793.436	5725~5850	Pass
-10degrees C&&3.80V	ANT2	802.11ac(VHT20)	5785.00	5784.930	5776.500	5793.360	5725~5850	Pass
-20degrees C&&3.80V	ANT2	802.11ac(VHT20)	5785.00	5784.944	5776.576	5793.312	5725~5850	Pass
-30degrees C&&3.80V	ANT2	802.11ac(VHT20)	5785.00	5784.932	5776.620	5793.244	5725~5850	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT20)	5785.00	5784.922	5776.684	5793.160	5725~5850	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT20)	5785.00	5784.922	5776.736	5793.108	5725~5850	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT20)	5785.00	5784.946	5776.776	5793.116	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.940	5815.916	5833.964	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.952	5816.148	5833.756	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.952	5816.244	5833.660	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.938	5816.320	5833.556	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.940	5816.388	5833.492	5725~5850	Pass

0degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.956	5816.464	5833.448	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.946	5816.532	5833.360	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.952	5816.604	5833.300	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.958	5816.660	5833.256	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT20)	5825.00	5824.962	5816.716	5833.208	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT20)	5825.00	5824.956	5816.768	5833.144	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT20)	5825.00	5824.966	5816.828	5833.104	5725~5850	Pass
50degrees C&&3.80V	ANT2	802.11ac(VHT20)	5825.00	5824.926	5815.924	5833.928	5725~5850	Pass
40degrees C&&3.80V	ANT2	802.11ac(VHT20)	5825.00	5824.942	5816.128	5833.756	5725~5850	Pass
30degrees C&&3.80V	ANT2	802.11ac(VHT20)	5825.00	5824.944	5816.212	5833.676	5725~5850	Pass
20degrees C&&3.80V	ANT2	802.11ac(VHT20)	5825.00	5824.946	5816.280	5833.612	5725~5850	Pass
10degrees C&&3.80V	ANT2	802.11ac(VHT20)	5825.00	5824.938	5816.344	5833.532	5725~5850	Pass
0degrees C&&3.80V	ANT2	802.11ac(VHT20)	5825.00	5824.928	5816.416	5833.440	5725~5850	Pass
-10degrees C&&3.80V	ANT2	802.11ac(VHT20)	5825.00	5824.932	5816.492	5833.372	5725~5850	Pass
-20degrees C&&3.80V	ANT2	802.11ac(VHT20)	5825.00	5824.936	5816.564	5833.308	5725~5850	Pass
-30degrees C&&3.80V	ANT2	802.11ac(VHT20)	5825.00	5824.928	5816.624	5833.232	5725~5850	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT20)	5825.00	5824.950	5816.688	5833.212	5725~5850	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT20)	5825.00	5824.948	5816.748	5833.148	5725~5850	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT20)	5825.00	5824.946	5816.804	5833.088	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.984	5736.808	5773.160	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.964	5736.976	5772.952	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.972	5737.136	5772.808	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.944	5737.280	5772.608	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.932	5737.400	5772.464	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5755.012	5737.536	5772.488	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.968	5737.656	5772.280	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.948	5737.800	5772.096	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.932	5737.960	5771.904	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5755.00	5754.988	5738.136	5771.840	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5755.00	5754.980	5738.320	5771.640	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5755.00	5755.092	5738.504	5771.680	5725~5850	Pass
50degrees C&&3.80V	ANT2	802.11n(HT40)	5755.00	5754.968	5736.752	5773.184	5725~5850	Pass
40degrees C&&3.80V	ANT2	802.11n(HT40)	5755.00	5754.948	5736.944	5772.952	5725~5850	Pass
30degrees C&&3.80V	ANT2	802.11n(HT40)	5755.00	5754.932	5737.112	5772.752	5725~5850	Pass
20degrees C&&3.80V	ANT2	802.11n(HT40)	5755.00	5754.896	5737.248	5772.544	5725~5850	Pass
10degrees C&&3.80V	ANT2	802.11n(HT40)	5755.00	5754.936	5737.416	5772.456	5725~5850	Pass
0degrees C&&3.80V	ANT2	802.11n(HT40)	5755.00	5754.936	5737.552	5772.320	5725~5850	Pass
-10degrees C&&3.80V	ANT2	802.11n(HT40)	5755.00	5754.952	5737.728	5772.176	5725~5850	Pass
-20degrees C&&3.80V	ANT2	802.11n(HT40)	5755.00	5754.960	5737.896	5772.024	5725~5850	Pass
-30degrees C&&3.80V	ANT2	802.11n(HT40)	5755.00	5754.940	5738.040	5771.840	5725~5850	Pass
25degrees C&&4.37V	ANT2	802.11n(HT40)	5755.00	5755.004	5738.240	5771.768	5725~5850	Pass
25degrees C&&3.80V	ANT2	802.11n(HT40)	5755.00	5754.956	5738.416	5771.496	5725~5850	Pass
25degrees C&&3.23V	ANT2	802.11n(HT40)	5755.00	5754.968	5738.544	5771.392	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.984	5776.784	5813.184	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.992	5776.992	5812.992	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.004	5777.176	5812.832	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.988	5777.304	5812.672	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.004	5777.448	5812.560	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.968	5777.568	5812.368	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.952	5777.704	5812.200	5725~5850	Pass

-20degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.032	5777.864	5812.200	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5794.952	5777.984	5811.920	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11n(HT40)	5795.00	5794.976	5778.144	5811.808	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11n(HT40)	5795.00	5795.004	5778.288	5811.720	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11n(HT40)	5795.00	5794.928	5778.496	5811.360	5725~5850	Pass
50degrees C&&3.80V	ANT2	802.11n(HT40)	5795.00	5794.940	5776.736	5813.144	5725~5850	Pass
40degrees C&&3.80V	ANT2	802.11n(HT40)	5795.00	5794.928	5776.928	5812.928	5725~5850	Pass
30degrees C&&3.80V	ANT2	802.11n(HT40)	5795.00	5794.896	5777.096	5812.696	5725~5850	Pass
20degrees C&&3.80V	ANT2	802.11n(HT40)	5795.00	5794.832	5777.168	5812.496	5725~5850	Pass
10degrees C&&3.80V	ANT2	802.11n(HT40)	5795.00	5794.848	5777.320	5812.376	5725~5850	Pass
0degrees C&&3.80V	ANT2	802.11n(HT40)	5795.00	5794.796	5777.472	5812.120	5725~5850	Pass
-10degrees C&&3.80V	ANT2	802.11n(HT40)	5795.00	5794.816	5777.624	5812.008	5725~5850	Pass
-20degrees C&&3.80V	ANT2	802.11n(HT40)	5795.00	5794.828	5777.792	5811.864	5725~5850	Pass
-30degrees C&&3.80V	ANT2	802.11n(HT40)	5795.00	5794.840	5777.952	5811.728	5725~5850	Pass
25degrees C&&4.37V	ANT2	802.11n(HT40)	5795.00	5794.800	5778.088	5811.512	5725~5850	Pass
25degrees C&&3.80V	ANT2	802.11n(HT40)	5795.00	5794.836	5778.272	5811.400	5725~5850	Pass
25degrees C&&3.23V	ANT2	802.11n(HT40)	5795.00	5794.760	5778.424	5811.096	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.996	5736.888	5773.104	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.992	5737.112	5772.872	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.004	5737.288	5772.720	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.972	5737.448	5772.496	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.992	5737.600	5772.384	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.020	5737.768	5772.272	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.992	5737.920	5772.064	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.984	5738.080	5771.888	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5754.988	5738.224	5771.752	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5755.00	5755.012	5738.376	5771.648	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5755.00	5755.024	5738.512	5771.536	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5755.00	5755.056	5738.664	5771.448	5725~5850	Pass
50degrees C&&3.80V	ANT2	802.11ac(VHT40)	5755.00	5754.976	5736.816	5773.136	5725~5850	Pass
40degrees C&&3.80V	ANT2	802.11ac(VHT40)	5755.00	5754.956	5737.024	5772.888	5725~5850	Pass
30degrees C&&3.80V	ANT2	802.11ac(VHT40)	5755.00	5754.948	5737.232	5772.664	5725~5850	Pass
20degrees C&&3.80V	ANT2	802.11ac(VHT40)	5755.00	5754.948	5737.376	5772.520	5725~5850	Pass
10degrees C&&3.80V	ANT2	802.11ac(VHT40)	5755.00	5754.948	5737.536	5772.360	5725~5850	Pass
0degrees C&&3.80V	ANT2	802.11ac(VHT40)	5755.00	5754.964	5737.656	5772.272	5725~5850	Pass
-10degrees C&&3.80V	ANT2	802.11ac(VHT40)	5755.00	5754.940	5737.848	5772.032	5725~5850	Pass
-20degrees C&&3.80V	ANT2	802.11ac(VHT40)	5755.00	5754.968	5737.976	5771.960	5725~5850	Pass
-30degrees C&&3.80V	ANT2	802.11ac(VHT40)	5755.00	5754.912	5738.072	5771.752	5725~5850	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT40)	5755.00	5754.936	5738.208	5771.664	5725~5850	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT40)	5755.00	5754.868	5738.368	5771.368	5725~5850	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT40)	5755.00	5754.920	5738.536	5771.304	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.956	5776.808	5813.104	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.940	5777.024	5812.856	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.940	5777.208	5812.672	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.944	5777.400	5812.488	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.976	5777.544	5812.408	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.968	5777.712	5812.224	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.948	5777.880	5812.016	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.976	5778.024	5811.928	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.984	5778.176	5811.792	5725~5850	Pass

25degrees C&&4.37V	ANT1	802.11ac(VHT40)	5795.00	5794.948	5778.296	5811.600	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT40)	5795.00	5794.980	5778.472	5811.488	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT40)	5795.00	5794.956	5778.640	5811.272	5725~5850	Pass
50degrees C&&3.80V	ANT2	802.11ac(VHT40)	5795.00	5794.948	5776.776	5813.120	5725~5850	Pass
40degrees C&&3.80V	ANT2	802.11ac(VHT40)	5795.00	5794.920	5776.968	5812.872	5725~5850	Pass
30degrees C&&3.80V	ANT2	802.11ac(VHT40)	5795.00	5794.928	5777.192	5812.664	5725~5850	Pass
20degrees C&&3.80V	ANT2	802.11ac(VHT40)	5795.00	5794.924	5777.360	5812.488	5725~5850	Pass
10degrees C&&3.80V	ANT2	802.11ac(VHT40)	5795.00	5794.916	5777.488	5812.344	5725~5850	Pass
0degrees C&&3.80V	ANT2	802.11ac(VHT40)	5795.00	5794.888	5777.592	5812.184	5725~5850	Pass
-10degrees C&&3.80V	ANT2	802.11ac(VHT40)	5795.00	5794.868	5777.736	5812.000	5725~5850	Pass
-20degrees C&&3.80V	ANT2	802.11ac(VHT40)	5795.00	5794.832	5777.872	5811.792	5725~5850	Pass
-30degrees C&&3.80V	ANT2	802.11ac(VHT40)	5795.00	5794.828	5777.992	5811.664	5725~5850	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT40)	5795.00	5794.772	5778.120	5811.424	5725~5850	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT40)	5795.00	5794.760	5778.256	5811.264	5725~5850	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT40)	5795.00	5794.776	5778.400	5811.152	5725~5850	Pass
50degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.000	5737.104	5812.896	5725~5850	Pass
40degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5774.982	5737.476	5812.488	5725~5850	Pass
30degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5774.982	5737.848	5812.116	5725~5850	Pass
20degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.006	5738.232	5811.780	5725~5850	Pass
10degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.048	5738.580	5811.516	5725~5850	Pass
0degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5774.910	5738.856	5810.964	5725~5850	Pass
-10degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5774.910	5739.180	5810.640	5725~5850	Pass
-20degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5774.952	5739.528	5810.376	5725~5850	Pass
-30degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5774.982	5739.924	5810.040	5725~5850	Pass
25degrees C&&4.37V	ANT1	802.11ac(VHT80)	5775.00	5774.928	5740.176	5809.680	5725~5850	Pass
25degrees C&&3.80V	ANT1	802.11ac(VHT80)	5775.00	5775.018	5740.512	5809.524	5725~5850	Pass
25degrees C&&3.23V	ANT1	802.11ac(VHT80)	5775.00	5774.886	5740.800	5808.972	5725~5850	Pass
50degrees C&&3.80V	ANT2	802.11ac(VHT80)	5775.00	5775.006	5737.116	5812.896	5725~5850	Pass
40degrees C&&3.80V	ANT2	802.11ac(VHT80)	5775.00	5774.892	5737.428	5812.356	5725~5850	Pass
30degrees C&&3.80V	ANT2	802.11ac(VHT80)	5775.00	5774.796	5737.704	5811.888	5725~5850	Pass
20degrees C&&3.80V	ANT2	802.11ac(VHT80)	5775.00	5774.784	5738.028	5811.540	5725~5850	Pass
10degrees C&&3.80V	ANT2	802.11ac(VHT80)	5775.00	5774.682	5738.376	5810.988	5725~5850	Pass
0degrees C&&3.80V	ANT2	802.11ac(VHT80)	5775.00	5774.544	5738.628	5810.460	5725~5850	Pass
-10degrees C&&3.80V	ANT2	802.11ac(VHT80)	5775.00	5774.502	5738.892	5810.112	5725~5850	Pass
-20degrees C&&3.80V	ANT2	802.11ac(VHT80)	5775.00	5774.436	5739.180	5809.692	5725~5850	Pass
-30degrees C&&3.80V	ANT2	802.11ac(VHT80)	5775.00	5774.412	5739.468	5809.356	5725~5850	Pass
25degrees C&&4.37V	ANT2	802.11ac(VHT80)	5775.00	5774.328	5739.744	5808.912	5725~5850	Pass
25degrees C&&3.80V	ANT2	802.11ac(VHT80)	5775.00	5774.208	5740.008	5808.408	5725~5850	Pass
25degrees C&&3.23V	ANT2	802.11ac(VHT80)	5775.00	5774.220	5740.236	5808.204	5725~5850	Pass

***** End of Report *****