




11AC20SISO_Ant1_2437




11AC20SISO_Ant1_2462




11AC40SISO_Ant1_2422




11AC40SISO_Ant1_2437




11AC40SISO_Ant1_2452




11AX20SISO_Ant1_2412




11AX20SISO_Ant1_2437



11AX20SISO_Ant1_2462




11AX40SISO_Ant1_2422






Appendix G: Emissions in Restricted Bands

Profile: 2430820R	Page No.: 49
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 2412MHz by 802.11b Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4824.000	53.440	65.360	-0.560	54.000	-11.920	AV
2		4825.000	54.573	66.496	-19.427	74.000	-11.923	PK
3		7236.000	45.833	52.467	-28.167	74.000	-6.634	PK
4		9648.000	48.029	51.803	-25.971	74.000	-3.774	PK

Profile: 2430820R	Page No.: 50
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 2412MHz by 802.11b Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4825.000	46.250	58.173	-27.750	74.000	-11.923	PK
2		7236.000	46.196	52.830	-27.804	74.000	-6.634	PK
3	*	9648.000	48.620	52.394	-25.380	74.000	-3.774	PK

Profile: 2430820R	Page No.: 51
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 2437MHz by 802.11b Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4874.000	52.046	62.520	-1.954	54.000	-10.474	AV
2		4876.000	53.372	63.799	-20.628	74.000	-10.427	PK
3		7311.000	45.526	52.661	-28.474	74.000	-7.135	PK
4		9748.000	49.990	52.884	-24.010	74.000	-2.893	PK

Profile: 2430820R	Page No.: 52
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 2437MHz by 802.11b Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4876.000	45.223	55.650	-28.777	74.000	-10.427	PK
2		7311.000	45.493	52.628	-28.507	74.000	-7.135	PK
3	*	9748.000	48.814	51.708	-25.186	74.000	-2.893	PK

Profile: 2430820R	Page No.: 53
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 2462MHz by 802.11b Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4927.000	46.524	58.097	-27.476	74.000	-11.573	PK
2		7386.000	45.601	52.216	-28.399	74.000	-6.615	PK
3	*	9848.000	49.740	52.206	-24.260	74.000	-2.466	PK

Profile: 2430820R	Page No.: 54
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 2462MHz by 802.11b Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4927.000	44.930	56.503	-29.070	74.000	-11.573	PK
2		7386.000	46.038	52.653	-27.962	74.000	-6.615	PK
3	*	9848.000	49.938	52.404	-24.062	74.000	-2.466	PK

Profile: 2430820R	Page No.: 55
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 2412MHz by 802.11g Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4824.000	45.360	57.280	-8.640	54.000	-11.920	AV
2		4825.000	53.478	65.401	-20.522	74.000	-11.923	PK
3		7236.000	46.593	53.227	-27.407	74.000	-6.634	PK
4		9648.000	48.286	52.060	-25.714	74.000	-3.774	PK

Profile: 2430820R	Page No.: 56
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 2412MHz by 802.11g Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	44.918	56.838	-29.082	74.000	-11.920	PK
2		7236.000	46.092	52.726	-27.908	74.000	-6.634	PK
3	*	9648.000	48.787	52.561	-25.213	74.000	-3.774	PK

Profile: 2430820R	Page No.: 57
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 2437MHz by 802.11g Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4874.000	51.546	62.020	-2.454	54.000	-10.474	AV
2		4876.000	60.162	70.589	-13.838	74.000	-10.427	PK
3		7311.000	46.637	53.772	-27.363	74.000	-7.135	PK
4		9748.000	49.628	52.522	-24.372	74.000	-2.893	PK

Profile: 2430820R	Page No.: 58
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 2437MHz by 802.11g Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4876.000	51.731	62.158	-22.269	74.000	-10.427	PK
2		7311.000	46.441	53.576	-27.559	74.000	-7.135	PK
3		9748.000	49.108	52.002	-24.892	74.000	-2.893	PK

Profile: 2430820R	Page No.: 59
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 2462MHz by 802.11g Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	47.437	59.048	-26.563	74.000	-11.611	PK
2		7386.000	46.462	53.077	-27.538	74.000	-6.615	PK
3	*	9848.000	49.569	52.035	-24.431	74.000	-2.466	PK

Profile: 2430820R	Page No.: 60
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 2 : Transmit at 2462MHz by 802.11g Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	43.326	54.937	-30.674	74.000	-11.611	PK
2		7386.000	45.812	52.427	-28.188	74.000	-6.615	PK
3	*	9848.000	49.573	52.039	-24.427	74.000	-2.466	PK

Profile: 2430820R	Page No.: 61
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 3 : Transmit at 2412MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4824.000	49.210	61.130	-4.790	54.000	-11.920	AV
2		4825.000	57.463	69.386	-16.537	74.000	-11.923	PK
3		7236.000	45.599	52.233	-28.401	74.000	-6.634	PK
4		9648.000	48.529	52.303	-25.471	74.000	-3.774	PK

Profile: 2430820R	Page No.: 62
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 3 : Transmit at 2412MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4825.000	50.000	61.923	-24.000	74.000	-11.923	PK
2		7236.000	45.982	52.616	-28.018	74.000	-6.634	PK
3		9648.000	48.935	52.709	-25.065	74.000	-3.774	PK

Profile: 2430820R	Page No.: 63
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 3 : Transmit at 2437MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4874.000	53.166	63.640	-0.834	54.000	-10.474	AV
2		4876.000	63.984	74.411	-10.016	74.000	-10.427	PK
3		7311.000	46.023	53.158	-27.977	74.000	-7.135	PK
4		9748.000	49.524	52.418	-24.476	74.000	-2.893	PK

Profile: 2430820R	Page No.: 64
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 3 : Transmit at 2437MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4876.000	51.575	62.002	-22.425	74.000	-10.427	PK
2		7311.000	45.856	52.991	-28.144	74.000	-7.135	PK
3		9748.000	49.635	52.529	-24.365	74.000	-2.893	PK

Profile: 2430820R	Page No.: 65
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 3 : Transmit at 2462MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4924.000	45.759	57.370	-8.241	54.000	-11.611	AV
2		4927.000	54.225	65.798	-19.775	74.000	-11.573	PK
3		7386.000	46.218	52.833	-27.782	74.000	-6.615	PK
4		9848.000	49.458	51.924	-24.542	74.000	-2.466	PK

Profile: 2430820R	Page No.: 66
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 3 : Transmit at 2462MHz by 802.11n(20MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	47.195	58.806	-26.805	74.000	-11.611	PK
2		7386.000	45.861	52.476	-28.139	74.000	-6.615	PK
3	*	9848.000	49.801	52.267	-24.199	74.000	-2.466	PK

Profile: 2430820R	Page No.: 67
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 2422MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4842.000	53.001	64.327	-20.999	74.000	-11.326	PK
2		7266.000	46.395	53.099	-27.605	74.000	-6.705	PK
3		9688.000	50.189	53.381	-23.811	74.000	-3.191	PK

Profile: 2430820R	Page No.: 68
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 2422MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4842.000	47.219	58.545	-26.781	74.000	-11.326	PK
2		7266.000	46.862	53.566	-27.138	74.000	-6.705	PK
3	*	9688.000	49.615	52.807	-24.385	74.000	-3.191	PK

Profile: 2430820R	Page No.: 69
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 2437MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4874.000	50.016	60.490	-3.984	54.000	-10.474	AV
2		4876.000	56.392	66.819	-17.608	74.000	-10.427	PK
3		7311.000	45.923	53.058	-28.077	74.000	-7.135	PK
4		9748.000	49.691	52.585	-24.309	74.000	-2.893	PK

Profile: 2430820R	Page No.: 70
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 2437MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4876.000	46.511	56.938	-27.489	74.000	-10.427	PK
2		7311.000	45.225	52.360	-28.775	74.000	-7.135	PK
3	*	9748.000	49.550	52.444	-24.450	74.000	-2.893	PK

Profile: 2430820R	Page No.: 71
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 2452MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	53.958	65.532	-20.042	74.000	-11.573	PK
2	*	4904.000	46.446	58.020	-7.554	54.000	-11.573	AV
3		7356.000	45.985	52.523	-28.015	74.000	-6.539	PK
4		9808.000	48.789	52.158	-25.211	74.000	-3.369	PK

Profile: 2430820R	Page No.: 72
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 4 : Transmit at 2452MHz by 802.11n(40MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	45.692	57.266	-28.308	74.000	-11.573	PK
2		7356.000	46.252	52.790	-27.748	74.000	-6.539	PK
3	*	9808.000	48.735	52.104	-25.265	74.000	-3.369	PK

Profile: 2430820R	Page No.: 73
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 5 : Transmit at 2412MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4824.000	49.280	61.200	-4.720	54.000	-11.920	AV
2		4825.000	57.050	68.973	-16.950	74.000	-11.923	PK
3		7236.000	45.705	52.339	-28.295	74.000	-6.634	PK
4		9648.000	48.501	52.275	-25.499	74.000	-3.774	PK

Profile: 2430820R	Page No.: 74
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 5 : Transmit at 2412MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4825.000	46.641	58.564	-27.359	74.000	-11.923	PK
2		7236.000	45.574	52.208	-28.426	74.000	-6.634	PK
3	*	9648.000	48.006	51.780	-25.994	74.000	-3.774	PK

Profile: 2430820R	Page No.: 75
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 5 : Transmit at 2437MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4874.000	52.796	63.270	-1.204	54.000	-10.474	AV
2		4876.000	60.813	71.240	-13.187	74.000	-10.427	PK
3		7311.000	45.850	52.985	-28.150	74.000	-7.135	PK
4		9748.000	49.399	52.293	-24.601	74.000	-2.893	PK

Profile: 2430820R	Page No.: 76
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 5 : Transmit at 2437MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4876.000	51.463	61.890	-22.537	74.000	-10.427	PK
2		7311.000	45.379	52.514	-28.621	74.000	-7.135	PK
3		9748.000	49.048	51.942	-24.952	74.000	-2.893	PK

Profile: 2430820R	Page No.: 77
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 5 : Transmit at 2462MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4924.000	45.429	57.040	-8.571	54.000	-11.611	AV
2		4927.000	54.430	66.003	-19.570	74.000	-11.573	PK
3		7386.000	46.283	52.898	-27.717	74.000	-6.615	PK
4		9848.000	49.493	51.959	-24.507	74.000	-2.466	PK

Profile: 2430820R	Page No.: 78
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 5 : Transmit at 2462MHz by 802.11ac(20MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4927.000	47.066	58.639	-26.934	74.000	-11.573	PK
2		7386.000	46.176	52.791	-27.824	74.000	-6.615	PK
3	*	9848.000	49.648	52.114	-24.352	74.000	-2.466	PK

Profile: 2430820R	Page No.: 79
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 6 : Transmit at 2422MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4844.000	51.556	62.824	-22.444	74.000	-11.268	PK
2		7266.000	46.312	53.016	-27.688	74.000	-6.705	PK
3		9688.000	49.317	52.509	-24.683	74.000	-3.191	PK

Profile: 2430820R	Page No.: 80
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 6 : Transmit at 2422MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4842.000	47.447	58.773	-26.553	74.000	-11.326	PK
2		7266.000	45.767	52.471	-28.233	74.000	-6.705	PK
3	*	9688.000	49.376	52.568	-24.624	74.000	-3.191	PK

Profile: 2430820R	Page No.: 81
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 6 : Transmit at 2437MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4874.000	49.526	60.000	-4.474	54.000	-10.474	AV
2		4876.000	57.474	67.901	-16.526	74.000	-10.427	PK
3		7311.000	45.602	52.737	-28.398	74.000	-7.135	PK
4		9748.000	49.449	52.343	-24.551	74.000	-2.893	PK

Profile: 2430820R	Page No.: 82
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 6 : Transmit at 2437MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4876.000	48.551	58.978	-25.449	74.000	-10.427	PK
2		7311.000	45.449	52.584	-28.551	74.000	-7.135	PK
3	*	9748.000	49.385	52.279	-24.615	74.000	-2.893	PK

Profile: 2430820R	Page No.: 83
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 6 : Transmit at 2452MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	53.386	64.960	-20.614	74.000	-11.573	PK
2	*	4904.000	46.576	58.150	-7.424	54.000	-11.573	AV
3		7356.000	46.398	52.936	-27.602	74.000	-6.539	PK
4		9808.000	48.989	52.358	-25.011	74.000	-3.369	PK

Profile: 2430820R	Page No.: 84
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 6 : Transmit at 2452MHz by 802.11ac(40MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4910.000	46.087	57.876	-27.913	74.000	-11.789	PK
2		7356.000	46.714	53.252	-27.286	74.000	-6.539	PK
3	*	9808.000	48.781	52.150	-25.219	74.000	-3.369	PK

Profile: 2430820R	Page No.: 85
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 2412MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4824.000	49.030	60.950	-4.970	54.000	-11.920	AV
2		4825.000	58.182	70.105	-15.818	74.000	-11.923	PK
3		7236.000	46.646	53.280	-27.354	74.000	-6.634	PK
4		9648.000	49.460	53.234	-24.540	74.000	-3.774	PK

Profile: 2430820R	Page No.: 86
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 2412MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4825.000	46.584	58.507	-27.416	74.000	-11.923	PK
2		7236.000	46.053	52.687	-27.947	74.000	-6.634	PK
3	*	9648.000	49.238	53.012	-24.762	74.000	-3.774	PK

Profile: 2430820R	Page No.: 87
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 2437MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4874.000	52.716	63.190	-1.284	54.000	-10.474	AV
2		4876.000	60.529	70.956	-13.471	74.000	-10.427	PK
3		7311.000	47.112	54.247	-26.888	74.000	-7.135	PK
4		9648.000	48.771	52.545	-25.229	74.000	-3.774	PK

Profile: 2430820R	Page No.: 88
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 2437MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4876.000	50.601	61.028	-23.399	74.000	-10.427	PK
2		7311.000	45.623	52.758	-28.377	74.000	-7.135	PK
3		9748.000	49.095	51.989	-24.905	74.000	-2.893	PK

Profile: 2430820R	Page No.: 89
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 2462MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	54.064	65.675	-19.936	74.000	-11.611	PK
2	*	4924.000	46.209	57.820	-7.791	54.000	-11.611	AV
3		7386.000	46.980	53.595	-27.020	74.000	-6.615	PK
4		9848.000	50.384	52.850	-23.616	74.000	-2.466	PK

Profile: 2430820R	Page No.: 90
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 7 : Transmit at 2462MHz by 802.11ax(20MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	47.499	59.110	-26.501	74.000	-11.611	PK
2		7386.000	46.040	52.655	-27.960	74.000	-6.615	PK
3	*	9848.000	49.909	52.375	-24.091	74.000	-2.466	PK

Profile: 2430820R	Page No.: 91
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 2422MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4844.000	51.091	62.359	-22.909	74.000	-11.268	PK
2		7266.000	45.892	52.596	-28.108	74.000	-6.705	PK
3		9688.000	49.579	52.771	-24.421	74.000	-3.191	PK

Profile: 2430820R	Page No.: 92
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 2422MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4844.000	47.775	59.043	-26.225	74.000	-11.268	PK
2		7266.000	45.756	52.460	-28.244	74.000	-6.705	PK
3	*	9688.000	49.004	52.196	-24.996	74.000	-3.191	PK

Profile: 2430820R	Page No.: 93
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 2437MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1	*	4874.000	49.146	59.620	-4.854	54.000	-10.474	AV
2		4876.000	57.800	68.227	-16.200	74.000	-10.427	PK
3		7311.000	45.349	52.484	-28.651	74.000	-7.135	PK
4		9748.000	49.966	52.860	-24.034	74.000	-2.893	PK

Profile: 2430820R	Page No.: 94
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 2437MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	48.146	58.620	-25.854	74.000	-10.474	PK
2		7311.000	45.451	52.586	-28.549	74.000	-7.135	PK
3	*	9748.000	49.468	52.362	-24.532	74.000	-2.893	PK

Profile: 2430820R	Page No.: 95
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 2452MHz by 802.11ax(40MHz) Ant 1	



No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	54.056	65.630	-19.944	74.000	-11.573	PK
2	*	4904.000	46.416	57.990	-7.584	54.000	-11.573	AV
3		7356.000	46.155	52.693	-27.845	74.000	-6.539	PK
4		9808.000	49.352	52.721	-24.648	74.000	-3.369	PK

Profile: 2430820R	Page No.: 96
Engineer: Yu Liu	
Site: AC5	Time: 2024/08/11 - 14:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 8 : Transmit at 2452MHz by 802.11ax(40MHz) Ant 1	




No	Mark	Frequency (MHz) Ant 1	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4904.000	46.702	58.276	-27.298	74.000	-11.573	PK
2		7356.000	46.632	53.170	-27.368	74.000	-6.539	PK
3	*	9808.000	50.167	53.536	-23.833	74.000	-3.369	PK

Note:

1. Measured Level = Reading Level + Factor.
2. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
3. The test frequency range, 18GHz~26GHz test result on peak is lower than average limit, all is the noise base, therefore no data appear in the report.
4. If the test result on peak is lower than average limit, then average measurement needn't be performed.
5. We have evaluated SISO, MIMO mode, shown in the report is the worst data.


The worst case of Radiated Emission below 1GHz:

Profile: 2430820R	Page No.: 65
Engineer: Yu Liu	
Site: AC2	Time: 2024/08/17 - 08:28
Limit: FCC_Part 15.209	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Horizontal
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 2412MHz by 802.11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		55.341	17.290	3.681	-22.710	40.000	13.610	QP
2		94.384	22.320	5.399	-21.180	43.500	16.921	QP
3		135.851	21.236	2.628	-22.264	43.500	18.608	QP
4		262.557	22.387	1.651	-23.613	46.000	20.736	QP
5		392.295	25.177	1.827	-20.823	46.000	23.350	QP
6	*	666.684	30.247	2.700	-15.753	46.000	27.547	QP

Profile: 2430820R	Page No.: 66
Engineer: Yu Liu	
Site: AC2	Time: 2024/08/17 - 08:29
Limit: FCC_Part 15.209	Margin: 0
Probe: CBL6112D_27613(30-1000MHz)	Polarity: Vertical
EUT: Argo	Power: Battery Powered
Note: Mode 1 : Transmit at 2412MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		46.490	18.449	2.139	-21.551	40.000	16.310	QP
2		95.717	23.870	6.695	-19.630	43.500	17.175	QP
3		167.619	19.511	2.705	-23.989	43.500	16.806	QP
4		284.867	23.298	2.878	-22.702	46.000	20.420	QP
5		518.153	29.948	3.786	-16.052	46.000	26.162	QP
6	*	809.031	32.165	2.767	-13.835	46.000	29.398	QP

Note:

1. All Readings below 1GHz are Quasi-Peak, above are performed with peak and/or average measurements as necessary.
2. " * ", means this data is the worst emission level.
3. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)


Appendix H : AC Power Line Conducted Emission

Profile: 2430820R	Page No.: 9
Engineer: Yu Liu	
Site: TR1	Time: 2024/08/15 - 08:42
Limit: FCC_Part 15.207	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Line
EUT: Argo	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2412MHz by 802.11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1	*	0.161	43.939	34.315	-21.461	65.399	9.624	QP
2		0.161	28.268	18.644	-27.131	55.399	9.624	AV
3		0.649	29.526	19.882	-26.474	56.000	9.643	QP
4		0.649	20.723	11.080	-25.277	46.000	9.643	AV
5		2.080	23.415	13.718	-32.585	56.000	9.697	QP
6		2.080	12.914	3.217	-33.086	46.000	9.697	AV
7		5.746	32.032	22.250	-27.968	60.000	9.781	QP
8		5.746	25.602	15.821	-24.398	50.000	9.781	AV
9		13.704	33.512	23.586	-26.488	60.000	9.926	QP
10		13.704	27.810	17.884	-22.190	50.000	9.926	AV
11		24.101	17.898	7.792	-42.102	60.000	10.106	QP
12		24.101	12.567	2.461	-37.433	50.000	10.106	AV

Profile: 2430820R	Page No.: 10
Engineer: Yu Liu	
Site: TR1	Time: 2024/08/15 - 08:43
Limit: FCC_Part 15.207	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Neutral
EUT: Argo	Power: 120 Vac / 60 Hz
Note: Mode 1 : Transmit at 2412MHz by 802.11b	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.208	38.331	28.698	-24.934	63.265	9.633	QP
2		0.208	27.220	17.587	-26.045	53.265	9.633	AV
3		2.290	20.992	11.287	-35.008	56.000	9.705	QP
4		2.290	12.263	2.558	-33.737	46.000	9.705	AV
5		4.560	29.895	20.133	-26.105	56.000	9.762	QP
6		4.560	21.822	12.060	-24.178	46.000	9.762	AV
7		5.820	31.048	21.259	-28.952	60.000	9.789	QP
8		5.820	23.401	13.612	-26.599	50.000	9.789	AV
9		13.731	31.613	21.667	-28.387	60.000	9.946	QP
10	*	13.731	26.086	16.140	-23.914	50.000	9.946	AV
11		24.135	21.865	11.764	-38.135	60.000	10.101	QP
12		24.135	19.552	9.451	-30.448	50.000	10.101	AV

1. " * ", means this data is the worst emission level.

2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

The End