



Table of Contents

1. -26dB and 99% Emission Bandwidth	2
2. Duty Cycle.....	21
3. Maximum Conducted Output Power	31
4. Power Spectral Density	32
5. Spurious Emission	42
6. Frequency Stability	50


1. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5180.00	23.46	16.64
NVNT	ANT1	802.11a	5200.00	25.06	16.68
NVNT	ANT1	802.11a	5240.00	25.85	16.68
NVNT	ANT1	802.11n(HT20)	5180.00	25.66	17.87
NVNT	ANT1	802.11n(HT20)	5200.00	26.26	17.89
NVNT	ANT1	802.11n(HT20)	5240.00	26.86	17.87
NVNT	ANT1	802.11ac(VHT20)	5180.00	26.03	17.88
NVNT	ANT1	802.11ac(VHT20)	5200.00	26.43	17.87
NVNT	ANT1	802.11ac(VHT20)	5240.00	26.20	17.85
NVNT	ANT1	802.11ax(HE20)	5180.00	25.26	19.10
NVNT	ANT1	802.11ax(HE20)	5200.00	25.48	19.12
NVNT	ANT1	802.11ax(HE20)	5240.00	25.30	19.13
NVNT	ANT1	802.11n(HT40)	5190.00	46.30	36.44
NVNT	ANT1	802.11n(HT40)	5230.00	46.67	36.45
NVNT	ANT1	802.11ac(VHT40)	5190.00	46.68	36.43
NVNT	ANT1	802.11ac(VHT40)	5230.00	46.29	36.50
NVNT	ANT1	802.11ax(HE40)	5190.00	44.94	37.94
NVNT	ANT1	802.11ax(HE40)	5230.00	45.39	37.93







99% OCB NVNT ANT1 802 11a 5200




-26BW NVNT ANT1 802 11a 5200




99% OCB NVNT ANT1 802 11a 5240




-26BW NVNT ANT1 802 11a 5240




99% OCB NVNT ANT1_802_11n(HT20)_5180




-26BW_NVNT_ANT1_802_11n(HT20)_5180




99% OCB NVNT ANT1 802 11n(HT20) 5200




-26BW NVNT ANT1 802 11n(HT20) 5200




99% OCB NVNT ANT1_802_11n(HT20)_5240




-26BW_NVNT_ANT1_802_11n(HT20)_5240




99% OCB NVNT ANT1 802 11ac(VHT20) 5180




-26BW_NVNT_ANT1_802_11ac(VHT20)_5180




99% OCB NVNT ANT1 802 11ac(VHT20) 5200




-26BW_NVNT_ANT1_802_11ac(VHT20)_5200




99% OCB NVNT ANT1 802 11ac(VHT20) 5240




-26BW_NVNT_ANT1_802_11ac(VHT20)_5240




99% OCB NVNT ANT1_802_11ax(HE20)_5180




-26BW_NVNT_ANT1_802_11ax(HE20)_5180



99% OCB NVNT ANT1_802_11ax(HE20)_5200




-26BW_NVNT_ANT1_802_11ax(HE20)_5200




99% OCB NVNT ANT1_802_11ax(HE20)_5240




-26BW NVNT ANT1_802_11ax(HE20)_5240




99% OCB NVNT ANT1 802 11n(HT40) 5190




-26BW NVNT ANT1 802 11n(HT40) 5190




99% OCB NVNT ANT1_802_11n(HT40)_5230




-26BW_NVNT_ANT1_802_11n(HT40)_5230




99% OCB NVNT ANT1 802 11ac(VHT40) 5190




-26BW_NVNT_ANT1_802_11ac(VHT40)_5190



99% OCB NVNT ANT1 802 11ac(VHT40) 5230




-26BW_NVNT_ANT1_802_11ac(VHT40)_5230




99% OCB NVNT ANT1_802_11ax(HE40)_5190




-26BW_NVNT_ANT1_802_11ax(HE40)_5190



99% OCB NVNT ANT1_802_11ax(HE40)_5230




-26BW NVNT ANT1_802_11ax(HE40)_5230




2. Duty Cycle


Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5180.00	94.44	0.25
NVNT	ANT1	802.11a	5200.00	94.44	0.25
NVNT	ANT1	802.11a	5240.00	94.44	0.25
NVNT	ANT1	802.11n(HT20)	5180.00	97.69	0.10
NVNT	ANT1	802.11n(HT20)	5200.00	97.32	0.12
NVNT	ANT1	802.11n(HT20)	5240.00	98.08	0.00
NVNT	ANT1	802.11ac(VHT20)	5180.00	97.32	0.12
NVNT	ANT1	802.11ac(VHT20)	5200.00	96.96	0.13
NVNT	ANT1	802.11ac(VHT20)	5240.00	97.69	0.10
NVNT	ANT1	802.11ax(HE20)	5180.00	96.98	0.13
NVNT	ANT1	802.11ax(HE20)	5200.00	96.52	0.15
NVNT	ANT1	802.11ax(HE20)	5240.00	97.00	0.13
NVNT	ANT1	802.11n(HT40)	5190.00	97.61	0.11
NVNT	ANT1	802.11n(HT40)	5230.00	97.60	0.11
NVNT	ANT1	802.11ac(VHT40)	5190.00	98.01	0.00
NVNT	ANT1	802.11ac(VHT40)	5230.00	97.61	0.11
NVNT	ANT1	802.11ax(HE40)	5190.00	96.98	0.13
NVNT	ANT1	802.11ax(HE40)	5230.00	96.04	0.18




Duty Cycle NVNT ANT1 802 11a 5200




Duty Cycle NVNT ANT1 802 11a 5240




Duty Cycle NVNT ANT1 802 11n(HT20) 5180




Duty Cycle NVNT ANT1 802_11n(HT20)_5200




Duty Cycle NVNT ANT1 802_11n(HT20)_5240




Duty Cycle NVNT ANT1 802_11ac(VHT20) 5180




Duty Cycle NVNT ANT1 802_11ac(VHT20) 5200




Duty Cycle NVNT ANT1 802_11ac(VHT20) 5240




Duty Cycle NVNT ANT1 802_11ax(HE20) 5180




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5200




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5240




Duty Cycle NVNT ANT1 802_11n(HT40)_5190




Duty Cycle NVNT ANT1 802_11n(HT40)_5230




Duty Cycle NVNT ANT1_802_11ac(VHT40)_5190




Duty Cycle NVNT ANT1_802_11ac(VHT40)_5230



Duty Cycle NVNT_ANT1_802_11ax(HE40)_5190



Duty_Cycle_NVNT_ANT1_802_11ax(HE40)_5230



3. Maximum Conducted Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Conducted Power limit(dBm)	E.I.R.P Power(dBm)	E.I.R.P limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	11.69	23.95	16.32	22.21	Pass
NVNT	ANT1	802.11a	5200.00	11.40	23.95	16.03	22.22	Pass
NVNT	ANT1	802.11a	5240.00	11.54	23.95	16.17	22.22	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	10.24	23.95	14.87	22.52	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	10.46	23.95	15.09	22.53	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	10.97	23.95	15.60	22.52	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	11.05	23.95	15.68	22.52	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	10.54	23.95	15.17	22.52	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	10.53	23.95	15.16	22.52	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	10.84	23.95	15.47	22.81	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	10.30	23.95	14.93	22.81	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	10.40	23.95	15.03	22.82	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	9.84	23.95	14.47	23.01	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	9.23	23.95	13.86	23.01	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	9.85	23.95	14.48	23.01	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	9.54	23.95	14.17	23.01	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	9.52	23.95	14.15	23.01	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	9.49	23.95	14.12	23.01	Pass


Note 1: EIRP= Output Power + Antenna Gain, Antenna Gain=4.63dBi

Note 2: The maximum e.i.r.p. shall not exceed 200 mW or 10 + 10 log10B, dBm, whichever power is less. B is the 99% emission bandwidth in megahertz.


4. Power Spectral Density

Condition	Antenna	Modulation	Frequency (MHz)	PSD (dBm/MHz)	Duty factor (dB)	Total PSD (dBm/MHz)	E.I.R.P PSD (dBm/MHz)	Conducted limit(dBm)	E.I.R.P limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	-2.88	0.25	-2.63	2.00	10.95	10	Pass
NVNT	ANT1	802.11a	5200.00	-4.79	0.25	-4.54	0.09	10.95	10	Pass
NVNT	ANT1	802.11a	5240.00	-4.28	0.25	-4.03	0.60	10.95	10	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	-4.33	0.10	-4.23	0.40	10.95	10	Pass
NVNT	ANT1	802.11n(HT20)	5200.00	-4.78	0.12	-4.66	-0.03	10.95	10	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	-4.71	0.10	-4.62	0.01	10.95	10	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	-4.26	0.12	-4.14	0.49	10.95	10	Pass
NVNT	ANT1	802.11ac(VHT20)	5200.00	-3.69	0.39	-3.30	1.33	10.95	10	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	-7.31	0.00	-7.31	-2.68	10.95	10	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	-3.79	0.13	-3.66	0.97	10.95	10	Pass
NVNT	ANT1	802.11ax(HE20)	5200.00	-5.20	0.15	-5.05	-0.42	10.95	10	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	-4.09	0.13	-3.96	0.67	10.95	10	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	-7.51	0.16	-7.35	-2.72	10.95	10	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	-10.77	0.11	-10.66	-6.03	10.95	10	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	-7.78	0.00	-7.78	-3.15	10.95	10	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	-7.75	0.11	-7.64	-3.01	10.95	10	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	-8.38	0.13	-8.25	-3.62	10.95	10	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	-8.69	0.18	-8.51	-3.88	10.95	10	Pass


Note 1: EIRP= Output Power + Antenna Gain, Antenna Gain=4.63dBi




Power Spectral Density NVNT ANT1 802 11a 5200




Power_Spectral_Density_NVNT_ANT1_802_11a_5240





Power_Spectral_Density_NVNT_ANT1_802_11n(HT20)_5180




Power Spectral Density NVNT ANT1 802 11n(HT20) 5200




Power Spectral Density NVNT ANT1 802 11n(HT20) 5240




Power Spectral Density NVNT ANT1_802_11ac(VHT20)_5200




Power Spectral Density NVNT ANT1_802_11ac(VHT20) 5240




Power Spectral Density NVNT ANT1_802_11ax(HE20) 5180




Power Spectral Density NVNT ANT1 802 11ax(HE20) 5200



Power Spectral Density NVNT ANT1 802 11ax(HE20) 5240




Power Spectral Density NVNT ANT1 802 11n(HT40) 5190




Power Spectral Density NVNT ANT1 802 11n(HT40) 5230




Power Spectral Density NVNT ANT1_802_11ac(VHT40)_5190




Power Spectral Density NVNT ANT1_802_11ac(VHT40)_5230



Power Spectral Density NVNT ANT1 802 11ax(HE40) 5190




Power Spectral Density NVNT ANT1 802 11ax(HE40) 5230




5. Spurious Emission


Condition	Antenna	Modulation	TX_Frequency (MHz)	Ref Level (dBm)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5180.00	2.038	5192.0	-23.729	-14.31	Pass
NVNT	ANT1	802.11a	5240.00	0.984	5252.0	-24.856	-14.46	Pass
NVNT	ANT1	802.11n(HT20)	5180.00	-0.058	5192.6	-26.312	-15.76	Pass
NVNT	ANT1	802.11n(HT20)	5240.00	-0.307	5253.0	-26.479	-15.03	Pass
NVNT	ANT1	802.11ac(VHT20)	5180.00	1.022	5193.0	-24.648	-14.95	Pass
NVNT	ANT1	802.11ac(VHT20)	5240.00	0.195	5253.2	-26.449	-15.47	Pass
NVNT	ANT1	802.11ax(HE20)	5180.00	0.871	5193.2	-25.296	-15.16	Pass
NVNT	ANT1	802.11ax(HE20)	5240.00	0.541	5253.2	-26.730	-15.60	Pass
NVNT	ANT1	802.11n(HT40)	5190.00	0.377	5213.4	-25.668	-16.16	Pass
NVNT	ANT1	802.11n(HT40)	5230.00	0.774	5252.8	-25.145	-16.77	Pass
NVNT	ANT1	802.11ac(VHT40)	5190.00	-0.453	5213.4	-26.533	-16.15	Pass
NVNT	ANT1	802.11ac(VHT40)	5230.00	-0.635	5253.0	-26.450	-16.46	Pass
NVNT	ANT1	802.11ax(HE40)	5190.00	2.089	5212.8	-23.902	-16.48	Pass
NVNT	ANT1	802.11ax(HE40)	5230.00	1.660	5252.8	-23.835	-16.51	Pass




Spurious Emission NVNT ANT1 802 11a 5240 20M




Spurious Emission NVNT ANT1 802_11ac(VHT20) 5180_20M




Spurious Emission NVNT ANT1 802_11ac(VHT20) 5240_20M




Spurious Emission NVNT ANT1 802 11ax(HE20) 5180 20M




Spurious Emission NVNT ANT1 802 11ax(HE20) 5240 20M




Spurious Emission NVNT ANT1_802_11n(HT40)_5190_40M




Spurious Emission NVNT ANT1_802_11n(HT40)_5230_40M



Spurious Emission NVNT ANT1 802_11ac(VHT40) 5190 40M




Spurious Emission NVNT ANT1 802_11ac(VHT40) 5230 40M



Spurious Emission NVNT ANT1 802 11ax(HE40) 5190 40M



Spurious Emission NVNT ANT1 802 11ax(HE40) 5230 40M



6. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fl(MHz)	Fh(MHz)	Limit(MHz)	Result
70degrees C&&5.0V	ANT1	802.11a	5180.00	5180.050	5170.952	5189.148	5150~5250	Pass
60degrees C&&5.0V	ANT1	802.11a	5180.00	5179.984	5171.520	5188.448	5150~5250	Pass
50degrees C&&5.0V	ANT1	802.11a	5180.00	5179.986	5171.696	5188.276	5150~5250	Pass
40degrees C&&5.0V	ANT1	802.11a	5180.00	5179.998	5171.804	5188.192	5150~5250	Pass
30degrees C&&5.0V	ANT1	802.11a	5180.00	5179.980	5171.868	5188.092	5150~5250	Pass
20degrees C&&5.0V	ANT1	802.11a	5180.00	5179.980	5171.924	5188.036	5150~5250	Pass
10degrees C&&5.0V	ANT1	802.11a	5180.00	5179.984	5171.980	5187.988	5150~5250	Pass
0degrees C&&5.0V	ANT1	802.11a	5180.00	5179.980	5172.044	5187.916	5150~5250	Pass
-10degrees C&&5.0V	ANT1	802.11a	5180.00	5179.994	5172.100	5187.888	5150~5250	Pass
-20degrees C&&5.0V	ANT1	802.11a	5180.00	5179.992	5172.164	5187.820	5150~5250	Pass
25degrees C&&5.0V	ANT1	802.11a	5180.00	5179.988	5172.224	5187.752	5150~5250	Pass
25degrees C&&4.5V	ANT1	802.11a	5180.00	5180.012	5172.292	5187.732	5150~5250	Pass
25degrees C&&5.5V	ANT1	802.11a	5180.00	5180.032	5172.348	5187.716	5150~5250	Pass
70degrees C&&5.0V	ANT1	802.11a	5200.00	5200.024	5190.928	5209.120	5150~5250	Pass
60degrees C&&5.0V	ANT1	802.11a	5200.00	5200.044	5191.560	5208.528	5150~5250	Pass
50degrees C&&5.0V	ANT1	802.11a	5200.00	5200.036	5191.756	5208.316	5150~5250	Pass
40degrees C&&5.0V	ANT1	802.11a	5200.00	5200.040	5191.872	5208.208	5150~5250	Pass
30degrees C&&5.0V	ANT1	802.11a	5200.00	5200.034	5191.940	5208.128	5150~5250	Pass
20degrees C&&5.0V	ANT1	802.11a	5200.00	5200.040	5192.008	5208.072	5150~5250	Pass
10degrees C&&5.0V	ANT1	802.11a	5200.00	5200.040	5192.076	5208.004	5150~5250	Pass
0degrees C&&5.0V	ANT1	802.11a	5200.00	5200.042	5192.132	5207.952	5150~5250	Pass
-10degrees C&&5.0V	ANT1	802.11a	5200.00	5200.050	5192.188	5207.912	5150~5250	Pass
-20degrees C&&5.0V	ANT1	802.11a	5200.00	5200.046	5192.248	5207.844	5150~5250	Pass
25degrees C&&5.0V	ANT1	802.11a	5200.00	5200.048	5192.304	5207.792	5150~5250	Pass
25degrees C&&4.5V	ANT1	802.11a	5200.00	5200.070	5192.368	5207.772	5150~5250	Pass
25degrees C&&5.5V	ANT1	802.11a	5200.00	5200.070	5192.424	5207.716	5150~5250	Pass
70degrees C&&5.0V	ANT1	802.11a	5240.00	5239.994	5230.900	5249.088	5150~5250	Pass
60degrees C&&5.0V	ANT1	802.11a	5240.00	5239.988	5231.500	5248.476	5150~5250	Pass
50degrees C&&5.0V	ANT1	802.11a	5240.00	5239.994	5231.680	5248.308	5150~5250	Pass
40degrees C&&5.0V	ANT1	802.11a	5240.00	5239.994	5231.804	5248.184	5150~5250	Pass
30degrees C&&5.0V	ANT1	802.11a	5240.00	5240.000	5231.888	5248.112	5150~5250	Pass
20degrees C&&5.0V	ANT1	802.11a	5240.00	5240.010	5231.952	5248.068	5150~5250	Pass
10degrees C&&5.0V	ANT1	802.11a	5240.00	5239.998	5232.016	5247.980	5150~5250	Pass
0degrees C&&5.0V	ANT1	802.11a	5240.00	5240.006	5232.072	5247.940	5150~5250	Pass
-10degrees C&&5.0V	ANT1	802.11a	5240.00	5240.012	5232.132	5247.892	5150~5250	Pass
-20degrees C&&5.0V	ANT1	802.11a	5240.00	5240.004	5232.172	5247.836	5150~5250	Pass
25degrees C&&5.0V	ANT1	802.11a	5240.00	5240.006	5232.224	5247.788	5150~5250	Pass
25degrees C&&4.5V	ANT1	802.11a	5240.00	5240.002	5232.284	5247.720	5150~5250	Pass
25degrees C&&5.5V	ANT1	802.11a	5240.00	5239.994	5232.336	5247.652	5150~5250	Pass
70degrees C&&5.0V	ANT1	802.11n(HT20)	5180.00	5180.032	5170.416	5189.648	5150~5250	Pass
60degrees C&&5.0V	ANT1	802.11n(HT20)	5180.00	5180.044	5170.980	5189.108	5150~5250	Pass
50degrees C&&5.0V	ANT1	802.11n(HT20)	5180.00	5180.034	5171.152	5188.916	5150~5250	Pass
40degrees C&&5.0V	ANT1	802.11n(HT20)	5180.00	5180.030	5171.260	5188.800	5150~5250	Pass
30degrees C&&5.0V	ANT1	802.11n(HT20)	5180.00	5180.024	5171.332	5188.716	5150~5250	Pass
20degrees C&&5.0V	ANT1	802.11n(HT20)	5180.00	5180.036	5171.404	5188.668	5150~5250	Pass
10degrees C&&5.0V	ANT1	802.11n(HT20)	5180.00	5180.032	5171.464	5188.600	5150~5250	Pass
0degrees C&&5.0V	ANT1	802.11n(HT20)	5180.00	5180.052	5171.536	5188.568	5150~5250	Pass
-10degrees C&&5.0V	ANT1	802.11n(HT20)	5180.00	5180.046	5171.596	5188.496	5150~5250	Pass
-20degrees C&&5.0V	ANT1	802.11n(HT20)	5180.00	5180.052	5171.660	5188.444	5150~5250	Pass
25degrees C&&5.0V	ANT1	802.11n(HT20)	5180.00	5180.056	5171.724	5188.388	5150~5250	Pass
25degrees C&&4.5V	ANT1	802.11n(HT20)	5180.00	5180.046	5171.776	5188.316	5150~5250	Pass
25degrees C&&5.5V	ANT1	802.11n(HT20)	5180.00	5180.056	5171.840	5188.272	5150~5250	Pass
70degrees C&&5.0V	ANT1	802.11n(HT20)	5200.00	5200.118	5190.480	5209.756	5150~5250	Pass
60degrees C&&5.0V	ANT1	802.11n(HT20)	5200.00	5200.060	5191.000	5209.120	5150~5250	Pass
50degrees C&&5.0V	ANT1	802.11n(HT20)	5200.00	5200.044	5191.172	5208.916	5150~5250	Pass
40degrees C&&5.0V	ANT1	802.11n(HT20)	5200.00	5200.040	5191.268	5208.812	5150~5250	Pass
30degrees C&&5.0V	ANT1	802.11n(HT20)	5200.00	5200.038	5191.348	5208.728	5150~5250	Pass
20degrees C&&5.0V	ANT1	802.11n(HT20)	5200.00	5200.046	5191.424	5208.668	5150~5250	Pass
10degrees C&&5.0V	ANT1	802.11n(HT20)	5200.00	5200.050	5191.480	5208.620	5150~5250	Pass
0degrees C&&5.0V	ANT1	802.11n(HT20)	5200.00	5200.050	5191.548	5208.552	5150~5250	Pass
-10degrees C&&5.0V	ANT1	802.11n(HT20)	5200.00	5200.054	5191.604	5208.504	5150~5250	Pass
-20degrees C&&5.0V	ANT1	802.11n(HT20)	5200.00	5200.078	5191.676	5208.480	5150~5250	Pass
25degrees C&&5.0V	ANT1	802.11n(HT20)	5200.00	5200.056	5191.736	5208.376	5150~5250	Pass
25degrees C&&4.5V	ANT1	802.11n(HT20)	5200.00	5200.086	5191.800	5208.372	5150~5250	Pass
25degrees C&&5.5V	ANT1	802.11n(HT20)	5200.00	5200.056	5191.856	5208.256	5150~5250	Pass
70degrees C&&5.0V	ANT1	802.11n(HT20)	5240.00	5240.024	5230.384	5249.664	5150~5250	Pass

60degrees C&&5.0V	ANT1	802.11n(HT20)	5240.00	5239.988	5230.920	5249.056	5150~5250	Pass
50degrees C&&5.0V	ANT1	802.11n(HT20)	5240.00	5240.008	5231.108	5248.908	5150~5250	Pass
40degrees C&&5.0V	ANT1	802.11n(HT20)	5240.00	5240.008	5231.220	5248.796	5150~5250	Pass
30degrees C&&5.0V	ANT1	802.11n(HT20)	5240.00	5240.008	5231.304	5248.712	5150~5250	Pass
20degrees C&&5.0V	ANT1	802.11n(HT20)	5240.00	5240.010	5231.372	5248.648	5150~5250	Pass
10degrees C&&5.0V	ANT1	802.11n(HT20)	5240.00	5240.002	5231.424	5248.580	5150~5250	Pass
0degrees C&&5.0V	ANT1	802.11n(HT20)	5240.00	5239.996	5231.480	5248.512	5150~5250	Pass
-10degrees C&&5.0V	ANT1	802.11n(HT20)	5240.00	5240.006	5231.540	5248.472	5150~5250	Pass
-20degrees C&&5.0V	ANT1	802.11n(HT20)	5240.00	5240.010	5231.596	5248.424	5150~5250	Pass
25degrees C&&5.0V	ANT1	802.11n(HT20)	5240.00	5240.006	5231.652	5248.360	5150~5250	Pass
25degrees C&&4.5V	ANT1	802.11n(HT20)	5240.00	5240.010	5231.708	5248.312	5150~5250	Pass
25degrees C&&5.5V	ANT1	802.11n(HT20)	5240.00	5239.996	5231.768	5248.224	5150~5250	Pass
70degrees C&&5.0V	ANT1	802.11ac(VHT20)	5180.00	5180.104	5170.544	5189.664	5150~5250	Pass
60degrees C&&5.0V	ANT1	802.11ac(VHT20)	5180.00	5180.040	5171.012	5189.068	5150~5250	Pass
50degrees C&&5.0V	ANT1	802.11ac(VHT20)	5180.00	5180.040	5171.172	5188.908	5150~5250	Pass
40degrees C&&5.0V	ANT1	802.11ac(VHT20)	5180.00	5180.034	5171.268	5188.800	5150~5250	Pass
30degrees C&&5.0V	ANT1	802.11ac(VHT20)	5180.00	5180.028	5171.340	5188.716	5150~5250	Pass
20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5180.00	5180.048	5171.420	5188.676	5150~5250	Pass
10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5180.00	5180.044	5171.488	5188.600	5150~5250	Pass
0degrees C&&5.0V	ANT1	802.11ac(VHT20)	5180.00	5180.048	5171.552	5188.544	5150~5250	Pass
-10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5180.00	5180.064	5171.624	5188.504	5150~5250	Pass
-20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5180.00	5180.060	5171.684	5188.436	5150~5250	Pass
25degrees C&&5.0V	ANT1	802.11ac(VHT20)	5180.00	5180.060	5171.740	5188.380	5150~5250	Pass
25degrees C&&4.5V	ANT1	802.11ac(VHT20)	5180.00	5180.080	5171.804	5188.356	5150~5250	Pass
25degrees C&&5.5V	ANT1	802.11ac(VHT20)	5180.00	5180.076	5171.868	5188.284	5150~5250	Pass
70degrees C&&5.0V	ANT1	802.11ac(VHT20)	5200.00	5200.118	5190.552	5209.684	5150~5250	Pass
60degrees C&&5.0V	ANT1	802.11ac(VHT20)	5200.00	5200.058	5191.016	5209.100	5150~5250	Pass
50degrees C&&5.0V	ANT1	802.11ac(VHT20)	5200.00	5200.056	5191.180	5208.932	5150~5250	Pass
40degrees C&&5.0V	ANT1	802.11ac(VHT20)	5200.00	5200.054	5191.292	5208.816	5150~5250	Pass
30degrees C&&5.0V	ANT1	802.11ac(VHT20)	5200.00	5200.042	5191.356	5208.728	5150~5250	Pass
20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5200.00	5200.052	5191.428	5208.676	5150~5250	Pass
10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5200.00	5200.038	5191.480	5208.596	5150~5250	Pass
0degrees C&&5.0V	ANT1	802.11ac(VHT20)	5200.00	5200.038	5191.540	5208.536	5150~5250	Pass
-10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5200.00	5200.058	5191.604	5208.512	5150~5250	Pass
-20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5200.00	5200.052	5191.660	5208.444	5150~5250	Pass
25degrees C&&5.0V	ANT1	802.11ac(VHT20)	5200.00	5200.046	5191.716	5208.376	5150~5250	Pass
25degrees C&&4.5V	ANT1	802.11ac(VHT20)	5200.00	5200.058	5191.776	5208.340	5150~5250	Pass
25degrees C&&5.5V	ANT1	802.11ac(VHT20)	5200.00	5200.054	5191.832	5208.276	5150~5250	Pass
70degrees C&&5.0V	ANT1	802.11ac(VHT20)	5240.00	5240.014	5230.364	5249.664	5150~5250	Pass
60degrees C&&5.0V	ANT1	802.11ac(VHT20)	5240.00	5240.004	5230.912	5249.096	5150~5250	Pass
50degrees C&&5.0V	ANT1	802.11ac(VHT20)	5240.00	5240.010	5231.096	5248.924	5150~5250	Pass
40degrees C&&5.0V	ANT1	802.11ac(VHT20)	5240.00	5239.998	5231.212	5248.784	5150~5250	Pass
30degrees C&&5.0V	ANT1	802.11ac(VHT20)	5240.00	5240.000	5231.292	5248.708	5150~5250	Pass
20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5240.00	5240.004	5231.356	5248.652	5150~5250	Pass
10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5240.00	5240.004	5231.420	5248.588	5150~5250	Pass
0degrees C&&5.0V	ANT1	802.11ac(VHT20)	5240.00	5240.002	5231.472	5248.532	5150~5250	Pass
-10degrees C&&5.0V	ANT1	802.11ac(VHT20)	5240.00	5239.996	5231.524	5248.468	5150~5250	Pass
-20degrees C&&5.0V	ANT1	802.11ac(VHT20)	5240.00	5240.008	5231.588	5248.428	5150~5250	Pass
25degrees C&&5.0V	ANT1	802.11ac(VHT20)	5240.00	5239.986	5231.640	5248.332	5150~5250	Pass
25degrees C&&4.5V	ANT1	802.11ac(VHT20)	5240.00	5240.006	5231.688	5248.324	5150~5250	Pass
25degrees C&&5.5V	ANT1	802.11ac(VHT20)	5240.00	5239.992	5231.744	5248.240	5150~5250	Pass
70degrees C&&5.0V	ANT1	802.11ax(HE20)	5180.00	5179.994	5170.176	5189.812	5150~5250	Pass
60degrees C&&5.0V	ANT1	802.11ax(HE20)	5180.00	5180.018	5170.448	5189.588	5150~5250	Pass
50degrees C&&5.0V	ANT1	802.11ax(HE20)	5180.00	5180.002	5170.552	5189.452	5150~5250	Pass
40degrees C&&5.0V	ANT1	802.11ax(HE20)	5180.00	5180.038	5170.664	5189.412	5150~5250	Pass
30degrees C&&5.0V	ANT1	802.11ax(HE20)	5180.00	5180.046	5170.732	5189.360	5150~5250	Pass
20degrees C&&5.0V	ANT1	802.11ax(HE20)	5180.00	5180.038	5170.804	5189.272	5150~5250	Pass
10degrees C&&5.0V	ANT1	802.11ax(HE20)	5180.00	5180.048	5170.848	5189.248	5150~5250	Pass
0degrees C&&5.0V	ANT1	802.11ax(HE20)	5180.00	5180.052	5170.924	5189.180	5150~5250	Pass
-10degrees C&&5.0V	ANT1	802.11ax(HE20)	5180.00	5180.030	5170.992	5189.068	5150~5250	Pass
-20degrees C&&5.0V	ANT1	802.11ax(HE20)	5180.00	5180.078	5171.060	5189.096	5150~5250	Pass
25degrees C&&5.0V	ANT1	802.11ax(HE20)	5180.00	5180.104	5171.124	5189.084	5150~5250	Pass
25degrees C&&4.5V	ANT1	802.11ax(HE20)	5180.00	5180.072	5171.196	5188.948	5150~5250	Pass
25degrees C&&5.5V	ANT1	802.11ax(HE20)	5180.00	5180.094	5171.260	5188.928	5150~5250	Pass
70degrees C&&5.0V	ANT1	802.11ax(HE20)	5200.00	5200.050	5190.252	5209.848	5150~5250	Pass
60degrees C&&5.0V	ANT1	802.11ax(HE20)	5200.00	5200.048	5190.484	5209.612	5150~5250	Pass
50degrees C&&5.0V	ANT1	802.11ax(HE20)	5200.00	5200.020	5190.572	5209.468	5150~5250	Pass
40degrees C&&5.0V	ANT1	802.11ax(HE20)	5200.00	5200.030	5190.648	5209.412	5150~5250	Pass
30degrees C&&5.0V	ANT1	802.11ax(HE20)	5200.00	5200.030	5190.720	5209.340	5150~5250	Pass
20degrees C&&5.0V	ANT1	802.11ax(HE20)	5200.00	5200.040	5190.776	5209.304	5150~5250	Pass
10degrees C&&5.0V	ANT1	802.11ax(HE20)	5200.00	5200.046	5190.832	5209.260	5150~5250	Pass
0degrees C&&5.0V	ANT1	802.11ax(HE20)	5200.00	5200.020	5190.896	5209.144	5150~5250	Pass
-10degrees C&&5.0V	ANT1	802.11ax(HE20)	5200.00	5200.026	5190.972	5209.080	5150~5250	Pass
-20degrees C&&5.0V	ANT1	802.11ax(HE20)	5200.00	5200.038	5191.032	5209.044	5150~5250	Pass
25degrees C&&5.0V	ANT1	802.11ax(HE20)	5200.00	5200.050	5191.108	5208.992	5150~5250	Pass

25degrees C&&4.5V	ANT1	802.11ax(HE20)	5200.00	5200.062	5191.180	5208.944	5150~5250	Pass
25degrees C&&5.5V	ANT1	802.11ax(HE20)	5200.00	5200.062	5191.248	5208.876	5150~5250	Pass
70degrees C&&5.0V	ANT1	802.11ax(HE20)	5240.00	5240.014	5230.196	5249.832	5150~5250	Pass
60degrees C&&5.0V	ANT1	802.11ax(HE20)	5240.00	5240.018	5230.448	5249.588	5150~5250	Pass
50degrees C&&5.0V	ANT1	802.11ax(HE20)	5240.00	5240.014	5230.544	5249.484	5150~5250	Pass
40degrees C&&5.0V	ANT1	802.11ax(HE20)	5240.00	5240.018	5230.616	5249.420	5150~5250	Pass
30degrees C&&5.0V	ANT1	802.11ax(HE20)	5240.00	5240.026	5230.700	5249.352	5150~5250	Pass
20degrees C&&5.0V	ANT1	802.11ax(HE20)	5240.00	5240.026	5230.772	5249.280	5150~5250	Pass
10degrees C&&5.0V	ANT1	802.11ax(HE20)	5240.00	5240.032	5230.816	5249.248	5150~5250	Pass
0degrees C&&5.0V	ANT1	802.11ax(HE20)	5240.00	5240.026	5230.868	5249.184	5150~5250	Pass
-10degrees C&&5.0V	ANT1	802.11ax(HE20)	5240.00	5240.004	5230.920	5249.088	5150~5250	Pass
-20degrees C&&5.0V	ANT1	802.11ax(HE20)	5240.00	5240.020	5230.996	5249.044	5150~5250	Pass
25degrees C&&5.0V	ANT1	802.11ax(HE20)	5240.00	5240.000	5231.044	5248.956	5150~5250	Pass
25degrees C&&4.5V	ANT1	802.11ax(HE20)	5240.00	5240.032	5231.100	5248.964	5150~5250	Pass
25degrees C&&5.5V	ANT1	802.11ax(HE20)	5240.00	5240.012	5231.160	5248.864	5150~5250	Pass
70degrees C&&5.0V	ANT1	802.11n(HT40)	5190.00	5190.084	5171.672	5208.496	5150~5250	Pass
60degrees C&&5.0V	ANT1	802.11n(HT40)	5190.00	5190.096	5171.936	5208.256	5150~5250	Pass
50degrees C&&5.0V	ANT1	802.11n(HT40)	5190.00	5190.100	5172.088	5208.112	5150~5250	Pass
40degrees C&&5.0V	ANT1	802.11n(HT40)	5190.00	5190.140	5172.272	5208.008	5150~5250	Pass
30degrees C&&5.0V	ANT1	802.11n(HT40)	5190.00	5190.140	5172.416	5207.864	5150~5250	Pass
20degrees C&&5.0V	ANT1	802.11n(HT40)	5190.00	5190.160	5172.560	5207.760	5150~5250	Pass
10degrees C&&5.0V	ANT1	802.11n(HT40)	5190.00	5190.176	5172.688	5207.664	5150~5250	Pass
0degrees C&&5.0V	ANT1	802.11n(HT40)	5190.00	5190.200	5172.824	5207.576	5150~5250	Pass
-10degrees C&&5.0V	ANT1	802.11n(HT40)	5190.00	5190.220	5172.944	5207.496	5150~5250	Pass
-20degrees C&&5.0V	ANT1	802.11n(HT40)	5190.00	5190.228	5173.064	5207.392	5150~5250	Pass
25degrees C&&5.0V	ANT1	802.11n(HT40)	5190.00	5190.240	5173.168	5207.312	5150~5250	Pass
25degrees C&&4.5V	ANT1	802.11n(HT40)	5190.00	5190.252	5173.296	5207.208	5150~5250	Pass
25degrees C&&5.5V	ANT1	802.11n(HT40)	5190.00	5190.260	5173.416	5207.104	5150~5250	Pass
70degrees C&&5.0V	ANT1	802.11n(HT40)	5230.00	5230.068	5211.672	5248.464	5150~5250	Pass
60degrees C&&5.0V	ANT1	802.11n(HT40)	5230.00	5230.080	5211.944	5248.216	5150~5250	Pass
50degrees C&&5.0V	ANT1	802.11n(HT40)	5230.00	5230.068	5212.080	5248.056	5150~5250	Pass
40degrees C&&5.0V	ANT1	802.11n(HT40)	5230.00	5230.072	5212.216	5247.928	5150~5250	Pass
30degrees C&&5.0V	ANT1	802.11n(HT40)	5230.00	5230.068	5212.344	5247.792	5150~5250	Pass
20degrees C&&5.0V	ANT1	802.11n(HT40)	5230.00	5230.040	5212.456	5247.624	5150~5250	Pass
10degrees C&&5.0V	ANT1	802.11n(HT40)	5230.00	5230.044	5212.568	5247.520	5150~5250	Pass
0degrees C&&5.0V	ANT1	802.11n(HT40)	5230.00	5230.088	5212.680	5247.496	5150~5250	Pass
-10degrees C&&5.0V	ANT1	802.11n(HT40)	5230.00	5230.040	5212.760	5247.320	5150~5250	Pass
-20degrees C&&5.0V	ANT1	802.11n(HT40)	5230.00	5230.084	5212.872	5247.296	5150~5250	Pass
25degrees C&&5.0V	ANT1	802.11n(HT40)	5230.00	5230.080	5213.000	5247.160	5150~5250	Pass
25degrees C&&4.5V	ANT1	802.11n(HT40)	5230.00	5230.072	5213.112	5247.032	5150~5250	Pass
25degrees C&&5.5V	ANT1	802.11n(HT40)	5230.00	5230.076	5213.224	5246.928	5150~5250	Pass
70degrees C&&5.0V	ANT1	802.11ac(VHT40)	5190.00	5190.084	5171.672	5208.496	5150~5250	Pass
60degrees C&&5.0V	ANT1	802.11ac(VHT40)	5190.00	5190.088	5171.944	5208.232	5150~5250	Pass
50degrees C&&5.0V	ANT1	802.11ac(VHT40)	5190.00	5190.076	5172.072	5208.080	5150~5250	Pass
40degrees C&&5.0V	ANT1	802.11ac(VHT40)	5190.00	5190.108	5172.240	5207.976	5150~5250	Pass
30degrees C&&5.0V	ANT1	802.11ac(VHT40)	5190.00	5190.120	5172.368	5207.872	5150~5250	Pass
20degrees C&&5.0V	ANT1	802.11ac(VHT40)	5190.00	5190.140	5172.520	5207.760	5150~5250	Pass
10degrees C&&5.0V	ANT1	802.11ac(VHT40)	5190.00	5190.160	5172.632	5207.688	5150~5250	Pass
0degrees C&&5.0V	ANT1	802.11ac(VHT40)	5190.00	5190.180	5172.768	5207.592	5150~5250	Pass
-10degrees C&&5.0V	ANT1	802.11ac(VHT40)	5190.00	5190.180	5172.896	5207.464	5150~5250	Pass
-20degrees C&&5.0V	ANT1	802.11ac(VHT40)	5190.00	5190.216	5173.008	5207.424	5150~5250	Pass
25degrees C&&5.0V	ANT1	802.11ac(VHT40)	5190.00	5190.216	5173.112	5207.320	5150~5250	Pass
25degrees C&&4.5V	ANT1	802.11ac(VHT40)	5190.00	5190.264	5173.264	5207.264	5150~5250	Pass
25degrees C&&5.5V	ANT1	802.11ac(VHT40)	5190.00	5190.232	5173.392	5207.072	5150~5250	Pass
70degrees C&&5.0V	ANT1	802.11ac(VHT40)	5230.00	5230.064	5211.656	5248.472	5150~5250	Pass
60degrees C&&5.0V	ANT1	802.11ac(VHT40)	5230.00	5230.064	5211.936	5248.192	5150~5250	Pass
50degrees C&&5.0V	ANT1	802.11ac(VHT40)	5230.00	5230.060	5212.064	5248.056	5150~5250	Pass
40degrees C&&5.0V	ANT1	802.11ac(VHT40)	5230.00	5230.068	5212.216	5247.920	5150~5250	Pass
30degrees C&&5.0V	ANT1	802.11ac(VHT40)	5230.00	5230.088	5212.336	5247.840	5150~5250	Pass
20degrees C&&5.0V	ANT1	802.11ac(VHT40)	5230.00	5230.080	5212.448	5247.712	5150~5250	Pass
10degrees C&&5.0V	ANT1	802.11ac(VHT40)	5230.00	5230.076	5212.568	5247.584	5150~5250	Pass
0degrees C&&5.0V	ANT1	802.11ac(VHT40)	5230.00	5230.068	5212.688	5247.448	5150~5250	Pass
-10degrees C&&5.0V	ANT1	802.11ac(VHT40)	5230.00	5230.096	5212.824	5247.368	5150~5250	Pass
-20degrees C&&5.0V	ANT1	802.11ac(VHT40)	5230.00	5230.080	5212.952	5247.208	5150~5250	Pass
25degrees C&&5.0V	ANT1	802.11ac(VHT40)	5230.00	5230.124	5213.080	5247.168	5150~5250	Pass
25degrees C&&4.5V	ANT1	802.11ac(VHT40)	5230.00	5230.128	5213.184	5247.072	5150~5250	Pass
25degrees C&&5.5V	ANT1	802.11ac(VHT40)	5230.00	5230.128	5213.312	5246.944	5150~5250	Pass
70degrees C&&5.0V	ANT1	802.11ax(HE40)	5190.00	5190.088	5171.016	5209.160	5150~5250	Pass
60degrees C&&5.0V	ANT1	802.11ax(HE40)	5190.00	5190.120	5171.224	5209.016	5150~5250	Pass
50degrees C&&5.0V	ANT1	802.11ax(HE40)	5190.00	5190.128	5171.400	5208.856	5150~5250	Pass
40degrees C&&5.0V	ANT1	802.11ax(HE40)	5190.00	5190.184	5171.560	5208.808	5150~5250	Pass
30degrees C&&5.0V	ANT1	802.11ax(HE40)	5190.00	5190.200	5171.728	5208.672	5150~5250	Pass
20degrees C&&5.0V	ANT1	802.11ax(HE40)	5190.00	5190.276	5171.864	5208.688	5150~5250	Pass
10degrees C&&5.0V	ANT1	802.11ax(HE40)	5190.00	5190.212	5171.976	5208.448	5150~5250	Pass
0degrees C&&5.0V	ANT1	802.11ax(HE40)	5190.00	5190.272	5172.104	5208.440	5150~5250	Pass

-10degrees C&&5.0V	ANT1	802.11ax(HE40)	5190.00	5190.268	5172.232	5208.304	5150~5250	Pass
-20degrees C&&5.0V	ANT1	802.11ax(HE40)	5190.00	5190.280	5172.376	5208.184	5150~5250	Pass
25degrees C&&5.0V	ANT1	802.11ax(HE40)	5190.00	5190.284	5172.496	5208.072	5150~5250	Pass
25degrees C&&4.5V	ANT1	802.11ax(HE40)	5190.00	5190.308	5172.648	5207.968	5150~5250	Pass
25degrees C&&5.5V	ANT1	802.11ax(HE40)	5190.00	5190.328	5172.760	5207.896	5150~5250	Pass
70degrees C&&5.0V	ANT1	802.11ax(HE40)	5230.00	5230.088	5211.008	5249.168	5150~5250	Pass
60degrees C&&5.0V	ANT1	802.11ax(HE40)	5230.00	5230.084	5211.184	5248.984	5150~5250	Pass
50degrees C&&5.0V	ANT1	802.11ax(HE40)	5230.00	5230.036	5211.272	5248.800	5150~5250	Pass
40degrees C&&5.0V	ANT1	802.11ax(HE40)	5230.00	5230.048	5211.344	5248.752	5150~5250	Pass
30degrees C&&5.0V	ANT1	802.11ax(HE40)	5230.00	5230.024	5211.432	5248.616	5150~5250	Pass
20degrees C&&5.0V	ANT1	802.11ax(HE40)	5230.00	5230.088	5211.544	5248.632	5150~5250	Pass
10degrees C&&5.0V	ANT1	802.11ax(HE40)	5230.00	5230.000	5211.656	5248.344	5150~5250	Pass
0degrees C&&5.0V	ANT1	802.11ax(HE40)	5230.00	5230.016	5211.776	5248.256	5150~5250	Pass
-10degrees C&&5.0V	ANT1	802.11ax(HE40)	5230.00	5230.064	5211.920	5248.208	5150~5250	Pass
-20degrees C&&5.0V	ANT1	802.11ax(HE40)	5230.00	5230.068	5212.064	5248.072	5150~5250	Pass
25degrees C&&5.0V	ANT1	802.11ax(HE40)	5230.00	5230.068	5212.176	5247.960	5150~5250	Pass
25degrees C&&4.5V	ANT1	802.11ax(HE40)	5230.00	5230.056	5212.304	5247.808	5150~5250	Pass
25degrees C&&5.5V	ANT1	802.11ax(HE40)	5230.00	5230.068	5212.400	5247.736	5150~5250	Pass