


5.2G WIFI

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	84.18	0.75	5.56
NVNT	a	5200	Ant1	84.21	0.75	5.88
NVNT	a	5240	Ant1	84.18	0.75	5.88
NVNT	a	5180	Ant2	84.26	0.74	5.56
NVNT	a	5200	Ant2	84.31	0.74	5.56
NVNT	a	5240	Ant2	84.24	0.74	5.88
NVNT	n20	5180	Ant1	83.28	0.79	6.25
NVNT	n20	5200	Ant1	83.28	0.79	5.88
NVNT	n20	5240	Ant1	83.3	0.79	6.25
NVNT	n20	5180	Ant2	83.32	0.79	6.25
NVNT	n20	5200	Ant2	83.31	0.79	6.25
NVNT	n20	5240	Ant2	83.34	0.79	6.25
NVNT	n40	5190	Ant1	76.37	1.17	10
NVNT	n40	5230	Ant1	76.39	1.17	10
NVNT	n40	5190	Ant2	76.36	1.17	10
NVNT	n40	5230	Ant2	76.38	1.17	10
NVNT	ac20	5180	Ant1	77.14	1.13	9.09
NVNT	ac20	5200	Ant1	77.14	1.13	10
NVNT	ac20	5240	Ant1	77.13	1.13	10
NVNT	ac20	5180	Ant2	77.2	1.12	10
NVNT	ac20	5200	Ant2	77.24	1.12	9.09
NVNT	ac20	5240	Ant2	77.21	1.12	10
NVNT	ac40	5190	Ant1	74.98	1.25	12.5
NVNT	ac40	5230	Ant1	66.68	1.76	14.29
NVNT	ac40	5190	Ant2	66.68	1.76	14.29
NVNT	ac40	5230	Ant2	70.13	1.54	14.29
NVNT	ac80	5210	Ant1	67.57	1.7	16.67
NVNT	ac80	5210	Ant2	70.18	1.54	16.67

Test Graphs


Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1




Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT a 5180MHz Ant2




Duty Cycle NVNT a 5200MHz Ant2




Duty Cycle NVNT a 5240MHz Ant2




Duty Cycle NVNT n20 5180MHz Ant1




Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant2




Duty Cycle NVNT n20 5200MHz Ant2




Duty Cycle NVNT n20 5240MHz Ant2




Duty Cycle NVNT n40 5190MHz Ant1




Duty Cycle NVNT n40 5230MHz Ant1







Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1




Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac20 5180MHz Ant2








Duty Cycle NVNT ac40 5190MHz Ant1



Duty Cycle NVNT ac40 5230MHz Ant1







Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	12.07	24	Pass
NVNT	a	5200	Ant1	11.79	24	Pass
NVNT	a	5240	Ant1	12.16	24	Pass
NVNT	a	5180	Ant2	12.09	24	Pass
NVNT	a	5200	Ant2	12.4	24	Pass
NVNT	a	5240	Ant2	12.23	24	Pass
NVNT	n20	5180	Ant1	10.68	24	Pass
NVNT	n20	5200	Ant1	11.06	24	Pass
NVNT	n20	5240	Ant1	11.1	24	Pass
NVNT	n20	5180	Ant2	11.01	24	Pass
NVNT	n20	5200	Ant2	11.17	24	Pass
NVNT	n20	5240	Ant2	11.16	24	Pass
NVNT	n40	5190	Ant1	10.79	24	Pass
NVNT	n40	5230	Ant1	10.83	24	Pass
NVNT	n40	5190	Ant2	11.05	24	Pass
NVNT	n40	5230	Ant2	11.18	24	Pass
NVNT	ac20	5180	Ant1	10.93	24	Pass
NVNT	ac20	5200	Ant1	10.81	24	Pass
NVNT	ac20	5240	Ant1	10.88	24	Pass
NVNT	ac20	5180	Ant2	11.02	24	Pass
NVNT	ac20	5200	Ant2	11.22	24	Pass
NVNT	ac20	5240	Ant2	11.21	24	Pass
NVNT	ac40	5190	Ant1	10.63	24	Pass
NVNT	ac40	5230	Ant1	10.87	24	Pass
NVNT	ac40	5190	Ant2	11.03	24	Pass
NVNT	ac40	5230	Ant2	11.01	24	Pass
NVNT	ac80	5210	Ant1	10.64	24	Pass
NVNT	ac80	5210	Ant2	11.11	24	Pass

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	19.737	Pass
NVNT	a	5200	Ant1	19.488	Pass
NVNT	a	5240	Ant1	19.416	Pass
NVNT	a	5180	Ant2	19.134	Pass
NVNT	a	5200	Ant2	19.698	Pass
NVNT	a	5240	Ant2	19.551	Pass
NVNT	n20	5180	Ant1	19.866	Pass
NVNT	n20	5200	Ant1	20.136	Pass
NVNT	n20	5240	Ant1	19.695	Pass
NVNT	n20	5180	Ant2	19.914	Pass
NVNT	n20	5200	Ant2	19.929	Pass
NVNT	n20	5240	Ant2	19.929	Pass
NVNT	n40	5190	Ant1	40.452	Pass
NVNT	n40	5230	Ant1	40.62	Pass
NVNT	n40	5190	Ant2	40.182	Pass
NVNT	n40	5230	Ant2	40.26	Pass
NVNT	ac20	5180	Ant1	19.521	Pass
NVNT	ac20	5200	Ant1	20.193	Pass
NVNT	ac20	5240	Ant1	19.707	Pass
NVNT	ac20	5180	Ant2	20.085	Pass
NVNT	ac20	5200	Ant2	19.761	Pass
NVNT	ac20	5240	Ant2	19.911	Pass
NVNT	ac40	5190	Ant1	40.506	Pass
NVNT	ac40	5230	Ant1	40.446	Pass
NVNT	ac40	5190	Ant2	40.326	Pass
NVNT	ac40	5230	Ant2	40.488	Pass
NVNT	ac80	5210	Ant1	81.264	Pass
NVNT	ac80	5210	Ant2	80.376	Pass

Test Graphs


-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1




-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT a 5180MHz Ant2




-26dB Bandwidth NVNT a 5200MHz Ant2




-26dB Bandwidth NVNT a 5240MHz Ant2




-26dB Bandwidth NVNT n20 5180MHz Ant1




-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant2




-26dB Bandwidth NVNT n20 5200MHz Ant2




-26dB Bandwidth NVNT n20 5240MHz Ant2




-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1




-26dB Bandwidth NVNT n40 5190MHz Ant2




-26dB Bandwidth NVNT n40 5230MHz Ant2




-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac20 5180MHz Ant2




-26dB Bandwidth NVNT ac20 5200MHz Ant2




-26dB Bandwidth NVNT ac20 5240MHz Ant2




-26dB Bandwidth NVNT ac40 5190MHz Ant1




-26dB Bandwidth NVNT ac40 5230MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant2




-26dB Bandwidth NVNT ac40 5230MHz Ant2



-26dB Bandwidth NVNT ac80 5210MHz Ant1



-26dB Bandwidth NVNT ac80 5210MHz Ant2



Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.384
NVNT	a	5200	Ant1	16.351
NVNT	a	5240	Ant1	16.336
NVNT	a	5180	Ant2	16.279
NVNT	a	5200	Ant2	16.42
NVNT	a	5240	Ant2	16.306
NVNT	n20	5180	Ant1	17.62
NVNT	n20	5200	Ant1	17.506
NVNT	n20	5240	Ant1	17.53
NVNT	n20	5180	Ant2	17.572
NVNT	n20	5200	Ant2	17.515
NVNT	n20	5240	Ant2	17.569
NVNT	n40	5190	Ant1	36.002
NVNT	n40	5230	Ant1	35.996
NVNT	n40	5190	Ant2	35.996
NVNT	n40	5230	Ant2	36.02
NVNT	ac20	5180	Ant1	17.551
NVNT	ac20	5200	Ant1	17.449
NVNT	ac20	5240	Ant1	17.518
NVNT	ac20	5180	Ant2	17.521
NVNT	ac20	5200	Ant2	17.518
NVNT	ac20	5240	Ant2	17.569
NVNT	ac40	5190	Ant1	36.014
NVNT	ac40	5230	Ant1	35.966
NVNT	ac40	5190	Ant2	35.906
NVNT	ac40	5230	Ant2	35.924
NVNT	ac80	5210	Ant1	75.568
NVNT	ac80	5210	Ant2	75.388

Test Graphs


OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1




OBW NVNT a 5240MHz Ant1




OBW NVNT a 5180MHz Ant2




OBW NVNT a 5200MHz Ant2




OBW NVNT a 5240MHz Ant2





OBW NVNT n20 5180MHz Ant1





OBW NVNT n20 5200MHz Ant1














OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac20 5180MHz Ant2




OBW NVNT ac20 5200MHz Ant2




OBW NVNT ac20 5240MHz Ant2




OBW NVNT ac40 5190MHz Ant1




OBW NVNT ac40 5230MHz Ant1




OBW NVNT ac40 5190MHz Ant2



OBW NVNT ac40 5230MHz Ant2






Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-7.93	0.75	-7.18	11	Pass
NVNT	a	5200	Ant1	-7.03	0.75	-6.28	11	Pass
NVNT	a	5240	Ant1	-5.96	0.75	-5.21	11	Pass
NVNT	a	5180	Ant2	-5.87	0.74	-5.13	11	Pass
NVNT	a	5200	Ant2	-5.3	0.74	-4.56	11	Pass
NVNT	a	5240	Ant2	-5.44	0.74	-4.7	11	Pass
NVNT	n20	5180	Ant1	-7.13	0.79	-6.34	11	Pass
NVNT	n20	5200	Ant1	-6.32	0.79	-5.53	11	Pass
NVNT	n20	5240	Ant1	-7.43	0.79	-6.64	11	Pass
NVNT	n20	5180	Ant2	-7.3	0.79	-6.51	11	Pass
NVNT	n20	5200	Ant2	-6.74	0.79	-5.95	11	Pass
NVNT	n20	5240	Ant2	-7.4	0.79	-6.61	11	Pass
NVNT	n40	5190	Ant1	-15.2	1.17	-14.03	11	Pass
NVNT	n40	5230	Ant1	-14.3	1.17	-13.13	11	Pass
NVNT	n40	5190	Ant2	-13.57	1.17	-12.4	11	Pass
NVNT	n40	5230	Ant2	-13.74	1.17	-12.57	11	Pass
NVNT	ac20	5180	Ant1	-8.43	1.13	-7.3	11	Pass
NVNT	ac20	5200	Ant1	-11.12	1.13	-9.99	11	Pass
NVNT	ac20	5240	Ant1	-12.02	1.13	-10.89	11	Pass
NVNT	ac20	5180	Ant2	-10.08	1.12	-8.96	11	Pass
NVNT	ac20	5200	Ant2	-13.74	1.12	-12.62	11	Pass
NVNT	ac20	5240	Ant2	-11.32	1.12	-10.2	11	Pass
NVNT	ac40	5190	Ant1	-16.11	1.25	-14.86	11	Pass
NVNT	ac40	5230	Ant1	-17.47	1.76	-15.71	11	Pass
NVNT	ac40	5190	Ant2	-18.72	1.76	-16.96	11	Pass
NVNT	ac40	5230	Ant2	-16.57	1.54	-15.03	11	Pass
NVNT	ac80	5210	Ant1	-20.54	1.7	-18.84	11	Pass
NVNT	ac80	5210	Ant2	-19.85	1.54	-18.31	11	Pass

Test Graphs


PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1




PSD NVNT a 5240MHz Ant1




PSD NVNT a 5180MHz Ant2





PSD NVNT a 5200MHz Ant2





PSD NVNT a 5240MHz Ant2


































5.2G WIFI MIMO

Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	ac20	5180	Sum	77.17	1.13	10
NVNT	ac20	5200	Sum	77.17	1.13	9.09
NVNT	ac20	5240	Sum	77.18	1.12	9.09
NVNT	ac40	5190	Sum	66.68	1.76	14.29
NVNT	ac40	5230	Sum	75.01	1.25	12.5
NVNT	ac80	5210	Sum	67.5	1.71	16.67
NVNT	n20	5180	Sum	83.32	0.79	5.88
NVNT	n20	5200	Sum	83.28	0.79	6.25
NVNT	n20	5240	Sum	83.28	0.79	5.88
NVNT	n40	5190	Sum	76.29	1.18	10
NVNT	n40	5230	Sum	76.37	1.17	10


Test Graphs


Duty Cycle NVNT ac20 5180MHz Sum




Duty Cycle NVNT ac20 5200MHz Sum












Duty Cycle NVNT n20 5240MHz Sum



Duty Cycle NVNT n40 5190MHz Sum





Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5180	Ant1	10.1	22.05	Pass
NVNT	ac20	5180	Ant2	10.17	22.05	Pass
NVNT	ac20	5180	Sum	13.15	22.05	Pass
NVNT	ac20	5200	Ant1	9.75	22.05	Pass
NVNT	ac20	5200	Ant2	10.17	22.05	Pass
NVNT	ac20	5200	Sum	12.98	22.05	Pass
NVNT	ac20	5240	Ant1	9.74	22.05	Pass
NVNT	ac20	5240	Ant2	10.16	22.05	Pass
NVNT	ac20	5240	Sum	12.97	22.05	Pass
NVNT	ac40	5190	Ant1	9.78	22.05	Pass
NVNT	ac40	5190	Ant2	10.22	22.05	Pass
NVNT	ac40	5190	Sum	13.02	22.05	Pass
NVNT	ac40	5230	Ant1	9.77	22.05	Pass
NVNT	ac40	5230	Ant2	10.02	22.05	Pass
NVNT	ac40	5230	Sum	12.91	22.05	Pass
NVNT	ac80	5210	Ant1	9.77	22.05	Pass
NVNT	ac80	5210	Ant2	10.08	22.05	Pass
NVNT	ac80	5210	Sum	12.94	22.05	Pass
NVNT	n20	5180	Ant1	9.92	22.05	Pass
NVNT	n20	5180	Ant2	9.98	22.05	Pass
NVNT	n20	5180	Sum	12.96	22.05	Pass
NVNT	n20	5200	Ant1	9.81	22.05	Pass
NVNT	n20	5200	Ant2	10.15	22.05	Pass
NVNT	n20	5200	Sum	12.99	22.05	Pass
NVNT	n20	5240	Ant1	10.14	22.05	Pass
NVNT	n20	5240	Ant2	10.19	22.05	Pass
NVNT	n20	5240	Sum	13.18	22.05	Pass
NVNT	n40	5190	Ant1	10.01	22.05	Pass
NVNT	n40	5190	Ant2	10.23	22.05	Pass
NVNT	n40	5190	Sum	13.13	22.05	Pass
NVNT	n40	5230	Ant1	10.04	22.05	Pass
NVNT	n40	5230	Ant2	10.15	22.05	Pass
NVNT	n40	5230	Sum	13.11	22.05	Pass

-26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	ac20	5180	Ant1	19.857	Pass
NVNT	ac20	5180	Ant2	20.199	Pass
NVNT	ac20	5200	Ant1	19.944	Pass
NVNT	ac20	5200	Ant2	19.836	Pass
NVNT	ac20	5240	Ant1	20.013	Pass
NVNT	ac20	5240	Ant2	19.935	Pass
NVNT	ac40	5190	Ant1	40.062	Pass
NVNT	ac40	5190	Ant2	40.134	Pass
NVNT	ac40	5230	Ant1	50.838	Pass
NVNT	ac40	5230	Ant2	40.266	Pass
NVNT	ac80	5210	Ant1	81.408	Pass
NVNT	ac80	5210	Ant2	80.16	Pass
NVNT	n20	5180	Ant1	19.515	Pass
NVNT	n20	5180	Ant2	19.929	Pass
NVNT	n20	5200	Ant1	19.932	Pass
NVNT	n20	5200	Ant2	19.869	Pass
NVNT	n20	5240	Ant1	20.22	Pass
NVNT	n20	5240	Ant2	20.157	Pass
NVNT	n40	5190	Ant1	40.206	Pass
NVNT	n40	5190	Ant2	40.404	Pass
NVNT	n40	5230	Ant1	47.922	Pass
NVNT	n40	5230	Ant2	39.888	Pass

Test Graphs


-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5180MHz Ant2




-26dB Bandwidth NVNT ac20 5200MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant2




-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant2




-26dB Bandwidth NVNT ac40 5190MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant2




-26dB Bandwidth NVNT ac40 5230MHz Ant1




-26dB Bandwidth NVNT ac40 5230MHz Ant2




-26dB Bandwidth NVNT ac80 5210MHz Ant1




-26dB Bandwidth NVNT ac80 5210MHz Ant2




-26dB Bandwidth NVNT n20 5180MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant2




-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5200MHz Ant2




-26dB Bandwidth NVNT n20 5240MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant2




-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5190MHz Ant2



-26dB Bandwidth NVNT n40 5230MHz Ant1



-26dB Bandwidth NVNT n40 5230MHz Ant2



Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	ac20	5180	Ant1	17.515
NVNT	ac20	5180	Ant2	17.494
NVNT	ac20	5200	Ant1	17.476
NVNT	ac20	5200	Ant2	17.566
NVNT	ac20	5240	Ant1	17.62
NVNT	ac20	5240	Ant2	17.596
NVNT	ac40	5190	Ant1	35.894
NVNT	ac40	5190	Ant2	35.918
NVNT	ac40	5230	Ant1	36.134
NVNT	ac40	5230	Ant2	35.96
NVNT	ac80	5210	Ant1	75.484
NVNT	ac80	5210	Ant2	75.352
NVNT	n20	5180	Ant1	17.53
NVNT	n20	5180	Ant2	17.611
NVNT	n20	5200	Ant1	17.596
NVNT	n20	5200	Ant2	17.542
NVNT	n20	5240	Ant1	17.617
NVNT	n20	5240	Ant2	17.536
NVNT	n40	5190	Ant1	35.906
NVNT	n40	5190	Ant2	36.026
NVNT	n40	5230	Ant1	36.272
NVNT	n40	5230	Ant2	36.056