ANNEX D TEST DATA

For

Project No.:	8228EU010101W
Client:	Shenzhen Okexin Technology Co., Ltd.
Product Name:	Projector
Model No.:	L02
FCC ID:	2BFMQ-L02
Technology:	Bluetooth BDR+EDR
Test Engineer:	Mikey zhu
Test Date:	2024-05-17

Test Summary

Item	Result
Duty Cycle	Pass
Bandwidth	Pass
Maximum Conducted Output Power	Pass
Carrier Frequency Separation	Pass
Number of Hopping Frequencies	Pass
Time of Occupancy (Dwell Time)	Pass
Unwanted Emissions In Non-restricted Frequency Bands	Pass

1. Bandwidth

1.1 OBW

1.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	99% Occupied Bandwidth (MHz)		Verdict
					Result	Limit	
GFSK	SISO	2402	DH5	1	0.956	/	Pass
		2441	DH5	1	0.976	/	Pass
		2480	DH5	1	0.991	/	Pass
π/4-DQPSK	SISO	2402	2DH5	1	1.225	/	Pass
		2441	2DH5	1	1.245	/	Pass
		2480	2DH5	1	1.262	/	Pass
8DPSK	SISO	2402	3DH5	1	1.231	/	Pass
		2441	3DH5	1	1.246	/	Pass
		2480	3DH5	1	1.256	/	Pass

1.1.2 Test Graph

GFSK_DH5_LCH_2402MHz_Ant1_NTNV



GFSK_DH5_MCH_2441MHz_Ant1_NTNV



GFSK_DH5_HCH_2480MHz_Ant1_NTNV



π/4-DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV



π/4-DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV



π/4-DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV



1.2 20dB BW

1.2.1 Test Result

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	20dB Bandwidth (MHz)		Verdict
					Result	Limit	
GFSK	SISO	2402	DH5	1	1.058	/	Pass
		2441	DH5	1	1.068	/	Pass
		2480	DH5	1	1.067	/	Pass
π/4-DQPSK	SISO	2402	2DH5	1	1.344	/	Pass
		2441	2DH5	1	1.358	/	Pass
		2480	2DH5	1	1.387	/	Pass
8DPSK	SISO	2402	3DH5	1	1.331	/	Pass
		2441	3DH5	1	1.344	/	Pass
		2480	3DH5	1	1.353	/	Pass

1.2.2 Test Graph

GFSK_DH5_LCH_2402MHz_Ant1_NTNV



GFSK_DH5_MCH_2441MHz_Ant1_NTNV



GFSK_DH5_HCH_2480MHz_Ant1_NTNV



π/4-DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV



π/4-DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV



π/4-DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV



2. Maximum Conducted Output Power

2.1 Power

2.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Packet Type	Maximum Peak Conducted Output Power (dBm)		Verdict
				ANT1	Limit	
GFSK	SISO	2402	DH5	4.87	<=20.97	Pass
		2441	DH5	4.71	<=20.97	Pass
		2480	DH5	4.42	<=20.97	Pass
π/4-DQPSK	SISO	2402	2DH5	5.40	<=20.97	Pass
		2441	2DH5	5.28	<=20.97	Pass
		2480	2DH5	5.07	<=20.97	Pass
8DPSK	SISO	2402	3DH5	5.73	<=20.97	Pass
		2441	3DH5	5.59	<=20.97	Pass
		2480	3DH5	5.34	<=20.97	Pass

2.1.2 Test Graph

GFSK_DH5_LCH_2402MHz_Ant1_NTNV



GFSK_DH5_MCH_2441MHz_Ant1_NTNV



GFSK_DH5_HCH_2480MHz_Ant1_NTNV



π/4-DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV



π/4-DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV



π/4-DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV



3. Carrier Frequency Separation

3.1 Ant1

3.1.1 Test Result

Ant1							
Mode	TX Type	Frequency (MHz)	Packet Type	Channel Separation (MHz)	20dB Bandwidth (MHz)	Limit (MHz)	Verdict
GFSK	SISO	HOPP	DH5	0.998	1.068	>=0.712	Pass
π/4-DQPSK	SISO	HOPP	2DH5	1.015	1.387	>=0.925	Pass
8DPSK	SISO	HOPP	3DH5	0.986	1.353	>=0.902	Pass

3.1.2 Test Graph

GFSK_DH5_HOPP_Ant1_NTNV



π/4-DQPSK_2DH5_HOPP_Ant1_NTNV



8DPSK_3DH5_HOPP_Ant1_NTNV



4. Number of Hopping Frequencies

4.1 HoppNum

4.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Packet Type	Num of Hopping Frequencies		Verdict
				ANT1	Limit	
GFSK	SISO	HOPP	DH5	79	>=15	Pass
π/4-DQPSK	SISO	HOPP	2DH5	79	>=15	Pass
8DPSK	SISO	HOPP	3DH5	79	>=15	Pass

4.1.2 Test Graph

GFSK_DH5_HOPP_Ant1_NTNV



π/4-DQPSK_2DH5_HOPP_Ant1_NTNV



8DPSK_3DH5_HOPP_Ant1_NTNV



5. Time of Occupancy (Dwell Time)

5.1 Ant1

5.1.1 Test Result

Ant1									
Mode	TX Type	Frequency (MHz)	Packet Type	Duration of Single Pulse (ms)	Observation Period (s)	Num of Pulse in Observation Period	Dwell Time (ms)	Limit (ms)	Verdict
GFSK	SISO	HOPP	DH1	0.382	31.600	318	121.476	<=400	Pass
			DH3	1.638	31.600	160	262.080	<=400	Pass
			DH5	2.884	31.600	93	268.212	<=400	Pass
π/4-DQPSK	SISO	HOPP	2DH1	0.390	31.600	318	124.020	<=400	Pass
			2DH3	1.642	31.600	164	269.288	<=400	Pass
			2DH5	2.894	31.600	102	295.188	<=400	Pass
8DPSK	SISO	HOPP	3DH1	0.390	31.600	320	124.800	<=400	Pass
			3DH3	1.646	31.600	154	253.484	<=400	Pass
			3DH5	2.894	31.600	102	295.188	<=400	Pass

5.1.2 Test Graph

GFSK_DH1_HOPP_Ant1_NTNV



GFSK_DH1_HOPP_Ant1_NTNV



GFSK_DH3_HOPP_Ant1_NTNV



GFSK_DH3_HOPP_Ant1_NTNV



GFSK_DH5_HOPP_Ant1_NTNV



GFSK_DH5_HOPP_Ant1_NTNV



π/4-DQPSK_2DH1_HOPP_Ant1_NTNV



π/4-DQPSK_2DH1_HOPP_Ant1_NTNV



π/4-DQPSK_2DH3_HOPP_Ant1_NTNV



π/4-DQPSK_2DH3_HOPP_Ant1_NTNV



π/4-DQPSK_2DH5_HOPP_Ant1_NTNV



π/4-DQPSK_2DH5_HOPP_Ant1_NTNV



8DPSK_3DH1_HOPP_Ant1_NTNV



8DPSK_3DH1_HOPP_Ant1_NTNV



8DPSK_3DH3_HOPP_Ant1_NTNV



8DPSK_3DH3_HOPP_Ant1_NTNV



8DPSK_3DH5_HOPP_Ant1_NTNV



8DPSK_3DH5_HOPP_Ant1_NTNV



6. Unwanted Emissions In Non-restricted Frequency Bands

6.1 Ref

6.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)
GFSK	SISO	2402	DH5	1	4.56
		2441	DH5	1	4.25
		2480	DH5	1	3.86
π/4-DQPSK	SISO	2402	2DH5	1	4.48
		2441	2DH5	1	4.25
		2480	2DH5	1	3.82
8DPSK	SISO	2402	3DH5	1	4.46
		2441	3DH5	1	4.28
		2480	3DH5	1	3.85
Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.					

6.1.2 Test Graph

GFSK_DH5_LCH_2402MHz_Ant1_NTNV



GFSK_DH5_MCH_2441MHz_Ant1_NTNV



GFSK_DH5_HCH_2480MHz_Ant1_NTNV



π/4-DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV



π/4-DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV



π/4-DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV



6.2 CSE

6.2.1 Test Result

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
GFSK	SISO	2402	DH5	1	4.56	-15.44	Pass
		2441	DH5	1	4.56	-15.44	Pass
		2480	DH5	1	4.56	-15.44	Pass
		HOPP	DH5	1	4.56	-15.44	Pass
					4.56	-15.44	Pass
π/4-DQPSK	SISO	2402	2DH5	1	4.48	-15.52	Pass
		2441	2DH5	1	4.48	-15.52	Pass
		2480	2DH5	1	4.48	-15.52	Pass
		HOPP	2DH5	1	4.48	-15.52	Pass
					4.48	-15.52	Pass
8DPSK	SISO	2402	3DH5	1	4.46	-15.54	Pass
		2441	3DH5	1	4.46	-15.54	Pass
		2480	3DH5	1	4.46	-15.54	Pass
		HOPP	3DH5	1	4.46	-15.54	Pass
					4.46	-15.54	Pass
Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2020, the channel contains the maximum PSD level was used to establish the reference level.							

6.2.2 Test Graph

GFSK_DH5_LCH_2402MHz_Ant1_NTNV



GFSK_DH5_LCH_2402MHz_Ant1_NTNV



GFSK_DH5_MCH_2441MHz_Ant1_NTNV



GFSK_DH5_HCH_2480MHz_Ant1_NTNV



GFSK_DH5_HCH_2480MHz_Ant1_NTNV



GFSK_DH5_HOPP_Ant1_NTNV



GFSK_DH5_HOPP_Ant1_NTNV



π/4-DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV



π/4-DQPSK_2DH5_LCH_2402MHz_Ant1_NTNV



π/4-DQPSK_2DH5_MCH_2441MHz_Ant1_NTNV



π/4-DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



π/4-DQPSK_2DH5_HCH_2480MHz_Ant1_NTNV



π/4-DQPSK_2DH5_HOPP_Ant1_NTNV



π/4-DQPSK_2DH5_HOPP_Ant1_NTNV



8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_LCH_2402MHz_Ant1_NTNV



8DPSK_3DH5_MCH_2441MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV



8DPSK_3DH5_HCH_2480MHz_Ant1_NTNV



8DPSK_3DH5_HOPP_Ant1_NTNV



8DPSK_3DH5_HOPP_Ant1_NTNV



-------- End of Report -------